

## Haworth Price Adjustment

A non-discountable 1.75% increase to list price will be applied to all orders placed after April 07, 2025

# Compose

## GSA Price List – March 2025

Includes Compose, Compose Connections, Compose Beam and Compose Gallery Panels



This price list is based upon Haworth's February 2025 commercial pricing.

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE

**Authorized Federal Supply Scheduled Price List (Catalog) Office Furniture, Wood Casegoods and Tables**

(FSC Group 71, Part I, FSC Classes 7105, 7110, 7125 and 7195)

Contract No: GS-03F-057DA | Contract Period: February 8, 2016 – February 7, 2026 | Business: Large

Contractor: Haworth, Inc. | One Haworth Center | Holland, MI 49423-9576 | 1.616.393.3000



# Electronic Update Page – Compose

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Pages	Description
<a href="#">Click Here</a>	April 2025	All Price List Pages	<b>Update</b> – Pricing Surcharge – effective April 7, 2025 all future orders will have a non-discountable 1.75% of list price surcharge added.
<a href="#">Click Here</a>	April 2025	1A-5A	<b>New</b> – New pages added for Tile-to-Floor Base Raceway Technology Access and End of Run Top Feed Module.
<a href="#">Click Here</a>	May 2025	96	<b>Update</b> – Tile to Floor option for End-of-Run Trim was discontinued and removed.



**This Haworth North American price book contains US list prices.**

Canadian customers can convert the US list price into their Canadian equivalent by going to [www.Haworth.com/Canada](http://www.Haworth.com/Canada) to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.


**HAWORTH, INC.**  
**GENERAL SERVICES ADMINISTRATION**  
**FEDERAL ACQUISITION SERVICES**

**Authorized Federal Supply Schedule**  
**Furniture**  
**(FSC Group 71, FSC Classes 7105, 7110, 7125 and 7195)**

Contract Number: GS-03F-057DA  
Contract Start Date: February 8, 2016  
Contract End Date: February 7, 2026  
Contractor: HAWORTH, INC.  
One Haworth Center  
Holland, MI 49423-9576  
1-616-393-3000  
<http://www.haworth.com/government>  
Business Size: Large

**Information for Ordering Activities**  
**I-FSS-600**

Online access to Haworth's Authorized Federal Supply Schedule contract ordering information, terms and conditions, and up-to-date product and discount listing can be found at GSA Advantage, eLibrary link [here](#).



This page intentionally left blank.

# Compose Price List

Includes pricing, catalog numbers, finish codes/availability, specification requirements, line art, dimensions, and specification tips for Compose.

## Structures

### High Acoustical Inserts

### Tiles

### Panel Accessories

### Electrical Components

### Gallery Panels

### Gallery Panel Accessories

### Adaptable Worksurfaces

### Worksurface Supports

### Worksurface Accessories

### Upper Storage

### Adaptable Upper Storage

### Wall Mount Components

### Lighting

# Table of Contents

## Price List

<b>Statement of Line</b> .....	9	Full Panel — End-of-Run Trim — Work Rail .....	91
<b>Structures</b>		Full Panel — End-of-Run Steel Trim Bottom Bracket Clip .....	91
Power Location Overview - Full Panel Frame .....	27	Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood .....	92
Full Panel Frames .....	28	Full Panel — Trim and Corner Connectors — Work Rail .....	94
Glass Panels — Glass Panel .....	31	Full Panel — Trim and Corner Connectors — 3- & 4-Way Intersection — Top Cap .....	95
Full Panel Frame Foot .....	33	Connections — End-of-Run Trim .....	96
Connections Frame .....	34	Connections — Raceway End-of-Run Cover .....	96
Connections Frame Leg — In-Line and End-of-Run Condition .....	35	Connections — Trim and Corner Connectors .....	97
Connections Frame Leg — 2-, 3-, 4-Way Intersection .....	36	Beam — End-of-Run Trim .....	98
Beam Frame .....	37	Beam — Trim and Corner Connectors .....	99
Beam Frame Leg — Straight Leg with Foot — In-Line and End-of-Run Condition .....	38	Beam — Trim and Corner Connectors — No Top Cap .....	100
Beam Frame Leg — Straight Leg — 2-, 3-, 4-Way Intersection .....	38	Beam — Steel Trim Top Cap Aligner Clip .....	100
Beam Frame Leg — A Leg — In-Line and End-of-Run Condition .....	39	Variable Height Trim — Proud .....	101
<b>High Acoustical Inserts</b> .....	40	Variable Height Trim 3-Way & 4-Way — Flush 90° .....	102
<b>Tiles - Full Panel, Connections and Stack Frame</b>		Variable Height Trim (Flush) — 120° .....	102
No Technology Access .....	42	Corner Block Assembly — 90° .....	103
Right-Hand Port .....	42	Corner Block Assembly — 120° .....	103
Left and Right-Hand Port .....	42	3-Way Intersection — Spanning Tile Corner Blocks .....	103
No Technology Access .....	42	Aligner/Light Block .....	104
Fabric .....	43	Half Aligner/Light Block .....	104
Laminate .....	46	Vertical Light Block (Between Panel) .....	105
Steel .....	51	Friction Pad .....	106
Wood .....	54	Seismic Anchoring Kit .....	106
Matched Natural Wood Tile Set .....	59	Anchoring Bracket .....	106
Markerboard .....	61	T-Mount .....	107
Slat .....	62	Panel Frame Wall Mount .....	108
Open Frame .....	63	Glass Panel Wall Mount .....	108
Glass .....	64	Tie Bracket Kit - Glass Stack .....	108
Hardware Kit — Glass Tile/Open Frame Tile (10 bolts/nuts) .....	64	Glass to Glass Connectors — In-Line .....	109
<b>Compose Echo Integrated</b>		Glass to Glass Connectors — End-of-Run/Intersection .....	109
Slotted Accessory Tile .....	65	Glass to Glass Connectors — Variable Height .....	109
<b>Compose Echo Accessory</b>		<b>Electrical Components</b>	
Ledge .....	66	Base Feed Module — Hardwire Connection .....	110
<b>External Mount Tiles — Full Panel and Connections</b>		Single Circuit Base Feed Module — Receptacle Connection with Power Cord .....	110
Slat, 16" External Mount .....	67	Base Feed Module — Concealed Hardwire Connection .....	111
Tackboard, External Mount .....	67	Base Feed Module — Hardwire Connection .....	112
Markerboard, External Mount .....	68	Base Feed Module — Hardwire Connection — Connections and Beam .....	112
<b>Tiles - Beam</b>		Internal Power Base AI Base Feed .....	113
No Technology Access .....	69	Raised Floor Infeed Base Feed Module .....	114
Right-Hand Port .....	69	Wall Feed Field Wired 1 Port .....	114
Left-Hand Port .....	69	Top Feed Module .....	115
Left and Right-Hand Port .....	69	End-of-Run Top Feed Module — Connections only .....	117
No Technology Access .....	69	End-of-Run Top Feed Module — Beam only .....	118
Fabric .....	70	Full Panel Infeed Harness .....	119
Laminate .....	71	Infeed Harness .....	119
Steel .....	72	Power Retrofit Kit — 42"(1067mm)H Beltline, 58"(1473mm)H Standing Height and Connections .....	120
Wood .....	73	Power Retrofit Kit — Beltline, 50"(1270mm)H or Greater, Below WS and Standing Height .....	121
<b>Panel Accessories</b>		Power Retrofit Kit — Standing Height .....	122
Stack Frame .....	74	Power Retrofit Kit — Raceway .....	123
Glass Stack .....	75	Raceway Covers .....	124
Frameless Glass and Rail Kit .....	76	Vertical Power Connector .....	125
Frameless Glass Bottom Rail .....	81	Flexible Power Connector — Raceway .....	125
Bottom Rail End Cap .....	83	Flexible Power Connector — Work-height .....	126
Frameless Glass — End-of-Run Clip for use with Aluminum Bottom Rail .....	83	Flexible Power Connector — Corner Span, Work-height .....	126
Glass Top Trim Clip Kit .....	83	Flexible Power Connector — Straight Span, Raceway/Work-height .....	127
Glass Topper .....	84	Extended Power Connector .....	127
Glass Topper — Bottom Rail Kit .....	85	Power Connector — Below WS .....	128
Alignment Clip Kit .....	85	Triplex Receptacle — 15 Amp .....	129
Sliding Door .....	86	Triplex Receptacle — 20 Amp .....	130
Filler Post — Sliding Door .....	86	Information Plate Communication Port Kits .....	131
Top Trim — Steel, Aluminum, Wood .....	87	Receptacle Blank Cover .....	131
Top Trim — Work Rail .....	88	Power and Communication Bezel — Full Panel and Connections .....	131
Top Trim — Off Modular Top Trim .....	89	Data Blank Cover — Full Panel and Connections .....	132
Top Trim — Work Rail Top Trim Cover .....	90	Power and Communication Bezel — Beam .....	132
Top Trim — Work Rail Top Trim Off-Modular Bracket .....	90		
Full Panel — End-of-Run Trim — Steel/Aluminum/Wood .....	91		

# Table of Contents

Communication Data Bracket — Beam	132	<b>Adaptable Worksurfaces — Rectangular</b>	General Specifications	212
Data Blank Cover — Beam	133		Rectangular	213
Frame Rail Grommet	133		Rectangular Transition	215
Tile Grommet Kit	133		Swell/Inverse Swell—Swell/Inverse Swell	216
Frame Mounted Power Tap Bracket — Concealed	134		Wedge/Sharp Wedge—Wedge/Sharp Wedge	217
Frame Mounted Data Plate Bracket — Concealed	134		Rectangular Radius End	220
Adaptor Plate, Single Gang	134	<b>Adaptable Worksurfaces — Corner</b>	General Specifications	221
Cable Management Bracket	135		Bent	222
Compose Task Light Cord Manager	135		120° Rectangular Radius and Square End — 120° Rectangular	
Compose Connections Cable Chain	135		Radius End/120° Rectangular Square End	223
Power Break Marker	135		Wrap Around Corner — 120°	224
<b>Power Distribution for Hardwire Applications</b>	136		Merger Corner — 90°	225
<b>Electrical Components</b>			Straight Front Corner — 90°	226
Hardwire — Base Feed Hardwire Plate	137		Wrap-Around Corner — 90° — Wrap-Around/Wrap-Around	
Hardwire — Top Feed Module, Hardwired (Pole Only)	137		Transitional	227
Hardwire — End-of-Run Top Feed Module, Hardwired (Pole Only) —			Wrap-Around Extended Corner — 90° — Wrap-Around	
Connections and Below WS Power	138		Extended/Wrap-Around Extended Transitional	228
Hardwire — End-of-Run Top Feed Module, Hardwired (Pole Only) —			Notched Corner — 90° — Notched/Notched Transitional	232
Beam Only	138		Notched Extended Corner — 90°	233
Hardwire — Raceway Retrofit Kits	139		Angled Corner — 90° — Angled/Angled Transitional	235
Hardwire — Raceway Covers	140	<b>Adaptable Worksurfaces — Convergent</b>	General Specifications	236
Hardwire — Hardwire Power Kit — Single Sided for 26”(660mm)H			Rectangular	237
Below WS, Connections and 42”(1067mm)H Panels at the Beltline	141		D-Shape Convergent	238
Hardwire — Hardwire Power Kit — Double Sided for 26”(660mm)H			D-Shape Ender Convergent	239
Below WS, Connections and 42”(1067mm)H Panels at the Beltline	141		D-Shape Convergent Wrap-Around	240
Hardwire — Hardwire Power Kit for Beltline, 50”H or Greater,			Radius Convergent — Radius Rectangular/Radius Wedge	242
Below WS and Standing Height	142		Radius Half Convergent — Rectangular/Wedge	243
Hardwire — Hardwire Power Kit — Single Sided for Beam	143		Wedge Half Convergent Plus	244
Hardwire — Hardwire Power Kit — Double Sided for Beam	143	<b>Adaptable Worksurfaces — Conference End</b>	Conference End/Key Conference End	245
Hardwire — Receptacle Plate, Hardwired	144		<b>Adaptable Worksurfaces — 120° Link</b>	246
<b>Gallery Panel</b>			<b>Adaptable Worksurfaces — Triangular Key</b>	247
Gallery Panel to Full Panel — Catalog Logic	145		<b>Adaptable Worksurfaces — Rectangular Key</b>	248
Gallery Panel to Beam — Catalog Logic	146		<b>Adaptable Worksurfaces</b>	
Gallery Panel to Gallery Panel — Catalog Logic	147		Countertop	249
<b>Gallery Panel to Compose Panel End-of-Run</b>			<b>Adaptable Worksurfaces — Adjustable Split Top</b>	
L/R (Left or Right Mount)	148		Rectangular	250
W/E (Half Left or Half Right Mount)	151		Corner — 90°	250
C (Center Mount)	156	<b>Worksurface Support</b>	Worksurface Support Panels	251
<b>Gallery Panel to Compose Panel Intermediate</b>			Worksurface Support Panels — Anti Dislodgement Bracket	
T (Two-Sided Left/Right)	159		for use with Worksurface Support Panels	252
H (Two-Sided Half Left/Right)	162		Standard Cantilever Bracket	253
X (Center - Two Sided Mount)	165		Standard Mini Cantilever Bracket	253
<b>Gallery Panel to Compose Beam End-of-Run</b>			Connections Cantilever Bracket	253
L/R (Left or Right Mount)	168		Beam Cantilever Bracket	254
W/E (Half Left or Half Right Mount)	171		Gallery Panel Cantilever Bracket	254
C (Center Mount)	176		Standard Link Cantilever Bracket	255
<b>Gallery Panel to Compose Beam Intermediate</b>			Side/Corner Bracket — Full Panel	255
T (Two Sided Left/Right)	179		Side/Corner Bracket for use with Knife Edge — Full Panel	255
H (Two Sided Half Left/Right)	182		Side/Corner Bracket — 26”(660mm)H, Connections or Beam	256
X (Center - Two-Sided Mount)	185		Flush Mount Plate	256
<b>Gallery Panel to Gallery Panel Face Attachment</b>			Work Rail Top Trim Off-Modular Bracket	256
L/R (Left or Right Mount)	188		Gallery Panel Attachment Bracket	257
C (Center Mount)	191		Convergent Bracket	257
<b>Gallery Panel to Gallery Panel End Attachment</b>			Countertop Bracket Kit	258
I (90° Face or Post Connection)	194		Gallery Panel Countertop/OSU Bracket Kit	258
S (Straight In-Line Add-On)	197		Column Leg	259
<b>Gallery Panel Accessories</b>			Straight Leg Basic — Height Adjustable	259
Brackets — Tie Plate	200		Single Support Leg	259
Glass Topper — Gallery Panel Mounting	201		Support Post— Height Adjustable	260
Topper Holder Kit	203		Support Column	260
Insert Glass — Gallery Panel Glass Ready Option	204		End Leg Kit	261
Compose Echo Tackboard	206		Return Leg Kit	261
Compose Tile Hardware Kit	207		P-Leg	262
Gallery Panel Hanging Brackets	208		Double Support Leg	262
Trim Post — Variable Height — Intermediate Intersection	209			
Trim Post — 3-Way or 4-Way — Intermediate Full Height	210			

# Table of Contents

---

## Worksurface Accessories

Worksurface Reinforcement Channel	263
Worksurface Reinforcement Bar	263
Stanchions	264

## Panel-to-Storage Bracket

A Series / Be_Hold	265
Compose Storage	265
X Series – Attached Pedestal	265
X and V Series Attached 2H Storage	265
Beside Pantry / X and V Series Freestanding	265

## Upper Storage

Storage Box	267
-------------	-----

## Storage Box Accessories

Ganging Flat Bracket for Storage Box	274
--------------------------------------	-----

## Upper Storage — Adaptable

Overhead Storage Unit — Standard Mount	275
Overhead Storage Unit — Up Mount	280
Open Shelf Standard Mount	285
Shelf Divider	285
Overhead Storage Unit / Shelf Gang Clip	285

## Wall Mount Components

Overhead Storage Unit — Wall Mount	286
Wall Track	291
Back for Wall Mounted Overhead Storage Unit	291
Worksurface and Gallery Panel Wall Mount Bracket	291
Tackboard, Wall Mount	292
Markerboard, Wall Mount	292

## Lighting

Task — Reed Premiere™ Stand-Alone LED Task Light	293
Task — Reed Premier™ Starter LED Task Light	293
Task — Reed Premiere™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	294
Task — Reed Premier™ Add-On Occupancy Sensor	294
Task — Adjustable LED Task Light – Stand-Alone	295
Task — Adaptable LED Task Light – Starter Kit	295
Task — Adaptable LED Task Light – Add-On Kit	296

## Resources

### Fabrics and Finishes

Finish/Color Legend	298
---------------------	-----

### COM Yardage Requirements

Compose Tile Fabric Usage	300
---------------------------	-----

Index	302
-------	-----


Lifetime Product Warranty	Inside Back Cover
---------------------------	-------------------



# Statement of Line


## Structures

Pages 28-39




• Base Raceway Power  
• Beltline Power

**Full Panel Frame**




36°  
• Base Raceway Power  
• Beltline Power  
• Below Worksurface Power

**Full Panel Frame**




20°  
• Base Raceway Power  
• Beltline Power  
• Below Worksurface Power

**Full Panel Frame**




36°  
20°  
• Base Raceway Power  
• Beltline Power  
• Below Worksurface Power


**Full Panel Frame**




**Open Base**




**Glass Panel with Raceway Cover**




**Glass Panel without Raceway Cover**



**Full Panel Frame Foot**




**Non Powered Frame**




**Powered Frame**

**Connections Frame**


**Connections Frame**




**Connections Frame Leg — In-Line and End-of-Run Condition**



**Connections Frame Leg — In-Line and End-of-Run Condition**




**Connections Frame Leg — 2-, 3-, 4-Way Intersection**




**Connections Frame Leg — 2-, 3-, 4-Way Intersection**


# Statement of Line




Beam Frame — Non Powered Frame




Beam Frame — Powered Frame



Beam Frame Leg — Straight Leg with Foot — In-Line and End-of-Run Condition




Beam Frame Leg — Straight Leg — 2-, 3-, 4-Way Intersection



Beam Frame Leg — A Leg — In-Line and End-of-Run Condition

## High Acoustical Inserts

Page 40




High Acoustical Insert

## Tiles – Full Panel, Connections and Stack Frame


Pages 42-64




Tiles – Full Panel, Connections and Stack Frame




Tiles – Full Panel, Connections and Stack Frame




Tiles – Full Panel, Connections and Stack Frame




Tiles – Full Panel, Connections and Stack Frame




Tiles – Full Panel, Connections and Stack Frame




Matched Natural Wood Tile Set




Markerboard




Slat



Open Frame



Glass




Hardware Kit — Glass Tile/Open Frame Tile (10 bolts/nuts)


# Statement of Line

## Compose Echo Integrated/Accessory Pages 65-66


## External Mount Tiles — Full Panel and Connections Pages 67-68




## Tiles - Beam Pages 69-73



## Panel Accessories Pages 74-109



# Statement of Line



Sliding Door

Filler Post — Sliding Door

Top Trim — Steel, Aluminum, Wood

Top Trim — Work Rail

Top Trim — Off Modular Top Trim

Top Trim — Work Rail Top Trim Cover

Top Trim — Work Rail Top Trim Off-Modular Bracket

Full Panel — End-of-Run Trim — Steel/Aluminum/Wood

Full Panel — End-of-Run Trim — Work Rail

Full Panel — End-of-Run Steel Trim Bottom Bracket Clip

Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood

Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood

Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood

Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood

Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood

Full Panel — Trim and Corner Connectors — Work Rail


Full Panel — Trim and Corner Connectors — Work Rail

Full Panel — Trim and Corner Connectors — Work Rail

Full Panel — Trim and Corner Connectors — Work Rail

Full Panel — Trim and Corner Connectors — Work Rail


# Statement of Line




Full Panel — Trim and Corner Connectors — 3- & 4-Way Intersection — Top Cap




Full Panel — Trim and Corner Connectors — 3- & 4-Way Intersection — Top Cap




Connections — End-of-Run Trim




Connections — Raceway End-of-Run Cover




Connections — Trim and Corner Connectors




Connections — Trim and Corner Connectors




Connections — Trim and Corner Connectors




Connections — Trim and Corner Connectors




Connections — Trim and Corner Connectors




Beam — End-of-Run Trim




Beam — Trim and Corner Connectors




Beam — Trim and Corner Connectors




Beam — Trim and Corner Connectors




Beam — Trim and Corner Connectors — No Top Cap



Beam — Trim and Corner Connectors — No Top Cap




Beam — Steel Trim Top Cap Aligner Clip



Variable Height Trim — Proud


# Statement of Line




Variable Height Trim 3-Way & 4-Way — Flush 90°




Variable Height Trim (Flush) — 120°




Corner Block Assembly — 90°




Corner Block Assembly — 120°




3-Way Intersection — Spanning Tile Corner Blocks




Aligner/Light Block




Half Aligner/Light Block




Vertical Light Block (Between Panel)




Friction Pad




Seismic Anchoring Kit




Anchoring Bracket




T-Mount




T-Mount




Panel Frame Wall Mount




Glass Panel Wall Mount




Tie Bracket Kit - Glass Stack



Glass to Glass Connectors — In-Line



Glass to Glass Connectors — End-of-Run/Intersection




Glass to Glass Connectors — Variable Height


# Statement of Line

## Electrical Components


Pages 110-144




**Base Feed Module —  
Hardwire Connection**




**Single Circuit Base Feed Module —  
Receptacle Connection with  
Power Cord**




**Single Circuit Base Feed Module —  
Receptacle Connection with  
Power Cord**




**Base Feed Module — Concealed  
Hardwire Connection**




**Base Feed Module — Hardwire  
Connection**




**Base Fee Module — Hardwire Connection —  
Connections and Beams**




**Internal Power Base AI  
Base Feed**




**Raised Floor Infeed Base  
Feed Module**




**Wall Feed Field  
Wired 1 Port**




**Top Feed Module**




**Top Feed Module — Base  
Raceway Connection**



**End-of-Run Top Feed Module —  
Connections only**




**End-of-Run Top Feed Module —  
Beam only**




**Full Panel Infeed Harness**

# Statement of Line




**Infeed Harness**


**Power Retrofit Kit — 42" (1067mm)H Beltline, 58" (1473mm)H Standing Height and Connections**




**Power Retrofit Kit — Beltline, 50" (1270mm)H or Greater, Below WS and Standing Height**




**Power Retrofit Kit — Standing Height**




**Power Retrofit Kit — Raceway**




**Raceway Covers**




**Vertical Power Connector**



**Base straight condition**




**Base inside 90° condition**




**Base inside 120° condition**

**Flexible Power Connector — Raceway**




**Flexible Power Connector — Work-height**




**Flexible Power Connector — Corner Span, Work-height**




# Statement of Line







**Flexible Power Connector — Straight Span, Raceway/ Work-height**







**Extended Power Connector**




**Power Connector — Below WS**




**Triplex Receptacle — 15 Amp**




**Triplex Receptacle — 20 Amp**




**Information Plate Communication Port Kits**




**Receptacle Blank Cover**




**Power and Communication Bezel — Full Panel and Connections**




**Data Blank Cover — Full Panel and Connections**




**Power and Communication Bezel — Beam**




**Communication Data Bracket — Beam**




**Data Blank Cover — Beam**




**Frame Rail Grommet**




**Tile Grommet Kit**




**Frame Mounted Power Tap Bracket — Concealed**



**Frame Mounted Data Plate Bracket — Concealed**




**Adaptor Plate, Single Gang**




**Cable Management Bracket**



**Compose Task Light Cord Manager**



**Compose Connections Cable Chain**




**Power Break Marker**


# Statement of Line




**Hardware — Base Feed Hardware Plate**




**Hardware — Top Feed Module, Hardwired (Pole Only)**




**Hardware — End-of-Run Top Feed Module, Hardwired (Pole Only) — Connections and Below WS Power**




**Hardware — End-of-Run Top Feed Module, Hardwired (Pole Only) — Beam Only**




**Hardware — Raceway Retrofit Kits**




**Hardware — Raceway Covers**




**Hardware — Hardware Power Kit — Single Sided for 26" (660mm) H Below WS, Connections and 42" (1067mm) H Panels at the Beltline**




**Hardware — Hardware Power Kit — Double Sided for 26" (660mm) H Below WS, Connections and 42" (1067mm) H Panels at the Beltline**




**Hardware — Hardware Power Kit for Beltline, 50" (1270mm) H or Greater, Below WS and Standing Height**




**Hardware — Hardware Power Kit — Single Sided for Beam**



**Hardware — Hardware Power Kit — Double Sided for Beam**




**Hardware — Receptacle Plate, Hardwired**




**Hardware — Receptacle Plate, Hardwired**

## Gallery Panel to Compose Panel End-of-Run


Pages 148-156




**L (Left Mount)**




**R (Right Mount)**






**W (Half Left Mount)**



**E (Half Right Mount)**




**C (Center Mount)**



# Statement of Line


## Gallery Panel to Compose Panel Intermediate

Pages 159-165



## Gallery Panel to Compose Beam End-of-Run


Pages 168-176



# Statement of Line

## Gallery Panel to Compose Beam Intermediate

Pages 179-185



**T (Two-Sided Left)**

**T (Two-Sided Right)**


**H (Two-Sided Half Left)**

**H (Two-Sided Half Right)**

**X (Center - Two Sided Mount)**

## Gallery Panel to Gallery Panel Face Attachment

Pages 188-191




**L (Left Mount)**

**R (Right Mount)**

**C (Center Mount)**

## Gallery Panel to Gallery Panel End Attachment


Page 194



**I (90° Face or Post Connection)**

## Gallery Panel to Gallery Panel Face Attachment

Page 197




**S (Straight In-Line Add-On)**

# Statement of Line


## Gallery Panel Accessories

Pages 200-210




## Adaptable Worksurfaces — Rectangular

Pages 213-220




## Adaptable Worksurfaces — Corner

Pages 222-235




# Statement of Line




## Adaptable Worksurfaces — Convergent

Pages 237-244




# Statement of Line



## Adaptable Worksurfaces


Pages 245-250



# Statement of Line

## Worksurface Support — Worksurface Support Panels


Pages 251-252




**Worksurface Support Panel**



**Edgeband**




**Knife**



**Anti Dislodgement Bracket for use with Worksurface Support Panels**

## Worksurface Support


Pages 253-262




**Standard Cantilever Bracket**




**Standard Mini Cantilever Bracket**




**Connections Cantilever Bracket**




**Beam Cantilever Bracket**




**Gallery Panel Cantilever Bracket**



**Standard Link Cantilever Bracket**



**Side/Corner Bracket — Full Panel**




**Side/Corner Bracket for use with Knife Edge — Full Panel**




**Side/Corner Bracket — 26” (660mm)H, Connections or Beam**




**Flush Mount Plate**




**Work Rail Top Trim Off-Modular Bracket**




**Gallery Panel Attachment Bracket**




**Convergent Bracket**



**Countertop Bracket Kit**




**Gallery Panel Countertop/ OSU Bracket Kit**




**Column Leg**




**Straight Leg Basic — Height Adjustable**




**Single Support Leg**




**Support Post — Height Adjustable**




**Support Column**




**End Leg Kit**




**End Leg Kit**




**Return Leg Kit**



**Return Leg Kit**



**P-Leg**




**Double Support Leg**




# Statement of Line

## Worksurface Accessories


Pages 263-264




Worksurface Reinforcement Channel




Worksurface Reinforcement Bar



Stanchions




Stanchions




Stanchions

## Panel-to-Storage Bracket


Page 265




A Series / Be\_Hold




Compose Storage



X Series - Attached Pedestal




X and V Series Attached 2H Storage




Beside Pantry / X and V Series Freestanding

## Upper Storage — Storage Box


Page 267



Without Doors



With Doors




Ganging Flat Bracket for Storage Box

## Storage Box Accessories


Page 274

## Upper Storage — Adaptable - Overhead Storage Unit


Pages 275-280




Standard Mount - Flipper Door




Standard Mount - Cabinet Door




Standard Mount - Single Slider Door



Up Mount - FlipperDoor




Up Mount - Cabinet Door




Up Mount - Single Slider Door

## Upper Storage — Adaptable

Page 285



Open Shelf Standard Mount



Shelf Divider




Overhead Storage Unit / Shelf Gang Clip


# Statement of Line

## Wall Mount Components – Overhead Storage Unit


Page 286



Wall Mount – Flipper Door



Wall Mount – Cabinet Door



Wall Mount – Single Slider Door

## Wall Mount Components


Pages 291-292




Wall Track



Back for Wall Mounted Overhead Storage Unit



Worksurface and Gallery Panel Wall Mount Bracket




Tackboard, Wall Mount




Markerboard, Wall Mount

## Lighting — Task


Pages 293-296




Reed Premiere™ Stand-Alone LED Task Light




Reed Premier™ Starter LED Task




Reed Premiere™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights



Reed Premier™ Add-On Occupancy Sensor



Adaptable LED Task Light - Stand Alone



Adaptable LED Task Light - Starter Kit



Adaptable LED Task Light - Add-On Kit

# Structures

## Power Location Overview - Full Panel Frame

### Full Panel Frame – Overview

- Available with or without base raceway 3- or 4-circuit power.
- 24”(610mm) – 72”(1829mm) widths may be powered; 18”(457mm)W powered panels are not available.
- Standing Height Power location is not capable of routing power to an adjacent panel frame. This power height location requires a separately specified Standing Height PDA Kit and is for use with a powered base raceway panel.
- Standard with a panel frame cutout at Beltline for routing power to an adjacent panel frame.

### Full Panel Frame – Without Below Worksurface Power

- Beltline Power location may be specified with 3- or 4-circuit Power Distribution Assembly (PDA).


**NOTE:** Not available with below worksurface cutout in panel frame.

### Full Panel Frame – With Below Worksurface Power


- Panel with below worksurface cutouts may be specified with or without 3- or 4-circuit PDA.

### Full Panel Frame

#### – Without Below Worksurface Power





- Beltline Power may be specified for panel heights 42”(1067mm) and greater.




- Beltline power may be specified for panel heights 42”(1067mm) and greater.
- Standing height power is for use with panel heights 58”(1473mm) and greater providing the panel is specified with a powered base raceway; requires a separately specified Standing Height PDA Kit.

### Full Panel Frame

#### – With Below Worksurface Power




- Beltline power may be specified for panel heights 42”(1067mm) and greater.




- Standing height power is for use with panel heights 58”(1473mm) and greater providing the panel is specified with a powered base raceway; requires a separately specified Standing Height PDA Kit.

# Structures


## Full Panel Frames




• Base Raceway Power



• Base Raceway Power  
• Beltline Power




• Base Raceway Power  
• Below Worksurface Power



• Base Raceway Power  
• Beltline Power  
• Below Worksurface Power

VZFF



Open Base  
VZFF-NNOO  
Class BC

### Features

- Includes non-powered or powered panel frame assembly, with or without raceway covers, connection hardware, leveling glides and carpet grippers. Power Distribution Assembly/flex connectors included when power is specified.
- Powered frame assembly:
  - Available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
  - Includes applicable crossbar assembly, power distribution assembly, flex connector and panel data grommet.
- Beltline Power:
  - Includes beltline crossbar assembly, power distribution assembly, flex connector and panel data grommet.
  - Beltline crossbar acts as light block on frames 50”(1270mm) and higher.
- Open Base Option:
  - Includes painted leg covers.
  - Does not include raceway covers, pan or carpet grippers.
- Aligner/light blocks can be specified separately for increased rigidity for full-height fabric tiles or as a light block for any segmented tile surface.
- Frame thickness 2”(51mm); overall panel thickness is 3”(76mm)
- Base raceway is 8”(203mm)H.
- Black finish on frame.
- Shipped assembled with pan, power and glides when applicable.

### Specification Tips

- Requires separately specified:
  - Tiles (each side specified separately).
  - Top trim.
  - End-of-Run trim or 2-, 3-, 4-Way trim as needed per application.
  - Receptacles for powered panels (each side specified separately).
  - Receptacle blanks and data covers (if applicable).
- 18”(457mm)W frame available as non-powered only.
- 24”(610mm)-72”(1829mm)W frames available with power at base, beltline or below worksurface.
- Below worksurface cutout is only included when specified as Cutout or powered.
- No Raceway Cover Option:
  - Frames may be non-powered or may have base raceway and/or beltline power.
  - Requires separately specified tile-to-floor in place of base raceway cover.
- Beltline Power Option:
  - Available on panel frames 42”(1067mm)H or greater.
  - Not interchangeable with non-beltline or below worksurface retrofit kits.
- Standing Height Power -
  - For use with panels 58”(1473mm)H or greater with a powered base raceway
  - Requires separately specified stand height PDA kit.
- Open Base Option:
  - Frames have a non-powered base.
  - Will have an 8”(203mm) open space beneath panel frame.
  - Will not accept tile-to-floor.
  - Cannot be retrofitted to closed base with raceways.
  - Cannot be specified with T-Mount Kit.
- Flex Connectors -
  - Provided for base, beltline and below worksurface powered panel frame; accommodates straight-in-line and inside 90° conditions.
- When routing through a Gallery Panel use a Corner Span Work Height Connector. Separately specified.
- New York City (NYC) electrical - requires field installation of PDA.
- Refer to 10-Wire Power Price List for 4-4-2, 6-2-2 and International Power options for use on Compose at the base only.
- Hardwire (Chicago) power option includes two double sided junction boxes and four blank cover plates; see Hardwire power options for additional components.
- Applications greater than 69”(1753mm)H may be restricted by some building codes. Consult your local code authority to assure furniture layout is compliant.
- Refer to Specification Guide for Planning with Structures.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

**Notes:** Upcharge for mixed grade fabric or trim surfaces, refer to the electronic design and specification tools for pricing.  
72”(1829mm)W is not available in 74”(1880mm)H.

### To Order, Specify:

1) Product number, including:

#### 1 Base Raceway Power Option

**N** Non-Powered

##### 3-Circuit:

**3** 3-Circuit (add **\$279.74** list)

**Y** New York City (add **\$279.74** list)

**C** Hardwire (Chicago) (add **\$342.67** list)

##### 4-Circuit 2+2:

**2** 4-Circuit 2+2 (add **\$309.44** list)

**W** New York City (add **\$309.44** list)

##### 4-Circuit 3+1:

**4** 4-Circuit 3+1 (add **\$309.44** list)

**V** New York City (add **\$309.44** list)

#### 2 Raceway Cover Side One

**N** No Raceway Cover (tile to floor) (deduct **\$24.68** list)

**O** Open Base Option (add **\$251.44** list)

**H** Raceway Cover with knockouts (not available on 18”(457mm)W, 24”(610mm)W has one set of knockouts on left side)

**B** Raceway Cover without knockouts

#### 3 Raceway Cover Side Two

**N** No Raceway Cover (tile to floor) (deduct **\$24.68** list)

**O** Open Base Option; no upcharge

**H** Raceway Cover with knockouts (not available on 18”(457mm)W, 24”(610mm)W has one set of knockouts on left side)

**B** Raceway Cover without knockouts

#### 4 Beltline Power

**N** No Beltline Power

##### 3-Circuit:

**3** 3-Circuit (add **\$590.92** list)

**Y** New York City (add **\$590.92** list)

##### 4-Circuit 2+2:

**2** 4-Circuit 2+2 (add **\$590.92** list)

**W** New York City (add **\$590.92** list)

##### 4-Circuit 3+1:

**4** 4-Circuit 3+1 (add **\$590.92** list)

**V** New York City (add **\$590.92** list)

#### 5 Below Worksurface Power

No Cutout (Blank, No Selection)

**U** Cutout only (add **\$78.56** list)

##### 3-Circuit:

**3** 3-Circuit (add **\$717.32** list)

**Y** New York City (add **\$717.32** list)

##### 4-Circuit 2+2:

**2** 4-Circuit 2+2 (add **\$717.32** list)

**W** New York City (add **\$717.32** list)

##### 4-Circuit 3+1:

**4** 4-Circuit 3+1 (add **\$717.32** list)

**V** New York City (add **\$717.32** list)

2) Trim color for pan or leg cover.

3) Trim color for raceway cover side 1.

4) Trim color for raceway cover side 2.

# Structures

## Full Panel Frames

Nominal Height	Nominal Width	Number ①②③④⑤	Trim	
			A	B
26"(660mm)	18"(457mm)	VZFF-2618-NN ■ ■ NR ■	\$402.90	\$ 411.64
	24"(610mm)	VZFF-2624-N ■ ■ ■ NR ■	429.11	441.37
	30"(762mm)	VZFF-2630-N ■ ■ ■ NR ■	455.32	471.10
	36"(914mm)	VZFF-2636-N ■ ■ ■ NR ■	481.53	500.83
	42"(1067mm)	VZFF-2642-N ■ ■ ■ NR ■	507.74	530.56
	48"(1219mm)	VZFF-2648-N ■ ■ ■ NR ■	533.95	560.29
	54"(1372mm)	VZFF-2654-N ■ ■ ■ NR ■	560.16	590.02
	60"(1524mm)	VZFF-2660-N ■ ■ ■ NR ■	586.37	619.75
	72"(1829mm)	VZFF-2672-N ■ ■ ■ NR ■	728.31	768.73
34"(864mm)	18"(457mm)	VZFF-3418-NN ■ ■ NR ■	\$ 528.86	\$ 537.60
	24"(610mm)	VZFF-3424-N ■ ■ ■ NR ■	555.07	567.33
	30"(762mm)	VZFF-3430-N ■ ■ ■ NR ■	581.28	597.06
	36"(914mm)	VZFF-3436-N ■ ■ ■ NR ■	607.49	626.79
	42"(1067mm)	VZFF-3442-N ■ ■ ■ NR ■	633.70	656.52
	48"(1219mm)	VZFF-3448-N ■ ■ ■ NR ■	659.91	686.25
	54"(1372mm)	VZFF-3454-N ■ ■ ■ NR ■	686.12	715.98
	60"(1524mm)	VZFF-3460-N ■ ■ ■ NR ■	712.33	745.71
	72"(1829mm)	VZFF-3472-N ■ ■ ■ NR ■	854.27	894.69
42"(1067mm)	18"(457mm)	VZFF-4218-NN ■ ■ NR ■	\$ 548.54	\$ 557.28
	24"(610mm)	VZFF-4224-N ■ ■ ■ R ■	574.75	587.01
	30"(762mm)	VZFF-4230-N ■ ■ ■ R ■	600.96	616.74
	36"(914mm)	VZFF-4236-N ■ ■ ■ R ■	627.17	646.47
	42"(1067mm)	VZFF-4242-N ■ ■ ■ R ■	653.38	676.20
	48"(1219mm)	VZFF-4248-N ■ ■ ■ R ■	679.59	705.93
	54"(1372mm)	VZFF-4254-N ■ ■ ■ R ■	705.80	735.66
	60"(1524mm)	VZFF-4260-N ■ ■ ■ R ■	732.01	765.39
	72"(1829mm)	VZFF-4272-N ■ ■ ■ R ■	873.95	914.37
50"(1270mm)	18"(457mm)	VZFF-5018-NN ■ ■ NR ■	\$ 568.22	\$ 576.96
	24"(610mm)	VZFF-5024-N ■ ■ ■ R ■	594.43	606.69
	30"(762mm)	VZFF-5030-N ■ ■ ■ R ■	620.64	636.42
	36"(914mm)	VZFF-5036-N ■ ■ ■ R ■	646.85	666.15
	42"(1067mm)	VZFF-5042-N ■ ■ ■ R ■	673.06	695.88
	48"(1219mm)	VZFF-5048-N ■ ■ ■ R ■	699.27	725.61
	54"(1372mm)	VZFF-5054-N ■ ■ ■ R ■	725.48	755.34
	60"(1524mm)	VZFF-5060-N ■ ■ ■ R ■	767.44	800.82
	72"(1829mm)	VZFF-5072-N ■ ■ ■ R ■	893.63	934.05
58"(1473mm)	18"(457mm)	VZFF-5818-NN ■ ■ NR ■	\$ 587.90	\$ 596.64
	24"(610mm)	VZFF-5824-N ■ ■ ■ R ■	614.11	626.37
	30"(762mm)	VZFF-5830-N ■ ■ ■ R ■	640.32	656.10
	36"(914mm)	VZFF-5836-N ■ ■ ■ R ■	666.53	685.83
	42"(1067mm)	VZFF-5842-N ■ ■ ■ R ■	692.74	715.56
	48"(1219mm)	VZFF-5848-N ■ ■ ■ R ■	731.42	757.76
	54"(1372mm)	VZFF-5854-N ■ ■ ■ R ■	757.63	787.49
	60"(1524mm)	VZFF-5860-N ■ ■ ■ R ■	799.59	832.97
	72"(1829mm)	VZFF-5872-N ■ ■ ■ R ■	925.78	966.20

# Structures


## Full Panel Frames

Nominal Height	Nominal Width	Number ①②③④⑤	Trim	
			A	B
66"(1676mm)	18"(457mm)	VZFF-6618-NN ■ ■ NR ■	\$ 607.58	\$ 616.32
	24"(610mm)	VZFF-6624-N ■ ■ ■ ■ R ■	633.79	646.05
	30"(762mm)	VZFF-6630-N ■ ■ ■ ■ R ■	660.00	675.78
	36"(914mm)	VZFF-6636-N ■ ■ ■ ■ R ■	686.21	705.51
	42"(1067mm)	VZFF-6642-N ■ ■ ■ ■ R ■	712.42	735.24
	48"(1219mm)	VZFF-6648-N ■ ■ ■ ■ R ■	754.54	780.88
	54"(1372mm)	VZFF-6654-N ■ ■ ■ ■ R ■	780.75	810.61
	60"(1524mm)	VZFF-6660-N ■ ■ ■ ■ R ■	822.71	856.09
	72"(1829mm)	VZFF-6672-N ■ ■ ■ ■ R ■	948.90	989.32
74"(1880mm)	18"(457mm)	VZFF-7418-NN ■ ■ NR ■	\$ 621.09	\$ 629.83
	24"(610mm)	VZFF-7424-N ■ ■ ■ ■ R ■	647.30	659.56
	30"(762mm)	VZFF-7430-N ■ ■ ■ ■ R ■	673.51	689.29
	36"(914mm)	VZFF-7436-N ■ ■ ■ ■ R ■	699.72	719.02
	42"(1067mm)	VZFF-7442-N ■ ■ ■ ■ R ■	725.93	748.75
	48"(1219mm)	VZFF-7448-N ■ ■ ■ ■ R ■	771.49	797.83
	54"(1372mm)	VZFF-7454-N ■ ■ ■ ■ R ■	797.70	827.56
	60"(1524mm)	VZFF-7460-N ■ ■ ■ ■ R ■	839.66	873.04


# Structures

## Glass Panels

### Glass Panel



with Raceway Cover



without Raceway Cover

VZGF  
Class BC

#### Features

- Includes non-powered or powered panel assembly, two-piece base raceway cover (if applicable), leveling glides and carpet gripper. Power distribution assembly/flex connector(s) included when power is specified.
- Single pane glass, centered; standard - largest panel up to 48"(1219mm)W glass.
- Panel thickness is 3"(76mm).
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Base raceway is 8"(203mm)H.
- Shipped assembled; raceway covers shipped separately.

#### Specification Tips

- **Requires separately specified top trim.**
- Not for use with Work Rail Top Trim.
- 18"(457mm)W available as non-powered only.
- **Power available on 24"(610mm)- to 48"(1219mm)W only.**
- Non-load bearing.
- Will not accept stack frame, glass stack countertop or panel hung components or attachment to slider door.
- Flex connectors provided for powered panels accommodate straight in-line, inside 90° conditions.
- **Receptacles for powered panels must be specified separately.**
- **Receptacle blank cover and data covers at base must be specified separately.**
- No raceway cover option only available on Non-Powered panels.
- New York City (NYC) electrical requires field installation of PDA.
- International Power - specify non-powered frame and refer to 10-Wire Power Price List for 4-4-2, 6-2-2 and International Power options.
- Applications greater than 69"(1753mm)H may be restricted by some building codes. Consult your local code authority to assure furniture layout is compliant.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

#### To Order, Specify:

1) Product number, including:

#### 1 Base Raceway Power Option

**N** Non-Powered

#### 3-Circuit:

**3** 3-Circuit (add **\$276.55** list)

**Y** New York City (add **\$276.55** list)

**C** Hardwire

#### 4-Circuit 2+2

**2** 4-Circuit 2+2 (add **\$307.84** list)

**W** New York City (add **\$307.84** list)

#### 4-Circuit 3+1

**4** 4-Circuit 3+1 (add **\$307.84** list)

**V** New York City (add **\$307.84** list)

#### 2 Raceway Cover Side One

**N** No Raceway Cover (add **\$180.87** list)

**H** Raceway Cover with knockouts (not available on 18"(457mm)W, 24"(610mm)W has one set of knockouts on left side)

**B** Raceway Cover without knockouts

#### 3 Raceway Cover Side Two

**N** No Raceway Cover (no upcharge)

**H** Raceway Cover with knockouts (not available on 18"(457mm)W, 24"(610mm)W has one set of knockouts on left side)

**B** Raceway Cover without knockouts

2) Trim color for pan and raceway covers (if applicable).

3) Trim color for frame.

4) Glass option.

Grade A:

1C = Clear glass

Grade C:

E21 = Satin Etch

Grade D:

1E = Frosted acrylic **(M)**

VM = Patterned glass

CM = Patterned glass

**Note:** Upcharge for mixed grade trim surfaces, refer to the electronic design and specification tools for pricing.

**(M)** Items marked with this symbol available as GSA open market.

# Structures


## Glass Panels

Nominal Height	Nominal Width	Number	①②③	Trim A Glass			Trim B Glass		
				A	C	D	A	C	D
42"(1067mm)	18"(457mm)	VZGF-4218-NN	■ ■ ■ 1	\$ 1871.44	\$2301.85	\$2759.77	\$1939.28	\$2369.69	\$2827.61
	24"(610mm)	VZGF-4224-N	■ ■ ■ 1	1993.28	2570.52	3211.78	2062.85	2640.09	3281.35
	30"(762mm)	VZGF-4230-N	■ ■ ■ 1	2115.12	2839.19	3663.79	2186.42	2910.49	3735.09
	36"(914mm)	VZGF-4236-N	■ ■ ■ 1	2236.96	3107.86	4115.80	2309.99	3180.89	4188.83
	42"(1067mm)	VZGF-4242-N	■ ■ ■ 1	2358.80	3376.53	4567.81	2433.56	3451.29	4642.57
	48"(1219mm)	VZGF-4248-N	■ ■ ■ 1	2480.64	3645.20	5019.82	2557.13	3721.69	5096.31
	50"(1270mm)	18"(457mm)	VZGF-5018-NN	■ ■ ■ 1	\$ 1934.31	\$2553.40	\$3001.50	\$2010.84	\$2629.93
24"(610mm)		VZGF-5024-N	■ ■ ■ 1	2062.03	2772.18	3541.96	2140.29	2850.44	3620.22
30"(762mm)		VZGF-5030-N	■ ■ ■ 1	2189.75	2990.96	4082.42	2269.74	3070.95	4162.41
36"(914mm)		VZGF-5036-N	■ ■ ■ 1	2317.47	3209.74	4622.88	2399.19	3291.46	4704.60
42"(1067mm)		VZGF-5042-N	■ ■ ■ 1	2445.19	3428.52	5163.34	2528.64	3511.97	5246.79
48"(1219mm)		VZGF-5048-N	■ ■ ■ 1	2572.91	3647.30	5703.80	2658.09	3732.48	5788.98
58"(1473mm)		18"(457mm)	VZGF-5818-NN	■ ■ ■ 1	\$ 1997.18	\$2804.95	\$3243.23	\$2073.71	\$2881.48
	24"(610mm)	VZGF-5824-N	■ ■ ■ 1	2132.77	3074.73	3846.60	2211.03	3152.99	3924.86
	30"(762mm)	VZGF-5830-N	■ ■ ■ 1	2268.36	3344.51	4449.97	2348.35	3424.50	4529.96
	36"(914mm)	VZGF-5836-N	■ ■ ■ 1	2403.95	3614.29	5053.34	2485.67	3696.01	5135.06
	42"(1067mm)	VZGF-5842-N	■ ■ ■ 1	2539.54	3884.07	5656.71	2622.99	3967.52	5740.16
	48"(1219mm)	VZGF-5848-N	■ ■ ■ 1	2675.13	4153.85	6260.08	2760.31	4239.03	6345.26
	66"(1676mm)	18"(457mm)	VZGF-6618-NN	■ ■ ■ 1	\$2060.05	3056.50	3484.96	\$2136.58	3133.03
24"(610mm)		VZGF-6624-N	■ ■ ■ 1	2199.61	3378.74	4104.02	2277.87	3457.00	4182.28
30"(762mm)		VZGF-6630-N	■ ■ ■ 1	2339.17	3700.98	4723.08	2419.16	3780.97	4803.07
36"(914mm)		VZGF-6636-N	■ ■ ■ 1	2478.73	4023.22	5342.14	2560.45	4104.94	5423.86
42"(1067mm)		VZGF-6642-N	■ ■ ■ 1	2618.29	4345.46	5961.20	2701.74	4428.91	6044.65
48"(1219mm)		VZGF-6648-N	■ ■ ■ 1	2757.85	4667.70	6580.26	2843.03	4752.88	6665.44
74"(1880mm)		18"(457mm)	VZGF-7418-NN	■ ■ ■ 1	\$ 2122.92	\$3308.05	\$3726.69	\$2199.45	\$3384.58
	24"(610mm)	VZGF-7424-N	■ ■ ■ 1	2286.05	3687.67	4620.90	2364.31	3765.93	4699.16
	30"(762mm)	VZGF-7430-N	■ ■ ■ 1	2449.18	4067.29	5515.11	2529.17	4147.28	5595.10
	36"(914mm)	VZGF-7436-N	■ ■ ■ 1	2612.31	4446.91	6409.32	2694.03	4528.63	6491.04
	42"(1067mm)	VZGF-7442-N	■ ■ ■ 1	2775.44	4826.53	7303.53	2858.89	4909.98	7386.98
	48"(1219mm)	VZGF-7448-N	■ ■ ■ 1	2938.57	5206.15	8197.74	3023.75	5291.33	8282.92



# Structures

## Full Panel Frame Foot



VZLL  
Class BC

### Features

- Includes foot and attachment hardware.
- Foot mechanism provides 2.5"(64mm) vertical adjustment. Must be set in position at install. Panel glide is positioned on top of foot.

### Specification Tips

- Requires field modification to panel frame pan.
- Not for use with panel hung components.
- Not for use with open base.
- Designed to be used in End-of-Run Condition in lieu of a return panel(s).
- Not for use in 2-way, 3-way or 4-way intersections.
- Use for full panel frames with or without screens where the total height of the frame and screen does not exceed 50"(1270mm)H.
- Not for use with Connections or Beam frames.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Description	Number	Trim	
		A	B
Panel Frame Foot	VZLL-0000-PSF	\$547.95	\$594.60


# Structures

## Connections Frame



Non Powered Frame

VZFS



Powered Frame

VZFS

Class BC

### Features

- Includes frame, attachment hardware, aligner pin and power distribution assembly/flex connector when power is specified.
- Frame thickness is 2"(51mm). With separately specified tiles on both sides the overall panel thickness is 3"(76mm).
- Powered frames available for countries that utilize 120 volt 60 hertz electrical system and U.S. configured plugs and outlets.
- Black finish on frame.
- Shipped assembled with power when specified.

### Specification Tips

- The following items must be separately specified:
  - Tiles (each side specified separately)
  - Top trim
  - End-of-Run trim or 2-, 3-, 4-way trim as needed per application.
  - Frame legs (required)
  - Receptacles for powered panels (each side specified separately)
  - Receptacle blanks/data covers (if applicable)
- Non-Powered Frame:
  - Cannot route power and data horizontally through frame.
  - Not for use with Technology Tile.
- New York City (NYC) electrical requires field installation of PDA.
- Not for use with T-Mount kit.
- Flex connector provided accommodates straight in-line power condition only.
- Connections Frame not intended to accept Stack Kit.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

### To Order, Specify:

1) Product number, including:

#### 1 Below Worksurface Power Option:

**U** Cutout only

#### 3-Circuit

**3** 3-Circuit (add **\$607.86** list)

**Y** New York City (add **\$607.86** list)

#### 4-Circuit 2+2

**2** 4-Circuit 2+2 (add **\$607.86** list)

**W** New York City (add **\$607.86** list)

#### 4-Circuit 3+1

**4** 4-Circuit 3+1 (add **\$607.86** list)

**V** New York City (add **\$607.86** list)


(No finish specification required.)

Nominal Height	Nominal Width	Number ①	Price
<b>Non-Powered</b>			
16"(406mm)	24"(610mm)	VZFS-1624-R	\$400.49
	30"(762mm)	VZFS-1630-R	438.13
	36"(914mm)	VZFS-1636-R	475.77
	42"(1067mm)	VZFS-1642-R	513.41
	48"(1219mm)	VZFS-1648-R	551.05
	54"(1372mm)	VZFS-1654-R	588.69
	60"(1524mm)	VZFS-1660-R	626.33
	72"(1829mm)	VZFS-1672-R	863.17
<b>Powered</b>			
16"(406mm)	24"(610mm)	VZFS-1624-R ■	\$659.95
	30"(762mm)	VZFS-1630-R ■	697.59
	36"(914mm)	VZFS-1636-R ■	735.23
	42"(1067mm)	VZFS-1642-R ■	772.87
	48"(1219mm)	VZFS-1648-R ■	810.51
	54"(1372mm)	VZFS-1654-R ■	848.15
	60"(1524mm)	VZFS-1660-R ■	885.79
	72"(1829mm)	VZFS-1672-R ■	1122.63

# Structures

## Connections Frame Leg

### In-Line and End-of-Run Condition



VZLL  
Class BC

#### Features

- Includes leg mechanism, attachment hardware, carpet gripper(s) and if specified, foot and tile-to-floor brackets.
- Square Open Base leg mechanism provides 2.5”(64mm) vertical adjustment.
- Tile-to-Floor leg mechanism provides vertical adjustment of 1.6”(41mm) without foot and 1.4”(36mm) with foot.
- Low profile foot provides angular adjustment for floor leveling.
- Used for End-of-Run and in-line (shared) conditions.

#### Specification Tips

- A Frame Leg is required at every In-Line and End-of-Run panel condition.
- A foot is required for select product applications. Refer to Support and Load Guidelines for details.
- Not for use in 2-way, 3-way or 4-way intersections.
- Not for use with Compose Full Panel or Beam frames.

#### To Order, Specify:

1) Product number, including:

**1 Foot Option:**

- N** No Foot
- F** Foot (add **\$65.32** list)

**2 Tile Option:**

- N** Square Open Base
- T** Tile-to-Floor (add **\$130.65** list)





2) Trim color.

Height	Number	Trim	
		A	B
8”(203mm)	VZLL-0800-PS <span style="color: grey;">■</span> <span style="color: grey;">■</span>	\$1123.43	\$1170.08

# Structures

## Connections Frame Leg

### 2-, 3-, 4-Way Intersection



VZLL  
Class BC

#### Features

- Includes Leg mechanism, attachment hardware and carpet gripper(s).
- Square Open Base leg mechanism provides 2.5"(64mm) vertical adjustment.

#### Specification Tips

- Not for use with Tile-to-Floor.
- 90° Frame Leg works in 90° 2-way, 3-way and 4-way intersections.
- 120° Frame Leg works in 120° 2-way and 3-way intersections.
- One frame leg is required for each panel intersection.
- Not for use in an In-Line or End-of-Run panel condition.
- Not for use with Compose Full Panel or Beam frames.


#### To Order, Specify:

- 1) Product number.
- 2) Trim color.


Description	Height	Number	Trim	
			A	B
90°	8"(203mm)	VZLL-0800-PCNN	\$1577.59	\$1624.24
120°	8"(203mm)	VZLL-0800-PZNN	1577.59	1624.24

# Structures

## Beam Frame



Non Powered Frame



Powered Frame  
VZFJ  
Class BC

### Features

- Includes frame, attachment hardware, aligner pin and power distribution assembly/flex connector when power is specified.
- Frame thickness is 2”(51mm). With separately specified tiles on both sides the overall thickness is 3”(76mm).
- Powered frames available for countries that utilize 120 volt 60 hertz electrical system and U.S. configured plugs and outlets.
- Black finish on frame.
- Shipped assembled with power when specified.

### Specification Tips

- **Does not attach to Compose Full Panel or Connections.**
- Not for use with Stack Frame or Glass Stack.
- Frames require a leg at every in-line, end of run condition and every 90° 2-, 3-, 4- way intersection.
- Not for use with T-Mount kit.
- The following items must be separately specified:
  - 8”(203mm)H tiles (each side specified separately).
  - Top Trim
  - End-of-Run trim or 2-, 3-, 4-Way trim as needed per application.
  - Legs (every in-line, end of run condition and 90° 2-, 3-, 4- way intersection).
  - Receptacles for powered frame (each side specified separately)
  - Receptacle blanks/data covers (each side specified separately)
  - Communication Data Bracket
- Flex connector provided accommodates straight in-line power condition, only.
- 18”(457mm)-24”(610mm)W Frame:
  - Non-powered only.
  - Standard with cutout only and no receptacle locations.
  - May not be field retrofitted with power.
  - To continue power through frame use Extended Power Connector; separately specified.
- 30”(762mm)-72”(1829mm)W Frame:
  - Available with 3- or 4-circuit power or non-powered with cutout only.
  - May be field retrofitted for power using Raceway Retrofit Kit; separately specified.
  - Hardwire power available; separately specified.
- New York City (NYC) electrical - requires field installation of PDA.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

### To Order, Specify:

1) Product number, including:

#### 1 Below Worksurface Power Options:

**U** Cutout only

#### 3-Circuit

**3** 3-Circuit (add \$197.56 list)

**Y** New York City (add \$197.56 list)

#### 4-Circuit, 2+2

**2** 4-Circuit 2+2 (add \$197.56 list)

**W** New York City (add \$197.56 list)

#### 4-Circuit, 3+1

**4** 4-Circuit 3+1 (add \$197.56 list)

**V** New York City (add \$197.56 list)

(No finish specification required.)


**Note:** Receptacles, blank covers and Communication Data Bracket are for use with a Technology Tile; below worksurface power access only.

Nominal Height	Nominal Width	Number ①	Price
8”(203mm)	18”(457mm)	VZFJ-0818-RU	\$349.33
	24”(610mm)	VZFJ-0824-RU	376.14
	30”(762mm)	VZFJ-0830-R ■	402.95
	36”(914mm)	VZFJ-0836-R ■	429.76
	42”(1067mm)	VZFJ-0842-R ■	456.57
	48”(1219mm)	VZFJ-0848-R ■	483.38
	54”(1372mm)	VZFJ-0854-R ■	510.19
	60”(1524mm)	VZFJ-0860-R ■	537.00
	72”(1829mm)	VZFJ-0872-R ■	590.62

# Structures

## Beam Frame Leg

### Straight Leg with Foot — In-Line and End-of-Run Condition



VZLL  
Class BC

#### Features

- Includes leg mechanism, attachment hardware, carpet gripper.
- Provides 2.5"(64mm) inches of height adjustment. Must be set in position at install.
- Independent glide adjustment adapts to uneven floor conditions.
- Foot provides angular adjustment for floor leveling.

#### Specification Tips


- Only for use with beam frame in-line or end-of-run conditions.
- A straight run of beam frames require a straight leg with foot or an A-Leg at every in-line and end-of-run condition.
- Not for use in 2-, 3-, or 4-way intersections.
- For beam frame applications with no foot requirement refer to the Specification Guide - Support and Load section.
- Straight leg is the recommended leg style when freestanding storage is located parallel to beam frames.
- Straight leg is the recommended leg style when freestanding storage or a freestanding table is located next to beam frames.

#### To Order, Specify:

- 1) Product number, including:
  - 1 Foot Option:**
    - N** No Foot
    - F** Foot (add **\$65.32** list)
- 2) Trim color.

Height	Number <sup>1</sup>	Trim A	B
16"(406mm)	VZLL-1600-PS <input type="checkbox"/> N	\$1123.43	\$1170.08

### Straight Leg — 2-, 3-, 4-Way Intersection



VZLL-PCNN  
Class BC

#### Features

- Includes Leg mechanism, attachment hardware and carpet gripper(s).
- Leg mechanism provides 2.5"(64mm) vertical adjustment.

#### Specification Tips

- For use in 90° 2-way, 3-way and 4-way beam frame intersections, only.
- One leg is required for each 90° 2-, 3-, 4-Way intersection.
- Must be used in all corner applications regardless if the in-line leg is the straight adjustable leg or the A-Leg.

#### To Order, Specify:


- 1) Product number.
- 2) Trim color.

Description	Height	Number	Trim A	B
90°	16"(406mm)	VZLL-1600-PCNN	\$1577.59	\$1624.24

# Structures

## Beam Frame Leg

### A Leg — In-Line and End-of-Run Condition



VZLA-PSN  
Class BC

#### Features

- Includes leg with glides and attachment hardware.
- Independent glide adjustment adapts to uneven floor conditions.
- Glides have 0.5"(13mm) adjustment and standard in black.

#### Specification Tips


- For use with beam frame in-line or end-of-run conditions, only.
- Not for use in 2-, 3-, or 4-way intersections.
- A straight run of beam frames require an A leg or a straight leg with foot at every in-line and end-of-run condition.
- A Leg is not recommended for applications with freestanding storage or freestanding tables located next to beam frames; use straight leg for this application.
- Angled A Leg protrudes 7"(178mm) from beam frame which creates a gap between most parallel freestanding furnishings and beam frame.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Number	Trim	
		A	B
16"(406mm)	VZLA-1600-PSN	\$1210.19	\$1231.55

# High Acoustical Inserts



VZFI-A  
Class BC

**Features**

- Converts fabric acoustical tiles from standard to high acoustical.
- Includes acoustical insert(s) to fit within panel or stack frame.

**Specification Tips**

- 8"(203mm)H tiles may not be installed in raceway position in lieu of base raceway cover.
- High acoustical inserts cannot be installed at power locations.
- 8"(203mm) and 16"(406mm)H inserts convert one section of panel frame.
- 34"(864mm)-74"(1880mm)H inserts convert entire panel frame.
- For NRC/STC ratings, refer to Specification Guide.

**To Order, Specify:**

- 1) Product number.  
(No finish specification required.)


Nominal Height	Quantity-Height	Nominal Width	Number	Price
8"(203mm)	One 8"(203mm)	18"(457mm)	VZFI-0818-A	\$ 33.03
		24"(610mm)	VZFI-0824-A	36.32
		30"(762mm)	VZFI-0830-A	39.60
		36"(914mm)	VZFI-0836-A	42.89
		42"(1067mm)	VZFI-0842-A	46.17
		48"(1219mm)	VZFI-0848-A	49.46
		54"(1372mm)	VZFI-0854-A	73.28
		60"(1524mm)	VZFI-0860-A	76.57
		72"(1829mm)	VZFI-0872-A	78.07
16"(406mm)	One 16"(406mm)	18"(457mm)	VZFI-1618-A	\$ 42.89
		24"(610mm)	VZFI-1624-A	49.46
		30"(762mm)	VZFI-1630-A	56.03
		36"(914mm)	VZFI-1636-A	62.59
		42"(1067mm)	VZFI-1642-A	69.16
		48"(1219mm)	VZFI-1648-A	75.74
		54"(1372mm)	VZFI-1654-A	102.84
		60"(1524mm)	VZFI-1660-A	109.41
		72"(1829mm)	VZFI-1672-A	156.89
34"(864mm)	One 8"(203mm), One 16"(406mm)	18"(457mm)	VZFI-3418-A	\$ 65.06
		24"(610mm)	VZFI-3424-A	79.02
		30"(762mm)	VZFI-3430-A	92.98
		36"(914mm)	VZFI-3436-A	106.94
		42"(1067mm)	VZFI-3442-A	120.90
		48"(1219mm)	VZFI-3448-A	134.87
		54"(1372mm)	VZFI-3454-A	169.37
		60"(1524mm)	VZFI-3460-A	183.33
		72"(1829mm)	VZFI-3472-A	334.24
42"(1067mm)	Two 16"(406mm)	18"(457mm)	VZFI-4218-A	\$ 74.91
		24"(610mm)	VZFI-4224-A	92.16
		30"(762mm)	VZFI-4230-A	109.41
		36"(914mm)	VZFI-4236-A	126.65
		42"(1067mm)	VZFI-4242-A	143.90
		48"(1219mm)	VZFI-4248-A	161.15
		54"(1372mm)	VZFI-4254-A	198.93
		60"(1524mm)	VZFI-4260-A	216.18
		72"(1829mm)	VZFI-4272-A	413.06




# High Acoustical Inserts

Nominal Height	Quantity-Height	Nominal Width	Number	Price
50"(1270mm)	One 8"(203mm), Two 16"(406mm)	18"(457mm)	VZFI-5018-A	\$ 84.77
		24"(610mm)	VZFI-5024-A	105.30
		30"(762mm)	VZFI-5030-A	125.83
		36"(914mm)	VZFI-5036-A	146.36
		42"(1067mm)	VZFI-5042-A	166.89
		48"(1219mm)	VZFI-5048-A	187.43
		54"(1372mm)	VZFI-5054-A	228.50
		60"(1524mm)	VZFI-5060-A	249.03
		72"(1829mm)	VZFI-5072-A	491.88
58"(1473mm)	Three 16"(406mm)	18"(457mm)	VZFI-5818-A	\$ 94.62
		24"(610mm)	VZFI-5824-A	118.44
		30"(762mm)	VZFI-5830-A	142.26
		36"(914mm)	VZFI-5836-A	166.07
		42"(1067mm)	VZFI-5842-A	189.89
		48"(1219mm)	VZFI-5848-A	213.71
		54"(1372mm)	VZFI-5854-A	258.06
		60"(1524mm)	VZFI-5860-A	281.88
		72"(1829mm)	VZFI-5872-A	570.70
66"(1676mm)	One 8"(203mm), Three 16"(406mm)	18"(457mm)	VZFI-6618-A	\$ 104.48
		24"(610mm)	VZFI-6624-A	131.58
		30"(762mm)	VZFI-6630-A	158.68
		36"(914mm)	VZFI-6636-A	185.78
		42"(1067mm)	VZFI-6642-A	212.88
		48"(1219mm)	VZFI-6648-A	239.99
		54"(1372mm)	VZFI-6654-A	287.63
		60"(1524mm)	VZFI-6660-A	314.73
		72"(1829mm)	VZFI-6672-A	649.52
74"(1880mm)	Four 16"(406mm)	18"(457mm)	VZFI-7418-A	\$ 114.33
		24"(610mm)	VZFI-7424-A	144.72
		30"(762mm)	VZFI-7430-A	175.11
		36"(914mm)	VZFI-7436-A	205.49
		42"(1067mm)	VZFI-7442-A	235.88
		48"(1219mm)	VZFI-7448-A	266.26
		54"(1372mm)	VZFI-7454-A	317.19
		60"(1524mm)	VZFI-7460-A	347.58
		72"(1829mm)	VZFI-7472-A	728.34


# Tiles - Full Panel, Connections and Stack Frame




VZTI-DNN




VZTI-DRN



VZTI-D2N



VZTI-DNS



VZTI-DNS  
Class BC

## Common Features

- Includes one tile, attachment brackets and utility bezel(s) if applicable.
- Actual height is nominal height less .130"(3mm).
- Actual width is nominal width less .400"(10mm)
- Aligner/Light Blocks are required and separately specified based upon tile configuration; refer to Specification Guide.
- Tile type and height may be same or different on each side of frame.
- Tile may be located above the base raceway or Tile-to-Floor option may be specified to hide or cover the base raceway.

- Numerous tile combinations are allowed based on desired function and aesthetic. To determine vertical face dimensions:

-Full panel frame, non-raceway cover:  
frame height -2"(51mm)=vertical face available for individual tile height(s).

-Full panel frame, raceway cover:  
frame height -10"(254mm)=vertical face available for individual tile height(s).

-Individual tiles (face dimension) must be divisible by 8 to fill panel frame (vertical face available).

## • Technology Tiles (Fabric, Laminate, Steel, Wood, Slat):

- For use with 3- or 4-circuit powered frame.
- 18"(457mm)W tile not available with technology access.
- 24"(610mm)W tiles available with single (left or right hand) technology access only.
- Technology Tiles may NOT span frames.
- The following power and communication items must be separately specified:

- 3- or 4-circuit receptacle or receptacle blank cover (each side specified separately).
- Data faceplate (field supplied) or data blank cover (VZAD-0000-R).
- Tiles must be placed at appropriate height to align with power access location.
- Tile-to-floor with base raceway technology access is available in fabric only.

-Power can be routed horizontally at raceway, beltline and below worksurface locations. Routing power at below worksurface height requires it to be specified with a panel frame with below worksurface power and cutout

-A left-hand and right-hand Technology Tile may be specified for a back-to-back technology access application.

## • Tile-to-Floor Application (Fabric, Laminate, Steel, Wood, Markerboard, Slat):

- 8"(203mm)H tile may not be used in the bottom position.
- Concealed Base Feed may be used with Tile-to-Floor with Base Raceway Technology Access. When applied in front of a Concealed Base Feed, Tiles must be sized and applied in a way that allows easy removal for access to base feed. A receptacle location will be taken up by the Concealed Base Feed when in use.

## • In-Line Spanning Tile (Fabric, Laminate, Steel, Wood):

- Tiles 36"(914mm)W and greater without technology access may span a maximum of two horizontally adjacent frames.
- Technology Access Tiles may NOT span frames.
- Opposite side of spanning tile may be same width as each frame or another spanning tile.
- Center attachment clips will require field relocation.

## • 3-Way Intersection Spanning Tile (Fabric, Laminate, Steel, Wood):

- The width equals the sum of two separately specified panel or stack frames plus 3"(76mm) for 3-Way panel intersection
- Opposite side of frames require separately specified tiles.
- Separately specified 3-Way Intersection - Spanning Tile Corner Blocks (VZCT-\_\_\_\_-NS) are required.
- Separately specified spanning top trim is required; not for use with to trim same width as individual frames.

## Order Specification

- 1) Product number, including:

### 1 Technology Port Option:

- N** No Technology Access
- L** Left-Hand Port
- R** Right-Hand Port
- 2** Left and Right-Hand Port

- 2) Surface color/finish.

- 3) Bezel trim color (if applicable).

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

# Tiles - Full Panel, Connections and Stack Frame

## Fabric

### Unique Features

- Fabric Tiles are tackable and provide acoustical value.
- High Acoustic option available; specified separately.
- **Tiles greater than 60"(1524mm)W, fabric will be railroded (RR). Please refer to [surfaces.haworth.com](https://surfaces.haworth.com) for available fabric and codes.**
- For aesthetic reasons, consider specifying tiles 60"(1524mm)W or less with railroded fabric if located adjacent to a tile which requires railroded fabric.

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- L** Left-Hand Port (add **\$88.70** list)
- R** Right-Hand Port (add **\$88.70** list)
- 2** Left and Right-Hand Port (add **\$212.90** list)

2) Fabric color.

3) Trim color for bezel (if applicable).

**Note:** 72"(1829mm)W is not available in 64"(1626mm) and 72"(1829mm) tile height.

Nominal Height	Nominal Width	Number ①	Fabric						
			A	B	C	D	E	F	G
<b>Individual and In-Line Spanning Tiles</b>									
8"(203mm)	18"(457mm)	VZTI-0818-FNN	\$ 91.43	\$ 104.50	\$ 118.85	\$ 134.52	\$ 150.20	\$ 171.09	\$ 184.17
	24"(610mm)	VZTI-0824-FNN	98.45	112.58	128.11	145.06	162.03	184.62	198.76
	30"(762mm)	VZTI-0830-FNN	105.45	120.66	137.35	155.60	173.85	198.14	213.34
	36"(914mm)	VZTI-0836-FNN	117.46	133.74	151.61	171.13	190.68	216.67	232.92
	42"(1067mm)	VZTI-0842-FNN	119.48	136.81	155.86	176.67	197.50	225.20	242.51
	48"(1219mm)	VZTI-0848-FNN	126.48	144.90	165.11	187.21	209.32	238.72	257.10
	54"(1372mm)	VZTI-0854-FNN	133.50	152.97	174.36	197.75	221.15	252.25	271.68
	60"(1524mm)	VZTI-0860-FNN	140.51	161.04	183.61	208.28	232.97	265.78	286.26
	66"(1676mm)	VZTI-0866-FNS	197.52	219.13	242.86	268.83	294.80	329.30	350.85
72"(1829mm)	VZTI-0872-FNN	206.36	229.03	253.94	281.19	308.45	344.66	367.26	
16"(406mm)	18"(457mm)	VZTI-1618-FNN	\$ 121.47	\$ 139.12	\$ 158.50	\$ 179.66	\$200.84	\$229.02	\$ 246.66
	24"(610mm)	VZTI-1624-F N	133.73	153.25	174.68	198.09	221.51	252.66	272.16
	30"(762mm)	VZTI-1630-F N	145.99	167.36	190.86	216.50	242.17	276.31	297.65
	36"(914mm)	VZTI-1636-F N	163.24	186.49	212.04	239.92	267.84	304.95	328.14
	42"(1067mm)	VZTI-1642-F N	170.50	195.61	223.21	253.35	283.50	323.59	348.64
	48"(1219mm)	VZTI-1648-F N	182.76	209.73	239.40	271.76	304.16	347.24	374.14
	54"(1372mm)	VZTI-1654-F N	195.02	223.85	255.57	290.19	324.83	370.88	399.63
	60"(1524mm)	VZTI-1660-F N	207.27	237.97	271.74	308.61	345.49	394.52	425.12
	66"(1676mm)	VZTI-1666-F S	269.54	302.09	337.93	377.03	416.16	468.17	500.62
72"(1829mm)	VZTI-1672-F N	291.25	325.67	363.56	404.91	446.28	501.27	535.57	
24"(610mm)	18"(457mm)	VZTI-2418-FNN	\$ 151.51	\$ 173.74	\$ 198.15	\$224.80	\$ 251.48	\$286.95	\$ 309.15
	24"(610mm)	VZTI-2424-F N	169.02	193.91	221.26	251.11	280.99	320.71	345.56
	30"(762mm)	VZTI-2430-F N	186.52	214.07	244.36	277.41	310.49	354.47	381.96
	36"(914mm)	VZTI-2436-F N	209.02	239.24	272.47	308.71	345.00	393.23	423.36
	42"(1067mm)	VZTI-2442-F N	221.53	254.40	290.57	330.02	369.50	421.99	454.77
	48"(1219mm)	VZTI-2448-F N	239.03	274.57	313.68	356.32	399.00	455.75	491.18
	54"(1372mm)	VZTI-2454-F N	256.54	294.73	336.78	382.63	428.51	489.51	527.58
	60"(1524mm)	VZTI-2460-F N	274.04	314.89	359.88	408.93	458.01	523.27	563.98
	66"(1676mm)	VZTI-2466-F S	341.55	385.06	432.99	485.24	537.52	607.03	650.39
72"(1829mm)	VZTI-2472-F N	376.14	422.31	473.18	528.63	584.11	657.88	703.88	
32"(813mm)	18"(457mm)	VZTI-3218-FNN	\$ 181.55	\$208.36	\$ 237.80	\$269.94	\$ 302.12	\$344.88	\$ 371.64
	24"(610mm)	VZTI-3224-F N	204.31	234.57	267.84	304.13	340.47	388.76	418.96
	30"(762mm)	VZTI-3230-F N	227.05	260.78	297.86	338.32	378.81	432.63	466.27
	36"(914mm)	VZTI-3236-F N	254.80	291.99	332.90	377.50	422.16	481.51	518.58
	42"(1067mm)	VZTI-3242-F N	272.56	313.19	357.93	406.69	455.50	520.39	560.90
	48"(1219mm)	VZTI-3248-F N	295.30	339.41	387.96	440.88	493.84	564.26	608.22
	54"(1372mm)	VZTI-3254-F N	318.06	365.61	417.99	475.07	532.19	608.14	655.53
	60"(1524mm)	VZTI-3260-F N	340.81	391.81	448.02	509.25	570.53	652.02	702.84
	66"(1676mm)	VZTI-3266-F S	413.56	468.03	528.05	593.45	658.88	745.89	800.16
72"(1829mm)	VZTI-3272-F N	461.03	518.95	582.80	652.35	721.94	814.49	872.19	

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Fabric Number	Fabric						
			A	B	C	D	E	F	G
40"(1016mm)	18"(457mm)	VZTI-4018-FNN	\$ 226.59	\$ 257.98	\$ 292.45	\$ 330.08	\$ 367.76	\$ 417.81	\$ 449.13
	24"(610mm)	VZTI-4024-FNN	254.59	290.24	329.41	372.16	414.95	471.80	507.36
	30"(762mm)	VZTI-4030-FNN	282.59	322.48	366.37	414.22	462.13	525.80	565.58
	36"(914mm)	VZTI-4036-FNN	315.58	359.74	408.33	461.29	514.32	584.79	628.80
	42"(1067mm)	VZTI-4042-FNN	338.58	386.99	440.28	498.37	556.50	633.78	682.03
	48"(1219mm)	VZTI-4048-FNN	366.58	419.24	477.25	540.43	603.68	687.78	740.26
	54"(1372mm)	VZTI-4054-FNN	394.58	451.49	514.20	582.51	650.87	741.77	798.48
	60"(1524mm)	VZTI-4060-FNN	422.57	483.74	551.15	624.58	698.05	795.76	856.70
	66"(1676mm)	VZTI-4066-FNS	500.58	565.99	638.12	716.65	795.24	899.76	964.93
48"(1219mm)	72"(1829mm)	VZTI-4072-FNN	560.92	630.59	707.42	791.07	874.77	986.10	1055.50
	18"(457mm)	VZTI-4818-FNN	\$ 241.63	\$ 277.60	\$ 317.10	\$ 360.22	\$ 403.40	\$ 460.74	\$ 496.62
	24"(610mm)	VZTI-4824-FNN	274.88	315.90	360.99	410.18	459.43	524.85	565.76
	30"(762mm)	VZTI-4830-FNN	308.12	354.19	404.87	460.13	515.45	588.96	634.89
	36"(914mm)	VZTI-4836-FNC	346.36	397.49	453.76	515.08	576.48	658.07	709.02
	42"(1067mm)	VZTI-4842-FNC	374.61	430.78	492.64	560.04	627.50	717.18	773.16
	48"(1219mm)	VZTI-4848-FNC	407.85	469.08	536.53	609.99	683.52	781.29	842.30
	54"(1372mm)	VZTI-4854-FNC	441.10	507.37	580.41	659.95	739.55	845.40	911.43
	60"(1524mm)	VZTI-4860-FNC	474.34	545.66	624.29	709.90	795.57	909.51	980.56
56"(1422mm)	66"(1676mm)	VZTI-4866-FNS	557.59	633.96	718.18	809.86	901.60	1023.62	1099.70
	72"(1829mm)	VZTI-4872-FNC	630.81	712.23	802.04	899.79	997.60	1127.71	1208.81
	18"(457mm)	VZTI-5618-FNN	\$ 271.67	\$ 312.22	\$ 356.75	\$ 405.36	\$ 454.04	\$ 518.67	\$ 559.11
	24"(610mm)	VZTI-5624-FNN	310.17	356.56	407.57	463.20	518.91	592.90	639.16
	30"(762mm)	VZTI-5630-FNN	348.65	400.90	458.37	521.04	583.77	667.12	719.20
	36"(914mm)	VZTI-5636-FNC	392.14	450.24	514.19	583.87	653.64	746.35	804.24
	42"(1067mm)	VZTI-5642-FNC	425.64	489.57	560.00	636.71	713.50	815.58	879.29
	48"(1219mm)	VZTI-5648-FNC	464.12	533.92	610.81	694.55	778.36	889.80	959.34
	54"(1372mm)	VZTI-5654-FNC	502.62	578.25	661.62	752.39	843.23	964.03	1039.38
64"(1626mm)	60"(1524mm)	VZTI-5660-FNC	541.11	622.58	712.43	810.22	908.09	1038.26	1119.42
	66"(1676mm)	VZTI-5666-FNS	629.60	716.93	813.24	918.07	1022.96	1162.48	1249.47
	72"(1829mm)	VZTI-5672-FNC	715.70	808.87	911.66	1023.51	1135.43	1284.32	1377.12
	18"(457mm)	VZTI-6418-FNN	\$ 301.71	\$ 346.84	\$ 396.40	\$ 450.50	\$ 504.68	\$ 576.60	\$ 621.60
	24"(610mm)	VZTI-6424-FNN	345.45	397.23	454.14	516.23	578.39	660.94	712.56
	30"(762mm)	VZTI-6430-FNN	389.19	447.60	511.88	581.94	652.09	745.29	803.51
	36"(914mm)	VZTI-6436-FNC	437.92	502.99	574.62	652.66	730.80	834.63	899.46
	42"(1067mm)	VZTI-6442-FNC	476.66	548.37	627.35	713.39	799.50	913.97	985.42
	48"(1219mm)	VZTI-6448-FNC	520.40	598.75	685.10	779.10	873.20	998.32	1076.38
72"(1829mm)	54"(1372mm)	VZTI-6454-FNC	564.14	649.13	742.83	844.83	946.91	1082.66	1167.33
	60"(1524mm)	VZTI-6460-FNC	607.87	699.51	800.56	910.55	1020.61	1167.00	1258.28
	18"(457mm)	VZTI-7218-FNN	\$ 406.75	\$ 456.46	\$ 511.05	\$ 570.64	\$ 630.32	\$ 709.53	\$ 759.09
	24"(610mm)	VZTI-7224-FNN	455.74	512.89	575.72	644.25	712.87	803.99	860.96
	30"(762mm)	VZTI-7230-FNN	504.72	569.31	640.38	717.85	795.41	898.45	962.82
	36"(914mm)	VZTI-7236-FNC	558.70	630.74	710.05	796.45	882.96	997.91	1069.68
	42"(1067mm)	VZTI-7242-FNC	602.69	682.16	769.71	865.06	960.50	1087.37	1166.55
	48"(1219mm)	VZTI-7248-FNC	651.67	738.59	834.38	938.66	1043.04	1181.83	1268.42
	54"(1372mm)	VZTI-7254-FNC	700.66	795.01	899.04	1012.27	1125.59	1276.29	1370.28
60"(1524mm)	VZTI-7260-FNC	749.64	851.43	963.70	1085.87	1208.13	1370.75	1472.14	

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	Fabric						
			A	B	C	D	E	F	G
<b>Spanning 3-Way Intersection Tiles</b>									
8"(203mm)	39"(991mm)	VZTI-0839-FNS	\$ 330.58	\$ 347.38	\$ 365.84	\$ 386.01	\$ 406.20	\$ 433.05	\$ 449.82
	45"(1143mm)	VZTI-0845-FNS	337.59	355.46	375.09	396.55	418.02	446.56	464.41
	51"(1295mm)	VZTI-0851-FNS	344.61	363.54	384.35	407.09	429.85	460.10	479.00
	57"(1448mm)	VZTI-0857-FNS	351.61	371.62	393.59	417.63	441.67	473.62	493.58
	63"(1600mm)	VZTI-0863-FNS	358.63	379.69	402.85	428.17	453.50	487.16	508.16
	69"(1753mm)	VZTI-0869-FNS	365.64	387.78	412.10	438.71	465.32	500.67	522.75
16"(406mm)	39"(991mm)	VZTI-1639-FNS	\$ 378.99	\$ 403.15	\$ 429.74	\$ 458.74	\$ 487.78	\$ 526.39	\$ 550.50
	45"(1143mm)	VZTI-1645-FNS	391.24	417.28	445.91	477.17	508.44	550.02	576.00
	51"(1295mm)	VZTI-1651-FNS	403.50	431.40	462.09	495.59	529.11	573.67	601.49
	57"(1448mm)	VZTI-1657-FNS	415.76	445.52	478.27	514.01	549.77	597.31	626.99
	63"(1600mm)	VZTI-1663-FNS	428.02	459.64	494.45	532.43	570.44	620.96	652.48
	69"(1753mm)	VZTI-1669-FNS	440.27	473.77	510.62	550.86	591.10	644.59	677.98
24"(610mm)	39"(991mm)	VZTI-2439-FNS	\$ 427.39	\$ 458.92	\$ 493.63	\$ 531.47	\$ 569.36	\$ 619.73	\$ 651.17
	45"(1143mm)	VZTI-2445-FNS	444.89	479.09	516.73	557.78	598.86	653.47	687.58
	51"(1295mm)	VZTI-2451-FNS	462.40	499.25	539.84	584.09	628.37	687.25	723.98
	57"(1448mm)	VZTI-2457-FNS	479.90	519.42	562.94	610.39	657.87	720.99	760.39
	63"(1600mm)	VZTI-2463-FNS	497.41	539.58	586.05	636.69	687.38	754.76	796.79
	69"(1753mm)	VZTI-2469-FNS	514.91	559.75	609.15	663.00	716.88	788.51	833.20
32"(813mm)	39"(991mm)	VZTI-3239-FNS	\$ 475.79	\$ 514.70	\$ 557.52	\$ 604.21	\$ 650.94	\$ 713.06	\$ 751.85
	45"(1143mm)	VZTI-3245-FNS	498.54	540.91	587.55	638.40	689.28	756.93	799.17
	51"(1295mm)	VZTI-3251-FNS	521.30	567.11	617.59	672.58	727.63	800.82	846.48
	57"(1448mm)	VZTI-3257-FNS	544.04	593.33	647.61	706.78	765.97	844.68	893.80
	63"(1600mm)	VZTI-3263-FNS	566.80	619.53	677.65	740.96	804.32	888.57	941.11
	69"(1753mm)	VZTI-3269-FNS	589.55	645.74	707.68	775.15	842.66	932.44	988.43
40"(1016mm)	39"(991mm)	VZTI-4039-FNS	\$ 539.20	\$ 585.47	\$ 636.42	\$ 691.94	\$ 747.52	\$ 821.40	\$ 867.52
	45"(1143mm)	VZTI-4045-FNS	567.19	617.72	673.37	734.01	794.70	875.38	925.75
	51"(1295mm)	VZTI-4051-FNS	595.19	649.97	710.33	776.08	841.89	929.39	983.97
	57"(1448mm)	VZTI-4057-FNS	623.19	682.23	747.29	818.16	889.07	983.37	1042.20
	63"(1600mm)	VZTI-4063-FNS	651.19	714.47	784.25	860.22	936.26	1037.37	1100.42
	69"(1753mm)	VZTI-4069-FNS	679.18	746.73	821.20	902.30	983.44	1091.36	1158.65
48"(1219mm)	39"(991mm)	VZTI-4839-FNS	\$ 572.60	\$ 626.24	\$ 685.31	\$ 749.67	\$ 814.10	\$ 899.74	\$ 953.20
	45"(1143mm)	VZTI-4845-FNS	605.84	664.54	729.19	799.63	870.12	963.84	1022.34
	51"(1295mm)	VZTI-4851-FNS	639.09	702.83	773.08	849.58	926.15	1027.96	1091.47
	57"(1448mm)	VZTI-4857-FNS	672.33	741.13	816.96	899.54	982.17	1092.06	1160.61
	63"(1600mm)	VZTI-4863-FNS	705.58	779.42	860.85	949.49	1038.20	1156.18	1229.74
	69"(1753mm)	VZTI-4869-FNS	738.82	817.72	904.73	999.45	1094.22	1220.28	1298.88
56"(1422mm)	39"(991mm)	VZTI-5639-FNS	\$ 621.00	\$ 682.01	\$ 749.20	\$ 822.40	\$ 895.68	\$ 993.08	\$ 1053.87
	45"(1143mm)	VZTI-5645-FNS	659.49	726.35	800.01	880.24	960.54	1067.30	1133.92
	51"(1295mm)	VZTI-5651-FNS	697.99	770.69	850.83	938.08	1025.41	1141.53	1213.96
	57"(1448mm)	VZTI-5657-FNS	736.47	815.03	901.63	995.92	1090.27	1215.75	1294.01
	63"(1600mm)	VZTI-5663-FNS	774.97	859.36	952.45	1053.75	1155.14	1289.98	1374.05
	69"(1753mm)	VZTI-5669-FNS	813.46	903.71	1003.26	1111.60	1220.00	1364.20	1454.10
64"(1626mm)	39"(991mm)	VZTI-6439-FNS	\$ 669.41	\$ 737.78	\$ 813.10	\$ 895.13	\$ 977.26	\$ 1086.42	\$ 1154.55
	45"(1143mm)	VZTI-6445-FNS	713.14	788.17	870.83	960.86	1050.96	1170.75	1245.51
	51"(1295mm)	VZTI-6451-FNS	756.88	838.55	928.57	1026.58	1124.67	1255.10	1336.46
	57"(1448mm)	VZTI-6457-FNS	800.62	888.93	986.31	1092.30	1198.37	1339.44	1427.42
72"(1829mm)	39"(991mm)	VZTI-7239-FNS	\$ 792.81	\$ 868.55	\$ 951.99	\$ 1042.86	\$ 1133.84	\$ 1254.76	\$ 1330.23
	45"(1143mm)	VZTI-7245-FNS	841.79	924.98	1016.65	1116.47	1216.38	1349.20	1432.09
	51"(1295mm)	VZTI-7251-FNS	890.78	981.40	1081.32	1190.07	1298.93	1443.67	1533.95
	57"(1448mm)	VZTI-7257-FNS	939.76	1037.83	1145.98	1263.68	1381.47	1538.12	1635.82

# Tiles - Full Panel, Connections and Stack Frame

## Laminate

### Unique Features

- High Pressure Laminate (HPL) tile has 1mm edgeband
- 72"(1829mm)W is not available on 56"(1422mm), 64"(1626mm) or 72"(1829mm)H tiles.
- Wood grain laminate can be vertical or horizontal. See illustrations below for limitations. Specify appropriate laminate surface code.



### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- L** Left-Hand Port (add **\$87.40** list)
- R** Right-Hand Port (add **\$87.40** list)
- 2** Left and Right- Hand Port (add **\$208.28** list)

2) Laminate surface color.

3) Edgeband color.

4) Trim color for bezel (if applicable).

Nominal Height	Nominal Width	Number ①	HPL	
			A	B
<b>Individual Tiles</b>				
8"(203mm)	18"(457mm)	VZTI-0818-DNN	\$ 253.63	\$ 265.13
	24"(610mm)	VZTI-0824-DNN	282.90	295.94
	30"(762mm)	VZTI-0830-DNN	297.17	311.74
	36"(914mm)	VZTI-0836-DNN	311.44	327.55
	42"(1067mm)	VZTI-0842-DNN	315.71	333.36
	48"(1219mm)	VZTI-0848-DNN	334.98	354.16
	54"(1372mm)	VZTI-0854-DNN	354.25	374.97
	60"(1524mm)	VZTI-0860-DNN	373.52	395.78
16"(406mm)	72"(1829mm)	VZTI-0872-DNN	480.86	N/A
	18"(457mm)	VZTI-1618-DNN	\$ 286.44	\$ 302.55
	24"(610mm)	VZTI-1624-D N	334.98	354.16
	30"(762mm)	VZTI-1630-D N	368.52	390.78
	36"(914mm)	VZTI-1636-D N	402.06	427.39
	42"(1067mm)	VZTI-1642-D N	425.60	454.00
	48"(1219mm)	VZTI-1648-D N	464.14	495.62
	54"(1372mm)	VZTI-1654-D N	502.68	537.23
24"(610mm)	60"(1524mm)	VZTI-1660-D N	541.22	578.84
	72"(1829mm)	VZTI-1672-D N	687.10	N/A
	18"(457mm)	VZTI-2418-DNN	\$ 294.25	\$ 314.97
	24"(610mm)	VZTI-2424-D N	362.06	387.39
	30"(762mm)	VZTI-2430-D N	414.87	444.81
	36"(914mm)	VZTI-2436-D N	467.68	502.23
	42"(1067mm)	VZTI-2442-D N	510.49	549.65
	48"(1219mm)	VZTI-2448-D N	568.30	612.07
32"(813mm)	54"(1372mm)	VZTI-2454-D N	626.11	674.49
	60"(1524mm)	VZTI-2460-D N	683.92	736.91
	72"(1829mm)	VZTI-2472-D N	868.34	N/A
	18"(457mm)	VZTI-3218-DNN	\$ 377.06	\$ 402.39
	24"(610mm)	VZTI-3224-D N	464.14	495.62
	30"(762mm)	VZTI-3230-D N	536.22	573.84
	36"(914mm)	VZTI-3236-D N	608.30	652.07
	42"(1067mm)	VZTI-3242-D N	670.38	720.30
32"(813mm)	48"(1219mm)	VZTI-3248-D N	747.46	803.52
	54"(1372mm)	VZTI-3254-D N	824.54	886.75
	60"(1524mm)	VZTI-3260-D N	901.62	969.98
	72"(1829mm)	VZTI-3272-D N	1124.58	N/A

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	HPL	
			A	B
40"(1016mm)	18"(457mm)	VZTI-4018-DNN	\$ 449.87	\$ 479.81
	24"(610mm)	VZTI-4024-DNN	556.22	593.84
	30"(762mm)	VZTI-4030-DNN	647.57	692.88
	36"(914mm)	VZTI-4036-DNN	738.92	791.91
	42"(1067mm)	VZTI-4042-DNN	820.27	880.94
	48"(1219mm)	VZTI-4048-DNN	916.62	984.98
	54"(1372mm)	VZTI-4054-DNN	1012.97	1089.01
	60"(1524mm)	VZTI-4060-DNN	1109.32	1193.04
48"(1219mm)	18"(457mm)	VZTI-4818-DNN	\$ 467.68	\$ 502.23
	24"(610mm)	VZTI-4824-DNN	593.30	637.07
	30"(762mm)	VZTI-4830-DNN	703.92	756.91
	36"(914mm)	VZTI-4836-DNN	814.54	876.75
	42"(1067mm)	VZTI-4842-DNN	915.16	986.59
	48"(1219mm)	VZTI-4848-DNN	1030.78	1111.43
	54"(1372mm)	VZTI-4854-DNN	1146.40	1236.27
	60"(1524mm)	VZTI-4860-DNN	1262.02	1361.11
56"(1422mm)	18"(457mm)	VZTI-5618-DNN	\$ 525.49	\$ 564.65
	24"(610mm)	VZTI-5624-DNN	670.38	720.30
	30"(762mm)	VZTI-5630-DNN	800.27	860.94
	36"(914mm)	VZTI-5636-DNN	930.16	1001.59
	42"(1067mm)	VZTI-5642-DNN	1050.05	1132.24
	48"(1219mm)	VZTI-5648-DNN	1184.94	1277.88
	54"(1372mm)	VZTI-5654-DNN	1319.83	1423.53
	60"(1524mm)	VZTI-5660-DNN	1454.72	1569.18
64"(1626mm)	18"(457mm)	VZTI-6418-DNN	\$ 1147.18	\$ 1190.95
	24"(610mm)	VZTI-6424-DNN	1311.34	1367.40
	30"(762mm)	VZTI-6430-DNN	1460.50	1528.86
	36"(914mm)	VZTI-6436-DNN	1609.66	1690.31
	42"(1067mm)	VZTI-6442-DNN	1748.82	1841.76
	48"(1219mm)	VZTI-6448-DNN	1902.98	2008.22
	54"(1372mm)	VZTI-6454-DNN	2057.14	2174.67
	60"(1524mm)	VZTI-6460-DNN	2211.30	2341.12
72"(1829mm)	18"(457mm)	VZTI-7218-DNN	\$ 1204.99	\$ 1253.37
	24"(610mm)	VZTI-7224-DNN	1388.42	1450.63
	30"(762mm)	VZTI-7230-DNN	1556.85	1632.89
	36"(914mm)	VZTI-7236-DNN	1725.28	1815.15
	42"(1067mm)	VZTI-7242-DNN	1883.71	1987.41
	48"(1219mm)	VZTI-7248-DNN	2057.14	2174.67
	54"(1372mm)	VZTI-7254-DNN	2230.57	2361.93
	60"(1524mm)	VZTI-7260-DNN	2404.00	2549.19
<b>Spanning In-line Tiles</b>				
8"(203mm)	36"(914mm)	VZTI-0836-DNS	\$ 593.38	\$ 609.49
	42"(1067mm)	VZTI-0842-DNS	597.65	615.30
	48"(1219mm)	VZTI-0848-DNS	616.92	636.10
	54"(1372mm)	VZTI-0854-DNS	636.19	656.91
	60"(1524mm)	VZTI-0860-DNS	655.46	677.72
	66"(1676mm)	VZTI-0866-DNS	674.73	N/A
	72"(1829mm)	VZTI-0872-DNS	762.80	N/A
	78"(1981mm)	VZTI-0878-DNS	782.07	N/A
	84"(2134mm)	VZTI-0884-DNS	801.34	N/A
	90"(2286mm)	VZTI-0890-DNS	820.61	N/A
96"(2438mm)	VZTI-0896-DNS	839.88	N/A	

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	HPL	
			A	B
16"(406mm)	36"(914mm)	VZTI-1636-DNS	\$ 684.00	\$ 709.33
	42"(1067mm)	VZTI-1642-DNS	707.54	735.94
	48"(1219mm)	VZTI-1648-DNS	746.08	777.56
	54"(1372mm)	VZTI-1654-DNS	784.62	819.17
	60"(1524mm)	VZTI-1660-DNS	823.16	860.78
	66"(1676mm)	VZTI-1666-DNS	861.70	N/A
	72"(1829mm)	VZTI-1672-DNS	969.04	N/A
	78"(1981mm)	VZTI-1678-DNS	1007.58	N/A
	84"(2134mm)	VZTI-1684-DNS	1046.12	N/A
	90"(2286mm)	VZTI-1690-DNS	1084.66	N/A
24"(610mm)	96"(2438mm)	VZTI-1696-DNS	1123.20	N/A
	36"(914mm)	VZTI-2436-DNS	\$ 749.62	\$ 784.17
	42"(1067mm)	VZTI-2442-DNS	792.43	831.59
	48"(1219mm)	VZTI-2448-DNS	850.24	894.01
	54"(1372mm)	VZTI-2454-DNS	908.05	956.43
	60"(1524mm)	VZTI-2460-DNS	965.86	1018.85
	66"(1676mm)	VZTI-2466-DNS	1023.67	N/A
	72"(1829mm)	VZTI-2472-DNS	1150.28	N/A
	78"(1981mm)	VZTI-2478-DNS	1208.09	N/A
	84"(2134mm)	VZTI-2484-DNS	1265.90	N/A
32"(813mm)	90"(2286mm)	VZTI-2490-DNS	1323.71	N/A
	96"(2438mm)	VZTI-2496-DNS	1381.52	N/A
	36"(914mm)	VZTI-3236-DNS	\$ 890.24	\$ 934.01
	42"(1067mm)	VZTI-3242-DNS	952.32	1002.24
	48"(1219mm)	VZTI-3248-DNS	1029.40	1085.46
	54"(1372mm)	VZTI-3254-DNS	1106.48	1168.69
	60"(1524mm)	VZTI-3260-DNS	1183.56	1251.92
	66"(1676mm)	VZTI-3266-DNS	1260.64	N/A
	72"(1829mm)	VZTI-3272-DNS	1406.52	N/A
	78"(1981mm)	VZTI-3278-DNS	1483.60	N/A
40"(1016mm)	84"(2134mm)	VZTI-3284-DNS	1560.68	N/A
	90"(2286mm)	VZTI-3290-DNS	1637.76	N/A
	96"(2438mm)	VZTI-3296-DNS	1714.84	N/A
	36"(914mm)	VZTI-4036-DNS	\$1020.86	\$ 1073.85
	42"(1067mm)	VZTI-4042-DNS	1102.21	1162.88
	48"(1219mm)	VZTI-4048-DNS	1198.56	1266.92
	54"(1372mm)	VZTI-4054-DNS	1294.91	1370.95
	60"(1524mm)	VZTI-4060-DNS	1391.26	1474.98
	66"(1676mm)	VZTI-4066-DNS	1487.61	N/A
	72"(1829mm)	VZTI-4072-DNS	1652.76	N/A
40"(1016mm)	78"(1981mm)	VZTI-4078-DNS	1749.11	N/A
	84"(2134mm)	VZTI-4084-DNS	1845.46	N/A
	90"(2286mm)	VZTI-4090-DNS	1941.81	N/A
	96"(2438mm)	VZTI-4096-DNS	2038.16	N/A



# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	HPL	
			A	B
48"(1219mm)	36"(914mm)	VZTI-4836-DNS	\$ 1096.48	\$ 1158.69
	42"(1067mm)	VZTI-4842-DNS	1197.10	1268.53
	48"(1219mm)	VZTI-4848-DNS	1312.72	1393.37
	54"(1372mm)	VZTI-4854-DNS	1428.34	1518.21
	60"(1524mm)	VZTI-4860-DNS	1543.96	1643.05
	66"(1676mm)	VZTI-4866-DNS	1659.58	N/A
	72"(1829mm)	VZTI-4872-DNS	1844.00	N/A
	78"(1981mm)	VZTI-4878-DNS	1959.62	N/A
	84"(2134mm)	VZTI-4884-DNS	2075.24	N/A
	90"(2286mm)	VZTI-4890-DNS	2190.86	N/A
56"(1422mm)	96"(2438mm)	VZTI-4896-DNS	2306.48	N/A
	36"(914mm)	VZTI-5636-DNS	\$ 1212.10	\$ 1283.53
	42"(1067mm)	VZTI-5642-DNS	1331.99	1414.18
	48"(1219mm)	VZTI-5648-DNS	1466.88	1559.82
	54"(1372mm)	VZTI-5654-DNS	1601.77	1705.47
	60"(1524mm)	VZTI-5660-DNS	1736.66	1851.12
64"(1626mm)	36"(914mm)	VZTI-6436-DNS	\$ 1891.60	\$ 1972.25
	42"(1067mm)	VZTI-6442-DNS	2030.76	2123.70
	48"(1219mm)	VZTI-6448-DNS	2184.92	2290.16
	54"(1372mm)	VZTI-6454-DNS	2339.08	2456.61
	60"(1524mm)	VZTI-6460-DNS	2493.24	2623.06
72"(1829mm)	36"(914mm)	VZTI-7236-DNS	\$2007.22	\$2097.09
	42"(1067mm)	VZTI-7242-DNS	2165.65	2269.35
	48"(1219mm)	VZTI-7248-DNS	2339.08	2456.61
	54"(1372mm)	VZTI-7254-DNS	2512.51	2643.87
	60"(1524mm)	VZTI-7260-DNS	2685.94	2831.13
<b>Spanning 3-Way Intersection Tiles</b>				
8"(203mm)	39"(991mm)	VZTI-0839-DNS	\$ 588.01	\$ 604.89
	45"(1143mm)	VZTI-0845-DNS	607.28	625.70
	51"(1295mm)	VZTI-0851-DNS	626.56	646.51
	57"(1448mm)	VZTI-0857-DNS	645.83	667.31
	63"(1600mm)	VZTI-0863-DNS	665.10	N/A
	69"(1753mm)	VZTI-0869-DNS	684.36	N/A
	75"(1905mm)	VZTI-0875-DNS	772.44	N/A
	81"(2057mm)	VZTI-0881-DNS	791.71	N/A
	93"(2362mm)	VZTI-0893-DNS	830.24	N/A
	99"(2515mm)	VZTI-0899-DNS	849.51	N/A
16"(406mm)	39"(991mm)	VZTI-1639-DNS	\$ 688.27	\$ 715.14
	45"(1143mm)	VZTI-1645-DNS	726.81	756.75
	51"(1295mm)	VZTI-1651-DNS	765.35	798.36
	57"(1448mm)	VZTI-1657-DNS	803.89	839.98
	63"(1600mm)	VZTI-1663-DNS	842.43	N/A
	69"(1753mm)	VZTI-1669-DNS	880.97	N/A
	75"(1905mm)	VZTI-1675-DNS	988.31	N/A
	81"(2057mm)	VZTI-1681-DNS	1026.85	N/A
	93"(2362mm)	VZTI-1693-DNS	1103.93	N/A
	99"(2515mm)	VZTI-1699-DNS	1142.47	N/A

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	HPL	
			A	B
24"(610mm)	39"(991mm)	VZTI-2439-DNS	\$ 763.53	\$ 800.38
	45"(1143mm)	VZTI-2445-DNS	821.33	862.80
	51"(1295mm)	VZTI-2451-DNS	879.15	925.22
	57"(1448mm)	VZTI-2457-DNS	936.95	987.64
	63"(1600mm)	VZTI-2463-DNS	994.77	N/A
	69"(1753mm)	VZTI-2469-DNS	1052.57	N/A
	75"(1905mm)	VZTI-2475-DNS	1179.18	N/A
	81"(2057mm)	VZTI-2481-DNS	1236.99	N/A
	93"(2362mm)	VZTI-2493-DNS	1352.61	N/A
	99"(2515mm)	VZTI-2499-DNS	1410.42	N/A
32"(813mm)	39"(991mm)	VZTI-3239-DNS	\$ 913.78	\$ 960.62
	45"(1143mm)	VZTI-3245-DNS	990.86	1043.85
	51"(1295mm)	VZTI-3251-DNS	1067.94	1127.08
	57"(1448mm)	VZTI-3257-DNS	1145.02	1210.30
	63"(1600mm)	VZTI-3263-DNS	1222.10	N/A
	69"(1753mm)	VZTI-3269-DNS	1299.18	N/A
	75"(1905mm)	VZTI-3275-DNS	1445.06	N/A
	81"(2057mm)	VZTI-3281-DNS	1522.14	N/A
	93"(2362mm)	VZTI-3293-DNS	1676.30	N/A
	99"(2515mm)	VZTI-3299-DNS	1753.38	N/A
40"(1016mm)	39"(991mm)	VZTI-4039-DNS	\$ 1054.03	\$ 1110.87
	45"(1143mm)	VZTI-4045-DNS	1150.38	1214.90
	51"(1295mm)	VZTI-4051-DNS	1246.73	1318.93
	57"(1448mm)	VZTI-4057-DNS	1343.08	1422.97
	63"(1600mm)	VZTI-4063-DNS	1439.43	N/A
	69"(1753mm)	VZTI-4069-DNS	1535.78	N/A
	75"(1905mm)	VZTI-4075-DNS	1700.94	N/A
	81"(2057mm)	VZTI-4081-DNS	1797.29	N/A
	93"(2362mm)	VZTI-4093-DNS	1989.98	N/A
	99"(2515mm)	VZTI-4099-DNS	2086.34	N/A
48"(1219mm)	39"(991mm)	VZTI-4839-DNS	\$ 1139.29	\$ 1206.11
	45"(1143mm)	VZTI-4845-DNS	1254.91	1330.95
	51"(1295mm)	VZTI-4851-DNS	1370.53	1455.79
	57"(1448mm)	VZTI-4857-DNS	1486.15	1580.63
	63"(1600mm)	VZTI-4863-DNS	1601.77	N/A
	69"(1753mm)	VZTI-4869-DNS	1717.39	N/A
	75"(1905mm)	VZTI-4875-DNS	1901.81	N/A
	81"(2057mm)	VZTI-4881-DNS	2017.43	N/A
	93"(2362mm)	VZTI-4893-DNS	2248.67	N/A
	99"(2515mm)	VZTI-4899-DNS	2364.29	N/A
56"(1422mm)	39"(991mm)	VZTI-5639-DNS	\$ 1264.55	\$ 1341.35
	45"(1143mm)	VZTI-5645-DNS	1399.44	1487.00
	51"(1295mm)	VZTI-5651-DNS	1534.32	1632.65
	57"(1448mm)	VZTI-5657-DNS	1669.22	1778.29
64"(1626mm)	39"(991mm)	VZTI-6439-DNS	\$ 1953.68	\$2040.48
	45"(1143mm)	VZTI-6445-DNS	2107.84	2206.93
	51"(1295mm)	VZTI-6451-DNS	2262.00	2373.38
	57"(1448mm)	VZTI-6457-DNS	2416.16	2539.84
72"(1829mm)	39"(991mm)	VZTI-7239-DNS	\$2078.94	\$ 2175.72
	45"(1143mm)	VZTI-7245-DNS	2252.36	2362.98
	51"(1295mm)	VZTI-7251-DNS	2425.79	2550.24
	57"(1448mm)	VZTI-7257-DNS	2599.22	2737.50

# Tiles - Full Panel, Connections and Stack Frame

## Steel

### Unique Features

- Powdercoat finish.
- For use with magnetic accessories.

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- L** Left-Hand Port (add **\$87.40** list)
- R** Right-Hand Port (add **\$87.40** list)
- 2** Left and Right-Hand Port (add **\$209.75** list)

2) Trim color.

3) Trim color for bezel (if applicable).

Nominal Height	Nominal Width	Number ①	Trim	
			A	B
<b>Individual Tiles</b>				
8"(203mm)	18"(457mm)	VZTI-0818-PNN	\$ 153.35	\$ 158.62
	24"(610mm)	VZTI-0824-PNN	163.39	170.42
	30"(762mm)	VZTI-0830-PNN	173.43	182.22
	36"(914mm)	VZTI-0836-PNN	183.47	194.02
	42"(1067mm)	VZTI-0842-PNN	193.51	205.82
	48"(1219mm)	VZTI-0848-PNN	203.55	217.62
	54"(1372mm)	VZTI-0854-PNN	213.59	229.42
	60"(1524mm)	VZTI-0860-PNN	223.63	241.22
16"(406mm)	72"(1829mm)	VZTI-0872-PNN	283.29	304.40
	18"(457mm)	VZTI-1618-PNN	\$ 198.60	\$ 208.72
	24"(610mm)	VZTI-1624-P N	214.48	228.64
	30"(762mm)	VZTI-1630-P N	230.36	248.56
	36"(914mm)	VZTI-1636-P N	246.24	268.48
	42"(1067mm)	VZTI-1642-P N	262.12	288.40
	48"(1219mm)	VZTI-1648-P N	278.00	308.32
	54"(1372mm)	VZTI-1654-P N	293.88	328.24
24"(610mm)	60"(1524mm)	VZTI-1660-P N	309.76	348.16
	72"(1829mm)	VZTI-1672-P N	420.68	467.16
	18"(457mm)	VZTI-2418-PNN	\$ 257.86	\$ 273.19
	24"(610mm)	VZTI-2424-P N	279.88	301.39
	30"(762mm)	VZTI-2430-P N	301.90	329.59
	36"(914mm)	VZTI-2436-P N	323.92	357.79
	42"(1067mm)	VZTI-2442-P N	345.94	385.99
	48"(1219mm)	VZTI-2448-P N	367.96	414.19
32"(813mm)	54"(1372mm)	VZTI-2454-P N	389.98	442.39
	60"(1524mm)	VZTI-2460-P N	412.00	470.59
	72"(1829mm)	VZTI-2472-P N	574.78	645.73
	18"(457mm)	VZTI-3218-PNN	\$ 329.53	\$ 349.83
	24"(610mm)	VZTI-3224-P N	356.21	384.55
	30"(762mm)	VZTI-3230-P N	382.89	419.27
	36"(914mm)	VZTI-3236-P N	409.57	453.99
	42"(1067mm)	VZTI-3242-P N	436.25	488.71
40"(1016mm)	48"(1219mm)	VZTI-3248-P N	462.93	523.43
	54"(1372mm)	VZTI-3254-P N	489.61	558.15
	60"(1524mm)	VZTI-3260-P N	516.29	592.87
	72"(1829mm)	VZTI-3272-P N	727.97	820.63
	18"(457mm)	VZTI-4018-PNN	\$ 347.48	\$ 372.96
	24"(610mm)	VZTI-4024-PNN	381.86	417.82
	30"(762mm)	VZTI-4030-PNN	416.24	462.68
	36"(914mm)	VZTI-4036-PNN	450.62	507.54
	42"(1067mm)	VZTI-4042-PNN	485.00	552.40
	48"(1219mm)	VZTI-4048-PNN	519.38	597.26
	54"(1372mm)	VZTI-4054-PNN	553.76	642.12
	60"(1524mm)	VZTI-4060-PNN	588.14	686.98
	72"(1829mm)	VZTI-4072-PNN	854.80	974.60

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	Trim	
			A	B
<b>Spanning In-Line Tiles</b>				
8"(203mm)	36"(914mm)	VZTI-0836-PNS	\$ 313.22	\$ 323.77
	42"(1067mm)	VZTI-0842-PNS	323.26	335.57
	48"(1219mm)	VZTI-0848-PNS	333.30	347.37
	54"(1372mm)	VZTI-0854-PNS	343.34	359.17
	60"(1524mm)	VZTI-0860-PNS	353.38	370.97
	66"(1676mm)	VZTI-0866-PNS	363.42	382.77
	72"(1829mm)	VZTI-0872-PNS	373.46	394.57
	78"(1981mm)	VZTI-0878-PNS	383.50	406.37
16"(406mm)	36"(914mm)	VZTI-1636-PNS	\$362.05	\$ 384.29
	42"(1067mm)	VZTI-1642-PNS	377.93	404.21
	48"(1219mm)	VZTI-1648-PNS	393.81	424.13
	54"(1372mm)	VZTI-1654-PNS	409.69	444.05
	60"(1524mm)	VZTI-1660-PNS	425.57	463.97
	66"(1676mm)	VZTI-1666-PNS	441.45	483.89
	72"(1829mm)	VZTI-1672-PNS	457.33	503.81
	78"(1981mm)	VZTI-1678-PNS	473.21	523.73
24"(610mm)	36"(914mm)	VZTI-2436-PNS	\$ 384.75	\$ 418.62
	42"(1067mm)	VZTI-2442-PNS	406.77	446.82
	48"(1219mm)	VZTI-2448-PNS	428.79	475.02
	54"(1372mm)	VZTI-2454-PNS	450.81	503.22
	60"(1524mm)	VZTI-2460-PNS	472.83	531.42
	66"(1676mm)	VZTI-2466-PNS	494.85	559.62
	72"(1829mm)	VZTI-2472-PNS	516.87	587.82
	78"(1981mm)	VZTI-2478-PNS	538.89	616.02
32"(813mm)	36"(914mm)	VZTI-3236-PNS	\$ 528.31	\$ 572.73
	42"(1067mm)	VZTI-3242-PNS	554.99	607.45
	48"(1219mm)	VZTI-3248-PNS	581.67	642.17
	54"(1372mm)	VZTI-3254-PNS	608.35	676.89
	60"(1524mm)	VZTI-3260-PNS	635.03	711.61
	66"(1676mm)	VZTI-3266-PNS	661.71	746.33
	72"(1829mm)	VZTI-3272-PNS	688.39	781.05
	78"(1981mm)	VZTI-3278-PNS	715.07	815.77
40"(1016mm)	36"(914mm)	VZTI-4036-PNS	\$658.82	\$ 715.74
	42"(1067mm)	VZTI-4042-PNS	693.20	760.60
	48"(1219mm)	VZTI-4048-PNS	727.58	805.46
	54"(1372mm)	VZTI-4054-PNS	761.96	850.32
	60"(1524mm)	VZTI-4060-PNS	796.34	895.18
	66"(1676mm)	VZTI-4066-PNS	830.72	940.04
	72"(1829mm)	VZTI-4072-PNS	865.10	984.90
	78"(1981mm)	VZTI-4078-PNS	899.48	1029.76

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	Trim	
			A	B
<b>Spanning 3-Way Intersection Tiles</b>				
8"(203mm)	39"(991mm)	VZTI-0839-PNS	\$ 318.24	\$ 329.67
	45"(1143mm)	VZTI-0845-PNS	328.28	341.47
	51"(1295mm)	VZTI-0851-PNS	338.32	353.27
	57"(1448mm)	VZTI-0857-PNS	348.36	365.07
	63"(1600mm)	VZTI-0863-PNS	358.40	376.87
	69"(1753mm)	VZTI-0869-PNS	368.44	388.67
	75"(1905mm)	VZTI-0875-PNS	378.48	400.47
16"(406mm)	39"(991mm)	VZTI-1639-PNS	\$369.99	\$ 394.25
	45"(1143mm)	VZTI-1645-PNS	385.87	414.17
	51"(1295mm)	VZTI-1651-PNS	401.75	434.09
	57"(1448mm)	VZTI-1657-PNS	417.63	454.01
	63"(1600mm)	VZTI-1663-PNS	433.51	473.93
	69"(1753mm)	VZTI-1669-PNS	449.39	493.85
	75"(1905mm)	VZTI-1675-PNS	465.27	513.77
24"(610mm)	39"(991mm)	VZTI-2439-PNS	\$ 395.76	\$ 432.72
	45"(1143mm)	VZTI-2445-PNS	417.78	460.92
	51"(1295mm)	VZTI-2451-PNS	439.80	489.12
	57"(1448mm)	VZTI-2457-PNS	461.82	517.32
	63"(1600mm)	VZTI-2463-PNS	483.84	545.52
	69"(1753mm)	VZTI-2469-PNS	505.86	573.72
	75"(1905mm)	VZTI-2475-PNS	527.88	601.92
32"(813mm)	39"(991mm)	VZTI-3239-PNS	\$ 541.65	\$ 590.09
	45"(1143mm)	VZTI-3245-PNS	568.33	624.81
	51"(1295mm)	VZTI-3251-PNS	595.01	659.53
	57"(1448mm)	VZTI-3257-PNS	621.69	694.25
	63"(1600mm)	VZTI-3263-PNS	648.37	728.97
	69"(1753mm)	VZTI-3269-PNS	675.05	763.69
	75"(1905mm)	VZTI-3275-PNS	701.73	798.41
40"(1016mm)	39"(991mm)	VZTI-4039-PNS	\$ 676.01	\$ 738.17
	45"(1143mm)	VZTI-4045-PNS	710.39	783.03
	51"(1295mm)	VZTI-4051-PNS	744.77	827.89
	57"(1448mm)	VZTI-4057-PNS	779.15	872.75
	63"(1600mm)	VZTI-4063-PNS	813.53	917.61
	69"(1753mm)	VZTI-4069-PNS	847.91	962.47
	75"(1905mm)	VZTI-4075-PNS	882.29	1007.33

# Tiles - Full Panel, Connections and Stack Frame

## Wood

### Unique Features

- Low gloss finish for double-cut veneer wood tiles.
- Standard gloss finish for natural wood tiles.



Double-cut Veneer  
Horizontal grain direction



Natural Veneer  
Vertical grain direction

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- L** Left-Hand Port (add **\$87.40** list)
- R** Right-Hand Port (add **\$87.40** list)
- 2** Left and Right-Hand Port (add **\$209.75** list)

2) Wood finish color.

3) Trim color for bezel (if applicable).

**Note:** 54"(1372mm), 60"(1524mm), and 72"(1829mm)W is not available for 56"(1422mm), 64"(1626mm) and 72"(1829mm)H tile.

Nominal Height	Nominal Width	Number ①	Wood	
			A	B
<b>Individual Tiles</b>				
8"(203mm)	18"(457mm)	VZTI-0818-WNN	\$ 644.96	\$ 754.94
	24"(610mm)	VZTI-0824-WNN	669.44	782.90
	30"(762mm)	VZTI-0830-WNN	693.92	810.86
	36"(914mm)	VZTI-0836-WNN	718.40	838.82
	42"(1067mm)	VZTI-0842-WNN	742.88	866.78
	42"(1067mm)	VZTI-0848-WNN	767.36	894.74
	54"(1372mm)	VZTI-0854-WNN	791.84	922.70
	60"(1524mm)	VZTI-0860-WNN	816.32	950.66
16"(406mm)	72"(1829mm)	VZTI-0872-WNN	989.89	1131.19
	18"(457mm)	VZTI-1618-WNN	\$ 762.85	\$ 853.57
	24"(610mm)	VZTI-1624-W N	793.37	889.47
	30"(762mm)	VZTI-1630-W N	823.89	925.37
	36"(914mm)	VZTI-1636-W N	854.41	961.27
	42"(1067mm)	VZTI-1642-W N	884.93	997.17
	42"(1067mm)	VZTI-1648-W N	915.45	1033.07
	54"(1372mm)	VZTI-1654-W N	945.97	1068.97
24"(610mm)	60"(1524mm)	VZTI-1660-W N	976.49	1104.87
	72"(1829mm)	VZTI-1672-W N	1286.75	1425.89
	18"(457mm)	VZTI-2418-WNN	\$ 962.01	\$ 1011.21
	24"(610mm)	VZTI-2424-W N	1018.65	1074.11
	30"(762mm)	VZTI-2430-W N	1075.29	1137.01
	36"(914mm)	VZTI-2436-W N	1131.93	1199.91
	42"(1067mm)	VZTI-2442-W N	1188.57	1262.81
	42"(1067mm)	VZTI-2448-W N	1245.21	1325.71
32"(813mm)	54"(1372mm)	VZTI-2454-W N	1301.85	1388.61
	60"(1524mm)	VZTI-2460-W N	1358.49	1451.51
	72"(1829mm)	VZTI-2472-W N	1845.60	1951.14
	18"(457mm)	VZTI-3218-WNN	\$ 1038.71	\$ 1096.78
	24"(610mm)	VZTI-3224-W N	1103.87	1173.56
	30"(762mm)	VZTI-3230-W N	1169.03	1250.34
	36"(914mm)	VZTI-3236-W N	1234.19	1327.12
	42"(1067mm)	VZTI-3242-W N	1299.35	1403.90
32"(813mm)	42"(1067mm)	VZTI-3248-W N	1364.51	1480.68
	54"(1372mm)	VZTI-3254-W N	1429.67	1557.46
	60"(1524mm)	VZTI-3260-W N	1494.83	1634.24
	72"(1829mm)	VZTI-3272-W N	2123.59	2286.24

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	Wood		
			A	B	
40"(1016mm)	18"(457mm)	VZTI-4018-WNN	\$ 1405.96	\$ 1482.89	
	24"(610mm)	VZTI-4024-WNN	1459.44	1545.85	
	30"(762mm)	VZTI-4030-WNN	1512.92	1608.81	
	36"(914mm)	VZTI-4036-WNN	1566.40	1671.77	
	42"(1067mm)	VZTI-4042-WNN	1619.88	1734.73	
	42"(1067mm)	VZTI-4048-WNN	1673.36	1797.69	
	54"(1372mm)	VZTI-4054-WNN	1726.84	1860.65	
	60"(1524mm)	VZTI-4060-WNN	1780.32	1923.61	
48"(1219mm)	18"(457mm)	VZTI-4818-WNN	\$ 1435.40	\$ 1533.14	
	24"(610mm)	VZTI-4824-WNN	1493.84	1600.32	
	30"(762mm)	VZTI-4830-WNN	1552.28	1667.50	
	36"(914mm)	VZTI-4836-WNN	1610.72	1734.68	
	42"(1067mm)	VZTI-4842-WNN	1669.16	1801.86	
	42"(1067mm)	VZTI-4848-WNN	1727.60	1869.04	
	54"(1372mm)	VZTI-4854-WNN	1786.04	1936.22	
	60"(1524mm)	VZTI-4860-WNN	1844.48	2003.40	
56"(1422mm)	18"(457mm)	VZTI-5618-WNN	\$ 1454.22	\$ 1555.07	
	24"(610mm)	VZTI-5624-WNN	1526.26	1637.21	
	30"(762mm)	VZTI-5630-WNN	1598.30	1719.35	
	36"(914mm)	VZTI-5636-WNN	1670.34	1801.49	
	42"(1067mm)	VZTI-5642-WNN	1742.38	1883.63	
	42"(1067mm)	VZTI-5648-WNN	1814.42	1965.77	
	64"(1626mm)	18"(457mm)	VZTI-6418-WNN	\$ 1553.55	\$ 1774.62
		24"(610mm)	VZTI-6424-WNN	1660.19	1900.26
30"(762mm)		VZTI-6430-WNN	1766.83	2025.90	
36"(914mm)		VZTI-6436-WNN	1873.47	2151.54	
42"(1067mm)		VZTI-6442-WNN	1980.11	2277.18	
42"(1067mm)		VZTI-6448-WNN	2086.75	2402.82	
72"(1829mm)		18"(457mm)	VZTI-7218-WNN	\$ 1559.79	\$ 1812.53
		24"(610mm)	VZTI-7224-WNN	1672.71	1938.39
	30"(762mm)	VZTI-7230-WNN	1785.63	2064.25	
	36"(914mm)	VZTI-7236-WNN	1898.55	2190.11	
	42"(1067mm)	VZTI-7242-WNN	2011.47	2315.97	
	42"(1067mm)	VZTI-7248-WNN	2124.39	2441.83	
	<b>Spanning-In-Line Tiles</b>				
	8"(203mm)	36"(914mm)	VZTI-0836-WNS	\$ 760.92	\$ 881.34
42"(1067mm)		VZTI-0842-WNS	785.40	909.30	
48"(1219mm)		VZTI-0848-WNS	831.14	958.52	
54"(1372mm)		VZTI-0854-WNS	855.62	986.48	
60"(1524mm)		VZTI-0860-WNS	880.10	1014.44	
66"(1676mm)		VZTI-0866-WNS	925.84	1063.66	
72"(1829mm)		VZTI-0872-WNS	950.32	1091.62	
78"(1981mm)		VZTI-0878-WNS	974.80	1119.58	
84"(2134mm)		VZTI-0884-WNS	1020.54	1168.80	
90"(2286mm)		VZTI-0890-WNS	1045.02	1196.76	
	96"(2438mm)	VZTI-0896-WNS	1069.50	1224.72	

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	Wood	
			A	B
16"(406mm)	36"(914mm)	VZTI-1636-WNS	\$ 939.45	\$ 1046.31
	42"(1067mm)	VZTI-1642-WNS	991.23	1103.47
	48"(1219mm)	VZTI-1648-WNS	1021.75	1139.37
	54"(1372mm)	VZTI-1654-WNS	1073.53	1196.53
	60"(1524mm)	VZTI-1660-WNS	1125.31	1253.69
	66"(1676mm)	VZTI-1666-WNS	1155.83	1289.59
	72"(1829mm)	VZTI-1672-WNS	1207.61	1346.75
	78"(1981mm)	VZTI-1678-WNS	1259.39	1403.91
	84"(2134mm)	VZTI-1684-WNS	1289.91	1439.81
	90"(2286mm)	VZTI-1690-WNS	1341.69	1496.97
24"(610mm)	36"(914mm)	VZTI-2436-WNS	\$ 1259.49	\$ 1327.47
	42"(1067mm)	VZTI-2442-WNS	1337.39	1411.63
	48"(1219mm)	VZTI-2448-WNS	1415.29	1495.79
	54"(1372mm)	VZTI-2454-WNS	1493.19	1579.95
	60"(1524mm)	VZTI-2460-WNS	1571.09	1664.11
	66"(1676mm)	VZTI-2466-WNS	1648.99	1748.27
	72"(1829mm)	VZTI-2472-WNS	1726.89	1832.43
	78"(1981mm)	VZTI-2478-WNS	1804.79	1916.59
	84"(2134mm)	VZTI-2484-WNS	1882.69	2000.75
	90"(2286mm)	VZTI-2490-WNS	1960.59	2084.91
32"(813mm)	36"(914mm)	VZTI-3236-WNS	\$ 1404.27	\$ 1497.20
	42"(1067mm)	VZTI-3242-WNS	1490.69	1595.24
	48"(1219mm)	VZTI-3248-WNS	1598.37	1714.54
	54"(1372mm)	VZTI-3254-WNS	1684.79	1812.58
	60"(1524mm)	VZTI-3260-WNS	1771.21	1910.62
	66"(1676mm)	VZTI-3266-WNS	1878.89	2029.92
	72"(1829mm)	VZTI-3272-WNS	1965.31	2127.96
	78"(1981mm)	VZTI-3278-WNS	2051.73	2226.00
	84"(2134mm)	VZTI-3284-WNS	2159.41	2345.30
	90"(2286mm)	VZTI-3290-WNS	2245.83	2443.34
40"(1016mm)	36"(914mm)	VZTI-4036-WNS	\$ 1779.00	\$ 1884.37
	42"(1067mm)	VZTI-4042-WNS	1875.00	1989.85
	48"(1219mm)	VZTI-4048-WNS	1949.74	2074.07
	54"(1372mm)	VZTI-4054-WNS	2045.74	2179.55
	60"(1524mm)	VZTI-4060-WNS	2141.74	2285.03
	66"(1676mm)	VZTI-4066-WNS	2216.48	2369.25
	72"(1829mm)	VZTI-4072-WNS	2312.48	2474.73
	78"(1981mm)	VZTI-4078-WNS	2408.48	2580.21
	84"(2134mm)	VZTI-4084-WNS	2483.22	2664.43
	90"(2286mm)	VZTI-4090-WNS	2579.22	2769.91
48"(1219mm)	36"(914mm)	VZTI-4836-WNS	\$ 1865.84	\$ 1989.80
	42"(1067mm)	VZTI-4842-WNS	1966.80	2099.50
	48"(1219mm)	VZTI-4848-WNS	2067.76	2209.20
	54"(1372mm)	VZTI-4854-WNS	2168.72	2318.90
	60"(1524mm)	VZTI-4860-WNS	2269.68	2428.60
	66"(1676mm)	VZTI-4866-WNS	2370.64	2538.30
	72"(1829mm)	VZTI-4872-WNS	2471.60	2648.00
	78"(1981mm)	VZTI-4878-WNS	2572.56	2757.70
	84"(2134mm)	VZTI-4884-WNS	2673.52	2867.40
	90"(2286mm)	VZTI-4890-WNS	2774.48	2977.10
96"(2438mm)	36"(914mm)	VZTI-4896-WNS	2875.44	3086.80



# Tiles - Full Panel, Connections and Stack Frame


Nominal Height	Nominal Width	Number	Wood	
			A	B
56"(1422mm)	36"(914mm)	VZTI-5636-WNS	\$ 1967.98	\$ 2099.13
	42"(1067mm)	VZTI-5642-WNS	2082.54	2223.79
	48"(1219mm)	VZTI-5648-WNS	2218.36	2369.71
64"(1626mm)	36"(914mm)	VZTI-6436-WNS	\$ 2213.63	\$ 2491.70
	42"(1067mm)	VZTI-6442-WNS	2384.05	2681.12
	48"(1219mm)	VZTI-6448-WNS	2533.21	2849.28
72"(1829mm)	36"(914mm)	VZTI-7236-WNS	\$ 2281.23	\$ 2572.79
	42"(1067mm)	VZTI-7242-WNS	2457.93	2762.43
	48"(1219mm)	VZTI-7248-WNS	2634.63	2952.07
<b>Spanning 3-Way Intersection Tiles</b>				
8"(203mm)	39"(991mm)	VZTI-0839-WNS	\$ 773.16	\$ 895.32
	45"(1143mm)	VZTI-0845-WNS	818.90	944.54
	51"(1295mm)	VZTI-0851-WNS	843.38	972.50
	57"(1448mm)	VZTI-0857-WNS	867.86	1000.46
	63"(1600mm)	VZTI-0863-WNS	913.60	1049.68
	69"(1753mm)	VZTI-0869-WNS	938.08	1077.64
	75"(1905mm)	VZTI-0875-WNS	962.56	1105.60
	81"(2057mm)	VZTI-0881-WNS	1008.30	1154.82
	93"(2362mm)	VZTI-0893-WNS	1057.26	1210.74
16"(406mm)	99"(2515mm)	VZTI-0899-WNS	1103.00	1259.96
	39"(991mm)	VZTI-1639-WNS	\$ 954.71	\$ 1064.26
	45"(1143mm)	VZTI-1645-WNS	1006.49	1121.42
	51"(1295mm)	VZTI-1651-WNS	1058.27	1178.58
	57"(1448mm)	VZTI-1657-WNS	1088.79	1214.48
	63"(1600mm)	VZTI-1663-WNS	1140.57	1271.64
	69"(1753mm)	VZTI-1669-WNS	1192.35	1328.80
	75"(1905mm)	VZTI-1675-WNS	1222.87	1364.70
	81"(2057mm)	VZTI-1681-WNS	1274.65	1421.86
24"(610mm)	93"(2362mm)	VZTI-1693-WNS	1356.95	1514.92
	99"(2515mm)	VZTI-1699-WNS	1408.73	1572.08
	39"(991mm)	VZTI-2439-WNS	\$ 1309.07	\$ 1380.18
	45"(1143mm)	VZTI-2445-WNS	1386.97	1464.34
	51"(1295mm)	VZTI-2451-WNS	1464.87	1548.50
	57"(1448mm)	VZTI-2457-WNS	1542.77	1632.66
	63"(1600mm)	VZTI-2463-WNS	1620.67	1716.82
	69"(1753mm)	VZTI-2469-WNS	1698.57	1800.98
	75"(1905mm)	VZTI-2475-WNS	1776.47	1885.14
32"(813mm)	81"(2057mm)	VZTI-2481-WNS	1854.37	1969.30
	93"(2362mm)	VZTI-2493-WNS	2010.17	2137.62
	99"(2515mm)	VZTI-2499-WNS	2088.07	2221.78
	39"(991mm)	VZTI-3239-WNS	\$ 1458.11	\$ 1556.85
	45"(1143mm)	VZTI-3245-WNS	1544.53	1654.89
	51"(1295mm)	VZTI-3251-WNS	1630.95	1752.93
	57"(1448mm)	VZTI-3257-WNS	1738.63	1872.23
	63"(1600mm)	VZTI-3263-WNS	1825.05	1970.27
	69"(1753mm)	VZTI-3269-WNS	1911.47	2068.31
75"(1905mm)	75"(1905mm)	VZTI-3275-WNS	2019.15	2187.61
	81"(2057mm)	VZTI-3281-WNS	2105.57	2285.65
	93"(2362mm)	VZTI-3293-WNS	2299.67	2502.99
	99"(2515mm)	VZTI-3299-WNS	2386.09	2601.03

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Nominal Width	Number	Wood	
			A	B
40"(1016mm)	39"(991mm)	VZTI-4039-WNS	\$ 1827.00	\$ 1937.11
	45"(1143mm)	VZTI-4045-WNS	1923.00	2042.59
	51"(1295mm)	VZTI-4051-WNS	1997.74	2126.81
	57"(1448mm)	VZTI-4057-WNS	2093.74	2232.29
	63"(1600mm)	VZTI-4063-WNS	2189.74	2337.77
	69"(1753mm)	VZTI-4069-WNS	2264.48	2421.99
	75"(1905mm)	VZTI-4075-WNS	2360.48	2527.47
	81"(2057mm)	VZTI-4081-WNS	2456.48	2632.95
	93"(2362mm)	VZTI-4093-WNS	2627.22	2822.65
	99"(2515mm)	VZTI-4099-WNS	2723.22	2928.13
48"(1219mm)	39"(991mm)	VZTI-4839-WNS	\$ 1916.32	\$2044.65
	45"(1143mm)	VZTI-4845-WNS	2017.28	2154.35
	51"(1295mm)	VZTI-4851-WNS	2118.24	2264.05
	57"(1448mm)	VZTI-4857-WNS	2219.20	2373.75
	63"(1600mm)	VZTI-4863-WNS	2320.16	2483.45
	69"(1753mm)	VZTI-4869-WNS	2421.12	2593.15
	75"(1905mm)	VZTI-4875-WNS	2522.08	2702.85
	81"(2057mm)	VZTI-4881-WNS	2623.04	2812.55
	93"(2362mm)	VZTI-4893-WNS	2824.96	3031.95
	99"(2515mm)	VZTI-4899-WNS	2925.92	3141.65
56"(1422mm)	39"(991mm)	VZTI-5639-WNS	\$2025.26	\$ 2161.46
	45"(1143mm)	VZTI-5645-WNS	2161.08	2307.38
64"(1626mm)	39"(991mm)	VZTI-6439-WNS	\$ 2288.21	\$ 2575.78
	45"(1143mm)	VZTI-6445-WNS	2458.63	2765.20
72"(1829mm)	39"(991mm)	VZTI-7239-WNS	\$ 2380.21	\$ 2678.24
	45"(1143mm)	VZTI-7245-WNS	2556.91	2867.88

# Tiles - Full Panel, Connections and Stack Frame

## Matched Natural Wood Tile Set



VZTQ  
Class BC

### Unique Features

- Consists of two or more matching natural wood tiles with attachment brackets.
- Vertical natural wood grain and color is matched between tiles.

### To Order, Specify:

- 1) Product number.
- 2) Wood finish.

**Note:** 72"(1829mm)W is not available for 64"(1626mm) and 72"(1829mm)H.


Nominal Height	Quantity-Height	Nominal Width	Number	Wood B
24"(610mm)	One 16"(406mm), One 8"(203mm)	18"(457mm)	VZTQ-3418-ZZ	\$ 1164.97
		24"(610mm)	VZTQ-3424-ZZ	1247.17
		30"(762mm)	VZTQ-3430-ZZ	1379.37
		36"(914mm)	VZTQ-3436-ZZ	1461.57
		42"(1067mm)	VZTQ-3442-ZZ	1493.77
		48"(1219mm)	VZTQ-3448-ZZ	1575.97
		54"(1372mm)	VZTQ-3454-ZZ	1658.17
		60"(1524mm)	VZTQ-3460-ZZ	1740.37
		72"(1829mm)	VZTQ-3472-ZZ	2371.38
32"(813mm)	Two 16"(406mm)	18"(457mm)	VZTQ-4218-ZZ	\$ 1386.23
		24"(610mm)	VZTQ-4224-ZZ	1488.83
		30"(762mm)	VZTQ-4230-ZZ	1641.43
		36"(914mm)	VZTQ-4236-ZZ	1744.03
		42"(1067mm)	VZTQ-4242-ZZ	1796.63
		48"(1219mm)	VZTQ-4248-ZZ	1899.23
		54"(1372mm)	VZTQ-4254-ZZ	2001.83
		60"(1524mm)	VZTQ-4260-ZZ	2104.43
		72"(1829mm)	VZTQ-4272-ZZ	2776.24
40"(1016mm)	Two 16"(406mm), One 8"(203mm)	18"(457mm)	VZTQ-5018-ZZZ	\$ 1562.53
		24"(610mm)	VZTQ-5024-ZZZ	1684.45
		30"(762mm)	VZTQ-5030-ZZZ	1856.37
		36"(914mm)	VZTQ-5036-ZZZ	1978.29
		42"(1067mm)	VZTQ-5042-ZZZ	2050.21
		48"(1219mm)	VZTQ-5048-ZZZ	2172.13
		54"(1372mm)	VZTQ-5054-ZZZ	2294.05
		60"(1524mm)	VZTQ-5060-ZZZ	2415.97
		72"(1829mm)	VZTQ-5072-ZZZ	3126.42

# Tiles - Full Panel, Connections and Stack Frame

Nominal Height	Quantity-Height	Nominal Width	Number	Wood B
48"(1219mm)	Three 16"(406mm)	18"(457mm)	VZTQ-5818-ZZZ	\$ 1683.78
		24"(610mm)	VZTQ-5824-ZZZ	1820.82
		30"(762mm)	VZTQ-5830-ZZZ	2007.86
		36"(914mm)	VZTQ-5836-ZZZ	2144.90
		42"(1067mm)	VZTQ-5842-ZZZ	2231.94
		48"(1219mm)	VZTQ-5848-ZZZ	2368.98
		54"(1372mm)	VZTQ-5854-ZZZ	2506.02
		60"(1524mm)	VZTQ-5860-ZZZ	2643.06
		72"(1829mm)	VZTQ-5872-ZZZ	3383.75
56"(1422mm)	Three 16"(406mm), One 8"(203mm)	18"(457mm)	VZTQ-6618-ZZZZ	\$ 1958.21
		24"(610mm)	VZTQ-6624-ZZZZ	2121.89
		30"(762mm)	VZTQ-6630-ZZZZ	2335.57
		36"(914mm)	VZTQ-6636-ZZZZ	2499.25
		42"(1067mm)	VZTQ-6642-ZZZZ	2612.93
		48"(1219mm)	VZTQ-6648-ZZZZ	2776.61
		54"(1372mm)	VZTQ-6654-ZZZZ	2940.29
		60"(1524mm)	VZTQ-6660-ZZZZ	3103.97
		64"(1626mm)	Four 16"(406mm)	18"(457mm)
24"(610mm)	VZTQ-7424-ZZZZ			2236.83
30"(762mm)	VZTQ-7430-ZZZZ			2444.09
36"(914mm)	VZTQ-7436-ZZZZ			2601.35
42"(1067mm)	VZTQ-7442-ZZZZ			2708.61
48"(1219mm)	VZTQ-7448-ZZZZ			2865.87
54"(1372mm)	VZTQ-7454-ZZZZ			3023.13
60"(1524mm)	VZTQ-7460-ZZZZ			3180.39

# Tiles - Full Panel, Connections and Stack Frame

## Markerboard



VZTI-MNN  
Class BC

### Unique Features

- Markerboard tile may not span frames
- Tray, markers and eraser not included.
- The following products are recommended to maintain the markerboard appearance:
  - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - Markerboard cleaner and conditioner, order part# 7031-7001.
  - Markerboard spray cleaner, order part# 7031-7002.
- External and wall mount markerboards are also available.


### To Order, Specify:

- 1) Product number.
- 2) Finish color.  
(TR-W White specification required.)

Nominal Height	Nominal Width	Number	Price
8"(203mm)	18"(457mm)	VZTI-0818-MNN	\$ 343.17
	24"(610mm)	VZTI-0824-MNN	366.47
	30"(762mm)	VZTI-0830-MNN	389.77
	36"(914mm)	VZTI-0836-MNN	413.07
	42"(1067mm)	VZTI-0842-MNN	436.37
	48"(1219mm)	VZTI-0848-MNN	459.67
	54"(1372mm)	VZTI-0854-MNN	482.97
	60"(1524mm)	VZTI-0860-MNN	506.27
	72"(1829mm)	VZTI-0872-MNN	655.49
16"(406mm)	18"(457mm)	VZTI-1618-MNN	\$ 448.69
	24"(610mm)	VZTI-1624-MNN	482.59
	30"(762mm)	VZTI-1630-MNN	516.49
	36"(914mm)	VZTI-1636-MNN	550.39
	42"(1067mm)	VZTI-1642-MNN	584.29
	48"(1219mm)	VZTI-1648-MNN	618.19
	54"(1372mm)	VZTI-1654-MNN	652.09
	60"(1524mm)	VZTI-1660-MNN	685.99
	72"(1829mm)	VZTI-1672-MNN	959.03
24"(610mm)	18"(457mm)	VZTI-2418-MNN	\$ 533.70
	24"(610mm)	VZTI-2424-MNN	585.18
	30"(762mm)	VZTI-2430-MNN	636.66
	36"(914mm)	VZTI-2436-MNN	688.14
	42"(1067mm)	VZTI-2442-MNN	739.62
	48"(1219mm)	VZTI-2448-MNN	791.10
	54"(1372mm)	VZTI-2454-MNN	842.58
	60"(1524mm)	VZTI-2460-MNN	894.06
	72"(1829mm)	VZTI-2472-MNN	1304.88
32"(813mm)	18"(457mm)	VZTI-3218-MNN	\$ 605.33
	24"(610mm)	VZTI-3224-MNN	664.99
	30"(762mm)	VZTI-3230-MNN	724.65
	36"(914mm)	VZTI-3236-MNN	784.31
	42"(1067mm)	VZTI-3242-MNN	843.97
	48"(1219mm)	VZTI-3248-MNN	903.63
	54"(1372mm)	VZTI-3254-MNN	963.29
	60"(1524mm)	VZTI-3260-MNN	1022.95
	72"(1829mm)	VZTI-3272-MNN	1552.75

# Tiles - Full Panel, Connections and Stack Frame

## Slat



VZTI-JNN  
Class BC

### Unique Features

- Slat tiles may not span frames.
- External and wall mount slat tiles also available.
- Belong work tools or JumpStuff tools may be used.
- 8"(203mm)H technology tiles not available.

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- L** Left-Hand Port (add **\$92.70** list)
- R** Right-Hand Port (add **\$92.70** list)
- 2** Left and Right-Hand Port (add **\$222.51** list)


2) Trim color.

3) Trim color for bezel (if applicable).

Nominal Height	Nominal Width	Number ①	Trim	
			A	B
8"(203mm)	18"(457mm)	VZTI-0818-JNN	\$323.95	\$329.48
	24"(610mm)	VZTI-0824-JNN	356.21	363.56
	30"(762mm)	VZTI-0830-JNN	388.47	397.64
	36"(914mm)	VZTI-0836-JNN	420.73	431.72
	42"(1067mm)	VZTI-0842-JNN	452.99	465.80
	48"(1219mm)	VZTI-0848-JNN	485.25	499.88
	54"(1372mm)	VZTI-0854-JNN	517.51	533.96
	60"(1524mm)	VZTI-0860-JNN	549.77	568.04
	72"(1829mm)	VZTI-0872-JNN	886.47	908.38
16"(406mm)	18"(457mm)	VZTI-1618-JNN	\$475.40	\$486.14
	24"(610mm)	VZTI-1624-J N	525.13	540.17
	30"(762mm)	VZTI-1630-J N	574.90	594.24
	36"(914mm)	VZTI-1636-J N	624.67	648.31
	42"(1067mm)	VZTI-1642-J N	674.42	702.36
	48"(1219mm)	VZTI-1648-J N	724.20	756.44
	54"(1372mm)	VZTI-1654-J N	773.96	810.50
	60"(1524mm)	VZTI-1660-J N	823.68	864.52
	72"(1829mm)	VZTI-1672-J N	1127.06	1176.50

# Tiles - Full Panel, Connections and Stack Frame

## Open Frame



VZTI-ONN  
Class BC

### Unique Features

- Tiles designed to be used in pairs - one on each side of frame; separately specify second tile.
- When tile is used in top position, separately specify Glass Tile/Open Frame Hardware Kit.
- Not to be used in raceway location or in spanning conditions.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Nominal Height	Nominal Width	Number	Trim	
			A	B
16"(406mm)	18"(457mm)	VZTI-1618-ONN	\$346.32	\$356.70
	24"(610mm)	VZTI-1624-ONN	369.32	383.84
	30"(762mm)	VZTI-1630-ONN	392.32	410.98
	36"(914mm)	VZTI-1636-ONN	415.32	438.12
	42"(1067mm)	VZTI-1642-ONN	438.32	465.26
	48"(1219mm)	VZTI-1648-ONN	495.36	526.44
	54"(1372mm)	VZTI-1654-ONN	518.36	553.58
	60"(1524mm)	VZTI-1660-ONN	541.36	580.72
	72"(1829mm)	VZTI-1672-ONN	737.58	785.22

# Tiles - Full Panel, Connections and Stack Frame

## Glass



VZTI-YNN  
Class BC

### Unique Features


- Tiles designed to be used in pairs - one on each side of frame; separately specify second tile.
- When tile is used in top position, separately specify Glass Tile/Open Frame Hardware Kit.
- Not to be used in raceway location or in spanning conditions.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.
- 3) Glass option.  
*Grade A:*  
1C = Clear glass  
*Grade C:*  
E21 = Satin Etch

Nominal Height	Nominal Width	Number	Trim A Glass		Trim B Glass	
			A	C	A	C
16"(406mm)	18"(457mm)	VZTI-1618-YNN	\$ 699.55	\$ 838.55	\$ 709.94	\$ 848.94
	24"(610mm)	VZTI-1624-YNN	739.39	894.35	753.88	908.84
	30"(762mm)	VZTI-1630-YNN	779.23	950.15	797.82	968.74
	36"(914mm)	VZTI-1636-YNN	819.07	1005.95	841.76	1028.64
	42"(1067mm)	VZTI-1642-YNN	899.96	1102.80	926.75	1129.59
	48"(1219mm)	VZTI-1648-YNN	939.80	1158.60	970.69	1189.49
	54"(1372mm)	VZTI-1654-YNN	979.64	1214.40	1014.63	1249.39
	60"(1524mm)	VZTI-1660-YNN	1019.48	1270.20	1058.57	1309.29
	72"(1829mm)	VZTI-1672-YNN	1222.33	1504.97	1269.62	1552.26

## Hardware Kit — Glass Tile/Open Frame Tile (10 bolts/nuts)



VZTI  
Class BC

### Features

- Includes attachment hardware designed to be used with Glass Tile or Open Frame Tile in top position.
- Each kit supplies hardware for five Glass Tiles or Open Frame Tiles.
- Compatible for use with full profile aluminum trim, wood trim and thin profile steel trim.
- Not for use with Work Rail top cap.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)


Number	Price
VZTI-0000	\$38.11




# Compose Echo Integrated Slotted Accessory Tile



VZTI-ANN



VZTI-A-N



VZTI-ADN  
Class TRO

### Features

- Includes one slotted tile with integrated backer, two slots, attachment brackets and utility bezel(s) if applicable.
- Compose Echo Accessory Ledge, Belong work tools or Jump Stuff slat tile tools can be used with Slotted Accessory Tile.

### Specification Tips


- Tile width to be the same as the Full Panel Frame or Stack Frame; may not span frames.
- Tiles must be placed at appropriate height to align with power access location.
- Power can be routed horizontally at raceway, beltline and below worksurface locations.
  - Capability to route power at below worksurface height requires it to be specified with Full Panel Frame with Below Worksurface Power.
- **Receptacle and data blank plates must be specified separately.**
- **Aligner/Light Blocks are required and separately specified based upon tile configuration.**
- Concealed base feed cannot be used with Slotted Accessory tile to floor applications.
- 18”(457mm)W tile will not accommodate 14”(356mm) or 28”(711mm)W Compose Echo Ledge.
- 24”(610mm)W and 30”(762mm)W will not accommodate a 28”(711mm)W Compose Echo Ledge.
- Vertical panel frame face dimensions:
  - Panel frame/non-raceway cover = frame height minus 2”(51mm)
  - Panel frame/with raceway cover = frame height minus 10”(254mm)
- Refer to Specification Guide for Planning with Tiles and Aligner/Light Blocks.

### To Order, Specify:

- 1) Product number.
  - 1 Technology Port Option:**
    - N** No Technology Access
    - L** Left-Hand Port (add **\$38.15** list)
    - R** Right-Hand Port (add **\$38.15** list)
    - D** Left and Right-Hand Port (add **\$70.85** list)
- 2) Tile trim color.
- 3) Trim color for bezel (if applicable).

Height	Width	Number ①	Trim	
			A	B
16”(406mm)	18”(457mm)	VZTI-1618-ANN	\$436.00	\$ 446.90
	24”(610mm)	VZTI-1624-A ■ N	464.34	477.42
	30”(762mm)	VZTI-1630-A ■ N	492.68	507.94
	36”(914mm)	VZTI-1636-A ■ N	521.02	538.46
	42”(1067mm)	VZTI-1642-A ■ N	549.36	568.98
	48”(1219mm)	VZTI-1648-A ■ N	577.70	599.50
	54”(1372mm)	VZTI-1654-A ■ N	606.04	630.02
	60”(1524mm)	VZTI-1660-A ■ N	634.38	660.54
24”(610mm)	72”(1829mm)	VZTI-1672-A ■ N	1078.01	1108.53
	18”(457mm)	VZTI-2418-ANN	\$506.85	\$ 523.20
	24”(610mm)	VZTI-2424-A ■ N	562.44	580.97
	30”(762mm)	VZTI-2430-A ■ N	618.03	638.74
	36”(914mm)	VZTI-2436-A ■ N	673.62	696.51
	42”(1067mm)	VZTI-2442-A ■ N	729.21	754.28
	48”(1219mm)	VZTI-2448-A ■ N	784.80	812.05
	54”(1372mm)	VZTI-2454-A ■ N	840.39	869.82
	60”(1524mm)	VZTI-2460-A ■ N	895.98	927.59
	72”(1829mm)	VZTI-2472-A ■ N	1612.11	1648.08

# Compose Echo Accessory Ledge



**Features**

- Includes one shelf.
- Mounts on Slotted Accessory Tile and Belong.

**Specification Tips**

- Weight capacity
  - 15"(381mm) Five pounds
  - 20"(508mm) Ten pounds

**To Order, Specify:**


- 1) Product number.
- 2) Trim color.

ATSP  
Class TRO

Depth	Height	Width	Number	Trim	
				A	B
5"(127mm)	3.75"(95mm)	14"(356mm)	ATSP-0514-P	\$62.35	\$69.96
		28"(711mm)	ATSP-0528-P	80.69	92.08

# External Mount Tiles — Full Panel and Connections

## Slat, 16" External Mount



KZPY-16  
Class CA

### Features

- Includes slat tile attachment brackets.
- Belong work tools or JumpStuff tools may be used.

### Specification Tip


- To be installed in panel frame slots on same width panel, a combination of panels equal to tile width or wall track.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Nominal Height	Nominal Width	Number	Trim A	B
16"(406mm)	24"(610mm)	KZPY-1624	\$422.53	\$ 461.56
	30"(762mm)	KZPY-1630	459.85	498.88
	36"(914mm)	KZPY-1636	497.17	536.20
	42"(1067mm)	KZPY-1642	534.49	573.52
	48"(1219mm)	KZPY-1648	578.03	617.06
	54"(1372mm)	KZPY-1654	609.13	648.16
	60"(1524mm)	KZPY-1660	646.45	685.48
	72"(1829mm)	KZPY-1672	892.91	931.94

## Tackboard, External Mount



KZAF  
Class CA

### Feature

- Includes one fabric covered tackboard with attachment brackets.

### Specification Tips

- To be installed in panel frame slots on same width panel, a combination of panels equal to tile width or wall track.
- Can be mounted flush to Compose wall track by modifying attachment brackets in field.
- **When 72"(1829mm)W tackboards are specified, fabric will be railroaded. Please refer to [surfaces.haworth.com](http://surfaces.haworth.com) for railroad codes of available fabrics.**
- For aesthetic reasons, consider specifying tackboards less than 72"(1829mm)W with railroad fabric if located adjacent to a tackboard which requires railroaded fabric.

### To Order, Specify:

- 1) Product number.
- 2) Fabric surface and color.

Nominal Height	Nominal Width	Number	Fabric					
			A	B	C	E	F	G
16"(406mm)	24"(610mm)	KZAF-1624	\$ 341.82	\$ 357.34	\$359.58	\$364.56	\$445.43	\$ 475.06
	30"(762mm)	KZAF-1630	358.68	377.02	382.38	393.54	478.49	510.22
	36"(914mm)	KZAF-1636	375.54	396.70	405.18	422.52	511.55	545.38
	42"(1067mm)	KZAF-1642	392.40	416.38	427.98	451.50	544.61	580.54
	48"(1219mm)	KZAF-1648	409.26	436.06	450.78	480.48	577.67	615.70
	54"(1372mm)	KZAF-1654	426.12	455.74	473.58	509.46	610.73	650.86
	60"(1524mm)	KZAF-1660	492.98	525.42	546.38	588.44	693.79	736.02
	72"(1829mm)	KZAF-1672	706.53	744.61	771.81	826.23	939.74	986.17

# External Mount Tiles — Full Panel and Connections

## Markerboard, External Mount



KZAM  
Class CA

### Features

- Non-magnetic white laminate erasable writing surface with tray and mounting brackets.
- Tray is standard in charcoal and edge is standard in white finish color.
- Markers and eraser are not included.
- Shipped assembled.

### Specification Tips

- Installs in panel connector slots on same width panel or multiple width panels, equal to markerboard width.
- **The following products are recommended to maintain the markerboard appearance:**
  - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - Markerboard cleaner and conditioner, order part# 7031-7001.
  - Markerboard spray cleaner, order part# 7031-7002.

### To Order, Specify:


- 1) Product number.  
(No finish specification required).

Nominal Height	Nominal Width	Number	Price
16" (406mm)	24" (610mm)	KZAM-1624	\$ 435.15
	30" (762mm)	KZAM-1630	461.43
	36" (914mm)	KZAM-1636	487.71
	42" (1067mm)	KZAM-1642	513.99
	48" (1219mm)	KZAM-1648	540.27
	54" (1372mm)	KZAM-1654	566.55
	60" (1524mm)	KZAM-1660	592.83
24" (610mm)	72" (1829mm)	KZAM-1672	879.71
	24" (610mm)	KZAM-2424	\$ 582.05
	30" (762mm)	KZAM-2430	608.33
	36" (914mm)	KZAM-2436	634.61
	42" (1067mm)	KZAM-2442	660.89
	48" (1219mm)	KZAM-2448	687.17
	54" (1372mm)	KZAM-2454	713.45
32" (813mm)	60" (1524mm)	KZAM-2460	739.73
	72" (1829mm)	KZAM-2472	1143.77
	24" (610mm)	KZAM-3224	\$ 728.95
	30" (762mm)	KZAM-3230	755.23
	36" (914mm)	KZAM-3236	781.51
	42" (1067mm)	KZAM-3242	807.79
	48" (1219mm)	KZAM-3248	834.07
32" (813mm)	54" (1372mm)	KZAM-3254	860.35
	60" (1524mm)	KZAM-3260	886.63
	72" (1829mm)	KZAM-3272	1407.83


# Tiles - Beam




VZTI-FNN




VZTI-FEN




VZTI-FWN



VZTI-FDN



VZTI-FNN



VZTI-FNS  
Class BC

## Common Features

- Includes one tile, attachment clips and utility bezel(s) if applicable.
- Actual height is nominal height less .130"(3mm).
- Actual width is nominal width less .400"(10mm).
- Frame allows for independent planning options on each side; tile type may be the same or different per side.
- Separately specified top trim is required.
- Tiles without technology access may be same width as a single frame or may span two in-line frames. Tiles with technology access may NOT span frames.

## Specification Tips

### Technology Tiles:

- For use with 3- or 4-circuit powered frame.
- 18"(457mm)-24"(610mm)W tiles not available with technology access.
- 30"(762mm)W tiles available with single (left or right-hand) technology access only.
- Technology Tiles may not span frames.
- Technology Tiles for Beam are specifically designed for the Beam frame. Full Panel or Connections Technology Tiles are not compatible with Beam frame.
- Power can only be routed horizontally below worksurface.
- A left-hand and right-hand ported tile may be specified for a back-to-back ported application.
- The following power and communication items must be separately specified:
  - 3- or 4-circuit receptacle or receptacle blank cover (each side specified separately).
  - Data faceplate supplied by outside vendor or data blank cover. (VZAD-0000-B)
  - Communication Data Bracket (VZAJ-0000) (one for every utility bezel)

### In-Line Spanning Tile:

- Tiles 36"(914mm)W or greater may span a maximum of two frames.
- Opposite side of spanning tile may be same width as each frame or another spanning tile.
- In a spanning tile application top trim may span both frames or may be same width as each frame.

### 3-Way Intersection Spanning Tile:

- Tile width equals the sum of two separately specified panel or stack frame plus 3" for 3-Way panel intersection.
- Opposite side of frames require separately specified tiles.
- Separately specified spanning top trim is required; not for use with top trim same width as individual frames.
- Separately specified 3-Way Intersection - Spanning Tile Corner Blocks (VZCT-0800-NSBN) are required.

## Order Specification

1) Product number, including:

### 1 Technology Port Option:

- N** No Technology Access
- W** Left-Hand Port
- E** Right-Hand Port
- D** Left and Right-Hand Port

2) Surface color/finish.

3) Bezel trim color (if applicable).

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

# Tiles - Beam

## Fabric

### Unique Features

- Fabric tiles are tackable.
- Fabric tiles may be field ported.
- **Tiles greater than 60"(1524mm)W, fabric will be railroded (RR). Please refer to [surfaces.haworth.com](http://surfaces.haworth.com) for available fabric codes.**
- For aesthetic reasons, consider specifying tiles 60"(1524mm)W or less with railroded fabric if located adjacent to a tile which requires railroded fabric.

### To Order, Specify:

- Product number, including:
  - 1 Technology Port Option:**
    - N** No Technology Access
    - W** Left-Hand Port (add **\$88.70** list)
    - E** Right-Hand Port (add **\$88.70** list)
    - D** Left and Right-Hand Port (add **\$212.90** list)
- Fabric color.
- Trim color for bezel (if applicable).

Nominal Height	Nominal Width	Number ①	Fabric						
			A	B	C	D	E	F	G
<b>Individual and In-Line Spanning Tiles</b>									
8"(203mm)	18"(457mm)	VZTI-0818-FNN	\$ 91.43	\$104.50	\$ 118.85	\$ 134.52	\$ 150.20	\$ 171.09	\$ 184.17
	24"(610mm)	VZTI-0824-FNN	98.45	112.58	128.11	145.06	162.03	184.62	198.76
	30"(762mm)	VZTI-0830-F ■ N	105.45	120.66	137.35	155.60	173.85	198.14	213.34
	36"(914mm)	VZTI-0836-F ■ N	117.46	133.74	151.61	171.13	190.68	216.67	232.92
	42"(1067mm)	VZTI-0842-F ■ N	119.48	136.81	155.86	176.67	197.50	225.20	242.51
	48"(1219mm)	VZTI-0848-F ■ N	126.48	144.90	165.11	187.21	209.32	238.72	257.10
	54"(1372mm)	VZTI-0854-F ■ N	133.50	152.97	174.36	197.75	221.15	252.25	271.68
	60"(1524mm)	VZTI-0860-F ■ N	140.51	161.04	183.61	208.28	232.97	265.78	286.26
	72"(1829mm)	VZTI-0872-F ■ N	206.36	229.03	253.94	281.19	308.45	344.66	367.26
<b>Spanning 3-Way Intersection Tiles</b>									
8"(203mm)	39"(991mm)	VZTI-0839-FNS	\$330.58	\$347.38	\$365.84	\$ 386.01	\$406.20	\$433.05	\$449.82
	45"(1143mm)	VZTI-0845-FNS	337.59	355.46	375.09	396.55	418.02	446.56	464.41
	51"(1295mm)	VZTI-0851-FNS	344.61	363.54	384.35	407.09	429.85	460.10	479.00
	57"(1448mm)	VZTI-0857-FNS	351.61	371.62	393.59	417.63	441.67	473.62	493.58
	63"(1600mm)	VZTI-0863-FNS	358.63	379.69	402.85	428.17	453.50	487.16	508.16
	69"(1753mm)	VZTI-0869-FNS	365.64	387.78	412.10	438.71	465.32	500.67	522.75


# Tiles - Beam

## Laminate

### Unique Features

- High Pressure Laminate (HPL) tile has 1mm edgeband.
- 8"(203mm)H laminate tiles may not be field ported.

**Notes:** Wood grain laminate grain direction is vertical.  
Wood grain not available on 72"(1829mm)W (standard product).



Wood Grain Laminate

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- W** Left-Hand Port (add **\$87.40** list)
- E** Right-Hand Port (add **\$87.40** list)
- D** Left and Right-Hand Port (add **\$208.28** list)

2) Laminate surface color.

3) Edgeband color.

4) Trim color for bezel (if applicable).

Nominal Height	Nominal Width	Number <b>1</b>	HPL	
			A	B
<b>Individual Tiles</b>				
8"(203mm)	18"(457mm)	VZTI-0818-DNN	\$ 238.63	\$ 250.13
	24"(610mm)	VZTI-0824-DNN	282.90	295.94
	30"(762mm)	VZTI-0830-D <b>N</b>	297.17	311.74
	36"(914mm)	VZTI-0836-D <b>N</b>	311.44	327.55
	42"(1067mm)	VZTI-0842-D <b>N</b>	315.71	333.36
	48"(1219mm)	VZTI-0848-D <b>N</b>	334.98	354.16
	54"(1372mm)	VZTI-0854-D <b>N</b>	354.25	374.97
	60"(1524mm)	VZTI-0860-D <b>N</b>	373.52	395.78
	72"(1829mm)	VZTI-0872-D <b>N</b>	480.86	N/A
<b>Spanning In-Line Tiles</b>				
8"(203mm)	48"(1219mm)	VZTI-0848-DNS	\$ 616.92	\$ 636.10
	54"(1372mm)	VZTI-0854-DNS	636.19	656.91
	60"(1524mm)	VZTI-0860-DNS	655.46	677.72
	66"(1676mm)	VZTI-0866-DNS	674.73	N/A
	72"(1829mm)	VZTI-0872-DNS	762.80	N/A
	78"(1981mm)	VZTI-0878-DNS	782.07	N/A
	84"(2134mm)	VZTI-0884-DNS	801.34	N/A
	90"(2286mm)	VZTI-0890-DNS	820.61	N/A
	96"(2438mm)	VZTI-0896-DNS	839.88	N/A
<b>Spanning 3-Way Intersection Tiles</b>				
8"(203mm)	39"(991mm)	VZTI-0839-DNS	\$ 588.01	\$604.89
	45"(1143mm)	VZTI-0845-DNS	607.28	625.70
	51"(1295mm)	VZTI-0851-DNS	626.56	646.51
	57"(1448mm)	VZTI-0857-DNS	645.83	667.31
	63"(1600mm)	VZTI-0863-DNS	665.10	N/A
	69"(1753mm)	VZTI-0869-DNS	684.36	N/A
	75"(1905mm)	VZTI-0875-DNS	772.44	N/A
	81"(2057mm)	VZTI-0881-DNS	791.71	N/A
	93"(2362mm)	VZTI-0893-DNS	830.24	N/A
	99"(2515mm)	VZTI-0899-DNS	849.51	N/A

# Tiles - Beam

## Steel

### Unique Features

- 8"(203mm)H steel tiles may not be field ported.
- Powdercoat finish.

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- W** Left-Hand Port (add **\$87.40** list)
- E** Right-Hand Port (add **\$87.40** list)
- D** Left and Right-Hand Port (add **\$209.75** list)

2) Trim color.

3) Trim color for bezel (if applicable).

Nominal Height	Nominal Width	Number <b>1</b>	Trim	
			A	B
<b>Individual Tiles</b>				
8"(203mm)	18"(457mm)	VZTI-0818-PNN	\$ 153.35	\$ 158.62
	24"(610mm)	VZTI-0824-PNN	163.39	170.42
	30"(762mm)	VZTI-0830-P <b>N</b>	173.43	182.22
	36"(914mm)	VZTI-0836-P <b>N</b>	183.47	194.02
	42"(1067mm)	VZTI-0842-P <b>N</b>	193.51	205.82
	48"(1219mm)	VZTI-0848-P <b>N</b>	203.55	217.62
	54"(1372mm)	VZTI-0854-P <b>N</b>	213.59	229.42
	60"(1524mm)	VZTI-0860-P <b>N</b>	223.63	241.22
	72"(1829mm)	VZTI-0872-P <b>N</b>	283.29	304.40
<b>Spanning In-Line Tiles</b>				
8"(203mm)	48"(1219mm)	VZTI-0848-PNS	\$333.30	\$ 347.37
	54"(1372mm)	VZTI-0854-PNS	343.34	359.17
	60"(1524mm)	VZTI-0860-PNS	353.38	370.97
	66"(1676mm)	VZTI-0866-PNS	363.42	382.77
	72"(1829mm)	VZTI-0872-PNS	373.46	394.57
	78"(1981mm)	VZTI-0878-PNS	383.50	406.37
<b>Spanning 3-Way Intersection Tiles</b>				
8"(203mm)	39"(991mm)	VZTI-0839-PNS	\$ 318.24	\$ 329.67
	45"(1143mm)	VZTI-0845-PNS	328.28	341.47
	51"(1295mm)	VZTI-0851-PNS	338.32	353.27
	57"(1448mm)	VZTI-0857-PNS	348.36	365.07
	63"(1600mm)	VZTI-0863-PNS	358.40	376.87
	69"(1753mm)	VZTI-0869-PNS	368.44	388.67
	75"(1905mm)	VZTI-0875-PNS	378.48	400.47



# Tiles - Beam

## Wood

### Unique Features

- 8"(203mm)H wood tiles may not be field ported.
- Low gloss finish for double-cut veneer wood tiles.
- Standard gloss finish for natural wood tiles.



Double-Cut Veneer  
Horizontal grain direction



Natural Veneer  
Vertical grain direction

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

- N** No Technology Access
- W** Left-Hand Port (add **\$87.40** list)
- E** Right-Hand Port (add **\$87.40** list)
- D** Left and Right-Hand Port (add **\$209.75** list)


2) Wood finish color.

3) Trim color for bezel (if applicable).

Nominal Height	Nominal Width	Number <sup>1</sup>	Wood	
			A	B
<b>Individual Tiles</b>				
8"(203mm)	18"(457mm)	VZTI-0818-WNN	\$ 644.96	\$ 754.94
	24"(610mm)	VZTI-0824-WNN	669.44	782.90
	30"(762mm)	VZTI-0830-W N	693.92	810.86
	36"(914mm)	VZTI-0836-W N	718.40	838.82
	42"(1067mm)	VZTI-0842-W N	742.88	866.78
	48"(1219mm)	VZTI-0848-W N	767.36	894.74
	54"(1372mm)	VZTI-0854-W N	791.84	922.70
	60"(1524mm)	VZTI-0860-W N	816.32	950.66
	72"(1829mm)	VZTI-0872-W N	989.89	1131.19
<b>Spanning In-Line Tiles</b>				
8"(203mm)	48"(1219mm)	VZTI-0848-WNS	\$ 831.14	\$ 958.52
	54"(1372mm)	VZTI-0854-WNS	855.62	986.48
	60"(1524mm)	VZTI-0860-WNS	880.10	1014.44
	66"(1676mm)	VZTI-0866-WNS	925.84	1063.66
	72"(1829mm)	VZTI-0872-WNS	950.32	1091.62
	78"(1981mm)	VZTI-0878-WNS	974.80	1119.58
	84"(2134mm)	VZTI-0884-WNS	1020.54	1168.80
	90"(2286mm)	VZTI-0890-WNS	1045.02	1196.76
	96"(2438mm)	VZTI-0896-WNS	1069.50	1224.72
<b>Spanning 3-Way Intersection Tiles</b>				
8"(203mm)	39"(991mm)	VZTI-0839-WNS	\$ 773.16	\$ 895.32
	45"(1143mm)	VZTI-0845-WNS	818.90	944.54
	51"(1295mm)	VZTI-0851-WNS	843.38	972.50
	57"(1448mm)	VZTI-0857-WNS	867.86	1000.46
	63"(1600mm)	VZTI-0863-WNS	913.60	1049.68
	69"(1753mm)	VZTI-0869-WNS	938.08	1077.64
	75"(1905mm)	VZTI-0875-WNS	962.56	1105.60
	81"(2057mm)	VZTI-0881-WNS	1008.30	1154.82
	93"(2362mm)	VZTI-0893-WNS	1057.26	1210.74
	99"(2515mm)	VZTI-0899-WNS	1103.00	1259.96

# Panel Accessories

## Stack Frame



VZFS  
Class BC

### Features

- Includes frame assembly and attachment hardware.
- High acoustical option available with separately specified High Acoustical Inserts.

### Specification Tips

- Any tile type can be used to face open stack frames.
- Relocate top trim from the panel frame to top of stack frame.
- When adding stack frame to panel frame, order vertical trim cover to match overall height of panel and stack frame.
- Stack one or two high; first stack is load bearing.
- **One corner block assembly per intersection (2-, 3-, or 4-way) will be required (separately specified) for each level of stacks (stack frame or glass stack) at the intersection.**
- Not for use on glass panels or glass stacks.
- Overall height including panel frame and stack frame(s) may not exceed 90"(2286mm).
- Black finish.
- To route power and data horizontally through the stack frame add a U to the end of the catalog number. Example VZFS-1636-RU (add **\$109.46** list).


### To Order, Specify:

- 1) Product number.  
(No color specification required.)

Nominal Height	Nominal Width	Number	Price
16"(406mm)	18"(457mm)	VZFS-1618-R	\$362.85
	24"(610mm)	VZFS-1624-R	400.49
	30"(762mm)	VZFS-1630-R	438.13
	36"(914mm)	VZFS-1636-R	475.77
	42"(1067mm)	VZFS-1642-R	513.41
	48"(1219mm)	VZFS-1648-R	551.05
	54"(1372mm)	VZFS-1654-R	588.69
	60"(1524mm)	VZFS-1660-R	626.33
	72"(1829mm)	VZFS-1672-R	863.17

# Panel Accessories

## Glass Stack



VZGS-1618-1  
Class BC

### Features

- Includes frame assembly with glass and mounting hardware.
- Glass stack is preassembled.

### Specification Tips

- Relocate top trim from the panel frame to top of glass stack.
- Not for use with Work Rail Top Trim.
- When adding glass stack to panel frame, order vertical trim cover to match overall height of panel and glass stack.
- Glass stacks can match individual panel width or span two panel frames.
- **One corner block assembly per intersection (2-, 3-, or 4-way) will be required (separately specified) for each level of stacks (stack frame or glass stack) at the intersection.**
- Non-load bearing; will not accept components or countertop.
- Overall height including panel frame, stack frame and glass stack may not exceed 90"(2286mm).
- Separately specify Tie Bracket Kit if using Compose Glass Stack adjacent to drywall.
- May be used in Slider Door application. Refer to Specification Guide.
- Separately specify glass to glass connector for a 2H glass stack application. Refer to Specification Guide.
- Separately specify glass top trim clip kit when specifying steel top trim on frame that spans over a glass stack or glass panel.
- Patterned glasses VM and CM available in widths up to 60"(1524mm).

### To Order, Specify:

- 1) Product number.
- 2) Trim color for frame.
- 4) Glass option.

#### Grade A:

1C = Clear glass

#### Grade C:

E21 = Satin Etch

#### Grade D:

1E = Frosted acrylic <sup>(M)</sup>

VM = Patterned glass


CM = Patterned glass

<sup>(M)</sup> Items marked with this symbol available as GSA open market.

Nominal Height	Nominal Width	Number	Trim A Glass			Trim B Glass		
			A	C	D	A	C	D
16"(406mm)	18"(457mm)	VZGS-1618-1	\$ 917.32	\$1108.35	\$1479.38	\$935.81	\$1126.84	\$1497.87
	24"(610mm)	VZGS-1624-1	1019.92	1287.87	1667.60	1040.09	1308.04	1687.77
	30"(762mm)	VZGS-1630-1	1122.52	1467.39	1855.82	1144.37	1489.24	1877.67
	36"(914mm)	VZGS-1636-1	1225.12	1646.91	2044.04	1248.65	1670.44	2067.57
	42"(1067mm)	VZGS-1642-1	1327.72	1826.43	2232.26	1352.93	1851.64	2257.47
	48"(1219mm)	VZGS-1648-1	1430.32	2005.95	2420.48	1457.21	2032.84	2447.37
	54"(1372mm)	VZGS-1654-1	1532.92	2185.47	2608.70	1561.49	2214.04	2637.27
	60"(1524mm)	VZGS-1660-1	1635.52	2364.99	2796.92	1665.77	2395.24	2827.17
	66"(1676mm)	VZGS-1666-1	1956.58	2762.97	3203.60	1988.51	2794.90	3235.53
	72"(1829mm)	VZGS-1672-1	2059.18	2942.49	3391.82	2092.79	2976.10	3425.43
	78"(1981mm)	VZGS-1678-1	2161.78	3122.01	3580.04	2197.07	3157.30	3615.33
	84"(2134mm)	VZGS-1684-1	2264.38	3301.53	3768.26	2301.35	3338.50	3805.23
	90"(2286mm)	VZGS-1690-1	2366.98	3481.05	3956.48	2405.63	3519.70	3995.13
96"(2438mm)	VZGS-1696-1	2469.58	3660.57	4144.70	2509.91	3700.90	4185.03	
24"(610mm)	18"(457mm)	VZGS-2418-1	\$ 1259.55	\$ 1518.76	\$ 2134.95	\$ 1278.04	\$ 1537.25	\$ 2153.44
	24"(610mm)	VZGS-2424-1	1362.15	1698.28	2323.17	1382.32	1718.45	2343.34
	30"(762mm)	VZGS-2430-1	1464.75	1877.80	2511.39	1486.60	1899.65	2533.24
	36"(914mm)	VZGS-2436-1	1567.35	2057.32	2699.61	1590.88	2080.85	2723.14
	42"(1067mm)	VZGS-2442-1	1669.95	2236.84	2887.83	1695.16	2262.05	2913.04
	48"(1219mm)	VZGS-2448-1	1772.55	2416.36	3076.05	1799.44	2443.25	3102.94
	54"(1372mm)	VZGS-2454-1	2147.31	2868.04	3536.43	2175.88	2896.61	3565.00
	60"(1524mm)	VZGS-2460-1	2295.27	3092.92	3770.01	2325.52	3123.17	3800.26
	66"(1676mm)	VZGS-2466-1	2661.69	3536.26	4222.05	2693.62	3568.19	4253.98
	72"(1829mm)	VZGS-2472-1	2809.65	3761.14	4455.63	2843.26	3794.75	4489.24
	78"(1981mm)	VZGS-2478-1	2957.61	3986.02	4689.21	2992.90	4021.31	4724.50
	84"(2134mm)	VZGS-2484-1	3105.57	4210.90	4922.79	3142.54	4247.87	4959.76
	90"(2286mm)	VZGS-2490-1	3253.53	4435.78	5156.37	3292.18	4474.43	5195.02
96"(2438mm)	VZGS-2496-1	3401.49	4660.66	5389.95	3441.82	4700.99	5430.28	

# Panel Accessories

## Frameless Glass and Rail Kit



VZGK  
Class BC

### Features

- Includes one bottom rail with or without notches and one 0.25"(6mm) or 0.5"(13mm) thick frameless glass insert.
- 0.25"(6mm) thick insert for use with Steel or Aluminum trim options. 0.5"(13mm) thick insert for use with Aluminum trim option only.
- Frameless glass insert standard with beveled edges on top and sides if glass or acrylic. Bottom corners will be dubbed. Top corners may be dubbed or radius.
- Mounting Options:  
(S) - Same height application, in-line.  
(V) - Variable height application, one end.  
(D) - Variable height application, both ends.
- Inserts available in Clear Glass (1C) (writable), Satin Etch (E21) and Frosted Acrylic (1E).

### Specification Tips

- May be the same width as a single panel or may span a maximum of two full panel frames or stack frames in an in-line panel application or a 90°, 3- or 4-way panel intersection.
- The bottom rail is used in place of top trim.  
-Not for use above a glass panel or glass stack.
- **Insert Mounting Option must match the Bottom Rail Mounting Option; Refer to Application Guidelines for exceptions.**
- Bottom Rail End Cap and End-of-Run Trim are application specific; separately specify as needed.
- Product Reconfiguration Note: Installations prior to August 1, 2021 were standard with radius top corners; specify accordingly.

### To Order, Specify:

- 1) Product number, including:

#### 1 Mounting Options

- S** Same height/in-line
- V** Variable height/one end (add **\$23.99** list)
- D** Variable height/both ends (add **\$47.94** list)

#### 2 Top Corner Options

- D** Dubbed
- R** Radius (add **\$139.85** list)

- 2) Trim color for rail.

- 3) Insert color.

*0.25"(6mm) Glass*

1C = Clear Glass

E21 = Satin Etch

1E = Frosted Acrylic

*0.50"(12mm) Glass*

8C = Clear Glass

E25 = Satin Etch

Nominal Height	Nominal Width	Number	1 2	Trim A			Trim B		
				Clear Glass	Satin Etch	Frosted Acrylic	Clear Glass	Satin Etch	Frosted Acrylic
<b>0.25"(6mm) Thick - Steel Trim</b>									
8"(203mm)	18"(457mm)	VZGK-0818-H	4	\$ 589.72	\$ 791.62	\$ 926.30	\$ 591.32	\$ 793.22	\$ 927.90
	24"(610mm)	VZGK-0824-H	4	678.06	885.58	1024.00	681.28	888.80	1027.22
	30"(762mm)	VZGK-0830-H	4	766.40	979.54	1121.70	771.24	984.38	1126.54
	36"(914mm)	VZGK-0836-H	4	854.74	1073.50	1219.40	861.20	1079.96	1225.86
	39"(991mm)	VZGK-0839-H	4	898.91	1120.48	1268.25	906.18	1127.75	1275.52
	42"(1067mm)	VZGK-0842-H	4	943.08	1167.46	1317.10	951.16	1175.54	1325.18
	45"(1143mm)	VZGK-0845-H	4	987.25	1214.44	1365.95	996.14	1223.33	1374.84
	48"(1219mm)	VZGK-0848-H	4	1031.42	1261.42	1414.80	1041.12	1271.12	1424.50
	51"(1295mm)	VZGK-0851-H	4	1075.59	1308.40	1463.65	1086.10	1318.91	1474.16
	54"(1372mm)	VZGK-0854-H	4	1119.76	1355.38	1512.50	1131.08	1366.70	1523.82
	57"(1448mm)	VZGK-0857-H	4	1163.93	1402.36	1561.35	1176.06	1414.49	1573.48
	60"(1524mm)	VZGK-0860-H	4	1208.10	1449.34	1610.20	1221.04	1462.28	1623.14
	63"(1600mm)	VZGK-0863-H	4	1252.27	1496.32	1659.05	1266.02	1510.07	1672.80
	66"(1676mm)	VZGK-0866-H	4	1296.44	1543.30	1707.90	1311.00	1557.86	1722.46
	69"(1753mm)	VZGK-0869-H	4	1340.61	1590.28	1756.75	1355.98	1605.65	1772.12
	72"(1829mm)	VZGK-0872-H	4	1384.78	1637.26	1805.60	1400.96	1653.44	1821.78
	75"(1905mm)	VZGK-0875-H	4	1428.95	1684.24	1854.45	1445.94	1701.23	1871.44
	78"(1981mm)	VZGK-0878-H	4	1473.12	1731.22	1903.30	1490.92	1749.02	1921.10
	81"(2057mm)	VZGK-0881-H	4	1517.29	1778.20	1952.15	1535.90	1796.81	1970.76
	84"(2134mm)	VZGK-0884-H	4	1561.46	1825.18	2001.00	1580.88	1844.60	2020.42
	87"(2210mm)	VZGK-0887-H	4	1605.63	1872.16	2049.85	1625.86	1892.39	2070.08
	90"(2286mm)	VZGK-0890-H	4	1649.80	1919.14	2098.70	1670.84	1940.18	2119.74
	93"(2362mm)	VZGK-0893-H	4	1693.97	1966.12	2147.55	1715.82	1987.97	2169.40
	96"(2438mm)	VZGK-0896-H	4	1738.14	2013.10	2196.40	1760.80	2035.76	2219.06
	99"(2515mm)	VZGK-0899-H	4	1782.31	2060.08	2245.25	1805.78	2083.55	2268.72
	102"(2591mm)	VZGK-08A2-H	4	1826.48	2107.06	2294.10	1850.76	2131.34	2318.38
	105"(2667mm)	VZGK-08A5-H	4	1870.65	2154.04	2342.95	1895.74	2179.13	2368.04
	108"(2743mm)	VZGK-08A8-H	4	1914.82	2201.02	2391.80	1940.72	2226.92	2417.70
	111"(2819mm)	VZGK-08B1-H	4	1958.99	2248.00	2440.65	1985.70	2274.71	2467.36
	114"(2896mm)	VZGK-08B4-H	4	2003.16	2294.98	2489.50	2030.68	2322.50	2517.02
	117"(2972mm)	VZGK-08B7-H	4	2047.33	2341.96	2538.35	2075.66	2370.29	2566.68
	120"(3048mm)	VZGK-08C0-H	4	2091.50	2388.94	2587.20	2120.64	2418.08	2616.34

# Panel Accessories

Nominal Height	Nominal Width	Number ① ②	Trim A			Trim B		
			Clear Glass	Satin Etch	Frosted Acrylic	Clear Glass	Satin Etch	Frosted Acrylic
12"(305mm)	18"(457mm)	VZGK-1218-H 4	\$ 616.78	\$ 827.11	\$ 967.40	\$ 618.38	\$ 828.71	\$ 969.00
	24"(610mm)	VZGK-1224-H 4	714.14	932.90	1078.80	717.36	936.12	1082.02
	30"(762mm)	VZGK-1230-H 4	811.50	1038.69	1190.20	816.34	1043.53	1195.04
	36"(914mm)	VZGK-1236-H 4	908.86	1144.48	1301.60	915.32	1150.94	1308.06
	39"(991mm)	VZGK-1239-H 4	962.05	1203.29	1364.15	969.32	1210.56	1371.42
	42"(1067mm)	VZGK-1242-H 4	1006.22	1250.27	1413.00	1014.30	1258.35	1421.08
	45"(1143mm)	VZGK-1245-H 4	1059.41	1309.08	1475.55	1068.30	1317.97	1484.44
	48"(1219mm)	VZGK-1248-H 4	1103.58	1356.06	1524.40	1113.28	1365.76	1534.10
	51"(1295mm)	VZGK-1251-H 4	1156.77	1414.87	1586.95	1167.28	1425.38	1597.46
	54"(1372mm)	VZGK-1254-H 4	1200.94	1461.85	1635.80	1212.26	1473.17	1647.12
	57"(1448mm)	VZGK-1257-H 4	1254.13	1520.66	1698.35	1266.26	1532.79	1710.48
	60"(1524mm)	VZGK-1260-H 4	1298.30	1567.64	1747.20	1311.24	1580.58	1760.14
	63"(1600mm)	VZGK-1263-H 4	1351.49	1626.45	1809.75	1365.24	1640.20	1823.50
	66"(1676mm)	VZGK-1266-H 4	1395.66	1673.43	1858.60	1410.22	1687.99	1873.16
	69"(1753mm)	VZGK-1269-H 4	1448.85	1732.24	1921.15	1464.22	1747.61	1936.52
	72"(1829mm)	VZGK-1272-H 4	1493.02	1779.22	1970.00	1509.20	1795.40	1986.18
	75"(1905mm)	VZGK-1275-H 4	1546.21	1838.03	2032.55	1563.20	1855.02	2049.54
	78"(1981mm)	VZGK-1278-H 4	1590.38	1885.01	2081.40	1608.18	1902.81	2099.20
	81"(2057mm)	VZGK-1281-H 4	1643.57	1943.82	2143.95	1662.18	1962.43	2162.56
	84"(2134mm)	VZGK-1284-H 4	1687.74	1990.80	2192.80	1707.16	2010.22	2212.22
	87"(2210mm)	VZGK-1287-H 4	1740.93	2049.61	2255.35	1761.16	2069.84	2275.58
	90"(2286mm)	VZGK-1290-H 4	1785.10	2096.59	2304.20	1806.14	2117.63	2325.24
	93"(2362mm)	VZGK-1293-H 4	1838.29	2155.40	2366.75	1860.14	2177.25	2388.60
	96"(2438mm)	VZGK-1296-H 4	1882.46	2202.38	2415.60	1905.12	2225.04	2438.26
	99"(2515mm)	VZGK-1299-H 4	1935.65	2261.19	2478.15	1959.12	2284.66	2501.62
	102"(2591mm)	VZGK-12A2-H 4	1979.82	2308.17	2527.00	2004.10	2332.45	2551.28
	105"(2667mm)	VZGK-12A5-H 4	2033.01	2366.98	2589.55	2058.10	2392.07	2614.64
	108"(2743mm)	VZGK-12A8-H 4	2077.18	2413.96	2638.40	2103.08	2439.86	2664.30
	111"(2819mm)	VZGK-12B1-H 4	2130.37	2472.77	2700.95	2157.08	2499.48	2727.66
	114"(2896mm)	VZGK-12B4-H 4	2174.54	2519.75	2749.80	2202.06	2547.27	2777.32
	117"(2972mm)	VZGK-12B7-H 4	2227.73	2578.56	2812.35	2256.06	2606.89	2840.68
	120"(3048mm)	VZGK-12C0-H 4	2271.90	2625.54	2861.20	2301.04	2654.68	2890.34
16"(406mm)	18"(457mm)	VZGK-1618-H 4	\$ 643.84	\$ 862.60	\$ 1008.50	\$ 645.44	\$ 864.20	\$ 1010.10
	24"(610mm)	VZGK-1624-H 4	750.22	980.22	1133.60	753.44	983.44	1136.82
	30"(762mm)	VZGK-1630-H 4	856.60	1097.84	1258.70	861.44	1102.68	1263.54
	36"(914mm)	VZGK-1636-H 4	962.98	1215.46	1383.80	969.44	1221.92	1390.26
	39"(991mm)	VZGK-1639-H 4	1016.17	1274.27	1446.35	1023.44	1281.54	1453.62
	42"(1067mm)	VZGK-1642-H 4	1069.36	1333.08	1508.90	1077.44	1341.16	1516.98
	45"(1143mm)	VZGK-1645-H 4	1122.55	1391.89	1571.45	1131.44	1400.78	1580.34
	48"(1219mm)	VZGK-1648-H 4	1175.74	1450.70	1634.00	1185.44	1460.40	1643.70
	51"(1295mm)	VZGK-1651-H 4	1228.93	1509.51	1696.55	1239.44	1520.02	1707.06
	54"(1372mm)	VZGK-1654-H 4	1282.12	1568.32	1759.10	1293.44	1579.64	1770.42
	57"(1448mm)	VZGK-1657-H 4	1335.31	1627.13	1821.65	1347.44	1639.26	1833.78
	60"(1524mm)	VZGK-1660-H 4	1388.50	1685.94	1884.20	1401.44	1698.88	1897.14
	63"(1600mm)	VZGK-1663-H 4	1441.69	1744.75	1946.75	1455.44	1758.50	1960.50
	66"(1676mm)	VZGK-1666-H 4	1494.88	1803.56	2009.30	1509.44	1818.12	2023.86
	69"(1753mm)	VZGK-1669-H 4	1548.07	1862.37	2071.85	1563.44	1877.74	2087.22
	72"(1829mm)	VZGK-1672-H 4	1601.26	1921.18	2134.40	1617.44	1937.36	2150.58
	75"(1905mm)	VZGK-1675-H 4	1654.45	1979.99	2196.95	1671.44	1996.98	2213.94
	78"(1981mm)	VZGK-1678-H 4	1707.64	2038.80	2259.50	1725.44	2056.60	2277.30
	81"(2057mm)	VZGK-1681-H 4	1760.83	2097.61	2322.05	1779.44	2116.22	2340.66
	84"(2134mm)	VZGK-1684-H 4	1814.02	2156.42	2384.60	1833.44	2175.84	2404.02
	87"(2210mm)	VZGK-1687-H 4	1867.21	2215.23	2447.15	1887.44	2235.46	2467.38
	90"(2286mm)	VZGK-1690-H 4	1920.40	2274.04	2509.70	1941.44	2295.08	2530.74
	93"(2362mm)	VZGK-1693-H 4	1973.59	2332.85	2572.25	1995.44	2354.70	2594.10
	96"(2438mm)	VZGK-1696-H 4	2026.78	2391.66	2634.80	2049.44	2414.32	2657.46
	99"(2515mm)	VZGK-1699-H 4	2079.97	2450.47	2697.35	2103.44	2473.94	2720.82
	102"(2591mm)	VZGK-16A2-H 4	2133.16	2509.28	2759.90	2157.44	2533.56	2784.18
	105"(2667mm)	VZGK-16A5-H 4	2186.35	2568.09	2822.45	2211.44	2593.18	2847.54
	108"(2743mm)	VZGK-16A8-H 4	2239.54	2626.90	2885.00	2265.44	2652.80	2910.90
	111"(2819mm)	VZGK-16B1-H 4	2292.73	2685.71	2947.55	2319.44	2712.42	2974.26
	114"(2896mm)	VZGK-16B4-H 4	2345.92	2744.52	3010.10	2373.44	2772.04	3037.62
	117"(2972mm)	VZGK-16B7-H 4	2399.11	2803.33	3072.65	2427.44	2831.66	3100.98
	120"(3048mm)	VZGK-16C0-H 4	2452.30	2862.14	3135.20	2481.44	2891.28	3164.34

# Panel Accessories

Nominal Height	Nominal Width	Number	① ②	Trim A			Trim B		
				Clear Glass	Satin Etch	Frosted Acrylic	Clear Glass	Satin Etch	Frosted Acrylic
<b>0.25"(6mm) Thick - Aluminum Trim</b>									
8"(203mm)	18"(457mm)	VZGK-0818-A	4	\$ 619.72	\$ 821.62	\$ 956.30	\$ 621.32	\$ 823.22	\$ 957.90
	24"(610mm)	VZGK-0824-A	4	740.00	947.52	1085.94	743.24	950.76	1089.18
	30"(762mm)	VZGK-0830-A	4	860.28	1073.42	1215.58	865.16	1078.30	1220.46
	36"(914mm)	VZGK-0836-A	4	980.56	1199.32	1345.22	987.08	1205.84	1351.74
	39"(991mm)	VZGK-0839-A	4	1040.70	1262.27	1410.04	1048.04	1269.61	1417.38
	42"(1067mm)	VZGK-0842-A	4	1100.84	1325.22	1474.86	1109.00	1333.38	1483.02
	45"(1143mm)	VZGK-0845-A	4	1160.98	1388.17	1539.68	1169.96	1397.15	1548.66
	48"(1219mm)	VZGK-0848-A	4	1221.12	1451.12	1604.50	1230.92	1460.92	1614.30
	51"(1295mm)	VZGK-0851-A	4	1281.26	1514.07	1669.32	1291.88	1524.69	1679.94
	54"(1372mm)	VZGK-0854-A	4	1341.40	1577.02	1734.14	1352.84	1588.46	1745.58
	57"(1448mm)	VZGK-0857-A	4	1401.54	1639.97	1798.96	1413.80	1652.23	1811.22
	60"(1524mm)	VZGK-0860-A	4	1461.68	1702.92	1863.78	1474.76	1716.00	1876.86
	63"(1600mm)	VZGK-0863-A	4	1521.82	1765.87	1928.60	1535.72	1779.77	1942.50
	66"(1676mm)	VZGK-0866-A	4	1581.96	1828.82	1993.42	1596.68	1843.54	2008.14
	69"(1753mm)	VZGK-0869-A	4	1642.10	1891.77	2058.24	1657.64	1907.31	2073.78
	72"(1829mm)	VZGK-0872-A	4	1702.24	1954.72	2123.06	1718.60	1971.08	2139.42
	75"(1905mm)	VZGK-0875-A	4	1762.38	2017.67	2187.88	1779.56	2034.85	2205.06
	78"(1981mm)	VZGK-0878-A	4	1822.52	2080.62	2252.70	1840.52	2098.62	2270.70
	81"(2057mm)	VZGK-0881-A	4	1882.66	2143.57	2317.52	1901.48	2162.39	2336.34
	84"(2134mm)	VZGK-0884-A	4	1942.80	2206.52	2382.34	1962.44	2226.16	2401.98
	87"(2210mm)	VZGK-0887-A	4	2002.94	2269.47	2447.16	2023.40	2289.93	2467.62
	90"(2286mm)	VZGK-0890-A	4	2063.08	2332.42	2511.98	2084.36	2353.70	2533.26
	93"(2362mm)	VZGK-0893-A	4	2123.22	2395.37	2576.80	2145.32	2417.47	2598.90
	96"(2438mm)	VZGK-0896-A	4	2183.36	2458.32	2641.62	2206.28	2481.24	2664.54
	99"(2515mm)	VZGK-0899-A	4	2243.50	2521.27	2706.44	2267.24	2545.01	2730.18
	102"(2591mm)	VZGK-08A2-A	4	2303.64	2584.22	2771.26	2328.20	2608.78	2795.82
	105"(2667mm)	VZGK-08A5-A	4	2363.78	2647.17	2836.08	2389.16	2672.55	2861.46
	108"(2743mm)	VZGK-08A8-A	4	2423.92	2710.12	2900.90	2450.12	2736.32	2927.10
	111"(2819mm)	VZGK-08B1-A	4	2484.06	2773.07	2965.72	2511.08	2800.09	2992.74
	114"(2896mm)	VZGK-08B4-A	4	2544.20	2836.02	3030.54	2572.04	2863.86	3058.38
	117"(2972mm)	VZGK-08B7-A	4	2604.34	2898.97	3095.36	2633.00	2927.63	3124.02
	120"(3048mm)	VZGK-08C0-A	4	2664.48	2961.92	3160.18	2693.96	2991.40	3189.66
12"(305mm)	18"(457mm)	VZGK-1218-A	4	\$ 646.78	\$ 857.11	\$ 997.40	\$ 648.38	\$ 858.71	\$ 999.00
	24"(610mm)	VZGK-1224-A	4	776.08	994.84	1140.74	779.32	998.08	1143.98
	30"(762mm)	VZGK-1230-A	4	905.38	1132.57	1284.08	910.26	1137.45	1288.96
	36"(914mm)	VZGK-1236-A	4	1034.68	1270.30	1427.42	1041.20	1276.82	1433.94
	39"(991mm)	VZGK-1239-A	4	1103.84	1345.08	1505.94	1111.18	1352.42	1513.28
	42"(1067mm)	VZGK-1242-A	4	1163.98	1408.03	1570.76	1172.14	1416.19	1578.92
	45"(1143mm)	VZGK-1245-A	4	1233.14	1482.81	1649.28	1242.12	1491.79	1658.26
	48"(1219mm)	VZGK-1248-A	4	1293.28	1545.76	1714.10	1303.08	1555.56	1723.90
	51"(1295mm)	VZGK-1251-A	4	1362.44	1620.54	1792.62	1373.06	1631.16	1803.24
	54"(1372mm)	VZGK-1254-A	4	1422.58	1683.49	1857.44	1434.02	1694.93	1868.88
	57"(1448mm)	VZGK-1257-A	4	1491.74	1758.27	1935.96	1504.00	1770.53	1948.22
	60"(1524mm)	VZGK-1260-A	4	1551.88	1821.22	2000.78	1564.96	1834.30	2013.86
	63"(1600mm)	VZGK-1263-A	4	1621.04	1896.00	2079.30	1634.94	1909.90	2093.20
	66"(1676mm)	VZGK-1266-A	4	1681.18	1958.95	2144.12	1695.90	1973.67	2158.84
	69"(1753mm)	VZGK-1269-A	4	1750.34	2033.73	2222.64	1765.88	2049.27	2238.18
	72"(1829mm)	VZGK-1272-A	4	1810.48	2096.68	2287.46	1826.84	2113.04	2303.82
	75"(1905mm)	VZGK-1275-A	4	1879.64	2171.46	2365.98	1896.82	2188.64	2383.16
	78"(1981mm)	VZGK-1278-A	4	1939.78	2234.41	2430.80	1957.78	2252.41	2448.80
	81"(2057mm)	VZGK-1281-A	4	2008.94	2309.19	2509.32	2027.76	2328.01	2528.14
	84"(2134mm)	VZGK-1284-A	4	2069.08	2372.14	2574.14	2088.72	2391.78	2593.78
	87"(2210mm)	VZGK-1287-A	4	2138.24	2446.92	2652.66	2158.70	2467.38	2673.12
	90"(2286mm)	VZGK-1290-A	4	2198.38	2509.87	2717.48	2219.66	2531.15	2738.76
	93"(2362mm)	VZGK-1293-A	4	2267.54	2584.65	2796.00	2289.64	2606.75	2818.10
	96"(2438mm)	VZGK-1296-A	4	2327.68	2647.60	2860.82	2350.60	2670.52	2883.74
	99"(2515mm)	VZGK-1299-A	4	2396.84	2722.38	2939.34	2420.58	2746.12	2963.08
	102"(2591mm)	VZGK-12A2-A	4	2456.98	2785.33	3004.16	2481.54	2809.89	3028.72
	105"(2667mm)	VZGK-12A5-A	4	2526.14	2860.11	3082.68	2551.52	2885.49	3108.06
	108"(2743mm)	VZGK-12A8-A	4	2586.28	2923.06	3147.50	2612.48	2949.26	3173.70
	111"(2819mm)	VZGK-12B1-A	4	2655.44	2997.84	3226.02	2682.46	3024.86	3253.04
	114"(2896mm)	VZGK-12B4-A	4	2715.58	3060.79	3290.84	2743.42	3088.63	3318.68
	117"(2972mm)	VZGK-12B7-A	4	2784.74	3135.57	3369.36	2813.40	3164.23	3398.02
	120"(3048mm)	VZGK-12C0-A	4	2844.88	3198.52	3434.18	2874.36	3228.00	3463.66

# Panel Accessories

Nominal Height	Nominal Width	Number ① ②	Trim A			Trim B		
			Clear Glass	Satin Etch	Frosted Acrylic	Clear Glass	Satin Etch	Frosted Acrylic
16"(406mm)	18"(457mm)	VZGK-1618-A 4	\$ 673.84	\$ 892.60	\$ 1038.50	\$ 675.44	\$ 894.20	\$ 1040.10
	24"(610mm)	VZGK-1624-A 4	812.16	1042.16	1195.54	815.40	1045.40	1198.78
	30"(762mm)	VZGK-1630-A 4	950.48	1191.72	1352.58	955.36	1196.60	1357.46
	36"(914mm)	VZGK-1636-A 4	1088.80	1341.28	1509.62	1095.32	1347.80	1516.14
	39"(991mm)	VZGK-1639-A 4	1157.96	1416.06	1588.14	1165.30	1423.40	1595.48
	42"(1067mm)	VZGK-1642-A 4	1227.12	1490.84	1666.66	1235.28	1499.00	1674.82
	45"(1143mm)	VZGK-1645-A 4	1296.28	1565.62	1745.18	1305.26	1574.60	1754.16
	48"(1219mm)	VZGK-1648-A 4	1365.44	1640.40	1823.70	1375.24	1650.20	1833.50
	51"(1295mm)	VZGK-1651-A 4	1434.60	1715.18	1902.22	1445.22	1725.80	1912.84
	54"(1372mm)	VZGK-1654-A 4	1503.76	1789.96	1980.74	1515.20	1801.40	1992.18
	57"(1448mm)	VZGK-1657-A 4	1572.92	1864.74	2059.26	1585.18	1877.00	2071.52
	60"(1524mm)	VZGK-1660-A 4	1642.08	1939.52	2137.78	1655.16	1952.60	2150.86
	63"(1600mm)	VZGK-1663-A 4	1711.24	2014.30	2216.30	1725.14	2028.20	2230.20
	66"(1676mm)	VZGK-1666-A 4	1780.40	2089.08	2294.82	1795.12	2103.80	2309.54
	69"(1753mm)	VZGK-1669-A 4	1849.56	2163.86	2373.34	1865.10	2179.40	2388.88
	72"(1829mm)	VZGK-1672-A 4	1918.72	2238.64	2451.86	1935.08	2255.00	2468.22
	75"(1905mm)	VZGK-1675-A 4	1987.88	2313.42	2530.38	2005.06	2330.60	2547.56
	78"(1981mm)	VZGK-1678-A 4	2057.04	2388.20	2608.90	2075.04	2406.20	2626.90
	81"(2057mm)	VZGK-1681-A 4	2126.20	2462.98	2687.42	2145.02	2481.80	2706.24
	84"(2134mm)	VZGK-1684-A 4	2195.36	2537.76	2765.94	2215.00	2557.40	2785.58
	87"(2210mm)	VZGK-1687-A 4	2264.52	2612.54	2844.46	2284.98	2633.00	2864.92
	90"(2286mm)	VZGK-1690-A 4	2333.68	2687.32	2922.98	2354.96	2708.60	2944.26
	93"(2362mm)	VZGK-1693-A 4	2402.84	2762.10	3001.50	2424.94	2784.20	3023.60
	96"(2438mm)	VZGK-1696-A 4	2472.00	2836.88	3080.02	2494.92	2859.80	3102.94
	99"(2515mm)	VZGK-1699-A 4	2541.16	2911.66	3158.54	2564.90	2935.40	3182.28
	102"(2591mm)	VZGK-16A2-A 4	2610.32	2986.44	3237.06	2634.88	3011.00	3261.62
	105"(2667mm)	VZGK-16A5-A 4	2679.48	3061.22	3315.58	2704.86	3086.60	3340.96
	108"(2743mm)	VZGK-16A8-A 4	2748.64	3136.00	3394.10	2774.84	3162.20	3420.30
	111"(2819mm)	VZGK-16B1-A 4	2817.80	3210.78	3472.62	2844.82	3237.80	3499.64
	114"(2896mm)	VZGK-16B4-A 4	2886.96	3285.56	3551.14	2914.80	3313.40	3578.98
	117"(2972mm)	VZGK-16B7-A 4	2956.12	3360.34	3629.66	2984.78	3389.00	3658.32
	120"(3048mm)	VZGK-16C0-A 4	3025.28	3435.12	3708.18	3054.76	3464.60	3737.66
<b>0.5"(13mm) Thick - Aluminum Trim</b>								
8"(203mm)	18"(457mm)	VZGK-0818-A 2	\$ 839.53	\$ 979.18	N/A	\$ 841.13	\$ 980.78	N/A
	24"(610mm)	VZGK-0824-A 2	971.85	1120.88	N/A	975.09	1124.12	N/A
	30"(762mm)	VZGK-0830-A 2	1104.17	1262.58	N/A	1109.05	1267.46	N/A
	36"(914mm)	VZGK-0836-A 2	1236.49	1404.28	N/A	1243.01	1410.80	N/A
	39"(991mm)	VZGK-0839-A 2	1302.65	1475.13	N/A	1309.99	1482.47	N/A
	42"(1067mm)	VZGK-0842-A 2	1368.81	1545.98	N/A	1376.97	1554.14	N/A
	45"(1143mm)	VZGK-0845-A 2	1434.97	1616.83	N/A	1443.95	1625.81	N/A
	48"(1219mm)	VZGK-0848-A 2	1501.13	1687.68	N/A	1510.93	1697.48	N/A
	51"(1295mm)	VZGK-0851-A 2	1567.29	1758.53	N/A	1577.91	1769.15	N/A
	54"(1372mm)	VZGK-0854-A 2	1633.45	1829.38	N/A	1644.89	1840.82	N/A
	57"(1448mm)	VZGK-0857-A 2	1699.61	1900.23	N/A	1711.87	1912.49	N/A
	60"(1524mm)	VZGK-0860-A 2	1765.77	1971.08	N/A	1778.85	1984.16	N/A
	63"(1600mm)	VZGK-0863-A 2	1831.93	2041.93	N/A	1845.83	2055.83	N/A
	66"(1676mm)	VZGK-0866-A 2	1898.09	2112.78	N/A	1912.81	2127.50	N/A
	69"(1753mm)	VZGK-0869-A 2	1964.25	2183.63	N/A	1979.79	2199.17	N/A
	72"(1829mm)	VZGK-0872-A 2	2030.41	2254.48	N/A	2046.77	2270.84	N/A
	75"(1905mm)	VZGK-0875-A 2	2096.57	2325.33	N/A	2113.75	2342.51	N/A
	78"(1981mm)	VZGK-0878-A 2	2162.73	2396.18	N/A	2180.73	2414.18	N/A
	81"(2057mm)	VZGK-0881-A 2	2228.89	2467.03	N/A	2247.71	2485.85	N/A
	84"(2134mm)	VZGK-0884-A 2	2295.05	2537.88	N/A	2314.69	2557.52	N/A
	87"(2210mm)	VZGK-0887-A 2	2361.21	2608.73	N/A	2381.67	2629.19	N/A
	90"(2286mm)	VZGK-0890-A 2	2427.37	2679.58	N/A	2448.65	2700.86	N/A
	93"(2362mm)	VZGK-0893-A 2	2493.53	2750.43	N/A	2515.63	2772.53	N/A
	96"(2438mm)	VZGK-0896-A 2	2559.69	2821.28	N/A	2582.61	2844.20	N/A
99"(2515mm)	VZGK-0899-A 2	2625.85	2892.13	N/A	2649.59	2915.87	N/A	
102"(2591mm)	VZGK-08A2-A 2	2692.01	2962.98	N/A	2716.57	2987.54	N/A	
105"(2667mm)	VZGK-08A5-A 2	2758.17	3033.83	N/A	2783.55	3059.21	N/A	
108"(2743mm)	VZGK-08A8-A 2	2824.33	3104.68	N/A	2850.53	3130.88	N/A	

# Panel Accessories

Nominal Height	Nominal Width	Number	Trim A			Trim B			
			① ②	Clear Glass	Satin Etch	Frosted Acrylic	Clear Glass	Satin Etch	Frosted Acrylic
12"(305mm)	18"(457mm)	VZGK-1218-A	2	\$ 884.65	\$ 1038.37	N/A	\$ 886.25	\$ 1039.97	N/A
	24"(610mm)	VZGK-1224-A	2	1032.01	1199.80	N/A	1035.25	1203.04	N/A
	30"(762mm)	VZGK-1230-A	2	1179.37	1361.23	N/A	1184.25	1366.11	N/A
	36"(914mm)	VZGK-1236-A	2	1326.73	1522.66	N/A	1333.25	1529.18	N/A
	39"(991mm)	VZGK-1239-A	2	1407.93	1613.24	N/A	1415.27	1620.58	N/A
	42"(1067mm)	VZGK-1242-A	2	1474.09	1684.09	N/A	1482.25	1692.25	N/A
	45"(1143mm)	VZGK-1245-A	2	1555.29	1774.67	N/A	1564.27	1783.65	N/A
	48"(1219mm)	VZGK-1248-A	2	1621.45	1845.52	N/A	1631.25	1855.32	N/A
	51"(1295mm)	VZGK-1251-A	2	1702.65	1936.10	N/A	1713.27	1946.72	N/A
	54"(1372mm)	VZGK-1254-A	2	1768.81	2006.95	N/A	1780.25	2018.39	N/A
	57"(1448mm)	VZGK-1257-A	2	1850.01	2097.53	N/A	1862.27	2109.79	N/A
	60"(1524mm)	VZGK-1260-A	2	1916.17	2168.38	N/A	1929.25	2181.46	N/A
	63"(1600mm)	VZGK-1263-A	2	1997.37	2258.96	N/A	2011.27	2272.86	N/A
	66"(1676mm)	VZGK-1266-A	2	2063.53	2329.81	N/A	2078.25	2344.53	N/A
	69"(1753mm)	VZGK-1269-A	2	2144.73	2420.39	N/A	2160.27	2435.93	N/A
	72"(1829mm)	VZGK-1272-A	2	2210.89	2491.24	N/A	2227.25	2507.60	N/A
	75"(1905mm)	VZGK-1275-A	2	2292.09	2581.82	N/A	2309.27	2599.00	N/A
	78"(1981mm)	VZGK-1278-A	2	2358.25	2652.67	N/A	2376.25	2670.67	N/A
	81"(2057mm)	VZGK-1281-A	2	2439.45	2743.25	N/A	2458.27	2762.07	N/A
	84"(2134mm)	VZGK-1284-A	2	2505.61	2814.10	N/A	2525.25	2833.74	N/A
	87"(2210mm)	VZGK-1287-A	2	2586.81	2904.68	N/A	2607.27	2925.14	N/A
	90"(2286mm)	VZGK-1290-A	2	2652.97	2975.53	N/A	2674.25	2996.81	N/A
	93"(2362mm)	VZGK-1293-A	2	2734.17	3066.11	N/A	2756.27	3088.21	N/A
96"(2438mm)	VZGK-1296-A	2	2800.33	3136.96	N/A	2823.25	3159.88	N/A	
99"(2515mm)	VZGK-1299-A	2	2881.53	3227.54	N/A	2905.27	3251.28	N/A	
102"(2591mm)	VZGK-12A2-A	2	2947.69	3298.39	N/A	2972.25	3322.95	N/A	
105"(2667mm)	VZGK-12A5-A	2	3028.89	3388.97	N/A	3054.27	3414.35	N/A	
108"(2743mm)	VZGK-12A8-A	2	3095.05	3459.82	N/A	3121.25	3486.02	N/A	
16"(406mm)	18"(457mm)	VZGK-1618-A	2	\$ 929.77	\$ 1097.56	N/A	\$ 931.37	\$ 1099.16	N/A
	24"(610mm)	VZGK-1624-A	2	1092.17	1278.72	N/A	1095.41	1281.96	N/A
	30"(762mm)	VZGK-1630-A	2	1254.57	1459.88	N/A	1259.45	1464.76	N/A
	36"(914mm)	VZGK-1636-A	2	1416.97	1641.04	N/A	1423.49	1647.56	N/A
	39"(991mm)	VZGK-1639-A	2	1498.17	1731.62	N/A	1505.51	1738.96	N/A
	42"(1067mm)	VZGK-1642-A	2	1579.37	1822.20	N/A	1587.53	1830.36	N/A
	45"(1143mm)	VZGK-1645-A	2	1660.57	1912.78	N/A	1669.55	1921.76	N/A
	48"(1219mm)	VZGK-1648-A	2	1741.77	2003.36	N/A	1751.57	2013.16	N/A
	51"(1295mm)	VZGK-1651-A	2	1822.97	2093.94	N/A	1833.59	2104.56	N/A
	54"(1372mm)	VZGK-1654-A	2	1904.17	2184.52	N/A	1915.61	2195.96	N/A
	57"(1448mm)	VZGK-1657-A	2	1985.37	2275.10	N/A	1997.63	2287.36	N/A
	60"(1524mm)	VZGK-1660-A	2	2066.57	2365.68	N/A	2079.65	2378.76	N/A
	63"(1600mm)	VZGK-1663-A	2	2147.77	2456.26	N/A	2161.67	2470.16	N/A
	66"(1676mm)	VZGK-1666-A	2	2228.97	2546.84	N/A	2243.69	2561.56	N/A
	69"(1753mm)	VZGK-1669-A	2	2310.17	2637.42	N/A	2325.71	2652.96	N/A
	72"(1829mm)	VZGK-1672-A	2	2391.37	2728.00	N/A	2407.73	2744.36	N/A
	75"(1905mm)	VZGK-1675-A	2	2472.57	2818.58	N/A	2489.75	2835.76	N/A
	78"(1981mm)	VZGK-1678-A	2	2553.77	2909.16	N/A	2571.77	2927.16	N/A
	81"(2057mm)	VZGK-1681-A	2	2634.97	2999.74	N/A	2653.79	3018.56	N/A
	84"(2134mm)	VZGK-1684-A	2	2716.17	3090.32	N/A	2735.81	3109.96	N/A
	87"(2210mm)	VZGK-1687-A	2	2797.37	3180.90	N/A	2817.83	3201.36	N/A
	90"(2286mm)	VZGK-1690-A	2	2878.57	3271.48	N/A	2899.85	3292.76	N/A
	93"(2362mm)	VZGK-1693-A	2	2959.77	3362.06	N/A	2981.87	3384.16	N/A
96"(2438mm)	VZGK-1696-A	2	3040.97	3452.64	N/A	3063.89	3475.56	N/A	
99"(2515mm)	VZGK-1699-A	2	3122.17	3543.22	N/A	3145.91	3566.96	N/A	
102"(2591mm)	VZGK-16A2-A	2	3203.37	3633.80	N/A	3227.93	3658.36	N/A	
105"(2667mm)	VZGK-16A5-A	2	3284.57	3724.38	N/A	3309.95	3749.76	N/A	
108"(2743mm)	VZGK-16A8-A	2	3365.77	3814.96	N/A	3391.97	3841.16	N/A	



# Panel Accessories

## Frameless Glass Bottom Rail



VZGR  
Class BC

### Features

- Includes one grooved bottom rail with or without notch (es) and mounting hardware for steel trim application.
- For custom insert application only; required field supplied 0.25"(6mm) or 0.5"(13mm) thick insert.**
  - 0.25"(6mm) thick insert for use with Steel or Aluminum trim options.
  - 0.5"(13mm) thick insert for use with Aluminum trim option only.
- When using glass, safety tempered glass is required. Laminated glass may NOT be used.
- Mounting Options:
  - (S) - Same height application, in-line.
  - (V) - Variable height application, one end.
  - (D) - Variable height application, both ends.
- Bottom Rail trim is bolted on frame in place of top trim.

### Specification Tips

- Not for use with glass panel frames or glass stack frames.
- May be the same width as a single panel or span a maximum of two full panel frames or stack frames in an in-line condition or spanning 90°, 3- or 4-way panel intersection.
- Bottom Rail:
  - Used in place of top trim.**
  - Not for use above a glass panel or glass stack.
- Mounting Option (V) has notch on one end to accommodate one Variable Height Cover.
- Mounting Option (D) has notches on both ends to accommodate two Variable Height Covers.
- Bottom Rail End Cap and End-of-Run Clip are application specific; separately specify as needed.

### To Order, Specify:

1) Product number, including:

#### 1 Mounting Options

- S** Same height/in-line
- V** Variable height/one end (add **\$22.77** list)
- D** Variable height/both ends (add **\$45.51** list)

#### 2 Insert Thickness

(Aluminum trim only)

- 4** 0.25"(6mm)
- 2** 0.5"(13mm) (add **\$3.06** list)

2) Trim color.


Height	Depth	Width	Number ①	Trim A	B
<b>Steel</b>					
0.375"(10mm)	3"(76mm)	18"(457mm)	VZGR-0018-H 4	\$ 306.54	\$ 308.07
		24"(610mm)	VZGR-0024-H 4	347.50	350.55
		30"(762mm)	VZGR-0030-H 4	388.46	393.03
		36"(914mm)	VZGR-0036-H 4	429.42	435.51
		39"(991mm)	VZGR-0039-H 4	449.90	456.75
		42"(1067mm)	VZGR-0042-H 4	470.38	477.99
		45"(1143mm)	VZGR-0045-H 4	490.86	499.23
		48"(1219mm)	VZGR-0048-H 4	511.34	520.47
		51"(1295mm)	VZGR-0051-H 4	531.82	541.71
		54"(1372mm)	VZGR-0054-H 4	552.30	562.95
		57"(1448mm)	VZGR-0057-H 4	572.78	584.19
		60"(1524mm)	VZGR-0060-H 4	593.26	605.43
		63"(1600mm)	VZGR-0063-H 4	613.74	626.67
		66"(1676mm)	VZGR-0066-H 4	634.22	647.91
		69"(1753mm)	VZGR-0069-H 4	654.70	669.15
		72"(1829mm)	VZGR-0072-H 4	675.18	690.39
		75"(1905mm)	VZGR-0075-H 4	695.66	711.63
		78"(1981mm)	VZGR-0078-H 4	716.14	732.87
		81"(2057mm)	VZGR-0081-H 4	736.62	754.11
		84"(2134mm)	VZGR-0084-H 4	757.10	775.35
		87"(2210mm)	VZGR-0087-H 4	777.58	796.59
		90"(2286mm)	VZGR-0090-H 4	798.06	817.83
		93"(2362mm)	VZGR-0093-H 4	818.54	839.07
		96"(2438mm)	VZGR-0096-H 4	839.02	860.31
		99"(2515mm)	VZGR-0099-H 4	859.50	881.55
		102"(2591mm)	VZGR-00A2-H 4	879.98	902.79
		105"(2667mm)	VZGR-00A5-H 4	900.46	924.03
		108"(2743mm)	VZGR-00A8-H 4	920.94	945.27
		111"(2819mm)	VZGR-00B1-H 4	941.42	966.51
		114"(2896mm)	VZGR-00B4-H 4	961.90	987.75
		117"(2972mm)	VZGR-00B7-H 4	982.38	1008.99
		120"(3048mm)	VZGR-00C0-H 4	1002.86	1030.23

# Panel Accessories

Height	Depth	Width	Number ①②	Trim A	B
<b>Aluminum</b>					
0.375"(10mm)	3"(76mm)	18"(457mm)	VZGR-0018-A	\$ 311.87	\$ 313.36
		24"(610mm)	VZGR-0024-A	360.41	363.44
		30"(762mm)	VZGR-0030-A	408.95	413.52
		36"(914mm)	VZGR-0036-A	457.49	463.60
		39"(991mm)	VZGR-0039-A	481.76	488.64
		42"(1067mm)	VZGR-0042-A	506.03	513.68
		45"(1143mm)	VZGR-0045-A	530.30	538.72
		48"(1219mm)	VZGR-0048-A	554.57	563.76
		51"(1295mm)	VZGR-0051-A	578.84	588.80
		54"(1372mm)	VZGR-0054-A	603.11	613.84
		57"(1448mm)	VZGR-0057-A	627.38	638.88
		60"(1524mm)	VZGR-0060-A	651.65	663.92
		63"(1600mm)	VZGR-0063-A	675.92	688.96
		66"(1676mm)	VZGR-0066-A	700.19	714.00
		69"(1753mm)	VZGR-0069-A	724.46	739.04
		72"(1829mm)	VZGR-0072-A	748.73	764.08
		75"(1905mm)	VZGR-0075-A	773.00	789.12
		78"(1981mm)	VZGR-0078-A	797.27	814.16
		81"(2057mm)	VZGR-0081-A	821.54	839.20
		84"(2134mm)	VZGR-0084-A	845.81	864.24
		87"(2210mm)	VZGR-0087-A	870.08	889.28
		90"(2286mm)	VZGR-0090-A	894.35	914.32
		93"(2362mm)	VZGR-0093-A	918.62	939.36
		96"(2438mm)	VZGR-0096-A	942.89	964.40
		99"(2515mm)	VZGR-0099-A	967.16	989.44
		102"(2591mm)	VZGR-00A2-A	991.43	1014.48
		105"(2667mm)	VZGR-00A5-A	1015.70	1039.52
		108"(2743mm)	VZGR-00A8-A	1039.97	1064.56
		111"(2819mm)	VZGR-00B1-A	1064.24	1089.60
		114"(2896mm)	VZGR-00B4-A	1088.51	1114.64
		117"(2972mm)	VZGR-00B7-A	1112.78	1139.68
		120"(3048mm)	VZGR-00C0-A	1137.05	1164.72

# Panel Accessories

## Bottom Rail End Cap



VZGE  
Class BC

### Feature

- Includes one steel or aluminum non-handed Bottom Rail End Cap.

### Specification Tips


- Bottom Rail End Cap is used to cover open end of Bottom Rail in an exposed application.
- Aluminum:
  - For use in 2-, 3-, and 4-way, End-of-Run, and stand-alone in-line frameless glass application; refer to Application Guidelines.
- Steel:
  - Specify -HE option for End-of-Run Frameless Glass application; refer to Application Guidelines.
  - Specify -HI option for 2-, 3-, and 4-way, and stand-alone in-line frameless glass application; refer to Application Guidelines.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Description	Height	Depth	Number	Trim A	B
Steel, for End-of-Run	0.375"(10mm)	2.375"(60mm)	VZGE-0000-HE	\$55.69	\$66.38
Steel, for In-line/Corner			VZGE-0000-HI	55.69	66.38
Aluminum			VZGE-0000-A	55.69	66.38

## Frameless Glass — End-of-Run Clip for use with Aluminum Bottom Rail



VZGC-000  
Class BC

### Features

- Includes one End-of-Run Clip.
- For use with End-of-Run trim and replaces standard End-of-Run clip in Frameless Glass application.

### Specification Tip


- For use with Aluminum Bottom Rail only.

### To Order, Specify:

- 1) Product number.  
(No color specification required.)

Number	Price
VZGC-0000	\$30.32

## Glass Top Trim Clip Kit



VZCG  
Class BC

### Feature

- Includes three attachment clips for connecting steel top trim to glass panels or glass stack frames.

### Specification Tips

- Steel top trim only:
  - Must be used when spanning over a stack or panel frame and a glass stack or glass panel frame, specify the -HS trim option and order kit(s) separately for steel top trim that is spanning glass.

### Clip Requirements

Top Trim Length	Clips Required
18" - 30"	2
36" - 60"	3
51", 66", 72"	4
78" - 90"	5
63", 75", 96" - 120"	6


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
VZCG-0000	\$32.09

# Panel Accessories

## Glass Topper



VZSG  
Class BC

### Features

- Includes one 0.25"(6mm) thick insert with beveled edges and dubbed corners.
- Mounting Options:  
 (S) - Same height application, in-line.  
 (V) - Variable height application, one end.  
 (D) - Variable height application, both ends.

### Specification Tips

- **Only for use with Glass Topper Bottom Rail Kit for aluminum or steel trim profiles; separately specified.**
- Glass Topper and separately specified Glass Topper Bottom Rail Kit must be the same width as panel frame.
- May not span multiple panel frames or panel intersections.

### To Order, Specify:

1) Product number, including:

#### 1 Mounting Options

- S** Same height/in-line
- V** Variable height/one end
- D** Variable height/both ends

2) Insert color.

- 1C = Clear glass
- E21 = Satin Etch


**Note:** Custom glass insert may be field supplied:

- Glass thickness should be equal to 0.236"(6mm).
- Safety glass is required. Tempered glass is recommended.

Nominal Height	Nominal Width	Number 1	Clear Glass (1C)	Satin Etch (E21)
8"(203mm)	18"(457mm)	VZSG-0818-1 4	\$ 376.84	\$395.95
	24"(610mm)	VZSG-0824-1 4	410.25	454.17
	30"(762mm)	VZSG-0830-1 4	443.66	512.39
	36"(914mm)	VZSG-0836-1 4	477.07	570.61
	42"(1067mm)	VZSG-0842-1 4	510.48	628.83
	48"(1219mm)	VZSG-0848-1 4	543.89	687.05
	54"(1372mm)	VZSG-0854-1 4	577.30	745.27
	60"(1524mm)	VZSG-0860-1 4	610.71	803.49
	72"(1829mm)	VZSG-0872-1 4	878.16	1120.56
12"(305mm)	18"(457mm)	VZSG-1218-1 4	\$ 416.15	\$ 473.47
	24"(610mm)	VZSG-1224-1 4	449.56	531.69
	30"(762mm)	VZSG-1230-1 4	482.97	589.91
	36"(914mm)	VZSG-1236-1 4	516.38	648.13
	42"(1067mm)	VZSG-1242-1 4	549.79	706.35
	48"(1219mm)	VZSG-1248-1 4	604.82	786.19
	54"(1372mm)	VZSG-1254-1 4	638.23	844.41
	60"(1524mm)	VZSG-1260-1 4	671.64	902.63
	72"(1829mm)	VZSG-1272-1 4	939.09	1219.70
16"(406mm)	18"(457mm)	VZSG-1618-1 4	\$ 455.46	\$550.99
	24"(610mm)	VZSG-1624-1 4	488.87	609.21
	30"(762mm)	VZSG-1630-1 4	522.28	667.43
	36"(914mm)	VZSG-1636-1 4	555.69	725.65
	42"(1067mm)	VZSG-1642-1 4	589.10	783.87
	48"(1219mm)	VZSG-1648-1 4	701.12	920.70
	54"(1372mm)	VZSG-1654-1 4	734.53	978.92
	60"(1524mm)	VZSG-1660-1 4	767.94	1037.14
	72"(1829mm)	VZSG-1672-1 4	1035.39	1354.21

# Panel Accessories

## Glass Topper — Bottom Rail Kit



VZST  
Class BC

### Features

- Includes one **aluminum or steel top trim** with holes and mounting hardware.
- **Designed for use with 0.25"(6mm) thick insert; separately specified glass topper or field supplied glass.**
- Top trim with holes is bolted on standard frame.

### Specification Tips

- Not for use with glass panel frames or glass stack frame.
- Top trim with holes must be same width as panel frame.
- Used in place of Full Profile Aluminum or Thin Profile Steel Top Trim.
- Glass Topper Bottom Rail Kit and separately specified Glass Topper must be the same width as panel frame.
- May not span multiple panel frames or panel intersections.

### To Order, Specify:

1) Product number, including:


**1 Top Trim Attachment**

- H** Steel
- A** Aluminum

2) Trim color.

Height	Depth	Width	Number ❶	Steel (H) Trim		Aluminum (A) Trim	
				A	B	A	B
0.375"(10mm)	3"(76mm)	18"(457mm)	VZST-0018- 4	\$ 196.11	\$ 206.70	\$ 217.78	\$ 228.37
		24"(610mm)	VZST-0024- 4	203.24	217.36	233.83	247.95
		30"(762mm)	VZST-0030- 4	210.37	228.02	249.88	267.53
		36"(914mm)	VZST-0036- 4	217.50	238.68	265.93	287.11
		42"(1067mm)	VZST-0042- 4	224.63	249.34	281.98	306.69
		48"(1219mm)	VZST-0048- 4	231.76	260.00	298.03	326.27
		54"(1372mm)	VZST-0054- 4	238.89	270.66	314.08	345.85
		60"(1524mm)	VZST-0060- 4	246.02	281.32	330.13	365.43
		72"(1829mm)	VZST-0072- 4	397.15	439.51	499.10	541.46

## Alignment Clip Kit



VZSG  
Class BC

### Feature

- Includes 10 clear polycarbonate clips.

### Specification Tips

- For use when aligning two 0.25"(6mm) Compose Glass Toppers or Frameless Glass.
- Recommended when Glass Toppers are specified in line with each other.


### To Order, Specify:

1) Product number.  
(No finish specification required.)

Number	Price
VZSG-0000	\$499.82

# Panel Accessories

## Sliding Door



VUZF (left-hand shown)  
Class BC

### Features

- Includes sliding door with track without lock.
- Available with clear glass or frosted acrylic door insert.
- Full height integrated vertical finger-pull door handle.
- Sliding Door adjustable wheels allow 1.25"(32mm) height adjustment.
- Optional door lock is available; locks with key outside and lever inside. Not field retrofitable.
- Threshold is 0.45"(11mm).
- Lock plugs are black.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Locking mechanism locks the door into the track.
- Right-handed door mounts on right side and slides open to right.
- Left-handed door mounts on left side and slides open to left.

### Specification Tips

- Handedness cannot be changed in the field.
- Sliding Door mounts outside of the workspace.
- Threshold track is included and must be used with the Slider Door.
- Sliding Door Filler Post is required in certain applications and ordered separately. Refer to Specification Guide.
- **Glass Stack purchased prior to August 2008 requires field replacement of M Rail Kit; available through eParts.**
- **Not available for use with Open Base.**
- When installing in a 2-way application, must order extended glide bracket part# 2206-4905.

### To Order, Specify:

1) Product number, including:

**1 Insert Option:**

- G Clear Glass (1C)
- X Frosted Acrylic (1E)

**2 Handedness Option:**

- R Right
- L Left


**3 Locking Option:**

- N Non-Locking
- L Locking (add **\$637.93** list)

2) Trim color.

Nominal Height	Nominal Depth	Number 1 2 3	Trim A	Frosted	Trim B	Frosted
			Clear Glass (1C)	Acrylic (1E)	Clear Glass (1C)	Acrylic (1E)
66"(1676mm)	36"(914mm)	VUZF-6636- ■ ■ ■ Z	\$4628.62	\$ 5159.17	\$4659.62	\$ 5190.17
	42"(1067mm)	VUZF-6642- ■ ■ ■ Z	4864.74	5627.93	4897.46	5660.65
74"(1880mm)	36"(914mm)	VUZF-7436- ■ ■ ■ Z	\$4806.46	\$5420.37	\$4864.98	\$5478.89
	42"(1067mm)	VUZF-7442- ■ ■ ■ Z	5042.58	5889.13	5102.82	5949.37
82"(2083mm)	36"(914mm)	VUZF-8236- ■ ■ ■ Z	\$4984.30	\$ 5681.57	\$5070.34	\$ 5767.61
	42"(1067mm)	VUZF-8242- ■ ■ ■ Z	5220.42	6150.33	5308.18	6238.09

## Filler Post — Sliding Door



VZZP  
Class CA

### Feature

- Includes filler post and attachment hardware.

### Specification Tips

- Filler post is required for certain Sliding Door applications. Refer to Specification Guide.
- Specify filler post to match panel height in all applications.

### To Order, Specify:

1) Product number, including:

**1 Trim Option:**

- H Steel
- P Aluminum or Wood



2) Trim color.

Nominal Height	Number 1	Steel (H) Trim		Aluminum/Wood (P) Trim	
		A	B	A	B
66"(1676mm)	VZZP-6600- ■	\$628.73	\$663.88	\$ 818.32	\$ 853.47
74"(1880mm)	VZZP-7400- ■	691.53	726.68	881.12	916.27
82"(2083mm)	VZZP-8200- ■	754.33	789.48	943.92	979.07
90"(2286mm)	VZZP-9000- ■	817.13	852.28	1006.72	1041.87

# Panel Accessories

## Top Trim

### Steel, Aluminum, Wood



VZCC  
Class BC

#### Features

- Includes thin profile steel, full profile aluminum, or full profile wood top trim.
- Aluminum and wood top trim 0.25"(6mm) thick; steel top trim 0.125"(3mm) thick.
- 3"(76mm)D.
- Trim is bolted on standard frame, snap-on with glass panels.

#### Specification Tips

- Top trim width may:
  - be the same as a single frame
  - span two in-line frames
  - span a 3- or 4-way intersection and two adjacent frames; one on each side of the intersection.
- Not for use with 2-way intersections.
- Required for all panel configurations (may be same width as panel.)
- Steel top trim; specify when necessary
  - Standard frame (HS)
  - Glass panel or glass stack (HG)
  - Glass top trim clip kit (if applicable)
- Mixing top trim types (ie. aluminum, steel, wood or work rail) is not recommended.
- Wood grain direction is same direction as width.

#### To Order, Specify:

- 1) Product number, including

#### Option:

- HS** Steel: Standard Frame
- HG** Steel: Glass Panel or Glass Stack
- A** Aluminum
- W** Wood


- 2) Trim color or wood finish color.

Width	Number ❶	Steel (HS) Trim		Steel (HG) Trim		Aluminum (A) Trim		Wood (W) Wood	
		A	B	A	B	A	B	A	B
18"(457mm)	VZCC-0018-	\$ 65.31	\$ 67.08	\$ 81.48	\$ 83.25	\$ 175.07	\$ 176.84	\$ 434.21	\$ 480.32
24"(610mm)	VZCC-0024-	72.39	75.94	89.96	93.51	185.69	189.24	490.71	543.92
30"(762mm)	VZCC-0030-	79.47	84.80	98.44	103.77	196.31	201.64	547.21	607.52
36"(914mm)	VZCC-0036-	86.55	93.66	106.92	114.03	206.93	214.04	603.71	671.12
39"(991mm)	VZCC-0039-	90.09	98.09	111.16	119.16	212.24	220.24	631.96	702.92
42"(1067mm)	VZCC-0042-	93.63	102.52	115.40	124.29	217.55	226.44	660.21	734.72
45"(1143mm)	VZCC-0045-	97.17	106.95	119.64	129.42	222.86	232.64	688.46	766.52
48"(1219mm)	VZCC-0048-	100.71	111.38	123.88	134.55	228.17	238.84	716.71	798.32
51"(1295mm)	VZCC-0051-	104.25	115.81	128.12	139.68	233.48	245.04	744.96	830.12
54"(1372mm)	VZCC-0054-	107.79	120.24	132.36	144.81	238.79	251.24	773.21	861.92
57"(1448mm)	VZCC-0057-	111.33	124.67	136.60	149.94	244.10	257.44	801.46	893.72
60"(1524mm)	VZCC-0060-	114.87	129.10	140.84	155.07	249.41	263.64	829.71	925.52
63"(1600mm)	VZCC-0063-	150.18	165.30	176.85	191.97	274.13	289.25	877.37	976.73
66"(1676mm)	VZCC-0066-	153.72	169.73	181.09	197.10	281.65	297.66	907.83	1010.74
69"(1753mm)	VZCC-0069-	157.26	174.16	185.33	202.23	289.17	306.07	938.29	1044.75
72"(1829mm)	VZCC-0072-	160.80	178.59	189.57	207.36	296.69	314.48	968.75	1078.76
75"(1905mm)	VZCC-0075-	164.34	183.02	193.81	212.49	304.21	322.89	999.21	1112.77
78"(1981mm)	VZCC-0078-	167.88	187.45	198.05	217.62	311.73	331.30	1029.67	1146.78
81"(2057mm)	VZCC-0081-	171.42	191.88	202.29	222.75	319.25	339.71	1060.13	1180.79
84"(2134mm)	VZCC-0084-	174.96	196.31	206.53	227.88	326.77	348.12	1090.59	1214.80
87"(2210mm)	VZCC-0087-	178.50	200.74	210.77	233.01	334.29	356.53	1121.05	1248.81
90"(2286mm)	VZCC-0090-	182.04	205.17	215.01	238.14	341.81	364.94	1151.51	1282.82
93"(2362mm)	VZCC-0093-	185.58	209.60	219.25	243.27	349.33	373.35	1181.97	1316.83
96"(2438mm)	VZCC-0096-	189.12	214.03	223.49	248.40	356.85	381.76	1212.43	1350.84
99"(2515mm)	VZCC-0099-	192.66	218.46	227.73	253.53	364.37	390.17	1242.89	1384.85
102"(2591mm)	VZCC-0102-	196.20	222.89	231.97	258.66	371.89	398.58	1273.35	1418.86
105"(2667mm)	VZCC-0105-	199.74	227.32	236.21	263.79	379.41	406.99	1303.81	1452.87
108"(2743mm)	VZCC-0108-	203.28	231.75	240.45	268.92	386.93	415.40	1334.27	1486.88
111"(2819mm)	VZCC-0111-	206.82	236.18	244.69	274.05	394.45	423.81	1364.73	1520.89
114"(2896mm)	VZCC-0114-	210.36	240.61	248.93	279.18	402.00	432.22	1395.19	1554.90
117"(2972mm)	VZCC-0117-	213.90	245.04	253.17	284.31	409.52	440.63	1425.65	1588.91
120"(3048mm)	VZCC-0120-	217.44	249.47	257.41	289.44	417.04	449.04	1456.11	1622.92

# Panel Accessories

## Top Trim

### Work Rail



VZCC  
Class BC

#### Features

- Includes one aluminum work rail and attachment hardware.
- Accepts Work Rail Top Trim Cover, Belong Plus Center Screen, Stanchion for use with Work Rail Top Trim, Intuity Center Screen, and Work Rail Off-Modular worksurface bracket.
- Work Rail Top Trim is 1.5" (38mm)H.
- Trim is bolted on Compose frame.

#### Specification Tips

- Not for use with Glass Panels or Glass Stack Kit.
- Top trim width may:
  - be the same as a single panel frame
  - span two in-line panel frames
  - span a 3- or 4-way intersection and two adjacent panel frames; one on each side of the intersection.
- May not span a 2-way intersection and adjacent panel frame.
- It is not recommended to use Aluminum Top Trim, Steel Top Trim and Work Rail Top Trim on adjacent panel frames in an In-Line condition or a 2-, 3-, or 4-way intersection.
- When specifying panel trim or corner connectors select the option "For use with Work Rail Top Trim"; not for use with Aluminum Top Trim option.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.


Height	Width	Number	Trim A	B
1.5" (38mm)	18" (457mm)	VZCC-0018-AG	\$ 551.43	\$ 553.20
	24" (610mm)	VZCC-0024-AG	570.85	574.40
	30" (762mm)	VZCC-0030-AG	590.27	595.60
	36" (914mm)	VZCC-0036-AG	609.69	616.80
	39" (991mm)	VZCC-0039-AG	619.40	627.40
	42" (1067mm)	VZCC-0042-AG	629.11	638.00
	45" (1143mm)	VZCC-0045-AG	638.82	648.60
	48" (1219mm)	VZCC-0048-AG	648.53	659.20
	51" (1295mm)	VZCC-0051-AG	658.24	669.80
	54" (1372mm)	VZCC-0054-AG	667.95	680.40
	57" (1448mm)	VZCC-0057-AG	677.66	691.00
	60" (1524mm)	VZCC-0060-AG	687.37	701.60
	63" (1600mm)	VZCC-0063-AG	1082.08	1097.20
	66" (1676mm)	VZCC-0066-AG	1091.79	1107.80
	69" (1753mm)	VZCC-0069-AG	1101.50	1118.40
	72" (1829mm)	VZCC-0072-AG	1111.21	1129.00
	75" (1905mm)	VZCC-0075-AG	1120.92	1139.60
	78" (1981mm)	VZCC-0078-AG	1130.63	1150.20
	81" (2057mm)	VZCC-0081-AG	1140.34	1160.80
	84" (2134mm)	VZCC-0084-AG	1150.05	1171.40
87" (2210mm)	VZCC-0087-AG	1159.76	1182.00	
90" (2286mm)	VZCC-0090-AG	1169.47	1192.60	
93" (2362mm)	VZCC-0093-AG	1179.18	1203.20	
96" (2438mm)	VZCC-0096-AG	1188.89	1213.80	
99" (2515mm)	VZCC-0099-AG	1198.60	1224.40	
102" (2591mm)	VZCC-0102-AG	1208.31	1235.00	
105" (2667mm)	VZCC-0105-AG	1218.02	1245.60	
108" (2743mm)	VZCC-0108-AG	1227.73	1256.20	
111" (2819mm)	VZCC-0111-AG	1237.44	1266.80	
114" (2896mm)	VZCC-0114-AG	1247.15	1277.40	
117" (2972mm)	VZCC-0117-AG	1256.86	1288.00	
120" (3048mm)	VZCC-0120-AG	1266.57	1298.60	



# Panel Accessories

## Top Trim

### Off Modular Top Trim



UZCC  
Class BC

#### Features

- Includes Full Profile Aluminum Off Modular top trim and attachment hardware.
- Use to center mount a Countertop or Be\_Hold or Be\_Hold Be overhead storage unit to modular or off modular applications.

#### Specification Tips

- Designed to be used in Full Profile Aluminum top trim applications only.
- Recommended panel height is 42"(1067mm) to 50"(1270mm) when used with transaction worksurface.
- When mounting Overhead Storage Unit, recommended panel height is 42"(1067mm) to 50"(1270mm). There is no limit to mounting to 26"(660mm)H to 74"(1880mm)H.
- Field drilling required.

#### To Order, Specify:


- 1) Product number.
- 2) Trim color.

Number	Trim A	B
UZCC-0018-A	\$ 187.31	\$ 189.02
UZCC-0024-A	203.75	206.32
UZCC-0030-A	220.19	222.76
UZCC-0036-A	236.63	239.20
UZCC-0042-A	253.07	255.64
UZCC-0048-A	269.51	272.08
UZCC-0051-A	277.73	280.30
UZCC-0054-A	285.95	288.52
UZCC-0060-A	302.39	304.96
UZCC-0063-A	350.01	352.58
UZCC-0066-A	358.23	360.80
UZCC-0072-A	374.67	377.24
UZCC-0075-A	418.86	421.43
UZCC-0078-A	427.08	429.65
UZCC-0084-A	443.52	446.09
UZCC-0090-A	459.96	462.53
UZCC-0096-A	476.40	478.97
UZCC-0102-A	492.84	495.41
UZCC-0108-A	509.28	511.85
UZCC-0114-A	525.72	528.29
UZCC-0120-A	542.16	544.73

# Panel Accessories

## Top Trim

### Work Rail Top Trim Cover



VZCR  
Class BC

#### Features

- Includes one aluminum rail cover.
- Installs in top channel of Work Rail Top Trim only.
- Can be field cut to fill in top channel where screens or stanchions are not used.

#### Specification Tips



- Specify 60"(1524mm) for spans of 60"(1524mm) or less.
- Specify 72"(1829mm) for spans of 60"(1524mm)-72"(1829mm).
- Specify 120"(3048mm) for spans greater than 72"(1829mm).

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Width	Number	Trim	
		A	B
60"(1524mm)	VZCR-0060-AG	\$466.61	\$468.39
72"(1829mm)	VZCR-0072-AG	559.91	563.49
120"(3048mm)	VZCR-0120-AG	933.11	943.89

### Work Rail Top Trim Off-Modular Bracket



ZZBD  
Class BC

#### Features

- Includes one bracket and attachment hardware.
- Installs in the side channel of Work Rail Top Trim.
- Provides worksurface support in modular or off-modular conditions.
- Bracket for use with Adaptable Worksurfaces.
- Locates underside of worksurface at 28"(711mm) when panel glides are fully recessed.
- Provides clear leg support when supporting 24"(610mm) and 30"(762mm)D worksurfaces.

#### Specification Tips

- Only for use with 26"(660mm)H full panel frame, Connections or Beam with separately specified work rail.
- Worksurface front corners support requirements:
  - One corner must be floor supported.
  - Second corner must be either floor supported or attached to an adjacent worksurface with a flush mount kit.
  - The distance between these floor supports may not exceed 10 feet.
- For use with Work Rail Top Trim only.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

#### Bracket Requirements

Length of a particular worksurface Connections spine (inches)	Min # of Brackets Required (qty)
24-42	2
48-78	3
84-120	4

Number	Trim	
	A	B
ZZBD-0200-CNG	\$194.41	\$202.19

# Panel Accessories

## Full Panel

### End-of-Run Trim — Steel/Aluminum/Wood



VZCE-3400-H  
Class BC

#### Features

- Includes thin profile steel or full profile aluminum or wood trim cover, attachment hardware and alignment tab.
- Aluminum and wood trim are 0.25”(6mm) thick; steel trim is 0.125”(3mm) thick; 3”(76mm)D.

#### Specification Tips

- When adding stack to panel frame, order trim cover to match overall height of panel and stack.
- For variable height situations, refer to Specification Guide for Planning with Intersections.
- Mixing steel trim with wood or aluminum not recommended.
- Standard trim guidelines apply to Open Base.
- Specification Option (-F): The top of the End-of-Run steel panel trim attaches to a frameless glass bottom rail.

#### To Order, Specify:

- 1) Product number, including:


#### ① Option:

- H** Steel
- F** Steel/Frameless Glass - End-of-Run (add **\$19.60** list to **H** Steel option)
- A** Aluminum
- W** Wood

- 2) Trim color or wood finish color for vertical cover.

Height	Number ①	Steel (H) Trim		Aluminum (A) Trim		Wood (W) Wood	
		A	B	A	B	A	B
26”(660mm)	VZCE-2600-	\$ 67.35	\$ 84.55	\$205.96	\$ 223.16	\$ 582.33	\$ 629.25
34”(864mm)	VZCE-3400-	75.83	99.91	241.80	265.88	706.57	760.29
42”(1067mm)	VZCE-4200-	84.31	115.27	277.64	308.60	830.81	891.33
50”(1270mm)	VZCE-5000-	92.79	130.63	313.48	351.32	955.05	1022.37
58”(1473mm)	VZCE-5800-	101.27	145.99	349.32	394.04	1079.29	1153.41
66”(1676mm)	VZCE-6600-	109.75	161.35	385.16	436.76	1203.53	1284.45
74”(1880mm)	VZCE-7400-	125.75	184.23	421.00	479.48	1327.77	1415.49
82”(2083mm)	VZCE-8200-	141.75	207.11	456.84	522.20	1452.01	1546.53
90”(2286mm)	VZCE-9000-	157.75	229.99	492.68	564.92	1576.25	1677.57

### End-of-Run Trim — Work Rail



VZCE-AAANG  
Class BC

#### Features

- Includes full profile aluminum trim, attachment hardware and alignment tab.
- Aluminum top trim is 0.25”(6mm) thick; 3”(76mm)D.

#### Specification Tips


- Order trim cover to match overall height of full frame and work rail.
- For variable height situations, refer to Specification Guide for Planning with intersections.
- Only work rail top trim may be used adjacent to cover.
- Work rail trim and connectors not available in thin profile steel or full profile wood trim

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Number	Trim A	B
28”(711mm)	VZCE-2800-ANNG	\$202.43	\$ 221.76
36”(914mm)	VZCE-3600-ANNG	238.83	265.20
44”(1118mm)	VZCE-4400-ANNG	275.23	308.64
52”(1321mm)	VZCE-5200-ANNG	311.63	352.08
60”(1524mm)	VZCE-6000-ANNG	348.03	395.52
68”(1727mm)	VZCE-6800-ANNG	384.43	438.96
76”(1930mm)	VZCE-7600-ANNG	420.83	482.40

### End-of-Run Steel Trim Bottom Bracket Clip



VZCE-0000-H  
Class BC

#### Features

- Includes five attachment clips and hardware.
- Clip recommended to secure bottom of steel End-of-Run cover to panel frame.

#### Specification Tip

- Steel End-of-Run trim only.

#### To Order, Specify:


- 1) Product number.  
(No color specification required.)

Number	Price
VZCE-0000-H	\$74.99

# Panel Accessories

## Full Panel

### Trim and Corner Connectors — Steel, Aluminum, Wood




VZCL




VZCT



VZCX



VZCV-A



VZCY-A  
Class BC

#### Features

- Includes thin profile steel, full profile aluminum or wood corner top cap, attachment hardware, corner blocks, spacers and light blocks.
- 90° 2- and 3-Way and 120° 2-Way connectors also include trim cover.
- Aluminum and wood top trim are 0.25" (6mm) thick; steel top trim is 0.125" (3mm) thick; 3" (76mm) D.

#### Specification Tips

- For variable height situations, refer to Specification Guide for Planning with Intersections.
- Mixing steel top trim with wood or aluminum not recommended.
- Standard trim guidelines apply to Open Base.

#### To Order, Specify:

- 1) Product number, including:

#### Option:

- H** Steel
- A** Aluminum
- W** Wood

- 2) Trim color or wood finish color for vertical cover (if applicable).
- 3) Trim color or wood finish color for top cap.

# Panel Accessories


## Full Panel

Nominal Height	Number ①	Steel (H)		Aluminum (A)		Wood (W)	
		Trim A	B	Trim A	B	Wood A	B
<b>2-Way Intersection 90°</b>							
26"(660mm)	VZCL-2600-■	\$ 400.90	\$ 454.27	\$ 534.04	\$ 587.41	\$ 1016.47	\$ 1131.11
34"(864mm)	VZCL-3400-■	414.66	481.79	575.48	642.61	1140.71	1282.87
42"(1067mm)	VZCL-4200-■	428.42	509.31	616.92	697.81	1264.95	1434.63
50"(1270mm)	VZCL-5000-■	442.18	536.83	658.36	753.01	1389.19	1586.39
58"(1473mm)	VZCL-5800-■	455.94	564.35	699.80	808.21	1513.43	1738.15
66"(1676mm)	VZCL-6600-■	469.70	591.87	741.24	863.41	1637.67	1889.91
74"(1880mm)	VZCL-7400-■	483.46	619.39	782.68	918.61	1761.91	2041.67
82"(2083mm)	VZCL-8200-■	497.22	646.91	824.12	973.81	1886.15	2193.43
90"(2286mm)	VZCL-9000-■	510.98	674.43	865.56	1029.01	2010.39	2345.19
<b>3-Way Intersection 90°</b>							
26"(660mm)	VZCT-2600-■	\$ 255.88	\$ 352.18	\$ 494.11	\$ 567.19	\$ 949.14	\$ 1054.74
34"(864mm)	VZCT-3400-■	279.96	414.10	521.63	622.23	1067.78	1192.74
42"(1067mm)	VZCT-4200-■	304.04	476.02	549.15	677.27	1186.42	1330.74
50"(1270mm)	VZCT-5000-■	328.12	537.94	576.67	732.31	1305.06	1468.74
58"(1473mm)	VZCT-5800-■	352.20	599.86	604.19	787.35	1423.70	1606.74
66"(1676mm)	VZCT-6600-■	376.28	661.78	631.71	842.39	1542.34	1744.74
74"(1880mm)	VZCT-7400-■	525.36	848.70	659.23	897.43	1660.98	1882.74
82"(2083mm)	VZCT-8200-■	549.44	910.62	686.75	952.47	1779.62	2020.74
90"(2286mm)	VZCT-9000-■	573.52	972.54	714.27	1007.51	1898.26	2158.74
<b>4-Way Intersection 90°</b>							
26"(660mm)	VZCX-2600-■	\$ 177.27	\$ 179.33	\$ 384.88	\$ 386.94	\$ 505.59	\$ 543.48
34"(864mm)	VZCX-3400-■	188.63	190.69	396.80	398.86	517.51	555.40
42"(1067mm)	VZCX-4200-■	199.99	202.05	408.72	410.78	529.43	567.32
50"(1270mm)	VZCX-5000-■	211.35	213.41	420.64	422.70	541.35	579.24
58"(1473mm)	VZCX-5800-■	222.71	224.77	432.56	434.62	553.27	591.16
66"(1676mm)	VZCX-6600-■	234.07	236.13	444.48	446.54	565.19	603.08
74"(1880mm)	VZCX-7400-■	245.43	247.49	456.40	458.46	577.11	615.00
82"(2083mm)	VZCX-8200-■	256.79	258.85	468.32	470.38	589.03	626.92
90"(2286mm)	VZCX-9000-■	268.15	270.21	480.24	482.30	600.95	638.84
<b>2-Way Intersection 120°</b>							
26"(660mm)	VZCV-2600-■	\$ 849.35	\$ 866.55	\$ 866.07	\$ 883.27		
34"(864mm)	VZCV-3400-■	912.71	936.79	929.43	953.51		
42"(1067mm)	VZCV-4200-■	976.07	1007.03	992.79	1023.75		
50"(1270mm)	VZCV-5000-■	1039.43	1077.27	1056.15	1093.99		
58"(1473mm)	VZCV-5800-■	1102.79	1147.51	1119.51	1164.23		
66"(1676mm)	VZCV-6600-■	1166.15	1217.75	1182.87	1234.47		
74"(1880mm)	VZCV-7400-■	1229.51	1287.99	1246.23	1304.71		
82"(2083mm)	VZCV-8200-■	1292.87	1358.23	1309.59	1374.95		
90"(2286mm)	VZCV-9000-■	1356.23	1428.47	1372.95	1445.19		
<b>3-Way Intersection 120°</b>							
26"(660mm)	VZCY-2600-■	\$ 761.69	\$ 763.33	\$ 776.69	\$ 778.33		
34"(864mm)	VZCY-3400-■	811.37	813.01	826.37	828.01		
42"(1067mm)	VZCY-4200-■	861.05	862.69	876.05	877.69		
50"(1270mm)	VZCY-5000-■	910.73	912.37	925.73	927.37		
58"(1473mm)	VZCY-5800-■	960.41	962.05	975.41	977.05		
66"(1676mm)	VZCY-6600-■	1010.09	1011.73	1025.09	1026.73		
74"(1880mm)	VZCY-7400-■	1059.77	1061.41	1074.77	1076.41		
82"(2083mm)	VZCY-8200-■	1109.45	1111.09	1109.45	1111.09		
90"(2286mm)	VZCY-9000-■	1159.13	1160.77	1174.13	1175.77		


# Panel Accessories

## Full Panel


### Trim and Corner Connectors — Work Rail




VZCL-AANG




VZCT-AANG



VZCX-AANG



VZCV-A



VZCY-A  
Class BC

#### Features

- Includes full profile aluminum corner top cap, attachment hardware, corner blocks, spacers and light blocks.
- 90° 2- and 3-Way connectors and 120° 2-Way connectors also include full profile aluminum trim cover.

#### Specification Tips

- Connectors for use with Work Rail Top Trim not available in thin profile steel or full profile wood.
- For variable height situations, refer to Specification Guide for Planning with intersections.
- Only work rail top trim may be used adjacent to cover.

#### To Order, Specify:



- 1) Product number.
- 2) Trim color for vertical cover. (if applicable)
- 3) Trim color for top cap.

Nominal Height	Number	Trim A	B
<b>2-Way Intersection 90°</b>			
28"(711mm)	VZCL-2800-AANG	\$ 534.85	\$ 592.07
36"(914mm)	VZCL-3600-AANG	576.77	647.83
44"(1118mm)	VZCL-4400-AANG	618.69	703.59
52"(1321mm)	VZCL-5200-AANG	660.61	759.35
60"(1524mm)	VZCL-6000-AANG	702.53	815.11
68"(1727mm)	VZCL-6800-AANG	744.45	870.87
76"(1930mm)	VZCL-7600-AANG	786.37	926.63
<b>3-Way Intersection 90°</b>			
28"(711mm)	VZCT-2800-AANG	\$ 491.17	\$ 571.64
36"(914mm)	VZCT-3600-AANG	519.09	627.24
44"(1118mm)	VZCT-4400-AANG	547.01	682.84
52"(1321mm)	VZCT-5200-AANG	574.93	738.44
60"(1524mm)	VZCT-6000-AANG	602.85	794.04
68"(1727mm)	VZCT-6800-AANG	630.77	849.64
76"(1930mm)	VZCT-7600-AANG	658.69	905.24
<b>4-Way Intersection 90°</b>			
28"(711mm)	VZCX-2800-AANG	\$ 376.90	\$ 378.97
36"(914mm)	VZCX-3600-AANG	389.06	391.13
44"(1118mm)	VZCX-4400-AANG	401.22	403.29
52"(1321mm)	VZCX-5200-AANG	413.38	415.45
60"(1524mm)	VZCX-6000-AANG	425.54	427.61
68"(1727mm)	VZCX-6800-AANG	437.70	439.77
76"(1930mm)	VZCX-7600-AANG	449.86	451.93
<b>2-Way Intersection 120°</b>			
28"(711mm)	VZCV-2800-AANG	\$ 875.39	\$ 894.72
36"(914mm)	VZCV-3600-AANG	939.31	965.68
44"(1118mm)	VZCV-4400-AANG	1003.23	1036.64
52"(1321mm)	VZCV-5200-AANG	1067.15	1107.60
60"(1524mm)	VZCV-6000-AANG	1131.07	1178.56
68"(1727mm)	VZCV-6800-AANG	1194.99	1249.52
76"(1930mm)	VZCV-7600-AANG	1258.91	1320.48
<b>3-Way Intersection 120°</b>			
28"(711mm)	VZCY-2800-NANG	\$ 781.79	\$ 783.44
36"(914mm)	VZCY-3600-NANG	831.95	833.60
44"(1118mm)	VZCY-4400-NANG	882.11	883.76
52"(1321mm)	VZCY-5200-NANG	932.27	933.92
60"(1524mm)	VZCY-6000-NANG	982.43	984.08
68"(1727mm)	VZCY-6800-NANG	1032.59	1034.24
76"(1930mm)	VZCY-7600-NANG	1082.75	1084.40

# Panel Accessories

## Full Panel

### Trim and Corner Connectors — 3- & 4-Way Intersection — Top Cap



VZCT-PN



VZCX-AN  
Class BC

#### Feature

- Includes corner blocks, attachment hardware spacers and light blocks. 3-way intersection also include full profile aluminum or wood trim cover.

#### Specification Tips

- Specify connectors with No Corner Top Cap when using intersection spanning top trim.
- When adding stack to panel frame, order trim cover to match overall height of panel and stack.
- For variable height situations, refer to Specification Guide for Planning with Intersections.
- When using thin profile top trim; specify full profile (A) Aluminum option.

#### To Order, Specify:

1) Product number, including:

#### ① Option:

- A** Aluminum
- W** Wood

2) Trim color or wood finish color. (if applicable)


Height	Number ①	Aluminum (A) Trim		Wood (W) Wood	
		A	B	A	B
<b>3-Way Intersection</b>					
26"(660mm)	VZCT-2600-■ N	\$442.42	\$ 483.71	\$ 866.38	\$ 958.19
34"(864mm)	VZCT-3400-■ N	469.94	524.99	985.02	1096.19
42"(1067mm)	VZCT-4200-■ N	497.46	566.27	1103.66	1234.19
50"(1270mm)	VZCT-5000-■ N	524.98	607.55	1222.30	1372.19
58"(1473mm)	VZCT-5800-■ N	552.50	648.83	1340.94	1510.19
66"(1676mm)	VZCT-6600-■ N	580.02	690.11	1459.58	1648.19
74"(1880mm)	VZCT-7400-■ N	607.54	731.39	1578.22	1786.19
82"(2083mm)	VZCT-8200-■ N	635.06	772.67	1696.86	1924.19
90"(2286mm)	VZCT-9000-■ N	662.58	813.95	1815.50	2062.19

Height	Number	Price
<b>4-Way Intersection</b>		
26"(660mm)	VZCX-2600-AN	\$309.05
34"(864mm)	VZCX-3400-AN	320.97
42"(1067mm)	VZCX-4200-AN	332.89
50"(1270mm)	VZCX-5000-AN	344.81
58"(1473mm)	VZCX-5800-AN	356.73
66"(1676mm)	VZCX-6600-AN	368.65
74"(1880mm)	VZCX-7400-AN	380.57
82"(2083mm)	VZCX-8200-AN	392.49
90"(2286mm)	VZCX-9000-AN	404.41

# Panel Accessories

## Connections

### End-of-Run Trim



VZCE  
Class BC

**Feature**

- Includes one vertical trim cover and attachment hardware.

**Specification Tip**


- Trim application specific; specify accordingly.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.

Top Trim Material	Height	Number	Trim	
			A	B
Steel	16"(406mm)	VZCE-1600-HNBH	\$ 57.33	\$ 66.10
Steel Frameless Glass	16"(406mm)	VZCE-1600-HNBF	66.66	75.43
Aluminum	16"(406mm)	VZCE-1600-ANBA	147.83	156.60
Work Rail	18"(457mm)	VZCE-1800-ANBG	156.93	167.46

### Raceway End-of-Run Cover



VZCE-A  
Class BC

**Features**

- Includes one cover and attachment hardware.
- Used when attaching Connections panel to a full panel frame to cover exposed base raceway area.

**Specification Tips**

- For use in an In-Line condition, 2-, 3-, and 4-way 90° panel intersections, 2- and 3-way 120° panel intersections.
- Not required for all applications; refer to Specification Guide for planning with intersections.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.


Number	Trim	
	A	B
VZCE-0B00-A	\$233.31	\$241.09




# Panel Accessories

## Connections


### Trim and Corner Connectors




VZCL




VZCT



VZCX



VZCV



VZCY  
Class BC

#### Features

- Includes top cap, attachment hardware, corner blocks, spacers, and light blocks.
- 90° 4-Way intersection and 120° 3-Way intersection also include vertical trim cover.

#### Specification Tips

- Not for use in Tile-to-Floor applications.
- For Frameless Glass and Glass Topper applications specify "For use with Aluminum Top Trim" or "For use with Steel Top Trim" option.

#### To Order, Specify:


- 1) Product number.
- 2) Trim color for vertical cover. (if applicable)
- 3) Trim color for top cap.

Top Trim Material	Height	Number	Trim A	B
<b>2-Way Intersection 90°</b>				
Aluminum	16"(406mm)	VZCL-1600-AABA	\$ 471.97	\$508.43
Steel	16"(406mm)	VZCL-1600-HHBH	276.74	313.20
Work Rail	18"(457mm)	VZCL-1800-AABG	482.45	522.37
<b>3-Way Intersection 90°</b>				
Aluminum	16"(406mm)	VZCT-1600-AABA	\$449.29	\$488.24
Steel	16"(406mm)	VZCT-1600-HHBH	223.23	262.18
Work Rail	18"(457mm)	VZCT-1800-AABG	456.27	502.14
<b>4-Way Intersection 90°</b>				
Aluminum	16"(406mm)	VZCX-1600-NABA	\$358.66	\$360.73
Steel	16"(406mm)	VZCX-1600-NHBH	164.76	166.83
Work Rail	18"(457mm)	VZCX-1800-NABG	361.70	363.77
<b>2-Way Intersection 120°</b>				
Aluminum	16"(406mm)	VZCV-1600-AABA	\$ 779.51	\$ 788.28
Steel	16"(406mm)	VZCV-1600-HHBH	777.78	786.55
Work Rail	18"(457mm)	VZCV-1800-AABG	795.49	806.02
<b>3-Way Intersection 120°</b>				
Aluminum	16"(406mm)	VZCY-1600-NABA	\$706.55	\$708.20
Steel	16"(406mm)	VZCY-1600-NHBH	706.55	708.20
Work Rail	18"(457mm)	VZCY-1800-NABG	719.09	720.74

# Panel Accessories

## Beam

### End-of-Run Trim



VZCE  
Class BC

**Feature**

- Includes one vertical trim cover and attachment hardware.

**Specification Tip**

- End-of-Run vertical trim covers are application specific; specify accordingly.

**To Order, Specify:**


- 1) Product number.
- 2) Trim color.

Top Trim Material	Height	Number	Trim A	B
Steel	8"(203mm)	VZCE-0800-HNBH	\$228.77	\$230.50
Steel Frameless Glass	8"(203mm)	VZCE-0800-HNBF	238.10	239.83
Aluminum	8"(203mm)	VZCE-0800-ANBA	141.43	143.16
Work Rail	10"(254mm)	VZCE-1000-ANBG	155.53	159.02


# Panel Accessories

## Beam


### Trim and Corner Connectors



VZCL



VZCT



VZCX  
Class BC

#### Feature

- Includes top cap, attachment hardware, corner block, spacers, and light blocks. 2- and 3-Way intersection also include one vertical trim cover.

#### To Order, Specify:


- Product number.
- Trim color for vertical cover. (if applicable)
- Trim color for top cap.

Top Trim Material	Height	Number	Trim A	B
<b>2-Way Intersection 90°</b>				
Steel	8"(203mm)	VZCL-0800-HHBH	\$442.90	\$465.52
Aluminum	8"(203mm)	VZCL-0800-AABA	460.05	482.67
Work Rail	10"(254mm)	VZCL-1000-AABG	475.53	501.61
<b>3-Way Intersection 90°</b>				
Steel	8"(203mm)	VZCT-0800-HHBH	\$ 383.71	\$394.98
Aluminum	8"(203mm)	VZCT-0800-AABA	451.37	462.64
Work Rail	10"(254mm)	VZCT-1000-AABG	463.35	481.54
<b>4-Way Intersection 90°</b>				
Steel	8"(203mm)	VZCX-0800-NHBH	\$ 333.24	\$ 335.31
Aluminum	8"(203mm)	VZCX-0800-NABA	376.50	378.57
Work Rail	10"(254mm)	VZCX-1000-NABG	384.54	386.61


# Panel Accessories

## Beam

### Trim and Corner Connectors — No Top Cap



VZCT



VZCX  
Class BC

#### Features

- Includes attachment hardware, corner block, spacers and light blocks.
- 3-Way intersection also includes one vertical trim cover.
- Does not include a corner top cap.

#### Specification Tips

- No top cap option used when specifying intersection spanning top trim widths.
- Not for use with spanning tiles.


#### To Order, Specify:

- 1) Product number.
- 2) Trim color for vertical cover. (if applicable)

Top Trim Material	Height	Number	Trim A	B
<b>3-Way Intersection</b>				
Steel	8"(203mm)	VZCT-0800-HNBN	\$331.48	\$ 341.94
Aluminum	8"(203mm)	VZCT-0800-ANBN	399.14	409.60

Top Trim Material	Height	Number	Price
<b>4-Way Intersection</b>			
Steel or Aluminum	8"(203mm)	VZCX-0800-NNBN	\$299.88

### Steel Trim Top Cap Aligner Clip



VZCC-0000-H  
Class BC

#### Features

- Includes five black attachment clips.
- For use in corner intersections to align steel top trim to the corner cap.

#### Specification Tips

- Steel top trim only.
- Clip recommended for alignment.
- Not for use in 120° corners.


#### To Order, Specify:

- 1) Product number. (No color specification required.)

Number	Price
VZCC-0000-H	\$83.30

# Panel Accessories

## Variable Height Trim — Proud



VZVE  
Class BC

### Feature

- Includes thin profile steel, full profile aluminum, or wood variable height (Proud) cover and attachment hardware.

### Specification Tips

- For use with multiple panel heights in in-line condition.
- Cover height is difference between tall and short panel.
- Variable height trim attaching directly to a panel frame will add 0.125"(3mm) (steel) or 0.25"(6mm) (aluminum or wood) to panel width.
- May be used in intersection conditions. Refer to Specification Guide for Planning with Intersections.

### To Order, Specify:


- 1) Product number.
- 2) Trim or wood finish color.

**Note:** For Steel/Frameless Glass Top Trim, change the Steel option -H to a -F and (add **\$19.60** list).  
Example: VZVE-0800-H to VZVE-0800-F

Height	Number	Trim/Wood	
		A	B
<b>For use with Aluminum Top Trim</b>			
8"(203mm)	VZVE-0800-A	\$ 173.60	\$ 174.46
16"(406mm)	VZVE-1600-A	202.56	210.30
24"(610mm)	VZVE-2400-A	231.52	246.14
32"(813mm)	VZVE-3200-A	260.48	281.98
40"(1016mm)	VZVE-4000-A	289.44	317.82
48"(1219mm)	VZVE-4800-A	318.40	353.66
<b>For use with Steel Top Trim</b>			
8"(203mm)	VZVE-0800-H	\$ 46.82	\$ 47.68
16"(406mm)	VZVE-1600-H	56.42	64.16
24"(610mm)	VZVE-2400-H	66.02	80.64
32"(813mm)	VZVE-3200-H	75.62	97.12
40"(1016mm)	VZVE-4000-H	85.22	113.60
48"(1219mm)	VZVE-4800-H	94.82	130.08
<b>For use with Wood Top Trim</b>			
8"(203mm)	VZVE-0800-W	\$ 395.71	\$ 435.24
16"(406mm)	VZVE-1600-W	500.03	558.68
24"(610mm)	VZVE-2400-W	604.35	682.12
32"(813mm)	VZVE-3200-W	708.67	805.56
40"(1016mm)	VZVE-4000-W	812.99	929.00
48"(1219mm)	VZVE-4800-W	917.31	1052.44
<b>For use with Lowest Frame with Work Rail to Taller Frame with Aluminum Top Trim</b>			
14"(356mm)	VZVE-1400-ANGA	\$ 182.07	\$ 188.23
22"(559mm)	VZVE-2200-ANGA	211.27	224.47
30"(762mm)	VZVE-3000-ANGA	240.47	260.71
38"(965mm)	VZVE-3800-ANGA	269.67	296.95
46"(1168mm)	VZVE-4600-ANGA	298.87	333.19
<b>For use with Lowest Frame with Aluminum Top Trim to Taller Frame with Work Rail</b>			
10"(254mm)	VZVE-1000-ANAG	\$ 202.47	\$ 205.11
18"(457mm)	VZVE-1800-ANAG	196.67	206.35
26"(660mm)	VZVE-2600-ANAG	225.87	242.59
34"(864mm)	VZVE-3400-ANAG	255.07	278.83
42"(1067mm)	VZVE-4200-ANAG	284.27	315.07
50"(1270mm)	VZVE-5000-ANAG	313.47	351.31
<b>For use with Work Rail Top Trim to Work Rail Top Trim</b>			
8"(203mm)	VZVE-0800-ANGG	\$ 190.17	\$ 191.05
16"(406mm)	VZVE-1600-ANGG	189.37	197.29
24"(610mm)	VZVE-2400-ANGG	218.57	233.53
32"(813mm)	VZVE-3200-ANGG	247.77	269.77
40"(1016mm)	VZVE-4000-ANGG	276.97	306.01
48"(1219mm)	VZVE-4800-ANGG	306.17	342.25

# Panel Accessories

## Variable Height Trim 3-Way & 4-Way — Flush 90°



VZVT  
Class BC

### Feature

- Includes one thin profile steel, full profile aluminum or wood variable height cover (Flush), corner block, and attachment hardware.

### Specification Tips

- For use with multiple panel heights in a 3-way or 4-way or panel intersection.
- Used in a variable height condition between Compose Connections panel(s) and Compose panel.
- For use with Compose panels up to 74"(1880mm)H.
- Cover height is difference between tall and short panel.
- Use 2"(51mm) less variable height trim when connecting Compose Connections frame with Work Rail Top Trim to full height Compose panel.
- 3-Way/4-Way wood trim (Flush) for use with in-line applications only.
- Refer to Specification Guide for planning with intersections.

### To Order, Specify:

- 1) Product number.
- 2) Trim or wood finish color.

Top Trim Material	Height	Number	Trim/Wood	
			A	B
Steel	8"(203mm)	VZVT-0800-H	\$ 115.53	\$ 116.39
	16"(406mm)	VZVT-1600-H	127.05	134.79
	24"(610mm)	VZVT-2400-H	138.57	153.19
	32"(813mm)	VZVT-3200-H	150.09	171.59
	40"(1016mm)	VZVT-4000-H	161.61	189.99
	48"(1219mm)	VZVT-4800-H	173.13	208.39
Aluminum	8"(203mm)	VZVT-0800-A	\$ 223.63	\$ 224.49
	16"(406mm)	VZVT-1600-A	247.23	254.97
	24"(610mm)	VZVT-2400-A	270.83	285.45
	32"(813mm)	VZVT-3200-A	294.43	315.93
	40"(1016mm)	VZVT-4000-A	318.03	346.41
	48"(1219mm)	VZVT-4800-A	341.63	376.89
Work Rail	14"(356mm)	VZVT-1400-ANGA	\$ 228.58	\$ 234.74
	22"(559mm)	VZVT-2200-ANGA	252.42	265.62
	30"(762mm)	VZVT-3000-ANGA	276.26	296.50
	38"(965mm)	VZVT-3800-ANGA	300.10	327.38
	46"(1168mm)	VZVT-4600-ANGA	323.94	358.26
	Wood	8"(203mm)	VZVT-0800-W	\$ 359.83
	16"(406mm)	VZVT-1600-W	460.55	511.63
	24"(610mm)	VZVT-2400-W	561.27	635.87
	32"(813mm)	VZVT-3200-W	661.99	760.11
	40"(1016mm)	VZVT-4000-W	762.71	884.35
	48"(1219mm)	VZVT-4800-W	863.43	1008.59

## Variable Height Trim (Flush) — 120°



VZVY  
Class BC

### Feature

- Includes full profile aluminum or thin profile steel vertical trim (flush fit), corner block with spacers and mounting hardware.

### Specification Tips

- For use with multiple panel heights in 3-way condition.
- Variable height trim attaching to a corner block will be a flush fit.
- Refer to Planning with Compose 120° Intersections.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Top Trim Material	Height	Number	Trim	
			A	B
Steel	8"(203mm)	VZVY-0800-H	\$ 256.08	\$ 257.85
	16"(406mm)	VZVY-1600-H	268.44	277.29
	24"(610mm)	VZVY-2400-H	280.80	296.73
	32"(813mm)	VZVY-3200-H	293.16	316.17
	40"(1016mm)	VZVY-4000-H	305.52	335.61
	48"(1219mm)	VZVY-4800-H	317.88	355.05
Aluminum	8"(203mm)	VZVY-0800-A	\$ 256.08	\$ 257.85
	16"(406mm)	VZVY-1600-A	268.44	277.29
	24"(610mm)	VZVY-2400-A	280.80	296.73
	32"(813mm)	VZVY-3200-A	293.16	316.17
	40"(1016mm)	VZVY-4000-A	305.52	335.61
	48"(1219mm)	VZVY-4800-A	317.88	355.05

# Panel Accessories

## Corner Block Assembly – 90°



VZCS-0000  
Class BC

### Feature

- Includes one 90° corner block with spacers, alignment pin, and panel connection kit (bolt and nut).

### Specification Tip

- One corner block per intersection (2-, 3-, or 4-way) will be required for each level of stacks (stack frame or glass stack) at the intersection.
- Not for use with Beam.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

**Note:** When reconfiguring with product prior to 2009; specify service part# 2922-4629 when adding corner blocks in the top position. (Current block will work in the bottom or middle position.)

Height	For use with	Number	Price
Fits all heights	Steel/Aluminum top trim	VZCS-0000	\$ 64.17
	Wood top trim	VZCS-0000-W	80.23

## Corner Block Assembly — 120°



VZCY-0000  
Class BC

### Feature

- Includes one 120° corner block with spacers, alignment pin, and panel connection kit (bolt and nut).

### Specification Tip


- One corner block per intersection (2- or 3-way) will be required for each level of stacks (stack frame or glass stack) at the intersection.
- Not for use with Beam.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Number	Price
Fits all heights	VZCY-0000	\$ 105.19

## 3-Way Intersection — Spanning Tile Corner Blocks



VZCT  
Class BC

### Feature

- Includes attachment hardware, corner blocks, light blocks. Full Panel also includes a spanning raceway pan.

### Specification Tips

- For use with separately specified 3-Way Intersection Spanning Tile and spanning top trim.
- Not for use with 3-Way Intersection Full Panel Trim.
- Not for use with Tile-to-Floor.
- Prevents power routing.

### To Order, Specify:


- 1) Product number.
- 2) Trim color, if applicable.  
(Full Panel only.)

Height	Number	Price
<b>Beam</b>		
8"(203mm)	VZCT-0800-NSBN	\$304.24
<b>Connections</b>		
16"(406mm)	VZCT-1600-NSBN	\$ 316.41

Full Panel	Number	Trim	
		A	B
26"(660mm)	VZCT-2600-NS	\$ 316.41	\$ 324.19
34"(864mm)	VZCT-3400-NS	316.41	324.19
42"(1067mm)	VZCT-4200-NS	339.77	347.55
50"(1270mm)	VZCT-5000-NS	363.13	370.91
58"(1473mm)	VZCT-5800-NS	386.49	394.27
66"(1676mm)	VZCT-6600-NS	409.85	417.63
74"(1880mm)	VZCT-7400-NS	433.21	440.99
82"(2083mm)	VZCT-8200-NS	456.57	464.35
90"(2286mm)	VZCT-9000-NS	479.93	487.71

# Panel Accessories

## Aligner/Light Block



VZAL  
Class BC

### Features

- Includes one Aligner/Light Block.
- Black finish.
- Aligner/light blocks are required and separately specified based upon segmented tile configuration.

### Specification Tips


- Specify when horizontal aligner/light block is needed between adjacent tiles.
- Aligner/light blocks can be specified separately for increased rigidity for full-height fabric tiles or as a light block for segmented tiles for all tile surfaces.
- Refer to Specification Guide for Planning with Tiles.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Width	Number	Price
18"(457mm)	VZAL-0018	\$ 72.42
24"(610mm)	VZAL-0024	75.99
30"(762mm)	VZAL-0030	79.54
36"(914mm)	VZAL-0036	83.12
42"(1067mm)	VZAL-0042	86.67
48"(1219mm)	VZAL-0048	90.22
54"(1372mm)	VZAL-0054	93.79
60"(1524mm)	VZAL-0060	97.34
72"(1829mm)	VZAL-0072	154.51

## Half Aligner/Light Block



VZAL  
Class BC

### Features

- Includes one Half Aligner/Light Block.
- Black finish.

### Specification Tips

- For use when tile reveal falls directly behind power location when power is accessed on one side only. Refer to Specification Guide.  
Example: 16"(406mm)H Technology Tile on one side of frame and two 8"(203mm)H tiles on the other side of the frame.
- Specify when horizontal light block is needed between adjacent tiles.
- Refer to Specification Guide for Planning with Tiles.

### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Width	Number	Price
24"(610mm)	VZAL-0024-1	\$188.90
30"(762mm)	VZAL-0030-1	199.51
36"(914mm)	VZAL-0036-1	210.12
42"(1067mm)	VZAL-0042-1	220.73
48"(1219mm)	VZAL-0048-1	231.34
54"(1372mm)	VZAL-0054-1	241.95
60"(1524mm)	VZAL-0060-1	252.56
72"(1829mm)	VZAL-0072-1	391.93



# Panel Accessories

## Vertical Light Block (Between Panel)



VZAL-1600  
Class BC

### Features

- Includes one Vertical Light Block.
- Blocks light between panels joined in straight (in-line) conditions.

### Specification Tips

- Specify Vertical Light Block in straightline condition as required. Refer to Specification Guide for suggested applications.
- Specify Vertical Light Block height equal to the total height of the panel and/or stack frame configuration.
- For Connections Tile-to-Floor applications, specify VZAL-3400. Requires field cutting to appropriate height.
- Not for use with Glass Panels or Glass Stack Frames.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Number	Price
16"(406mm)	VZAL-1600	\$ 7.13
34"(864mm)	VZAL-3400	7.13
42"(1067mm)	VZAL-4200	7.13
50"(1270mm)	VZAL-5000	7.13
58"(1473mm)	VZAL-5800	8.91
66"(1676mm)	VZAL-6600	8.91
74"(1880mm)	VZAL-7400	8.91
82"(2083mm)	VZAL-8200	10.69
90"(2286mm)	VZAL-9000	10.69

# Panel Accessories

## Friction Pad



7031-0501  
Class BC

### Feature

- Includes one pad.

### Specification Tip


- Attaches to bottom or foot of glide to prevent movement of panels on hard surface flooring.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
7031-0501	\$18.94

## Seismic Anchoring Kit



VZSB-0000  
Class BC

### Features

- Includes one black 5"(127mm) round steel seismic bracket, one 0.375"(10mm)"-16 x 5"(127mm) grade 8 bolt, one 0.375"(10mm) hardened flat washer, and one grade 8 serrated flange nut.
- When used as described in Department of Health Care Access and Information (HCAI) pre-approval OPM-0232-13 documentation the anchoring kit will allow for the installation of Compose product in California Hospitals.

### Specification Tips


- The kit replaces the glide.
- Requires field drilling of the floor for installation.
- Requires separately specified expansion anchors to secure seismic bracket to deck or slab as described in OPM-0232-13 which is located on the HCAI website for the state of California.
- Expansion anchors are supplied by others.
- Not for use with Connections.
- If X Series Drawer Pedestals are used to support Compose Panels, they are to be secured as described in OPM-0232-13; requires separately specified expansion anchors which are supplied by others.
- Review HCAI OPM-0232-13 to determine the quantity of kits required for application.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
VZSB-0000	\$414.65

## Anchoring Bracket



HAB  
Class BC

### Features

- Includes package of six formed steel brackets.
- For anchoring of panels.

### Specification Tip

- Does not fulfill requirements for Department of Health Care Access and Information (HCAI) for the state of California.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)


Number	Price
HAB-0001	\$333.05

# Panel Accessories

## T-Mount



VZCM-P



VZCM-G  
Class BC

### Features

- Includes top and bottom mounting brackets and hardware.
- Black finish.

### Specification Tips

- Panels must be equal height except when T-mounting into a spinewall with a glass stack. In this condition, the T-mounted panel must be equal in height to the panel below the glass stack.
- The spinewall can only be a standard frame with or without a glass stack, the T-mounted panel can be standard or glass frame.
- Not compatible with thin profile steel trim or open base option.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Description	Number	Price
Fits all heights	Panel frame	VZCM-0000-P	\$ 238.11
	Glass frame	VZCM-0000-G	238.11

# Panel Accessories

## Panel Frame Wall Mount



VZCW-0000-P  
Class BC

### Features

- Includes attachment hardware.
- For mounting panels frames, with or without stack, to a structural wall.

### Specification Tips


- For use with Full Panel, Connections and Beam.
- Must be properly anchored to a structural wall.
- When using wall mount in combination with wall track, refer to Specification Guide.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Number	Price
Fits all heights	VZCW-0000-P	\$123.00

## Glass Panel Wall Mount



VZCW-G  
Class BC

### Features

- Includes wall mount channel and attachment hardware.
- For mounting glass panels to a structural wall.
- Black finish.

### Specification Tip


- Must be properly anchored to a structural wall.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Number	Price
42"(1067mm)	VZCW-4200-G	\$ 167.31
50"(1270mm)	VZCW-5000-G	171.00
58"(1473mm)	VZCW-5800-G	174.68
66"(1676mm)	VZCW-6600-G	178.36
74"(1880mm)	VZCW-7400-G	182.03

## Tie Bracket Kit – Glass Stack



VZCQ-0000  
Class BC

### Features

- Includes:
  - 8 brackets
  - 8 screws (drywall attachment)
- Standard in black finish.

### Specification Tips

- For use with Compose Glass Stack mounted adjacent to drywall.
- One kit required per glass stack.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Number	Price
2"(51mm)	VZCQ-0000	\$ 285.16

# Panel Accessories

## Glass to Glass Connectors — In-Line



VZGS-1616-U  
Class BC

### Feature

- Includes one connector and attachment hardware.

### Specification Tips


- For use when securing one set of two glass stacks to an adjacent set of same height glass stacks in an in-line condition.
- Specify VZGS-1616-U to secure one set of 16"(406mm)H glass stacks to an adjacent set of 16"(406mm)H glass stacks.
- Specify VZGS-1624-U to secure a set of one 16"(406mm)H and one 24"(610mm)H glass stacks to another set of 16"(406mm)H/24"(610mm)H glass stacks.
- Refer to Specification Guide for further information.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Number	Price
In-Line	VZGS-1616-U	\$ 87.36
In-Line	VZGS-1624-U	103.42

## Glass to Glass Connectors — End-of-Run/Intersection



VZGS-0000-P  
Class BC

### Feature

- Includes a kit of 4 flat plates and attachment hardware.

### Specification Tips


- One flat plate secures two glass stacks in an End-of-Run/Intersection condition.
- Refer to Specification Guide for further information.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Number	Price
End-of-run/Intersection	VZGS-0000-P	44.56

## Glass to Glass Connectors — Variable Height



VZGS-0000-B  
Class BC

### Feature

- Includes a kit of 4 flat plates and attachment hardware.

### Specification Tips

- One flat plate secures a set of two glass stacks to a single glass stack in a variable height application.
- Refer to Specification Guide for further information.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Number	Price
Variable Height	VZGS-0000-B	114.07

# Electrical Components

## Base Feed Module — Hardwire Connection



VZEB-0000-3  
VZEB-0000-H2  
VZEB-0000-H4



Class BC

### Features

- Includes one base feed with black 0.5”(13mm) flexible galvanized steel conduit.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- For floor, column, or wall hardwire connections.
- For use with frames equipped with power components.
- Base feed module can be field modified to accommodate left- or right-hand conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel frame.
- Standard in charcoal trim color only.

### Specification Tips


- **For use with 120 volt 60 hertz power sources only.**
- Not for use with tile to the floor panel applications.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Feed Length	Number	Price
<b>3-Circuit</b>			
3-Circuit Hardwire 20 Amp	48”(1219mm)	VZEB-0000-3	\$472.79
3-Circuit Hardwire 20 Amp	72”(1829mm)	VZEB-0006-H3	539.79
3-Circuit Hardwire 20 Amp	120”(3048mm)	VZEB-0010-H3	673.79
3-Circuit Hardwire 20 Amp	180”(4572mm)	VZEB-0015-H3	841.29
3-Circuit Hardwire 20 Amp	300”(7620mm)	VZEB-0025-H3	1176.29
<b>4-Circuit, 2+2</b>			
4-Circuit, 2+2 Hardwire 20 Amp	48”(1219mm)	VZEB-0000-H2	\$472.79
4-Circuit, 2+2 Hardwire 20 Amp	72”(1829mm)	VZEB-0006-H2	539.79
4-Circuit, 2+2 Hardwire 20 Amp	120”(3048mm)	VZEB-0010-H2	673.79
4-Circuit, 2+2 Hardwire 20 Amp	180”(4572mm)	VZEB-0015-H2	841.29
4-Circuit, 2+2 Hardwire 20 Amp	300”(7620mm)	VZEB-0025-H2	1176.29
<b>4-Circuit, 3+1</b>			
4-Circuit, 3+1 Hardwire 20 Amp	48”(1219mm)	VZEB-0000-H4	\$472.79
4-Circuit, 3+1 Hardwire 20 Amp	72”(1829mm)	VZEB-0006-H4	539.79
4-Circuit, 3+1 Hardwire 20 Amp	120”(3048mm)	VZEB-0010-H4	673.79
4-Circuit, 3+1 Hardwire 20 Amp	180”(4572mm)	VZEB-0015-H4	841.29
4-Circuit, 3+1 Hardwire 20 Amp	300”(7620mm)	VZEB-0025-H4	1176.29

## Single Circuit Base Feed Module — Receptacle Connection with Power Cord



VZEB-0000-2  
VZEB-0000-22  
VZEB-0000-24



Class BC

### Features

- Includes a single circuit power connector, 2’(610mm) cord and 20 amp plug (NEMA 5-20P).
- For use with frames equipped with power components.
- Requires a 20 amp, 125 volt power receptacle (NEMA 5-20R) for plug-in (not included).
- Attaches at any of the four receptacle sites in a powered base raceway of a panel frame.
- Provides power to circuit #1 only.
- Standard in charcoal trim color only.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Not for use with:
  - Isolated ground receptacles
  - Tile to floor applications
  - Enclose
- **Not for use in Canada due to electrical code restrictions.**
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Feed Length	Number	Price
3-Circuit Cord Feed 20 Amp (USA Only)	2’(610mm)	VZEB-0000-2	\$ 414.15
4-Circuit, 2+2 Cord Feed 20 Amp (USA Only)	2’(610mm)	VZEB-0000-22	414.15
4-Circuit, 3+1 Cord Feed 20 Amp (USA Only)	2’(610mm)	VZEB-0000-24	414.15

# Electrical Components

## Single Circuit Base Feed Module — Receptacle Connection with Power Cord



VZEB-0000-1  
VZEB-0000-12  
VZEB-0000-14



Class BC

### Features

- Includes a single circuit power connector, 6'(1829mm) cord and 15 amp plug (NEMA 5-15P).
- For use with frames equipped with power components.
- Requires a 15 amp, 125 volt power receptacle (NEMA 5-15R) for plug-in (not included).
- Attaches at any of the four receptacle sites in a powered raceway of a panel frame.
- Provides power to circuit #1 only.
- Standard in charcoal trim color only.

### Specification Tips


- **For use with 120 volt 60 hertz power sources only.**
- Not for use with:
  - Isolated ground receptacles
  - Tile to floor applications
  - Enclose
- **Not for use in USA due to electrical code restrictions.**
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Feed Length	Number	Price
3-Circuit Cord Feed 15 Amp (Canada Only)	6'(1829mm)	VZEB-0000-1	\$489.54
4-Circuit, 2+2 Cord Feed 15 Amp (Canada Only)	6'(1829mm)	VZEB-0000-12	489.54
4-Circuit, 3+1 Cord Feed 15 Amp (Canada Only)	6'(1829mm)	VZEB-0000-14	489.54

## Base Feed Module — Concealed Hardwire Connection



VZEB-0000-Y  
VZEB-0000-YH2  
VZEB-0000-YH4



Class BC

### Features

- Includes one junction box with modular connector and three 0.5"(13mm) knockouts.
- For 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- For 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- For use with frames equipped with power components.
- For floor, column, or wall hardwire connections.
- Conforms to New York City electrical code.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- For installation on panels **no less than 36"(914mm)W**.
- Connector plugs into receptacle site on left side of panel base.
- Not for use when routing power to Enclose.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Number	Price
3-Circuit Concealed	VZEB-0000-Y	\$708.75
4-Circuit, 2+2 Concealed	VZEB-0000-YH2	708.75
4-Circuit, 3+1 Concealed	VZEB-0000-YH4	708.75

# Electrical Components

## Base Feed Module — Hardwire Connection



VZEB-0000-Y3U  
VZEB-0000-Y2U  
VZEB-0000-Y4U



Class BC

### Features

- Includes one junction box with modular flexible steel conduit connector and three 0.5”(13mm) knockouts.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- For use with frames equipped with power components.
- For floor, column, or wall hardwire connections.
- Conforms to New York City electrical code.

### Specification Tips


- **For use with 120 volt 60 hertz power sources only.**
- For installation on panels **no less than 36”(914mm)W.**
- Connector plugs into receptacle site on left side of panel base.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Conduit Length	Number	Price
3-Circuit	7”(178mm)	VZEB-0000-Y3U	\$790.76
4-Circuit, 2+2	7”(178mm)	VZEB-0000-Y2U	790.76
4-Circuit, 3+1	7”(178mm)	VZEB-0000-Y4U	790.76

## Base Feed Module — Hardwire Connection — Connections and Beam



EUEB-0000-3HY  
EUEB-0000-2HY  
EUEB-0000-4HY



Class BC

### Features

- Includes one junction box with modular connector and three 0.5”(13mm) knockouts, flexible steel conduit.
- For use with components equipped with power components.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- For floor, column or wall hardwire connections.
- Conforms to New York City electrical code.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Attaches at any receptacle site or right-hand flex connector location. Module mounts to the underside of the beam structure.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Description	Conduit Length	Number	Price
3-Circuit	20”(508mm)	EUEB-0000-3HY	\$ 452.14
4-Circuit (2+2)	20”(508mm)	EUEB-0000-2HY	452.14
4-Circuit (3+1)	20”(508mm)	EUEB-0000-4HY	452.14



# Electrical Components

## Internal Power Base AI Base Feed



Adaptable  
EUEJ-0064-3WF  
EUEJ-0064-2WF  
EUEJ-0064-4WF



Class SP

### Features

- Includes a two port splitter and a flexible galvanized steel conduit infeed with Power Base AI connector at one end and a Power Base connector at the other end.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- For use with frames equipped with power components.
- Allows quick connect between Compose and Power Base AI underfloor modular wiring system.
- Attaches at any one of the four receptacle sites or right-hand flex connector location.
- Connector has integral latching system.
- ETL listed Manufactured wiring system rated for 20 Amp 120V/208Y or 120/240V 60 hertz and for use in "other air handling spaces" per NEC Article 604.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Can only be connected to Power Base AI under floor power system.
- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, or flush floor box connectors.
- Male Power Base AI connector cannot connect directly to infeed or jumper. Use included circuit distributor to connect to jumper or infeed harness.
- Excess length can be coiled under the floor.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding Power Base connector: (3-circuit=black, 2+2=blue and 3+1=green). Power Base AI connector: 3-circuit=rust, 4-circuit=black.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Length	Number	Price
<b>3-Circuit</b>			
3-circuit Adaptable	64"(1626mm)	EUEJ-0064-3WF	\$ 276.75
3-circuit Adaptable	102"(2591mm)	EUEJ-0102-3WF	319.86
3-circuit Adaptable	144"(3658mm)	EUEJ-0144-3WF	384.57
3-circuit Adaptable	300"(7620mm)	EUEJ-0300-3WF	918.29
<b>4-Circuit, 2+2</b>			
4-circuit, 2+2 Adaptable	64"(1626mm)	EUEJ-0064-2WF	\$303.70
4-circuit, 2+2 Adaptable	102"(2591mm)	EUEJ-0102-2WF	346.81
4-circuit, 2+2 Adaptable	144"(3658mm)	EUEJ-0144-2WF	411.52
4-circuit, 2+2 Adaptable	300"(7620mm)	EUEJ-0300-2WF	945.24
<b>4-Circuit, 3+1</b>			
4-circuit, 3+1 Adaptable	64"(1626mm)	EUEJ-0064-4WF	\$303.70
4-circuit, 3+1 Adaptable	102"(2591mm)	EUEJ-0102-4WF	346.81
4-circuit, 3+1 Adaptable	144"(3658mm)	EUEJ-0144-4WF	411.52
4-circuit, 3+1 Adaptable	300"(7620mm)	EUEJ-0300-4WF	945.24

# Electrical Components

## Raised Floor Infeed Base Feed Module



EZEJ-0048-3WF  
EZEJ-0048-2WF  
EZEJ-0048-4WF



Class SP

### Features

- Includes one base feed with 4'(1219mm) long, black 0.5"(13mm) flexible galvanized steel conduit and a two port splitter.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20-amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For use with frames equipped with power components.
- Allows quick connect between Compose and Power Base AI underfloor modular wiring system.
- Base feed module can be field modified to accommodate left or right conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel frame.
- Standard in charcoal trim color only.

### Specification Tips


- **For use with 120 volt 60 hertz power sources only.**
- Not for use with tile to the floor applications.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Feed Length	Number	Price
3-Circuit Raised Floor	4'(1219mm)	EZEJ-0048-3WF	\$472.62
4-Circuit, 2+2 Raised Floor	4'(1219mm)	EZEJ-0048-2WF	998.87
4-Circuit, 3+1 Raised Floor	4'(1219mm)	EZEJ-0048-4WF	998.87

## Wall Feed Field Wired 1 Port



FBEW-0004-31  
FBEW-0004-41



Class SP

### Features

- Includes 4.6875"(119mm) junction box cover with one female modular power connector.
- For use with field supplied 4.6875"(119mm) square junction box.
- Connector has integral latching system.
- UL listed Manufactured wiring system rated for 20 Amp 120V/208Y or 120/240V 60 Hz and for use in "other air handling spaces" per NEC Article 604.

### Specification Tips

- For use with Raised Floor Infeed Base Feed Module and Internal Power Base AI Base Feed.
- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.
- Do not mix 3-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=rust and 4-circuit=black).


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)


Description	Height	Length	Number	Price
3-Circuit	1.5"(38mm)	4.6875"(119mm)	FBEW-0004-31	\$ 113.32
4-Circuit	1.5"(38mm)	4.6875"(119mm)	FBEW-0004-41	113.32

# Electrical Components

## Top Feed Module



VZET-3T  
VZET-2T  
VZET-4T  
VZET-3W  
VZET-2W  
VZET-4W



Base Raceway Connection



Class BC

### Features

- Includes one electrical harness in galvanized steel conduit, electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Electrical harness contained in galvanized steel conduit allows for adjacent routing of communication cabling within the pole.
- Removable cover on poles provides access to pathway.
- For use with frames equipped with power components.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20-amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway below worksurface, beltline or standing height.
- Electrical harness attaches at any receptacle site or right-hand side of panel in the flex connector location.
- 120"(3048mm) pole consists of two sections.

### Specification Tips

- For routing and cabling capacities, see Specification Guide.
- For installation on panels no less than 24"(610mm)W.
- The power connector requires a flexible power connector location on the right side of the panel for attachment.
- Not for use with glass panel frames or glass stack frames.
- Mounts at the end of the panel frame.
- Does not occupy receptacle port.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

**1 Trim Option**

**A** Aluminum or Wood

**H** Steel

2) Trim color.


**Note:** Wire harness length is 180"(4572mm) regardless of pole length.

# Electrical Components

Description	Panel Height	Pole Length	Number ①	Aluminum /Wood (A)/ Steel (H)		Workrail (G)	
				Trim A	B	Trim A	B
<b>10'(3048mm) Ceiling Height</b>							
3-Circuit	26"(660mm)	120"(3048mm)	VZET-2600-3T	\$ 1811.52	\$ 2006.13	N/A	N/A
	28"(711mm)	120"(3048mm)	VZET-2800-3TG	N/A	N/A	\$1809.66	\$2002.83
	34"(864mm)-58"(1473mm)	95"(2413mm)	VZET-3400-3T	1798.50	1983.03	N/A	N/A
	66"(1676mm)-90"(2286mm)	66"(1676mm)	VZET-6600-3T	1737.12	1874.13	N/A	N/A
4-Circuit, 2+2	26"(660mm)	120"(3048mm)	VZET-2600-2T	\$2376.98	\$ 2571.59	N/A	N/A
	28"(711mm)	120"(3048mm)	VZET-2800-2TG	N/A	N/A	\$ 2375.12	\$2568.29
	34"(864mm)-58"(1473mm)	95"(2413mm)	VZET-3400-2T	2363.96	2548.49	N/A	N/A
	66"(1676mm)-90"(2286mm)	66"(1676mm)	VZET-6600-2T	2302.58	2439.59	N/A	N/A
4-Circuit, 3+1	26"(660mm)	120"(3048mm)	VZET-2600-4T	\$2376.98	\$ 2571.59	N/A	N/A
	28"(711mm)	120"(3048mm)	VZET-2800-4TG	N/A	N/A	\$ 2375.12	\$2568.29
	34"(864mm)-58"(1473mm)	95"(2413mm)	VZET-3400-4T	2363.96	2548.49	N/A	N/A
	66"(1676mm)-90"(2286mm)	66"(1676mm)	VZET-6600-4T	2302.58	2439.59	N/A	N/A
<b>12'(3658mm) Ceiling Height</b>							
3-Circuit	26"(660mm)	120"(3048mm)	VZET-2600-3W	\$ 1856.16	\$2085.33	N/A	N/A
	28"(711mm)	120"(3048mm)	VZET-2800-3WG	N/A	N/A	\$1852.44	\$ 2078.73
	34"(864mm)-50"(1270mm)	120"(3048mm)	VZET-3400-3W	1841.28	2058.93	N/A	N/A
	58"(1473mm)-90"(2286mm)	95"(2413mm)	VZET-6600-3W	1781.76	1953.33	N/A	N/A
4-Circuit, 2+2	26"(660mm)	120"(3048mm)	VZET-2600-2W	\$ 2421.62	\$2650.79	N/A	N/A
	28"(711mm)	120"(3048mm)	VZET-2800-2WG	N/A	N/A	\$2417.90	\$ 2644.19
	34"(864mm)-50"(1270mm)	120"(3048mm)	VZET-3400-2W	2406.74	2624.39	N/A	N/A
	58"(1473mm)-90"(2286mm)	95"(2413mm)	VZET-6600-2W	2347.22	2518.79	N/A	N/A
4-Circuit, 3+1	26"(660mm)	120"(3048mm)	VZET-2600-4W	\$ 2421.62	\$2650.79	N/A	N/A
	28"(711mm)	120"(3048mm)	VZET-2800-4WG	N/A	N/A	\$2417.90	\$ 2644.19
	34"(864mm)-50"(1270mm)	120"(3048mm)	VZET-3400-4W	2406.74	2624.39	N/A	N/A
	58"(1473mm)-90"(2286mm)	95"(2413mm)	VZET-6600-4W	2347.22	2518.79	N/A	N/A

# Electrical Components

## End-of-Run Top Feed Module — Connections only



VZET-3TE  
VZET-3WE



Class BC

### Features

- Includes one electrical harness in galvanized steel conduit, electrical box, ceiling bezel plate, a two section pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Electrical harness contained in steel conduit allows for adjacent routing of communication cabling within the pole.
- Removable cover on poles provides access to pathway.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- Attaches at any receptacle site or right-hand flex connector location.

### Specification Tips

- For routing and cabling capacities, see Specification Guide.
- Mounts to the end of the Connections Frame replacing end-of-run trim.
- Specification of end-of-run trim not necessary when using End-of-Run Top Feed.
- Not for use with 2-way, 3-way or 4-way applications.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:


- 1) Product number.
- 2) Trim color.

**Note:** Wire harness length is 180”(4572mm) regardless of pole length.

Description	Pole Length	Number	Trim	
			A	B
<b>9.5'(2896mm) Ceiling Height</b>				
3-Circuit	120”(3048mm)	VZET-2600-3TE	\$ 2187.21	\$ 2381.82
4-Circuit, 2+2	120”(3048mm)	VZET-2600-2TE	2752.67	2947.28
4-Circuit, 3+1	120”(3048mm)	VZET-2600-4TE	2752.67	2947.28
<b>9.5'(2896mm)-12'(3658mm) Ceiling Height</b>				
3-Circuit	148”(3759mm)	VZET-2600-3WE	\$ 2231.85	\$ 2461.02
4-Circuit, 2+2	148”(3759mm)	VZET-2600-2WE	2797.31	3026.48
4-Circuit, 3+1	148”(3759mm)	VZET-2600-4WE	2797.31	3026.48

# Electrical Components

## End-of-Run Top Feed Module — Beam only



VZET-3TEJ  
VZET-3WEJ



Class BC

### Features

- Includes one electrical harness in galvanized steel conduit, electrical box, ceiling bezel plate, a two section pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Electrical harness contained in steel conduit allows for adjacent routing of communication cabling within the pole.
- Removable cover on poles provides access to pathway.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- Attaches at any receptacle site or right-hand flex connector location.

### Specification Tips

- For routing and cabling capacities, see Specification Guide.
- Mounts to the end of the Frame replacing end-of-run trim.
- Specification of end-of-run trim not necessary when using End-of-Run Top Feed.
- Not for use with 2-way, 3-way or 4-way applications.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:


- 1) Product number.
- 2) Trim color.

**Note:** Wire harness length is 180”(4572mm) regardless of pole length.

Description	Pole Length	Number	Trim	
			A	B
<b>9.5'(2896mm) Ceiling Height</b>				
3-Circuit	120”(3048mm)	VZET-2600-3TEJ	\$ 2187.21	\$ 2381.82
4-Circuit, 2+2	120”(3048mm)	VZET-2600-2TEJ	2752.67	2947.28
4-Circuit, 3+1	120”(3048mm)	VZET-2600-4TEJ	2752.67	2947.28
<b>9.5'(2896mm)-12'(3658mm) Ceiling Height</b>				
3-Circuit	148”(3759mm)	VZET-2600-3WEJ	\$ 2231.85	\$ 2461.02
4-Circuit, 2+2	148”(3759mm)	VZET-2600-2WEJ	2797.31	3026.48
4-Circuit, 3+1	148”(3759mm)	VZET-2600-4WEJ	2797.31	3026.48

# Electrical Components

## Full Panel Infeed Harness



VZEH-0000  
VZEH-0030



### Features

- Includes electrical harness in galvanized metal conduit.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20-amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Attaches on right-hand side of powered panel frame to flexible power connector location.
- Routes power to base raceway, below worksurface, beltline or standing height.
- For use with panel frames when feeding from the ceiling and equipped with power components.
- Add the 3-Circuit infeed harness to a 3-Circuit top feed module or a 4-Circuit infeed to a 4-Circuit top feed module to bring additional circuits into the workstation cluster. Local electrician provides secondary junction box at top of top feed pole.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Designed to work with top feeds up to 12'(3658mm) ceilings.
- For internal base feed application use Connections Infeed Harness EUEH-0087-3 for 3-circuit, EUEH-0087-2 for 4-circuit 2+2 or EUEH-0087-4 for 4-circuit 3+1.
- Not for use with glass panel frames or glass stack frames.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

#### 1 Power Option


- 3 3-Circuit
- 2 4-Circuit, 2+2 (add **\$111.07** list)
- 4 4-Circuit, 3+1 (add **\$111.07** list)

(No finish specification required.)

**Note:** Wire harness length is 180"(4572mm).

Length	Number 1	Price
15'(4572mm)	VZEH-0000-■	\$ 767.64
30'(9144mm)	VZEH-0030-■	1378.49

## Infeed Harness



Shown with Optional Mesh Cord Manager

EUEH-0087  
EUEH-00F0  
EUEH-00W0



### Features

- Includes electrical harness in galvanized steel conduit.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- Conduit for 4-Circuit includes six 12-gauge and two 10-gauge wires for up to four 20 amp circuits of power.
- Attaches at any receptacle site or right-hand flex connector location.
- Routes power from floor, column or wall to power distribution assembly.
- For use with frames equipped with power components when feeding from the floor or wall.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Cord Manager - Mesh may be ordered separately to cover exposed galvanized steel conduit.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

### To Order, Specify:

1) Product number, including:

#### 1 Power Option



- 3 3-Circuit
- 2 4-Circuit, 2+2 (add **\$26.95** list)
- 4 4-Circuit, 3+1 (add **\$26.95** list)

(No finish specification required.)

Length	Number 1	Price
87"(2210mm)	EUEH-0087-■	\$ 276.75
180"(4572mm)	EUEH-00F0-■	427.66
300"(7620mm)	EUEH-00W0-■	720.59

# Electrical Components

## Power Retrofit Kit — 42”(1067mm)H Beltline, 58”(1473mm)H Standing Height and Connections



### Features

- Includes power distribution assembly (PDA), flexible power connector, and PDA mounting bracket.
- Routes power through frame for 42”(1067mm)H beltline, or provides 58”(1473mm)H standing height, and Connections frame power access when used with a receptacle and technology tile or field ported fabric tile.

### Specification Tips

- **Not for use with 8”(203mm) tiles.**
- Retrofit kit attaches to panel frame, does not require power crossbar for mounting power.
- For use with matching width tile with technology option.
- For vertical routing from base raceway to beltline access, specify vertical power connector which attaches to right-hand flex connection location at beltline and base raceway locations.
- PDA mounting bracket attach directly to frame.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:

1) Product number, including:

#### 1 Power Option

- 3 3-Circuit
- 2 4-Circuit, 2+2
- 4 4-Circuit, 3+1

(No finish specification required.)

Panel Width	Number 1	Price
24”(610mm)	VZEK-4224-■	\$349.79
30”(762mm)	VZEK-4230-■	367.07
36”(914mm)	VZEK-4236-■	384.35
42”(1067mm)	VZEK-4242-■	401.63
48”(1219mm)	VZEK-4248-■	418.91
54”(1372mm)	VZEK-4254-■	436.19
60”(1524mm)	VZEK-4260-■	453.47
72”(1829mm)	VZEK-4272-■	713.56

VZEK-42




Class BC



# Electrical Components

## Power Retrofit Kit — Beltline, 50”(1270mm)H or Greater, Below WS and Standing Height



VZEK-OB



Class BC

### Features

- Includes power distribution assembly (PDA), flexible power connector, PDA mounting brackets and power crossbar. Power crossbar will serve as aligner light block (not repositionable).
- Kits mounted at beltline height on 50”(1270mm) or taller frames allow for routing of power through panel or access to power when used with technology tiles or field ported fabric tiles.
- Kits mounted at below worksurface height on frames with below worksurface height openings allow for routing of power through panel or access to power when used with technology tiles or field ported fabric tiles.

### Specification Tips

- **Not for use with:**
  - 8”(203mm) tiles
  - 26”(660mm) or 34”(864mm) panels below worksurface or at beltline.
  - 42”(1067mm) panels at beltline.
- Capability to route power at below worksurface height requires it to be specified with Full Panel Frame with Below Worksurface Power.
- For use with matching width tile with technology option.
- For vertical routing from base raceway to beltline or below worksurface, specify vertical power connector which attaches to right-hand flex connection location.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:

1) Product number, including:

**1 Power Option**


- 3** 3-Circuit
- 2** 4-Circuit, 2+2
- 4** 4-Circuit, 3+1

(No finish specification required.)

Panel Width	Number ①	Price
24”(610mm)	VZEK-OB24- ■	\$ 420.12
30”(762mm)	VZEK-OB30- ■	445.50
36”(914mm)	VZEK-OB36- ■	470.88
42”(1067mm)	VZEK-OB42- ■	496.26
48”(1219mm)	VZEK-OB48- ■	521.64
54”(1372mm)	VZEK-OB54- ■	547.02
60”(1524mm)	VZEK-OB60- ■	572.40
72”(1829mm)	VZEK-OB72- ■	848.69

# Electrical Components

## Power Retrofit Kit — Standing Height



VZEP-00  
  
 Class BC

### Features

- Includes power distribution assembly (PDA), PDA mounting brackets and power crossbar.
- Provides power access at standing height behind a tile with technology option specified or field ported fabric tile.

### Specification Tips

- For use on 66"(1676mm)H and 74"(1880mm)H frames only.
- Not for use with 8"(203mm) tiles as they cannot be ported.
- Specify Power Connector Below Worksurface to span power horizontally from one panel equipped without below worksurface cutouts to an adjacent panel.
- For vertical routing from base raceway to below worksurface or standing height, specify vertical power connector which attaches to right-hand flex connection at each location.
- Power cannot route horizontally at standing height and requires panel frame to be powered at base raceway.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:

1) Product number, including:

#### 1 Power Option


- 3 3-Circuit
- 2 4-Circuit, 2+2
- 4 4-Circuit, 3+1

(No finish specification required.)

Panel Width	Number 1	Price
24"(610mm)	VZEP-0024- <input type="checkbox"/>	\$ 398.17
30"(762mm)	VZEP-0030- <input type="checkbox"/>	420.41
36"(914mm)	VZEP-0036- <input type="checkbox"/>	442.65
42"(1067mm)	VZEP-0042- <input type="checkbox"/>	464.89
48"(1219mm)	VZEP-0048- <input type="checkbox"/>	487.13
54"(1372mm)	VZEP-0054- <input type="checkbox"/>	509.37
60"(1524mm)	VZEP-0060- <input type="checkbox"/>	551.98
72"(1829mm)	VZEP-0072- <input type="checkbox"/>	801.62

# Electrical Components

## Power Retrofit Kit — Raceway



VZEK-3BB  
VZEK-4BB



Class BC

### Features

- Includes one power distribution assembly, one power connector, mounting hardware and optional cover(s).
- Converts non-powered frame to powered frame.

### Specification Tips

- 8"(203mm) tiles cannot be used in place of base raceway cover.
- 24"(610mm) raceway covers have one knockout located on left side.
- **For single gang option, frame width must be 30"(762mm) or greater; does not include blank plate for a single gang opening.**
- Order single gang adaptor plate separately (VZAP-0000-G).
- Refer to Specification Guide for Planning with Utilities.
- **Receptacle and data blank covers must be specified separately.**
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:

1) Product number, including:

#### 1 Power Option

- 3** 3-Circuit
- 2** 4-Circuit, 2+2 (add **\$36.03** list)
- 4** 4-Circuit, 3+1 (add **\$36.03** list)

#### 2 Cover Option Side One

(see chart below for upcharges)

- N** Tile to Floor
- H** Cover with knockouts
- B** Cover without knockouts
- G** Single Gang

#### 3 Cover Option Side Two

(see chart below for upcharges)

- N** Tile to Floor
- H** Cover with knockouts
- B** Cover without knockouts
- G** Single Gang

2) Trim color - cover side 1.


3) Trim color - cover side 2.

Cover Option	Side One		Side Two	
	Trim A	Trim B	Trim A	Trim B
H	\$135.14	\$142.50	\$135.14	\$142.50
B	135.14	142.50	135.14	142.50
G	159.25	166.61	159.25	166.61

Panel Width	Number 123	Price
24"(610mm)	VZEK-OR24- ■ ■ ■	\$ 296.28
30"(762mm)	VZEK-OR30- ■ ■ ■	314.30
36"(914mm)	VZEK-OR36- ■ ■ ■	332.32
42"(1067mm)	VZEK-OR42- ■ ■ ■	350.34
48"(1219mm)	VZEK-OR48- ■ ■ ■	368.36
54"(1372mm)	VZEK-OR54- ■ ■ ■	386.38
60"(1524mm)	VZEK-OR60- ■ ■ ■	404.40
72"(1829mm)	VZEK-OR72- ■ ■ ■	619.29

# Electrical Components

## Raceway Covers



VZEK-NBB



Class BC

### Feature

- Includes two single covers unless tile to floor option is specified which includes one cover.

### Specification Tips

- **For single gang option, panel width must be 30”(762mm) or greater. Order adaptor plate separately (VZAP-0000-G).**
- 8”(203mm) tiles cannot be used in place of base raceway cover.
- 18”(457mm) raceway cover has no knockouts.
- 24”(610mm) raceway covers have one knockout located on left side.
- Refer to Specification Guide for Planning with Utilities.
- **Receptacle and data blank covers must be specified separately.**

### To Order, Specify:

1) Product number, including:

**1 Cover Option Side One**

(see chart below for upcharges)

- N** Tile to Floor
- H** Cover with knockouts
- B** Cover without knockouts
- G** Single gang

**2 Cover Option Side Two**

(see chart below for upcharges)

- H** Cover with knockouts
- B** Cover without knockouts
- G** Single gang

2) Trim color - cover side 1.


3) Trim color - cover side 2.

Cover Option	Side One		Side Two	
	Trim A	Trim B	Trim A	Trim B
H	\$135.14	\$142.50	\$135.14	\$142.50
B	135.14	142.50	135.14	142.50
G	159.25	166.61	159.25	166.61

Panel Width	Number 1 2	Trim	
		A	B
18”(457mm)	VZEK-OR18-NBB	\$296.24	\$ 307.36
24”(610mm)	VZEK-OR24-N ■ ■	179.12	185.58
30”(762mm)	VZEK-OR30-N ■ ■	197.14	204.50
36”(914mm)	VZEK-OR36-N ■ ■	215.16	223.42
42”(1067mm)	VZEK-OR42-N ■ ■	233.18	242.34
48”(1219mm)	VZEK-OR48-N ■ ■	251.20	261.26
54”(1372mm)	VZEK-OR54-N ■ ■	269.22	280.18
60”(1524mm)	VZEK-OR60-N ■ ■	287.24	299.10
72”(1829mm)	VZEK-OR72-N ■ ■	408.81	422.47

# Electrical Components

## Vertical Power Connector



VZEJ-3



Class BC

### Features

- Includes one power connector with safety latches for securing connector to power distribution assembly.
- Transfers power from the base raceway to above base raceway locations (beltline, below worksurface, standing height or beltline to below worksurface).
- The power connectors install on the right-hand side of panel into flexible power connector locations.
- For use with panels equipped with power components.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- **No horizontal routing is available at standing height.**
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:

1) Product number, including:


#### 1 Power Option

- 3 3-Circuit
- 2 4-Circuit, 2+2
- 4 4-Circuit, 3+1


(No finish specification required.)

Description	Conduit Length	Number ①	Price
Base to Below WS	13.5"(343mm)	VZEJ-OU00-█	\$ 319.27
Base to Beltline	30"(762mm)	VZEJ-OB00-█	324.46
Base to Standing Height	46"(1168mm)	VZEJ-OS00-█	331.31
Below WS to Beltline	16"(406mm)	VZEJ-UB00-█	319.27


## Flexible Power Connector — Raceway



Base straight condition



Base inside 90° condition



Base inside 120° condition

- VZEF-OROP
- VZEF-OROP-2
- VZEF-OROP-4



Class BC

### Features

- Includes one flexible power connector with safety latches for securing connector to power distribution assembly.
- Continues electrical circuit between adjacent powered frame in straight or angled conditions in the base raceway.
- For use with frame equipped with power components.
- May be used in straight frame-to-frame application, inside 90° and inside 120° within the base raceway.
- Standard in charcoal trim color only.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:


1) Product number.

(No finish specification required.)

Description	Length	Number	Price
3-Circuit	13.25"(337mm)	VZEF-OROP	\$ 158.46
4-Circuit, 2+2	13.25"(337mm)	VZEF-OROP-2	158.46
4-Circuit, 3+1	13.25"(337mm)	VZEF-OROP-4	158.46

# Electrical Components

## Flexible Power Connector — Work-height



VZEF-OBOP  
VZEF-OBOP-2  
VZEF-OBOP-4



Class BC

### Features

- Includes one flexible power connector with safety latches for securing connector to power distribution assembly.
- Continues electrical circuits between adjacent powered frames in beltline or below worksurface height straight conditions.
- For use with frames equipped with power components and frame cutouts.
- 0.95 Flexible Connectors shipped per powered frame specified.
- Standard in charcoal trim color only.

### Specification Tips


- **For use with 120 volt 60 hertz power sources only.**
- Not for use with standing height applications.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

Description	Length	Number	Price
3-Circuit	12.5"(318mm)	VZEF-OBOP	\$ 158.46
4-Circuit, 2+2	12.5"(318mm)	VZEF-OBOP-2	158.46
4-Circuit, 3+1	12.5"(318mm)	VZEF-OBOP-4	158.46

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

## Flexible Power Connector — Corner Span, Work-height



VZEF-OB0Q  
VZEF-OB0Q-2  
VZEF-OB0Q-4



Class BC

### Features

- Includes one flexible power connector with safety latches for securing connector to power distribution assembly.
- Continues electrical circuits between adjacent powered frames in beltline or below worksurface 90° and 120° conditions.
- For use with frames equipped with power components and frame cutouts.
- For use when passing power through Compose Gallery Panels.
- Standard in charcoal trim color only.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Not for use with standing height applications.
- Flexible power connector must be separately specified and is not included with panel.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).


Description	Length	Number	Price
3-Circuit	14.5"(368mm)	VZEF-OB0Q	\$ 158.46
4-Circuit, 2+2	14.5"(368mm)	VZEF-OB0Q-2	158.46
4-Circuit, 3+1	14.5"(368mm)	VZEF-OB0Q-4	158.46

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

# Electrical Components

## Flexible Power Connector — Straight Span, Raceway/Work-height



VZEF-OROS  
VZEF-OROS-2  
VZEF-OROS-4



Class BC

### Features

- Includes one straight span flexible power connector with safety latches for securing connector to power distribution assembly.
- Continues electrical circuit across the three-inch space between powered frames in 3-way or 4-way conditions.
- For use with frames equipped with power components and frame cutouts.
- May be used at the base raceway, beltline and below worksurface for straight span conditions.
- Standard in charcoal trim color only.

### Specification Tips


- **For use with 120 volt 60 hertz power sources only.**
- Not for use when passing power through Compose Gallery Panels.
- Not for use with standing height applications.
- Straight Span flexible power connector must be separately specified and is not included with panel.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Length	Number	Price
3-Circuit	15.5"(394mm)	VZEF-OROS	\$ 158.46
4-Circuit, 2+2	15.5"(394mm)	VZEF-OROS-2	158.46
4-Circuit, 3+1	15.5"(394mm)	VZEF-OROS-4	158.46

## Extended Power Connector



VZEJ-0018  
VZEJ-0024



Class BC

### Features

- Spans base power through **one** 18"(457mm) or 24"(610mm) non-powered frame located between two powered frames.
- For use with frames equipped with power components.
- Extended power connectors cannot be coupled together.
- Standard in charcoal trim with metal conduit.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- **Specify for use in Beam and Full Panel base raceway only.**
- Not for use with tiles to the floor.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Frame Width	Length	Number	Price
3-Circuit	18"(457mm)	36"(914mm)	VZEJ-0018-3	\$309.46
4-Circuit, 2+2	18"(457mm)	36"(914mm)	VZEJ-0018-2	318.41
4-Circuit, 3+1	18"(457mm)	36"(914mm)	VZEJ-0018-4	318.41
3-Circuit	24"(610mm)	42"(1067mm)	VZEJ-0024-3	\$ 415.16
4-Circuit, 2+2	24"(610mm)	42"(1067mm)	VZEJ-0024-2	424.11
4-Circuit, 3+1	24"(610mm)	42"(1067mm)	VZEJ-0024-4	424.11

# Electrical Components

## Power Connector — Below WS



VZEJ-0038-3  
VZEJ-0038-2  
VZEJ-0038-4



Class BC

### Features

- Includes flexible conduit power connector with integral safety latches.
- Spans power at below worksurface height for adjacent panels powered at that level and when frames do not have a cutout.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- For use with below worksurface power kits.
- Connector spans to adjacent frame in straight, 120° or 90° corner configuration.
- Not for use with tiles to the floor.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).

### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Description	Length	Number	Price
3-Circuit	38"(965mm)	VZEJ-0038-3	\$ 415.16
4-Circuit, 2+2	38"(965mm)	VZEJ-0038-2	424.11
4-Circuit, 3+1	38"(965mm)	VZEJ-0038-4	424.11



# Electrical Components

## TripLEX Receptacle — 15 Amp



### Features

- Includes box of six receptacles, each receptacle has three 15 Amp outlets (NEMA 5-15R configuration).
- For use with frames equipped with power components.
- Receptacles are ground type specific.

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- For power access at any location within the panels with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- TripLEXes for 3-Circuit are field programmable.
- TripLEXes for 4-Circuit have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- **Controlled receptacles are marked with a permanent symbol and the word CONTROLLED to comply with various energy code requirements including ASHRAE 90.1 and California Building Code Title 24 part 6.**
- **Circuit assignment and receptacle placement should be coordinated with a local electrician. Local electrician is responsible for circuit loading and code compliance.**
- **Consult with local authority having jurisdiction (AHJ) for requirements regarding controlled receptacles before placing orders and installation.**

### Receptacle Indicator

Circuit Symbol	Circuit 1	Circuit 2	Circuit 3	Circuit 4
3 Circuit	0	00	000	NA
4 Circuit 2+2	1	2	3	4
4 Circuit 3+1	A	B	C	D

### To Order, Specify:

- 1) Product number.
- 2) Trim color.


TR-R	Beige
TR-TY	Cement
TR-AK	Chalk
TR-K	Charcoal
TR-J	Graphite
TR-G	Gray Tone
TR-NG	Orange*
TR-TW	Plaster
TR-AA	Putty
TR-E	Smoke

\* Orange available on Isolated ground only.

Description	Circuit Access	Ground Type	Receptacle without Controlled Symbol	Price	Receptacle with Controlled Symbol	Price
<b>3-Circuit</b>						
	Circuit 1-3	Common	EUER-153P-GSOS	\$ 177.24	EUER-153P-GCOS	\$ 181.68
	Circuit 1-3	Isolated	EUER-153P-ISOS	188.08	EUER-153P-ICOS	192.79
<b>4-Circuit, 2+2</b>						
	Circuit 1	Common	EUER-1521-GSOS	\$ 253.21	EUER-1521-GCOS	\$259.54
	Circuit 2		EUER-1522-GSOS	253.21	EUER-1522-GCOS	259.54
	Circuit 3		EUER-1523-GSOS	253.21	EUER-1523-GCOS	259.54
	Circuit 4		EUER-1524-GSOS	253.21	EUER-1524-GCOS	259.54
	Circuit 1	Isolated	EUER-1521-ISOS	\$264.05	EUER-1521-ICOS	\$270.66
	Circuit 2		EUER-1522-ISOS	264.05	EUER-1522-ICOS	270.66
	Circuit 3		EUER-1523-ISOS	264.05	EUER-1523-ICOS	270.66
	Circuit 4		EUER-1524-ISOS	264.05	EUER-1524-ICOS	270.66
<b>4-Circuit, 3+1</b>						
	Circuit 1	Common	EUER-1541-GSOS	\$ 253.21	EUER-1541-GCOS	\$259.54
	Circuit 2		EUER-1542-GSOS	253.21	EUER-1542-GCOS	259.54
	Circuit 3		EUER-1543-GSOS	253.21	EUER-1543-GCOS	259.54
	Circuit 4		EUER-1544-GSOS	253.21	EUER-1544-GCOS	259.54
	Circuit 1	Isolated	EUER-1541-ISOS	\$264.05	EUER-1541-ICOS	\$270.66
	Circuit 2		EUER-1542-ISOS	264.05	EUER-1542-ICOS	270.66
	Circuit 3		EUER-1543-ISOS	264.05	EUER-1543-ICOS	270.66
	Circuit 4		EUER-1544-ISOS	264.05	EUER-1544-ICOS	270.66

# Electrical Components

## Triplic Receptacle — 20 Amp



EUE-20  
Class YAll

### Features

- Includes box of six receptacles, each receptacle has three 20 Amp outlets (NEMA 5-20R configuration).
- For use with panels equipped with power components.
- **Receptacles are circuit and ground type specific.**

### Specification Tips

- **For use with 120 volt 60 hertz power sources only.**
- Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.
- For power access at any location within the frames with appropriate base raceway covers or technology pad.
- Isolated ground receptacle not for use with single circuit base feed module.
- Do not mix components from different wiring configurations. Unique polarity keys and colors are used for each wiring configuration. (3 circuit=black, 2+2=blue, 3+1=green).
- **Controlled receptacles are marked with a permanent symbol and the word CONTROLLED to comply with various energy code requirements including ASHRAE 90.1 and California Building Code Title 24 part 6.**
- **Circuit assignment and receptacle placement should be coordinated with a local electrician. Local electrician is responsible for circuit loading and code compliance.**
- **Consult with local authority having jurisdiction (AHJ) for requirements regarding controlled receptacles before placing orders and installation.**

### Receptacle Indicator

Circuit Symbol	Circuit 1	Circuit 2	Circuit 3	Circuit 4
3 Circuit	I	II	III	NA
4 Circuit 2+2	1	2	3	4
4 Circuit 3+1	A	B	C	D

### To Order, Specify:

- 1) Product number.
- 2) Trim color.


- TR-R Beige
- TR-TY Cement
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-NG Orange\*
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

\* Orange available on Isolated ground only.


Description	Circuit Access	Ground Type	Receptacle without Controlled Symbol	Price	Receptacle with Controlled Symbol	Price
<b>3-Circuit</b>						
	Circuit 1	Common	EUE-2031-GSOS	\$524.52	EUE-2031-GCOS	\$ 537.61
	Circuit 2		EUE-2032-GSOS	524.52	EUE-2032-GCOS	537.61
	Circuit 3		EUE-2033-GSOS	524.52	EUE-2033-GCOS	537.61
	Circuit 1	Isolated	EUE-2031-ISOS	\$535.35	EUE-2031-ICOS	\$548.72
	Circuit 2		EUE-2032-ISOS	535.35	EUE-2032-ICOS	548.72
	Circuit 3		EUE-2033-ISOS	535.35	EUE-2033-ICOS	548.72
<b>4-Circuit, 2+2</b>						
	Circuit 1	Common	EUE-2021-GSOS	\$524.52	EUE-2021-GCOS	\$ 537.61
	Circuit 2		EUE-2022-GSOS	524.52	EUE-2022-GCOS	537.61
	Circuit 3		EUE-2023-GSOS	524.52	EUE-2023-GCOS	537.61
	Circuit 4		EUE-2024-GSOS	524.52	EUE-2024-GCOS	537.61
	Circuit 1	Isolated	EUE-2021-ISOS	\$535.35	EUE-2021-ICOS	\$548.72
	Circuit 2		EUE-2022-ISOS	535.35	EUE-2022-ICOS	548.72
	Circuit 3		EUE-2023-ISOS	535.35	EUE-2023-ICOS	548.72
	Circuit 4		EUE-2024-ISOS	535.35	EUE-2024-ICOS	548.72
<b>4-Circuit, 3+1</b>						
	Circuit 1	Common	EUE-2041-GSOS	\$524.52	EUE-2041-GCOS	\$ 537.61
	Circuit 2		EUE-2042-GSOS	524.52	EUE-2042-GCOS	537.61
	Circuit 3		EUE-2043-GSOS	524.52	EUE-2043-GCOS	537.61
	Circuit 4		EUE-2044-GSOS	524.52	EUE-2044-GCOS	537.61
	Circuit 1	Isolated	EUE-2041-ISOS	\$535.35	EUE-2041-ICOS	\$548.72
	Circuit 2		EUE-2042-ISOS	535.35	EUE-2042-ICOS	548.72
	Circuit 3		EUE-2043-ISOS	535.35	EUE-2043-ICOS	548.72
	Circuit 4		EUE-2044-ISOS	535.35	EUE-2044-ICOS	548.72

# Electrical Components

## Information Plate Communication Port Kits



NECK-1



NECK-2  
Class CA

### Features

- Provides communications port on fabric tile.
- Two types are available:
  - NECK-1 provides front and back mounting frames.
  - NECK-2 provides a backer plate.

### Specification Tips

- Requires a field-cut hole 2.5”(64mm)H x 3.625”(92mm)W.
- Field-cut hole must be a minimum of 3”(76mm) from the perimeter of the tile to maintain structural stability.
- Communications information plates are not provided by Haworth and must be purchased separately.
- Verify clearance with any power components that may be mounted behind tile.
- For use with fabric tiles only.


### To Order, Specify:

- 1) Product number.
- 2) Trim color for Information Plate.

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Height	Width	Description	Number	Price
2.75”(70mm)	4”(102mm)	For Information Plate	NECK-1	\$ 97.28
2.125”(54mm)	4.125”(105mm)	For Standard Outlet	NECK-2	135.00

## Receptacle Blank Cover



VZAR-0000  
Class BC

### Features

- Includes one cover.
- Used to cover unused electrical openings at all receptacle locations.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Height	Width	Number	Price
2.25”(57mm)	5”(127mm)	VZAR-0000	\$ 8.92

## Power and Communication Bezel — Full Panel and Connections



VZAP-0000-T  
Class BC

### Feature

- Power and Communication Bezel includes one bezel and mounting hardware for use with fabric tiles only.

### Specification Tips

- Specify receptacles to match bezel.
- Power and communication bezels can be used with wood, laminate, slat or fabric tiles.
- For fabric tiles prior to March 2009, refer to eParts for replacement bezels.
- Not for use with Beam.

### To Order, Specify:


- 1) Product number.
- 2) Trim color.

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Number	Price
VZAP-0000-T	\$ 14.28

# Electrical Components

## Data Blank Cover — Full Panel and Connections



VZAD-0000-R  
Class BC

### Features

- Includes one Modular Furniture Telecommunications blank cover.
- Used to cover unused 1.38"(35mm) x 2.71"(69mm) data openings in tile bezels and base raceway cover.
- Not for use with Beam


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Height	Width	Number	Price
1.625"(41mm)	3.125"(79mm)	VZAD-0000-R	\$ 5.36

## Power and Communication Bezel — Beam



VZAP-0000-J  
Class BC

### Feature

- Includes one bezel and mounting hardware.

### Specification Tips

- Specify receptacles to match bezel.
- Use a pre-cut tile as a template for field porting of fabric tiles only.
- Can be used as a replacement on all Beam Technology tiles.
- **Must order communication Data Bracket(s)(VZAJ-0000) if using Data Faceplates.**


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Number	Price
VZAP-0000-J	\$ 14.28

## Communication Data Bracket — Beam



VZAJ-0000  
Class BC

### Feature

- Includes one black single-sided communication bracket and attachment hardware.

### Specification Tips

- Communication Data Bracket is required for the attachment of furniture data plates.
- Only for use with Beam.
- Not for use on 24"(610mm)W tiles.
- 30"(762mm)W tiles can accommodate only one bezel.
- Bezel communication port opening accepts furniture data plates.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
VZAJ-0000	\$ 92.55

# Electrical Components

## Data Blank Cover — Beam



VZAD-0000-B  
Class BC

### Features


- Includes one blank cover.
- Used to cover unused 3.25"(83mm) x 2"(51mm) data openings in Beam bezel (VZAP-0000-J) only.
- Mounts directly to the Beam Power and Communication Bezel.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-AK Chalk
  - TR-K Charcoal
  - TR-J Graphite
  - TR-G Gray Tone
  - TR-TW Plaster
  - TR-AA Putty
  - TR-E Smoke

Height	Width	Number	Price
1.625"(41mm)	3.125"(79mm)	VZAD-0000-B	\$ 8.92

## Frame Rail Grommet



VZEG-0601-V  
Class BC

### Features

- Includes 12 grommets.
- Additional protection for cables threaded through frame.

### To Order, Specify:


- 1) Product number.  
(No color specification required.)

### Specification Tips

- For use in frames 26"(660mm) to 74"(1880mm)H.
- Inserts into the utility cutouts in the vertical panel frame tubes, only.
- Not for use in cutouts in horizontal panel frame tubes.
- Field installed; inserts into utility cutouts.

Number	Price
VZEG-0601-V	\$234.26

## Tile Grommet Kit



VZAG  
Class BC – GSA Open Market

### Features

- Includes one black grommet, black filler plate and mounting hardware.
- For use with any tile material.
- Dimensions:
  - Outside: 2.75"(51mm)H x 4.75"(102mm)W
  - Inside: 1.875"(48mm)H x 3.875"(98mm)W
- Available in black only.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)


### Specification Tips

- Requires field cutting of tile.
- Can be used to pass Jumper, conduit Power Tap or power cords through a tile.
- Cord applications should be reviewed by local authorities prior to ordering due to varying local codes.
- Grommet cannot be positioned over frame, power distribution assembly or Jumper.

Height	Width	Number	Price
2.75"(70mm)	4.75"(121mm)	VZAG-0305	\$ 93.30

# Electrical Components

## Frame Mounted Power Tap Bracket — Concealed



VZAB  
Class BC

### Features

- Includes one power tap mounting bracket and mounting hardware.
- For use with conduit vertical Power Tap and Tile Grommet Kit.

### Specification Tips


- Used to mount 30"(762mm) vertical conduit Power Tap to interior of Full Panel or Connections Frame; specified separately.
- Not for use with plugs that are more than 2"(51mm)W.
- Not for use with corded Enhanced Power Module, Flush Mount, Flip Top, workware Interface units with 4 or more power ports.
- 24"(610mm) and 30"(762mm) frames accommodate one power tap bracket. Frames over 30"(762mm) accommodate two power tap brackets.
- Application should be reviewed by local authorities prior to ordering due to varying local codes.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Width	Number	Price
1.5"(38mm)	7.5"(191mm)	VZAB-0208	\$ 124.42

## Frame Mounted Data Plate Bracket — Concealed



VZAB-0204  
Class BC

### Features

- Includes one data plate mounting bracket and mounting hardware.
- For use with data plates that fit 2.71"(69mm) x 1.38"(35mm) opening.

### Specification Tips


- Used to mount data plate to interior of Full Panel or Connections frame.
- 24"(610mm) and 30"(762mm) frames accommodate one Data Plate Bracket. Frames over 30"(762mm) accommodate two Data Plate Brackets.
- Application should be reviewed by local authorities prior to ordering due to varying local codes.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Width	Number	Price
4"(102mm)	1.5"(38mm)	VZAB-0204	\$ 97.23

## Adaptor Plate, Single Gang



VZAP-0000-G  
Class BC

### Features

- Single Gang Adaptor Plate includes one communication adaptor plate.
- Single Gang Plate provides backer plate to mount standard single gang communication outlet plate (NEMA WD-6 configuration) on a raceway cover with single gang option.
- Provides 2.25"(57mm)H x 3.75"(95mm)W opening.
- Black finish only.

### Specification Tips

- Single gang porting of fabric tiles is not recommended.
- Single gang raceway cover 30"(762mm) or wider may be ordered separately.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Number	Price
Adaptor Plate, Single Gang	VZAP-0000-G	\$ 56.06

# Electrical Components

## Cable Management Bracket



VZBC-0000  
Class BC

### Features

- Includes 8 cable management brackets.
- Manages communication cables horizontally in the base raceway.
- Works within base raceways only.
- Not for use with tiles to the floor.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Depth	Width	Number	Price
3.8"(97mm)	1.5"(38mm)	0.4"(10mm)	VZBC-0000	\$ 58.82

## Compose Task Light Cord Manager



VZAW-0000-V  
Class BC

### Features


- Includes package of 10.
- Vertical wire manager conceals task light cord.
- Attaches into Compose panel frame slots.
- Black finish only.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Description	Length	Number	Price
Wire Manager, Vertical	17"(432mm)	VZAW-0000-V	\$258.50

## Compose Connections Cable Chain



EUAW-4000-V  
Class YA

### Features


- Includes grommet, grommet backer plate, cable chain, bracket to mount to adjacent table and mounting hardware.
- Color black only.
- Mounts to tile and underside of adjacent worksurface to contain power cords and data cables that are routed from inside Compose Connections panel to an adjacent worksurface.
- Holds up to three power cords and two data cables.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Width	Actual Length	Installed Length	Number	Price
0.75"(19mm)	2.25"(57mm)	40"(1016mm)	36"(914mm)	EUAW-4000-V	\$ 407.19

## Power Break Marker



NEP-1  
Class BC

### Features

- Includes box of fifty plastic markers.
- Use one marker at each power distribution assembly to close the flex connector site wherever an improper electrical connection may occur.
- Features following message: "Do not remove – Power Break."

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
NEP-1	\$ 254.19

# Power Distribution for Hardwire Applications

Hardwire power applications are designed to address non-modular power planning solutions.

1. Power distribution from building-to-panel.
2. Vertical power distribution.
3. Horizontal power distribution.

## Infeeds


## Applications

<b>1</b>	Base Feed	48" (1219mm) or as required
<b>2</b>	Top Feed	Ceiling Height (H) + 18" (457mm)

## Panel Applications

## Panel Applications

<b>3</b>	Between two junction boxes on one panel	Panel Width (W) – 21" (533mm)
<b>4</b>	Between junction boxes if one per panel	Panel Width (W) – 5" (127mm)
<b>5</b>	Across panel connection	12" (305mm)
<b>6</b>	Across 3- or 4-Way connection	16" (406mm)
<b>7</b>	Base to Beltline	40" (1016mm)
<b>8</b>	Base to under worksurface	24" (610mm)
<b>9</b>	Base to standing height	56" (1422mm)






# Electrical Components

## Hardwire

### Base Feed Hardwire Plate



VZEB-0000-C



Class BC

#### Feature

- Includes one junction box cover plate with 0.5”(13mm) hole.

#### Specification Tips

- For floor, column, or wall hardwire connections to fixed power installations.
- Conduit and fillings are field supplied.

#### To Order, Specify:


1) Product number.

2) Trim color.

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Description	Number	Price
Hardwire (Chicago)	VZEB-0000-C	\$ 96.48

### Top Feed Module, Hardwired (Pole Only)



VZET-NT  
VZET-NW



Class BC

#### Features

- Includes one electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Pole longer than 120”(3048mm) will consist of two sections.
- Removable cover on poles provides access to pathway.
- Routes power to base raceway, below worksurface, beltline or standing height.

#### Specification Tips

- For routing and cabling capacities, see Specification Guide.
- Not for use with:
  - 18”(457mm)W frames.
  - Glass panels.
  - Glass stack frames.
- Mounts on top of the frame at either end of the frame.
- Requires field cut of top cap/work rail.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

#### To Order, Specify:

1) Product number, including:

#### 1 Trim Option

- A** Aluminum or Wood
- H** Steel


2) Trim color.

Panel Height	Pole Length	Number	Trim	
			A	B
<b>10' Ceiling Height</b>				
26”(660mm)	120”(3048mm)	VZET-2600-NT	\$942.39	\$ 1137.00
28”(711mm)	120”(3048mm)	VZET-2800-NTG	940.53	1133.70
34”(864mm)-58”(1473mm)	95”(2413mm)	VZET-3400-NT	929.37	1113.90
66”(1676mm)-90”(2286mm)	66”(1676mm)	VZET-6600-NT	867.99	1005.00
<b>12' Ceiling Height</b>				
26”(660mm)	148”(3759mm)	VZET-2600-NW	\$987.03	\$ 1216.20
28”(711mm)	148”(3759mm)	VZET-2800-NWG	983.31	1209.60
34”(864mm)-50”(1270mm)	120”(3048mm)	VZET-3400-NW	972.15	1189.80
58”(1473mm)-90”(2286mm)	95”(2413mm)	VZET-6600-NW	912.63	1084.20

# Electrical Components

## Hardwire

### End-of-Run Top Feed Module, Hardwired (Pole Only) — Connections and Below WS Power



VZET-NTEC  
VZET-NWEC



Class BC

#### Features

- Includes one electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Removable cover on poles provides access to pathway.
- Pole longer than 120”(3048mm) will consist of two sections.

#### Specification Tips


- For routing and cabling capacities, see Specification Guide.
- Mounts to the end of the frame replacing end-of-run trim.
- Specification of end-of-run trim not necessary when using End-of-Run Top Feed.
- Not for use with 2-way, 3-way or 4-way applications.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- For use with Connections or below worksurface power. Provides below worksurface power access only.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Pole Length	Number	Trim	
		A	B
<b>9.5' Ceiling Height</b>			
120”(3048mm)	VZET-2600-NTEC	\$1318.08	\$1512.69
<b>9.5'-12' Ceiling Height</b>			
148”(3759mm)	VZET-2600-NWEC	\$1362.72	\$1591.89

### End-of-Run Top Feed Module, Hardwired (Pole Only) — Beam Only



VZET-NTEJ  
VZET-NWEJ



Class BC

#### Features

- Includes one electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Removable cover on poles provides access to pathway.
- Pole longer than 120”(3048mm) will consist of two sections.

#### Specification Tips

- For routing and cabling capacities, see Specification Guide.
- Mounts to the end of the frame replacing end-of-run trim.
- Specification of end-of-run trim not necessary when using End-of-Run Top Feed.
- Not for use with 2-way, 3-way or 4-way applications.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

#### To Order, Specify:


- 1) Product number.
- 2) Trim color.

Pole Length	Number	Trim	
		A	B
<b>9.5' Ceiling Height</b>			
120”(3048mm)	VZET-2600-NTEJ	\$1318.08	\$1512.69
<b>9.5'-12' Ceiling Height</b>			
148”(3759mm)	VZET-2600-NWEJ	\$1362.72	\$1591.89

# Electrical Components

## Hardwire

### Raceway Retrofit Kits



VZEK-C



Class BC

#### Features

- Hardwired power option kits includes two junction boxes, four blank plates and optional base covers. (Conduit and wiring field supplied)
- Converts non-powered frames to powered frames.

#### Specification Tips

- 8"(203mm) tiles cannot be used in place of base raceway cover.
- Not for use with tile to floor applications.
- 24"(610mm) raceway covers provide only one opening for power and data access on left side.
- **For single gang option, frame width must be 30"(762mm) or greater.**
- Order single gang adaptor plate separately (VZAP-000-G).
- Refer to Specification Guide for Planning with Utilities.
- **Receptacle and data blank covers must be specified separately.**

#### To Order, Specify:

1) Product number, including:

**1 Cover Option Side One**  
(see chart below for upcharges)

- N** Tile to Floor
- H** Cover with knockouts
- B** Cover without knockouts
- G** Single Gang

**2 Cover Option Side Two**  
(see chart below for upcharges)

- N** Tile to Floor
- H** Cover with knockouts
- B** Cover without knockouts
- G** Single Gang

2) Trim color for cover side 1.

3) Trim color for cover side 2.

Cover Option	Side One		Side Two	
	Trim A	Trim B	Trim A	Trim B
H	\$135.14	\$145.20	\$135.14	\$145.20
B	135.14	145.20	135.14	145.20
G	159.25	166.61	159.25	166.61

#### Panel Width

#### Number 1 2

#### Trim


#### A B

Panel Width	Number	Trim A	Trim B
24"(610mm)	VZEK-OR24-C	\$368.34	\$ 381.26
30"(762mm)	VZEK-OR30-C	386.36	401.08
36"(914mm)	VZEK-OR36-C	404.38	420.90
42"(1067mm)	VZEK-OR42-C	422.40	440.72
48"(1219mm)	VZEK-OR48-C	440.42	460.54
54"(1372mm)	VZEK-OR54-C	458.44	480.36
60"(1524mm)	VZEK-OR60-C	476.46	500.18
72"(1829mm)	VZEK-OR72-C	1142.40	1169.72

# Electrical Components

## Hardwire

### Raceway Covers



VZEK-N



Class BC

#### Features

- Includes two single covers unless tile to floor option is specified which includes one cover.

#### Specification Tips

- For single gang option, panel width must be 30"(762mm) or greater. Order adaptor plate separately (VZAP-0000-G).
- 8"(203mm) tiles cannot be used in place of base raceway cover.
- 18"(457mm) raceway cover has no knockouts.
- 24"(610mm) raceway covers provide only one knockout located on left side.
- Refer to Specification Guide for Planning with Utilities.
- **Receptacle and data blank covers must be specified separately.**

#### To Order, Specify:

1) Product number, including:

#### 1 Cover Option Side One

(see chart below for upcharges)

- N** Tile to Floor
- H** Cover with knockouts
- B** Cover without knockouts
- G** Single gang

#### 2 Cover Option Side Two

(see chart below for upcharges)

- H** Cover with knockouts
- B** Cover without knockouts
- G** Single gang

2) Trim color for cover side 1.

3) Trim color for cover side 2.


Cover Option	Side One		Side Two	
	Trim A	Trim B	Trim A	Trim B
H	\$135.14	\$148.06	\$135.14	\$148.06
B	135.14	148.06	135.14	148.06
G	24.11	38.33	24.11	38.33

Panel Width	Number 12	Trim	
		A	B
18"(457mm)	VZEK-OR18-NBB	\$296.24	\$307.36
24"(610mm)	VZEK-OR24-N ■ ■	179.12	185.58
30"(762mm)	VZEK-OR30-N ■ ■	197.14	204.50
36"(914mm)	VZEK-OR36-N ■ ■	215.16	223.42
42"(1067mm)	VZEK-OR42-N ■ ■	233.18	242.34
48"(1219mm)	VZEK-OR48-N ■ ■	251.20	261.26
54"(1372mm)	VZEK-OR54-N ■ ■	269.22	280.18
60"(1524mm)	VZEK-OR60-N ■ ■	287.24	299.10
72"(1829mm)	VZEK-OR72-N ■ ■	408.81	422.47

# Electrical Components

## Hardwire

### Hardwire Power Kit — Single Sided for 26”(660mm)H Below WS, Connections and 42”(1067mm)H Panels at the Beltline



VZEK-2600-C1  
Class BC

#### Features

- Includes two 24 cubic inch junction boxes, four blank plates and mounting hardware.
- Provides power access behind a tile with technology option or field ported fabric tile at below worksurface for 26”(660mm)H and Connections panels and at the beltline for 42”(1067mm)H panels.
- Conduit, fittings, wiring, and receptacles are field supplied.
- Conforms to city of Chicago code.

#### Specification Tips


- For use with Technology tile or field ported fabric tile on one side of frame only. Opposite side of frame can use any standard/non-technology tile.
- For use with non-technology hard surface tiles on back side.
- **Not for use with 8”(203mm)H tiles.**
- Power kit connects directly to the panel frame.
- Specify receptacle plates separately.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-AK Chalk
  - TR-K Charcoal
  - TR-J Graphite
  - TR-G Gray Tone
  - TR-TW Plaster
  - TR-AA Putty
  - TR-E Smoke

Panel / Frame Width	Number	Price
24”(610mm)-60”(1524mm)	VZEK-2600-C1	\$223.23

### Hardwire Power Kit — Double Sided for 26”(660mm)H Below WS, Connections and 42”(1067mm)H Panels at the Beltline



VZEK-2600-C2  
Class BC

#### Features

- Includes two 29 cubic inch junction boxes, four blank plates and mounting hardware.
- Provides power access behind a tile with technology option or field ported fabric tile at below worksurface for 26”(660mm)H and Connections panels and at the beltline for 42”(1067mm)H panels.
- Conduit, fittings, wiring, and receptacles are field supplied.
- Conforms to city of Chicago code.

#### Specification Tips

- For use with matching width tile with technology option or field ported fabric tile.
- **Not for use with 8”(203mm)H tiles.**
- **Not for use with non-technology hard surface tiles on the back side.**
- Power kit connects directly to the panel frame.
- Specify receptacle plates separately.
- Match tile height on both sides of the frame.

#### To Order, Specify:


- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-AK Chalk
  - TR-K Charcoal
  - TR-J Graphite
  - TR-G Gray Tone
  - TR-TW Plaster
  - TR-AA Putty
  - TR-E Smoke

Panel / Frame Width	Number	Price
24”(610mm)-60”(1524mm)	VZEK-2600-C2	\$223.23

# Electrical Components

## Hardwire

### Hardwire Power Kit for Beltline, 50”(1270mm)H or Greater, Below WS and Standing Height



VZEK-C



Class BC

#### Features

- Includes two junction boxes, four blank plates, crossbar, brackets, aligner light block and mounting hardware.  
Exception: 24”(610mm) hardwire kit includes one junction box, two blank plates, crossbar, brackets, aligner light block and mounting hardware.
- Provides power access behind a tile with technology option or field ported fabric tile at the beltline, below beltline or standing height.
- Conduit, fittings, wiring and receptacles are field supplied.
- Conforms to city of Chicago code.

#### Specification Tips

- For use with matching width tile with technology option or field ported fabric tile.
- **Not for use with 8”(203mm)H tiles.**
- **Not for use with non-technology hard surface tiles on the back side.**
- Not for use at standing height on 58”(1473mm)H panel.
- Specify receptacle plates separately.
- Match tile height on both sides of the frame.
- Refer to Specification Guide for planning with utilities.

#### To Order, Specify:


- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-AK Chalk
  - TR-K Charcoal
  - TR-J Graphite
  - TR-G Gray Tone
  - TR-TW Plaster
  - TR-AA Putty
  - TR-E Smoke

Panel / Frame Width	Number	Price
24”(610mm)	VZEK-OB24-C	\$ 325.17
30”(762mm)	VZEK-OB30-C	332.97
36”(914mm)	VZEK-OB36-C	340.77
42”(1067mm)	VZEK-OB42-C	348.57
48”(1219mm)	VZEK-OB48-C	356.37
54”(1372mm)	VZEK-OB54-C	364.17
60”(1524mm)	VZEK-OB60-C	371.97
72”(1829mm)	VZEK-OB72-C	613.10

# Electrical Components

## Hardwire

### Hardwire Power Kit — Single Sided for Beam



VZEK-0800-C1  
Class BC

#### Features

- Single sided kit includes two 24 cubic inch junction boxes and four blank plates and mounting hardware.
- Conduit, fittings, wiring, and receptacles are field supplied.
- Conforms to city of Chicago code.

#### Specification Tips

- For use with Technology tile or field ported fabric tile on one side of frame only. Opposite side of frame can use any standard/non-technology tile.
- Provides technology access to one side of the frame.
- Specify receptacle plates separately.

#### To Order, Specify:


1) Product number.

2) Trim color.

- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Frame Width	Number	Price
24"(610mm)-72"(1829mm)	VZEK-0800-C1	\$223.23

### Hardwire Power Kit — Double Sided for Beam



VZEK-0800-C2  
Class BC

#### Features

- Double sided kit includes two 29 cubic inch junction boxes and four blank plates and mounting hardware.
- Conduit, fittings, wiring, and receptacles are field supplied.
- Conforms to city of Chicago code.

#### Specification Tips

- **Not for use with non-technology hard surface tile on the back side.**
- For use with Technology tile or field ported fabric tile.
- Provides technology access to both sides of the frame.
- Specify receptacle plates separately.

#### To Order, Specify:

1) Product number.

2) Trim color.


- TR-R Beige
- TR-AK Chalk
- TR-K Charcoal
- TR-J Graphite
- TR-G Gray Tone
- TR-TW Plaster
- TR-AA Putty
- TR-E Smoke

Frame Width	Number	Price
24"(610mm)-72"(1829mm)	VZEK-0800-C2	\$223.23

# Electrical Components

## Hardware

### Receptacle Plate, Hardwired



VZAP-0000-C  
Class BC

**Features**


- Includes 4 receptacle plates.
- Mounts to hardwired junction box to allow mounting of a duplex receptacle. Hardwired Plate aligns receptacle with opening of bezel in Technology Tile or Base Raceway Cover.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-AK Chalk
  - TR-K Charcoal
  - TR-J Graphite
  - TR-G Gray Tone
  - TR-TW Plaster
  - TR-AA Putty
  - TR-E Smoke

Number	Price
VZAP-0000-C	\$ 53.49

### Receptacle Plate, Hardwired



VZAP-0000-R  
Class BC

**Features**

- Includes 4 receptacle plates.
- Mount to hardwired junction box to allow mounting of duplex receptacle. Hardwired Plate aligns receptacle with opening of bezel.

**Specification Tip**

- For use with Decora® receptacles with a rectangular face.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-AK Chalk
  - TR-K Charcoal
  - TR-J Graphite
  - TR-G Gray Tone
  - TR-TW Plaster
  - TR-AA Putty
  - TR-E Smoke


Number	Price
VZAP-0000-R	\$ 53.49



# Gallery Panel

## Gallery Panel to Full Panel


### Catalog Logic



# Gallery Panel

## Gallery Panel to Beam


### Catalog Logic



# Gallery Panel

## Gallery Panel to Gallery Panel


### Catalog Logic




# Gallery Panel to Compose Panel End-of-Run

## L/R (Left or Right Mount)

(L) Left Hand Gallery Panel




(L) Left Hand Gallery Panel




SYLW (Left Face)  
SYLZ



(R) Right Hand Gallery Panel



(R) Right Hand Gallery Panel



SYRW (Right Face)  
SYRZ



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18"(30mm) thick. Compose panel adds 3"(76mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.

### Specification Tips

- For use at the end of a Compose Full Panel Frame. Takes the place of End-of-Run Trim. Separately specify Variable Height End-of-Run Trim if the Gallery Panel is shorter than the Panel application.
- Not for use with Compose Glass Panels.
- Gallery Panels and Compose Panel Frames can be the same height, lower or taller than each other. Full Panel Frame attachment heights on the Face of the Gallery Panel are available at 26"(660mm)H or 50"(1270mm)H:
  - If the Gallery Panel or Compose Panel Frame are 42"(1067mm)H or lower, select W (26"(660mm)H) for mounting height.
  - If the Gallery Panel and Compose Panel Frame are 50"(1270mm)H or higher select Z (50"(1270mm)H) for mounting height.
  - In conditions with Stack Frames, choose connection based on height of Full Panel Frame. **DO NOT MATCH HEIGHT OF STACK FRAME(S).**
- Gallery Panel has one Face connection only; select RH or LH.
- Gallery Panel End attachment is not allowed on the same hand as the Face attachment. Refer to the Specification Guide for Face and End mounting application guidelines.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

#### 1 Face Handed Connection

- L** Left Face
- R** Right Face

#### 2 Face Connection Height

- W** 26"(660mm)H-42"(1067mm)H Frame
- Z** 50"(1270mm)H or higher Frame

#### 3 Left End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H Connection (not available for Left-Hand orientation)
- B** 34"(864mm)H Connection (not available for Left-Hand orientation)
- C** 42"(1067mm)H Connection (not available for Left-Hand orientation)
- D** 50"(1270mm)H Connection (not available for Left-Hand orientation)
- E** 58"(1473mm)H Connection (not available for Left-Hand orientation)

#### 4 Right End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H Connection (not available for Right-Hand orientation)
- B** 34"(864mm)H Connection (not available for Right-Hand orientation)
- C** 42"(1067mm)H Connection (not available for Right-Hand orientation)
- D** 50"(1270mm)H Connection (not available for Right-Hand orientation)
- E** 58"(1473mm)H Connection (not available for Right-Hand orientation)

#### 5 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.

3) Edgeband color.

# Gallery Panel to Compose Panel End-of-Run

## L/R (Left or Right Mount)



Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①②	③④⑤	A	B	A	B
<b>Gallery Panels 26"(660mm)H-42"(1067mm)H</b>								
26"(660mm)	21"(533mm)	18"(457mm)	SY	W-2618-L	\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	27"(686mm)	24"(610mm)	SY	W-2624-L	565.22	573.23	848.31	856.32
	33"(838mm)	30"(762mm)	SY	W-2630-L	597.86	611.21	935.45	948.80
	39"(991mm)	36"(914mm)	SY	W-2636-L	785.94	804.63	1178.03	1196.72
	45"(1143mm)	42"(1067mm)	SY	W-2642-L	915.73	939.76	1362.32	1386.35
	51"(1295mm)	48"(1219mm)	SY	W-2648-L	948.37	977.74	1449.46	1478.83
	57"(1448mm)	54"(1372mm)	SY	W-2654-L	981.01	1015.72	1536.60	1571.31
	63"(1600mm)	60"(1524mm)	SY	W-2660-L	1013.65	1053.70	1623.74	1663.79
	69"(1753mm)	66"(1676mm)	SY	W-2666-L	1046.29	1091.68	1710.88	1756.27
	75"(1905mm)	72"(1829mm)	SY	W-2672-L	1078.93	1129.66	1798.02	1848.75
	81"(2057mm)	78"(1981mm)	SY	W-2678-L	1111.57	1167.64	1885.16	1941.23
	87"(2210mm)	84"(2134mm)	SY	W-2684-L	1144.21	1205.62	1972.30	2033.71
	93"(2362mm)	90"(2286mm)	SY	W-2690-L	1176.85	1243.60	2059.44	2126.19
	99"(2515mm)	96"(2438mm)	SY	W-2696-L	1209.49	1281.58	2146.58	2218.67
	105"(2667mm)	102"(2591mm)	SY	W-26A2-L	1242.13	1319.56	2233.72	2311.15
	111"(2819mm)	108"(2743mm)	SY	W-26A8-L	1274.77	1357.54	2320.86	2403.63
	117"(2972mm)	114"(2896mm)	SY	W-26B4-L	1307.41	1395.52	2408.00	2496.11
27"(686mm)	21"(533mm)	18"(457mm)	SY	W-2718-L	\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	27"(686mm)	24"(610mm)	SY	W-2724-L	572.99	582.27	856.08	865.36
	33"(838mm)	30"(762mm)	SY	W-2730-L	605.63	620.25	943.22	957.84
	39"(991mm)	36"(914mm)	SY	W-2736-L	793.71	813.67	1185.80	1205.76
	45"(1143mm)	42"(1067mm)	SY	W-2742-L	923.50	948.80	1370.09	1395.39
	51"(1295mm)	48"(1219mm)	SY	W-2748-L	956.14	986.78	1457.23	1487.87
	57"(1448mm)	54"(1372mm)	SY	W-2754-L	988.78	1024.76	1544.37	1580.35
	63"(1600mm)	60"(1524mm)	SY	W-2760-L	1021.42	1062.74	1631.51	1672.83
	69"(1753mm)	66"(1676mm)	SY	W-2766-L	1054.06	1100.72	1718.65	1765.31
	75"(1905mm)	72"(1829mm)	SY	W-2772-L	1086.70	1138.70	1805.79	1857.79
	81"(2057mm)	78"(1981mm)	SY	W-2778-L	1119.34	1176.68	1892.93	1950.27
	87"(2210mm)	84"(2134mm)	SY	W-2784-L	1151.98	1214.66	1980.07	2042.75
	93"(2362mm)	90"(2286mm)	SY	W-2790-L	1184.62	1252.64	2067.21	2135.23
	99"(2515mm)	96"(2438mm)	SY	W-2796-L	1217.26	1290.62	2154.35	2227.71
	105"(2667mm)	102"(2591mm)	SY	W-27A2-L	1249.90	1328.60	2241.49	2320.19
	111"(2819mm)	108"(2743mm)	SY	W-27A8-L	1282.54	1366.58	2328.63	2412.67
	117"(2972mm)	114"(2896mm)	SY	W-27B4-L	1315.18	1404.56	2415.77	2505.15
34"(864mm)	21"(533mm)	18"(457mm)	SY	W-3418-L	\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	27"(686mm)	24"(610mm)	SY	W-3424-L	627.38	645.55	910.47	928.64
	33"(838mm)	30"(762mm)	SY	W-3430-L	660.02	683.53	997.61	1021.12
	39"(991mm)	36"(914mm)	SY	W-3436-L	848.10	876.95	1240.19	1269.04
	45"(1143mm)	42"(1067mm)	SY	W-3442-L	977.89	1012.08	1424.48	1458.67
	51"(1295mm)	48"(1219mm)	SY	W-3448-L	1010.53	1050.06	1511.62	1551.15
	57"(1448mm)	54"(1372mm)	SY	W-3454-L	1043.17	1088.04	1598.76	1643.63
	63"(1600mm)	60"(1524mm)	SY	W-3460-L	1075.81	1126.02	1685.90	1736.11
	69"(1753mm)	66"(1676mm)	SY	W-3466-L	1108.45	1164.00	1773.04	1828.59
	75"(1905mm)	72"(1829mm)	SY	W-3472-L	1141.09	1201.98	1860.18	1921.07
	81"(2057mm)	78"(1981mm)	SY	W-3478-L	1173.73	1239.96	1947.32	2013.55
	87"(2210mm)	84"(2134mm)	SY	W-3484-L	1206.37	1277.94	2034.46	2106.03
	93"(2362mm)	90"(2286mm)	SY	W-3490-L	1239.01	1315.92	2121.60	2198.51
	99"(2515mm)	96"(2438mm)	SY	W-3496-L	1271.65	1353.90	2208.74	2290.99
	105"(2667mm)	102"(2591mm)	SY	W-34A2-L	1304.29	1391.88	2295.88	2383.47
	111"(2819mm)	108"(2743mm)	SY	W-34A8-L	1336.93	1429.86	2383.02	2475.95
	117"(2972mm)	114"(2896mm)	SY	W-34B4-L	1369.57	1467.84	2470.16	2568.43

# Gallery Panel to Compose Panel End-of-Run



## L/R (Left or Right Mount)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①②	③④⑤	A	B	A	B
42"(1067mm)	21"(533mm)	18"(457mm)	SY	W-4218-L	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	27"(686mm)	24"(610mm)	SY	W-4224-L	689.54	717.87	972.63	1000.96
	33"(838mm)	30"(762mm)	SY	W-4230-L	722.18	755.85	1059.77	1093.44
	39"(991mm)	36"(914mm)	SY	W-4236-L	910.26	949.27	1302.35	1341.36
	45"(1143mm)	42"(1067mm)	SY	W-4242-L	1040.05	1084.40	1486.64	1530.99
	51"(1295mm)	48"(1219mm)	SY	W-4248-L	1072.69	1122.38	1573.78	1623.47
	57"(1448mm)	54"(1372mm)	SY	W-4254-L	1105.33	1160.36	1660.92	1715.95
	63"(1600mm)	60"(1524mm)	SY	W-4260-L	1137.97	1198.34	1748.06	1808.43
	69"(1753mm)	66"(1676mm)	SY	W-4266-L	1170.61	1236.32	1835.20	1900.91
	75"(1905mm)	72"(1829mm)	SY	W-4272-L	1203.25	1274.30	1922.34	1993.39
	81"(2057mm)	78"(1981mm)	SY	W-4278-L	1235.89	1312.28	2009.48	2085.87
	87"(2210mm)	84"(2134mm)	SY	W-4284-L	1268.53	1350.26	2096.62	2178.35
	93"(2362mm)	90"(2286mm)	SY	W-4290-L	1301.17	1388.24	2183.76	2270.83
	99"(2515mm)	96"(2438mm)	SY	W-4296-L	1333.81	1426.22	2270.90	2363.31
	105"(2667mm)	102"(2591mm)	SY	W-42A2-L	1366.45	1464.20	2358.04	2455.79
	111"(2819mm)	108"(2743mm)	SY	W-42A8-L	1399.09	1502.18	2445.18	2548.27
	117"(2972mm)	114"(2896mm)	SY	W-42B4-L	1431.73	1540.16	2532.32	2640.75
<b>Gallery Panels 50"(1270mm)H</b>								
50"(1270mm)	21"(533mm)	18"(457mm)	SY	-5018-L	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	27"(686mm)	24"(610mm)	SY	-5024-L	751.70	790.19	1034.79	1073.28
	33"(838mm)	30"(762mm)	SY	-5030-L	784.34	828.17	1121.93	1165.76
	39"(991mm)	36"(914mm)	SY	-5036-L	972.42	1021.59	1364.51	1413.68
	45"(1143mm)	42"(1067mm)	SY	-5042-L	1102.21	1156.72	1548.80	1603.31
	51"(1295mm)	48"(1219mm)	SY	-5048-L	1134.85	1194.70	1635.94	1695.79
	57"(1448mm)	54"(1372mm)	SY	-5054-L	1167.49	1232.68	1723.08	1788.27
	63"(1600mm)	60"(1524mm)	SY	-5060-L	1200.13	1270.66	1810.22	1880.75
	69"(1753mm)	66"(1676mm)	SY	-5066-L	1232.77	1308.64	1897.36	1973.23
	75"(1905mm)	72"(1829mm)	SY	-5072-L	1265.41	1346.62	1984.50	2065.71
	81"(2057mm)	78"(1981mm)	SY	-5078-L	1298.05	1384.60	2071.64	2158.19
	87"(2210mm)	84"(2134mm)	SY	-5084-L	1330.69	1422.58	2158.78	2250.67
	93"(2362mm)	90"(2286mm)	SY	-5090-L	1363.33	1460.56	2245.92	2343.15
	99"(2515mm)	96"(2438mm)	SY	-5096-L	1395.97	1498.54	2333.06	2435.63
	105"(2667mm)	102"(2591mm)	SY	-50A2-L	1428.61	1536.52	2420.20	2528.11
	111"(2819mm)	108"(2743mm)	SY	-50A8-L	1461.25	1574.50	2507.34	2620.59
	117"(2972mm)	114"(2896mm)	SY	-50B4-L	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	21"(533mm)	18"(457mm)	SY	-5818-L	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	27"(686mm)	24"(610mm)	SY	-5824-L	813.86	862.51	1096.95	1145.60
	33"(838mm)	30"(762mm)	SY	-5830-L	846.50	900.49	1184.09	1238.08
	39"(991mm)	36"(914mm)	SY	-5836-L	1034.58	1093.91	1426.67	1486.00
	45"(1143mm)	42"(1067mm)	SY	-5842-L	1164.37	1229.04	1610.96	1675.63
	51"(1295mm)	48"(1219mm)	SY	-5848-L	1197.01	1267.02	1698.10	1768.11
	57"(1448mm)	54"(1372mm)	SY	-5854-L	1229.65	1305.00	1785.24	1860.59
	63"(1600mm)	60"(1524mm)	SY	-5860-L	1262.29	1342.98	1872.38	1953.07



# Gallery Panel to Compose Panel End-of-Run W/E (Half Left or Half Right Mount)



SYWW (Left Face)  
SYWZ



SYEW (Right Face)  
SYEZ



Class BC

## Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18" (30mm) thick. Half Compose panel adds 1.5" (38mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5" (38mm) level adjustment.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.
- Panel and hardware are field installed.

## Specification Tips

- A Half-Left (W) and a Half-Right (E) Gallery Panel are required for this application. Gallery Panel heights must match, widths may be different.
- For use at the end of a Compose panel frame. Takes the place of End-of-Run Trim. Separately specify Variable Height End-of-Run Trim if the Gallery Panel is shorter than the panel application.
- Not for use with Compose Glass Panels.
- Gallery Panels and Compose panel frames can be the same height, lower or taller than each other. Panel frame attachment heights on the Face of the Gallery Panel are available at 26" (660mm)H or 50" (1270mm)H:
  - If the Gallery Panel or panel frame are 42" (1067mm)H or lower, select W (26" (660mm)H) for mounting height.
  - If the Gallery Panel and panel frame are 50" (1270mm)H or higher select Z (50" (1270mm)H) for mounting height.
  - In conditions with Stack Frames, choose connection based on height of panel frame. **DO NOT MATCH HEIGHT OF STACK FRAME(S).**
- Gallery Panel has one Face connection only; select RH or LH.
- Gallery Panel End attachment is not allowed on the same hand as the Face attachment. Refer to the Specification Guide for Face and End mounting application guidelines.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

## To Order, Specify:

1) Product number, including:

### 1 Face Connection Height

**W** 26" (660mm)H-42" (1067mm)H Frame

**Z** 50" (1270mm)H or higher Frame

### 2 Left End (Finished End or Connection End)

**N** No Connection (Finished End)

**A** 26" (660mm)H Connection (not available for Left-Hand orientation)

**B** 34" (864mm)H Connection (not available for Left-Hand orientation)

**C** 42" (1067mm)H Connection (not available for Left-Hand orientation)

**D** 50" (1270mm)H Connection (not available for Left-Hand orientation)

**E** 58" (1473mm)H Connection (not available for Left-Hand orientation)

### 3 Right End (Finished End or Connection End)

**N** No Connection (Finished End)

**A** 26" (660mm)H Connection (not available for Right-Hand orientation)

**B** 34" (864mm)H Connection (not available for Right-Hand orientation)

**C** 42" (1067mm)H Connection (not available for Right-Hand orientation)

**D** 50" (1270mm)H Connection (not available for Right-Hand orientation)

**E** 58" (1473mm)H Connection (not available for Right-Hand orientation)

### 4 Glass Options

**N** No Glass (Finished Top)

**G** Glass Ready

2) Laminate surface color.

3) Edgeband color.

# Gallery Panel to Compose Panel End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number			No Glass HPL		Glass Ready HPL	
			①	②	③④	A	B	A	B
<b>East / Right Face Connection</b>									
<b>Gallery Panels 26"(660mm)H-42"(1067mm)H</b>									
26"(660mm)	19.5"(495mm)	18"(457mm)	SYEW-2618-L	N		\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	25.5"(648mm)	24"(610mm)	SYEW-2624-L	N		565.22	573.23	848.31	856.32
	31.5"(800mm)	30"(762mm)	SYEW-2630-L	N		597.86	611.21	935.45	948.80
	37.5"(953mm)	36"(914mm)	SYEW-2636-L	N		785.94	804.63	1178.03	1196.72
	43.5"(1105mm)	42"(1067mm)	SYEW-2642-L	N		915.73	939.76	1362.32	1386.35
	49.5"(1257mm)	48"(1219mm)	SYEW-2648-L	N		948.37	977.74	1449.46	1478.83
	55.5"(1410mm)	54"(1372mm)	SYEW-2654-L	N		981.01	1015.72	1536.60	1571.31
	61.5"(1562mm)	60"(1524mm)	SYEW-2660-L	N		1013.65	1053.70	1623.74	1663.79
	67.5"(1715mm)	66"(1676mm)	SYEW-2666-L	N		1046.29	1091.68	1710.88	1756.27
	73.5"(1867mm)	72"(1829mm)	SYEW-2672-L	N		1078.93	1129.66	1798.02	1848.75
	79.5"(2019mm)	78"(1981mm)	SYEW-2678-L	N		1111.57	1167.64	1885.16	1941.23
	85.5"(2172mm)	84"(2134mm)	SYEW-2684-L	N		1144.21	1205.62	1972.30	2033.71
	91.5"(2324mm)	90"(2286mm)	SYEW-2690-L	N		1176.85	1243.60	2059.44	2126.19
	97.5"(2477mm)	96"(2438mm)	SYEW-2696-L	N		1209.49	1281.58	2146.58	2218.67
	103.5"(2629mm)	102"(2591mm)	SYEW-26A2-L	N		1242.13	1319.56	2233.72	2311.15
	109.5"(2781mm)	108"(2743mm)	SYEW-26A8-L	N		1274.77	1357.54	2320.86	2403.63
	115.5"(2934mm)	114"(2896mm)	SYEW-26B4-L	N		1307.41	1395.52	2408.00	2496.11
27"(686mm)	19.5"(495mm)	18"(457mm)	SYEW-2718-L	N		\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	25.5"(648mm)	24"(610mm)	SYEW-2724-L	N		572.99	582.27	856.08	865.36
	31.5"(800mm)	30"(762mm)	SYEW-2730-L	N		605.63	620.25	943.22	957.84
	37.5"(953mm)	36"(914mm)	SYEW-2736-L	N		793.71	813.67	1185.80	1205.76
	43.5"(1105mm)	42"(1067mm)	SYEW-2742-L	N		923.50	948.80	1370.09	1395.39
	49.5"(1257mm)	48"(1219mm)	SYEW-2748-L	N		956.14	986.78	1457.23	1487.87
	55.5"(1410mm)	54"(1372mm)	SYEW-2754-L	N		988.78	1024.76	1544.37	1580.35
	61.5"(1562mm)	60"(1524mm)	SYEW-2760-L	N		1021.42	1062.74	1631.51	1672.83
	67.5"(1715mm)	66"(1676mm)	SYEW-2766-L	N		1054.06	1100.72	1718.65	1765.31
	73.5"(1867mm)	72"(1829mm)	SYEW-2772-L	N		1086.70	1138.70	1805.79	1857.79
	79.5"(2019mm)	78"(1981mm)	SYEW-2778-L	N		1119.34	1176.68	1892.93	1950.27
	85.5"(2172mm)	84"(2134mm)	SYEW-2784-L	N		1151.98	1214.66	1980.07	2042.75
	91.5"(2324mm)	90"(2286mm)	SYEW-2790-L	N		1184.62	1252.64	2067.21	2135.23
	97.5"(2477mm)	96"(2438mm)	SYEW-2796-L	N		1217.26	1290.62	2154.35	2227.71
	103.5"(2629mm)	102"(2591mm)	SYEW-27A2-L	N		1249.90	1328.60	2241.49	2320.19
	109.5"(2781mm)	108"(2743mm)	SYEW-27A8-L	N		1282.54	1366.58	2328.63	2412.67
	115.5"(2934mm)	114"(2896mm)	SYEW-27B4-L	N		1315.18	1404.56	2415.77	2505.15
34"(864mm)	19.5"(495mm)	18"(457mm)	SYEW-3418-L	N		\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	25.5"(648mm)	24"(610mm)	SYEW-3424-L	N		627.38	645.55	910.47	928.64
	31.5"(800mm)	30"(762mm)	SYEW-3430-L	N		660.02	683.53	997.61	1021.12
	37.5"(953mm)	36"(914mm)	SYEW-3436-L	N		848.10	876.95	1240.19	1269.04
	43.5"(1105mm)	42"(1067mm)	SYEW-3442-L	N		977.89	1012.08	1424.48	1458.67
	49.5"(1257mm)	48"(1219mm)	SYEW-3448-L	N		1010.53	1050.06	1511.62	1551.15
	55.5"(1410mm)	54"(1372mm)	SYEW-3454-L	N		1043.17	1088.04	1598.76	1643.63
	61.5"(1562mm)	60"(1524mm)	SYEW-3460-L	N		1075.81	1126.02	1685.90	1736.11
	67.5"(1715mm)	66"(1676mm)	SYEW-3466-L	N		1108.45	1164.00	1773.04	1828.59
	73.5"(1867mm)	72"(1829mm)	SYEW-3472-L	N		1141.09	1201.98	1860.18	1921.07
	79.5"(2019mm)	78"(1981mm)	SYEW-3478-L	N		1173.73	1239.96	1947.32	2013.55
	85.5"(2172mm)	84"(2134mm)	SYEW-3484-L	N		1206.37	1277.94	2034.46	2106.03
	91.5"(2324mm)	90"(2286mm)	SYEW-3490-L	N		1239.01	1315.92	2121.60	2198.51
	97.5"(2477mm)	96"(2438mm)	SYEW-3496-L	N		1271.65	1353.90	2208.74	2290.99
	103.5"(2629mm)	102"(2591mm)	SYEW-34A2-L	N		1304.29	1391.88	2295.88	2383.47
	109.5"(2781mm)	108"(2743mm)	SYEW-34A8-L	N		1336.93	1429.86	2383.02	2475.95
	115.5"(2934mm)	114"(2896mm)	SYEW-34B4-L	N		1369.57	1467.84	2470.16	2568.43



# Gallery Panel to Compose Panel End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③④	A	B	A	B
42"(1067mm)	19.5"(495mm)	18"(457mm)	SYEW-4218-L	N	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	25.5"(648mm)	24"(610mm)	SYEW-4224-L	N	689.54	717.87	972.63	1000.96
	31.5"(800mm)	30"(762mm)	SYEW-4230-L	N	722.18	755.85	1059.77	1093.44
	37.5"(953mm)	36"(914mm)	SYEW-4236-L	N	910.26	949.27	1302.35	1341.36
	43.5"(1105mm)	42"(1067mm)	SYEW-4242-L	N	1040.05	1084.40	1486.64	1530.99
	49.5"(1257mm)	48"(1219mm)	SYEW-4248-L	N	1072.69	1122.38	1573.78	1623.47
	55.5"(1410mm)	54"(1372mm)	SYEW-4254-L	N	1105.33	1160.36	1660.92	1715.95
	61.5"(1562mm)	60"(1524mm)	SYEW-4260-L	N	1137.97	1198.34	1748.06	1808.43
	67.5"(1715mm)	66"(1676mm)	SYEW-4266-L	N	1170.61	1236.32	1835.20	1900.91
	73.5"(1867mm)	72"(1829mm)	SYEW-4272-L	N	1203.25	1274.30	1922.34	1993.39
	79.5"(2019mm)	78"(1981mm)	SYEW-4278-L	N	1235.89	1312.28	2009.48	2085.87
	85.5"(2172mm)	84"(2134mm)	SYEW-4284-L	N	1268.53	1350.26	2096.62	2178.35
	91.5"(2324mm)	90"(2286mm)	SYEW-4290-L	N	1301.17	1388.24	2183.76	2270.83
	97.5"(2477mm)	96"(2438mm)	SYEW-4296-L	N	1333.81	1426.22	2270.90	2363.31
	103.5"(2629mm)	102"(2591mm)	SYEW-42A2-L	N	1366.45	1464.20	2358.04	2455.79
	109.5"(2781mm)	108"(2743mm)	SYEW-42A8-L	N	1399.09	1502.18	2445.18	2548.27
	115.5"(2934mm)	114"(2896mm)	SYEW-42B4-L	N	1431.73	1540.16	2532.32	2640.75
<b>Gallery Panels 50"(1270mm)H</b>								
50"(1270mm)	19.5"(495mm)	18"(457mm)	SYE -5018-L	N	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	25.5"(648mm)	24"(610mm)	SYE -5024-L	N	751.70	790.19	1034.79	1073.28
	31.5"(800mm)	30"(762mm)	SYE -5030-L	N	784.34	828.17	1121.93	1165.76
	37.5"(953mm)	36"(914mm)	SYE -5036-L	N	972.42	1021.59	1364.51	1413.68
	43.5"(1105mm)	42"(1067mm)	SYE -5042-L	N	1102.21	1156.72	1548.80	1603.31
	49.5"(1257mm)	48"(1219mm)	SYE -5048-L	N	1134.85	1194.70	1635.94	1695.79
	55.5"(1410mm)	54"(1372mm)	SYE -5054-L	N	1167.49	1232.68	1723.08	1788.27
	61.5"(1562mm)	60"(1524mm)	SYE -5060-L	N	1200.13	1270.66	1810.22	1880.75
	67.5"(1715mm)	66"(1676mm)	SYE -5066-L	N	1232.77	1308.64	1897.36	1973.23
	73.5"(1867mm)	72"(1829mm)	SYE -5072-L	N	1265.41	1346.62	1984.50	2065.71
	79.5"(2019mm)	78"(1981mm)	SYE -5078-L	N	1298.05	1384.60	2071.64	2158.19
	85.5"(2172mm)	84"(2134mm)	SYE -5084-L	N	1330.69	1422.58	2158.78	2250.67
	91.5"(2324mm)	90"(2286mm)	SYE -5090-L	N	1363.33	1460.56	2245.92	2343.15
	97.5"(2477mm)	96"(2438mm)	SYE -5096-L	N	1395.97	1498.54	2333.06	2435.63
	103.5"(2629mm)	102"(2591mm)	SYE -50A2-L	N	1428.61	1536.52	2420.20	2528.11
	109.5"(2781mm)	108"(2743mm)	SYE -50A8-L	N	1461.25	1574.50	2507.34	2620.59
	115.5"(2934mm)	114"(2896mm)	SYE -50B4-L	N	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	19.5"(495mm)	18"(457mm)	SYE -5818-L	N	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	25.5"(648mm)	24"(610mm)	SYE -5824-L	N	813.86	862.51	1096.95	1145.60
	31.5"(800mm)	30"(762mm)	SYE -5830-L	N	846.50	900.49	1184.09	1238.08
	37.5"(953mm)	36"(914mm)	SYE -5836-L	N	1034.58	1093.91	1426.67	1486.00
	43.5"(1105mm)	42"(1067mm)	SYE -5842-L	N	1164.37	1229.04	1610.96	1675.63
	49.5"(1257mm)	48"(1219mm)	SYE -5848-L	N	1197.01	1267.02	1698.10	1768.11
	55.5"(1410mm)	54"(1372mm)	SYE -5854-L	N	1229.65	1305.00	1785.24	1860.59
	61.5"(1562mm)	60"(1524mm)	SYE -5860-L	N	1262.29	1342.98	1872.38	1953.07


# Gallery Panel to Compose Panel End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number			No Glass HPL		Glass Ready HPL	
			①	②③④		A	B	A	B
<b>West / Left Face Connection</b>									
<b>Gallery Panels 26"(660mm)H-42"(1067mm)H</b>									
26"(660mm)	19.5"(495mm)	18"(457mm)	SYWW-2618-LN			\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	25.5"(648mm)	24"(610mm)	SYWW-2624-LN			565.22	573.23	848.31	856.32
	31.5"(800mm)	30"(762mm)	SYWW-2630-LN			597.86	611.21	935.45	948.80
	37.5"(953mm)	36"(914mm)	SYWW-2636-LN			785.94	804.63	1178.03	1196.72
	43.5"(1105mm)	42"(1067mm)	SYWW-2642-LN			915.73	939.76	1362.32	1386.35
	49.5"(1257mm)	48"(1219mm)	SYWW-2648-LN			948.37	977.74	1449.46	1478.83
	55.5"(1410mm)	54"(1372mm)	SYWW-2654-LN			981.01	1015.72	1536.60	1571.31
	61.5"(1562mm)	60"(1524mm)	SYWW-2660-LN			1013.65	1053.70	1623.74	1663.79
	67.5"(1715mm)	66"(1676mm)	SYWW-2666-LN			1046.29	1091.68	1710.88	1756.27
	73.5"(1867mm)	72"(1829mm)	SYWW-2672-LN			1078.93	1129.66	1798.02	1848.75
	79.5"(2019mm)	78"(1981mm)	SYWW-2678-LN			1111.57	1167.64	1885.16	1941.23
	85.5"(2172mm)	84"(2134mm)	SYWW-2684-LN			1144.21	1205.62	1972.30	2033.71
	91.5"(2324mm)	90"(2286mm)	SYWW-2690-LN			1176.85	1243.60	2059.44	2126.19
	97.5"(2477mm)	96"(2438mm)	SYWW-2696-LN			1209.49	1281.58	2146.58	2218.67
	103.5"(2629mm)	102"(2591mm)	SYWW-26A2-LN			1242.13	1319.56	2233.72	2311.15
	109.5"(2781mm)	108"(2743mm)	SYWW-26A8-LN			1274.77	1357.54	2320.86	2403.63
	115.5"(2934mm)	114"(2896mm)	SYWW-26B4-LN			1307.41	1395.52	2408.00	2496.11
27"(686mm)	19.5"(495mm)	18"(457mm)	SYWW-2718-LN			\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	25.5"(648mm)	24"(610mm)	SYWW-2724-LN			572.99	582.27	856.08	865.36
	31.5"(800mm)	30"(762mm)	SYWW-2730-LN			605.63	620.25	943.22	957.84
	37.5"(953mm)	36"(914mm)	SYWW-2736-LN			793.71	813.67	1185.80	1205.76
	43.5"(1105mm)	42"(1067mm)	SYWW-2742-LN			923.50	948.80	1370.09	1395.39
	49.5"(1257mm)	48"(1219mm)	SYWW-2748-LN			956.14	986.78	1457.23	1487.87
	55.5"(1410mm)	54"(1372mm)	SYWW-2754-LN			988.78	1024.76	1544.37	1580.35
	61.5"(1562mm)	60"(1524mm)	SYWW-2760-LN			1021.42	1062.74	1631.51	1672.83
	67.5"(1715mm)	66"(1676mm)	SYWW-2766-LN			1054.06	1100.72	1718.65	1765.31
	73.5"(1867mm)	72"(1829mm)	SYWW-2772-LN			1086.70	1138.70	1805.79	1857.79
	79.5"(2019mm)	78"(1981mm)	SYWW-2778-LN			1119.34	1176.68	1892.93	1950.27
	85.5"(2172mm)	84"(2134mm)	SYWW-2784-LN			1151.98	1214.66	1980.07	2042.75
	91.5"(2324mm)	90"(2286mm)	SYWW-2790-LN			1184.62	1252.64	2067.21	2135.23
	97.5"(2477mm)	96"(2438mm)	SYWW-2796-LN			1217.26	1290.62	2154.35	2227.71
	103.5"(2629mm)	102"(2591mm)	SYWW-27A2-LN			1249.90	1328.60	2241.49	2320.19
	109.5"(2781mm)	108"(2743mm)	SYWW-27A8-LN			1282.54	1366.58	2328.63	2412.67
	115.5"(2934mm)	114"(2896mm)	SYWW-27B4-LN			1315.18	1404.56	2415.77	2505.15
34"(864mm)	19.5"(495mm)	18"(457mm)	SYWW-3418-LN			\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	25.5"(648mm)	24"(610mm)	SYWW-3424-LN			627.38	645.55	910.47	928.64
	31.5"(800mm)	30"(762mm)	SYWW-3430-LN			660.02	683.53	997.61	1021.12
	37.5"(953mm)	36"(914mm)	SYWW-3436-LN			848.10	876.95	1240.19	1269.04
	43.5"(1105mm)	42"(1067mm)	SYWW-3442-LN			977.89	1012.08	1424.48	1458.67
	49.5"(1257mm)	48"(1219mm)	SYWW-3448-LN			1010.53	1050.06	1511.62	1551.15
	55.5"(1410mm)	54"(1372mm)	SYWW-3454-LN			1043.17	1088.04	1598.76	1643.63
	61.5"(1562mm)	60"(1524mm)	SYWW-3460-LN			1075.81	1126.02	1685.90	1736.11
	67.5"(1715mm)	66"(1676mm)	SYWW-3466-LN			1108.45	1164.00	1773.04	1828.59
	73.5"(1867mm)	72"(1829mm)	SYWW-3472-LN			1141.09	1201.98	1860.18	1921.07
	79.5"(2019mm)	78"(1981mm)	SYWW-3478-LN			1173.73	1239.96	1947.32	2013.55
	85.5"(2172mm)	84"(2134mm)	SYWW-3484-LN			1206.37	1277.94	2034.46	2106.03
	91.5"(2324mm)	90"(2286mm)	SYWW-3490-LN			1239.01	1315.92	2121.60	2198.51
	97.5"(2477mm)	96"(2438mm)	SYWW-3496-LN			1271.65	1353.90	2208.74	2290.99
	103.5"(2629mm)	102"(2591mm)	SYWW-34A2-LN			1304.29	1391.88	2295.88	2383.47
	109.5"(2781mm)	108"(2743mm)	SYWW-34A8-LN			1336.93	1429.86	2383.02	2475.95
	115.5"(2934mm)	114"(2896mm)	SYWW-34B4-LN			1369.57	1467.84	2470.16	2568.43

# Gallery Panel to Compose Panel End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③④	A	B	A	B
42"(1067mm)	19.5"(495mm)	18"(457mm)	SYWW-4218-LN	■ ■	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	25.5"(648mm)	24"(610mm)	SYWW-4224-LN	■ ■	689.54	717.87	972.63	1000.96
	31.5"(800mm)	30"(762mm)	SYWW-4230-LN	■ ■	722.18	755.85	1059.77	1093.44
	37.5"(953mm)	36"(914mm)	SYWW-4236-LN	■ ■	910.26	949.27	1302.35	1341.36
	43.5"(1105mm)	42"(1067mm)	SYWW-4242-LN	■ ■	1040.05	1084.40	1486.64	1530.99
	49.5"(1257mm)	48"(1219mm)	SYWW-4248-LN	■ ■	1072.69	1122.38	1573.78	1623.47
	55.5"(1410mm)	54"(1372mm)	SYWW-4254-LN	■ ■	1105.33	1160.36	1660.92	1715.95
	61.5"(1562mm)	60"(1524mm)	SYWW-4260-LN	■ ■	1137.97	1198.34	1748.06	1808.43
	67.5"(1715mm)	66"(1676mm)	SYWW-4266-LN	■ ■	1170.61	1236.32	1835.20	1900.91
	73.5"(1867mm)	72"(1829mm)	SYWW-4272-LN	■ ■	1203.25	1274.30	1922.34	1993.39
	79.5"(2019mm)	78"(1981mm)	SYWW-4278-LN	■ ■	1235.89	1312.28	2009.48	2085.87
	85.5"(2172mm)	84"(2134mm)	SYWW-4284-LN	■ ■	1268.53	1350.26	2096.62	2178.35
	91.5"(2324mm)	90"(2286mm)	SYWW-4290-LN	■ ■	1301.17	1388.24	2183.76	2270.83
	97.5"(2477mm)	96"(2438mm)	SYWW-4296-LN	■ ■	1333.81	1426.22	2270.90	2363.31
	103.5"(2629mm)	102"(2591mm)	SYWW-42A2-LN	■ ■	1366.45	1464.20	2358.04	2455.79
	109.5"(2781mm)	108"(2743mm)	SYWW-42A8-LN	■ ■	1399.09	1502.18	2445.18	2548.27
	115.5"(2934mm)	114"(2896mm)	SYWW-42B4-LN	■ ■	1431.73	1540.16	2532.32	2640.75
<b>Gallery Panels 50"(1270mm)H</b>								
50"(1270mm)	19.5"(495mm)	18"(457mm)	SYW -5018-LN	■ ■	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	25.5"(648mm)	24"(610mm)	SYW -5024-LN	■ ■	751.70	790.19	1034.79	1073.28
	31.5"(800mm)	30"(762mm)	SYW -5030-LN	■ ■	784.34	828.17	1121.93	1165.76
	37.5"(953mm)	36"(914mm)	SYW -5036-LN	■ ■	972.42	1021.59	1364.51	1413.68
	43.5"(1105mm)	42"(1067mm)	SYW -5042-LN	■ ■	1102.21	1156.72	1548.80	1603.31
	49.5"(1257mm)	48"(1219mm)	SYW -5048-LN	■ ■	1134.85	1194.70	1635.94	1695.79
	55.5"(1410mm)	54"(1372mm)	SYW -5054-LN	■ ■	1167.49	1232.68	1723.08	1788.27
	61.5"(1562mm)	60"(1524mm)	SYW -5060-LN	■ ■	1200.13	1270.66	1810.22	1880.75
	67.5"(1715mm)	66"(1676mm)	SYW -5066-LN	■ ■	1232.77	1308.64	1897.36	1973.23
	73.5"(1867mm)	72"(1829mm)	SYW -5072-LN	■ ■	1265.41	1346.62	1984.50	2065.71
	79.5"(2019mm)	78"(1981mm)	SYW -5078-LN	■ ■	1298.05	1384.60	2071.64	2158.19
	85.5"(2172mm)	84"(2134mm)	SYW -5084-LN	■ ■	1330.69	1422.58	2158.78	2250.67
	91.5"(2324mm)	90"(2286mm)	SYW -5090-LN	■ ■	1363.33	1460.56	2245.92	2343.15
	97.5"(2477mm)	96"(2438mm)	SYW -5096-LN	■ ■	1395.97	1498.54	2333.06	2435.63
	103.5"(2629mm)	102"(2591mm)	SYW -50A2-LN	■ ■	1428.61	1536.52	2420.20	2528.11
	109.5"(2781mm)	108"(2743mm)	SYW -50A8-LN	■ ■	1461.25	1574.50	2507.34	2620.59
	115.5"(2934mm)	114"(2896mm)	SYW -50B4-LN	■ ■	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	19.5"(495mm)	18"(457mm)	SYW -5818-LN	■ ■	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	25.5"(648mm)	24"(610mm)	SYW -5824-LN	■ ■	813.86	862.51	1096.95	1145.60
	31.5"(800mm)	30"(762mm)	SYW -5830-LN	■ ■	846.50	900.49	1184.09	1238.08
	37.5"(953mm)	36"(914mm)	SYW -5836-LN	■ ■	1034.58	1093.91	1426.67	1486.00
	43.5"(1105mm)	42"(1067mm)	SYW -5842-LN	■ ■	1164.37	1229.04	1610.96	1675.63
	49.5"(1257mm)	48"(1219mm)	SYW -5848-LN	■ ■	1197.01	1267.02	1698.10	1768.11
	55.5"(1410mm)	54"(1372mm)	SYW -5854-LN	■ ■	1229.65	1305.00	1785.24	1860.59
	61.5"(1562mm)	60"(1524mm)	SYW -5860-LN	■ ■	1262.29	1342.98	1872.38	1953.07

# Gallery Panel to Compose Panel End-of-Run C (Center Mount)



### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18”(30mm) thick. Compose panel adds 3”(76mm) to width.
- High Pressured Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5”(38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.

### Specification Tips

- For use at the end of a Compose panel frame. Takes the place of End-of-Run Trim. Separately specify Variable Height End-of-Run Trim if the Gallery Panel is shorter than the panel application.
- Not for use with Compose Glass Panels.
- Gallery Panels and Compose panel frames can be the same height, lower or taller than each other. Compose panel frame attachment heights on the Face of the Gallery Panel are available at 26”(660mm)H or 50”(1270mm)H:
  - If the Gallery Panel or Compose panel frame are 42”(1067mm)H or lower, select W (26”(660mm)H) for mounting height.
  - If the Gallery Panel and Compose panel frame are 50”(1270mm)H or higher select Z (50”(1270mm)H) for mounting height.
  - In conditions with Stack Frames, choose connection based on height of panel frame. **DO NOT MATCH HEIGHT OF STACK FRAME(S).**
- Gallery Panel has one center Face connection only.
- Refer to the Specification Guide for Face and End mounting application guidelines.
- Specify No Glass option when using Glass Topper Holder Kit.
- “No Glass” Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

- Product number, including:
  - Face Connection Height**
    - W** 26”(660mm)H-42”(1067mm)H Frame
    - Z** 50”(1270mm)H or higher Frame
  - Left End (Finished End or Connection End)**
    - N** No Connection (Finished End)
    - A** 26”(660mm)H Connection (not available for Left-Hand orientation)
    - B** 34”(864mm)H Connection (not available for Left-Hand orientation)
    - C** 42”(1067mm)H Connection (not available for Left-Hand orientation)
    - D** 50”(1270mm)H Connection (not available for Left-Hand orientation)
    - E** 58”(1473mm)H Connection (not available for Left-Hand orientation)
  - Right End (Finished End or Connection End)**
    - N** No Connection (Finished End)
    - A** 26”(660mm)H Connection (not available for Right-Hand orientation)
    - B** 34”(864mm)H Connection (not available for Right-Hand orientation)
    - C** 42”(1067mm)H Connection (not available for Right-Hand orientation)
    - D** 50”(1270mm)H Connection (not available for Right-Hand orientation)
    - E** 58”(1473mm)H Connection (not available for Right-Hand orientation)
  - Glass Options**
    - N** No Glass (Finished Top)
    - G** Glass Ready
- Laminate surface color.
- Edgeband color.





# Gallery Panel to Compose Panel End-of-Run C (Center Mount)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③④	A	B	A	B
<b>Gallery Panels 26"(660mm)H-42"(1067mm)H</b>								
26"(660mm)	21"(533mm)	18"(457mm)	SYCW-2618-L	■ ■ ■ ■	\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	27"(686mm)	24"(610mm)	SYCW-2624-L	■ ■ ■ ■	565.22	573.23	848.31	856.32
	33"(838mm)	30"(762mm)	SYCW-2630-L	■ ■ ■ ■	597.86	611.21	935.45	948.80
	39"(991mm)	36"(914mm)	SYCW-2636-L	■ ■ ■ ■	785.94	804.63	1178.03	1196.72
	45"(1143mm)	42"(1067mm)	SYCW-2642-L	■ ■ ■ ■	915.73	939.76	1362.32	1386.35
	51"(1295mm)	48"(1219mm)	SYCW-2648-L	■ ■ ■ ■	948.37	977.74	1449.46	1478.83
	57"(1448mm)	54"(1372mm)	SYCW-2654-L	■ ■ ■ ■	981.01	1015.72	1536.60	1571.31
	63"(1600mm)	60"(1524mm)	SYCW-2660-L	■ ■ ■ ■	1013.65	1053.70	1623.74	1663.79
	69"(1753mm)	66"(1676mm)	SYCW-2666-L	■ ■ ■ ■	1046.29	1091.68	1710.88	1756.27
	75"(1905mm)	72"(1829mm)	SYCW-2672-L	■ ■ ■ ■	1078.93	1129.66	1798.02	1848.75
	81"(2057mm)	78"(1981mm)	SYCW-2678-L	■ ■ ■ ■	1111.57	1167.64	1885.16	1941.23
	87"(2210mm)	84"(2134mm)	SYCW-2684-L	■ ■ ■ ■	1144.21	1205.62	1972.30	2033.71
	93"(2362mm)	90"(2286mm)	SYCW-2690-L	■ ■ ■ ■	1176.85	1243.60	2059.44	2126.19
	99"(2515mm)	96"(2438mm)	SYCW-2696-L	■ ■ ■ ■	1209.49	1281.58	2146.58	2218.67
	105"(2667mm)	102"(2591mm)	SYCW-26A2-L	■ ■ ■ ■	1242.13	1319.56	2233.72	2311.15
	111"(2819mm)	108"(2743mm)	SYCW-26A8-L	■ ■ ■ ■	1274.77	1357.54	2320.86	2403.63
	117"(2972mm)	114"(2896mm)	SYCW-26B4-L	■ ■ ■ ■	1307.41	1395.52	2408.00	2496.11
27"(686mm)	21"(533mm)	18"(457mm)	SYCW-2718-L	■ ■ ■ ■	\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	27"(686mm)	24"(610mm)	SYCW-2724-L	■ ■ ■ ■	572.99	582.27	856.08	865.36
	33"(838mm)	30"(762mm)	SYCW-2730-L	■ ■ ■ ■	605.63	620.25	943.22	957.84
	39"(991mm)	36"(914mm)	SYCW-2736-L	■ ■ ■ ■	793.71	813.67	1185.80	1205.76
	45"(1143mm)	42"(1067mm)	SYCW-2742-L	■ ■ ■ ■	923.50	948.80	1370.09	1395.39
	51"(1295mm)	48"(1219mm)	SYCW-2748-L	■ ■ ■ ■	956.14	986.78	1457.23	1487.87
	57"(1448mm)	54"(1372mm)	SYCW-2754-L	■ ■ ■ ■	988.78	1024.76	1544.37	1580.35
	63"(1600mm)	60"(1524mm)	SYCW-2760-L	■ ■ ■ ■	1021.42	1062.74	1631.51	1672.83
	69"(1753mm)	66"(1676mm)	SYCW-2766-L	■ ■ ■ ■	1054.06	1100.72	1718.65	1765.31
	75"(1905mm)	72"(1829mm)	SYCW-2772-L	■ ■ ■ ■	1086.70	1138.70	1805.79	1857.79
	81"(2057mm)	78"(1981mm)	SYCW-2778-L	■ ■ ■ ■	1119.34	1176.68	1892.93	1950.27
	87"(2210mm)	84"(2134mm)	SYCW-2784-L	■ ■ ■ ■	1151.98	1214.66	1980.07	2042.75
	93"(2362mm)	90"(2286mm)	SYCW-2790-L	■ ■ ■ ■	1184.62	1252.64	2067.21	2135.23
	99"(2515mm)	96"(2438mm)	SYCW-2796-L	■ ■ ■ ■	1217.26	1290.62	2154.35	2227.71
	105"(2667mm)	102"(2591mm)	SYCW-27A2-L	■ ■ ■ ■	1249.90	1328.60	2241.49	2320.19
	111"(2819mm)	108"(2743mm)	SYCW-27A8-L	■ ■ ■ ■	1282.54	1366.58	2328.63	2412.67
	117"(2972mm)	114"(2896mm)	SYCW-27B4-L	■ ■ ■ ■	1315.18	1404.56	2415.77	2505.15
34"(864mm)	21"(533mm)	18"(457mm)	SYCW-3418-L	■ ■ ■ ■	\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	27"(686mm)	24"(610mm)	SYCW-3424-L	■ ■ ■ ■	627.38	645.55	910.47	928.64
	33"(838mm)	30"(762mm)	SYCW-3430-L	■ ■ ■ ■	660.02	683.53	997.61	1021.12
	39"(991mm)	36"(914mm)	SYCW-3436-L	■ ■ ■ ■	848.10	876.95	1240.19	1269.04
	45"(1143mm)	42"(1067mm)	SYCW-3442-L	■ ■ ■ ■	977.89	1012.08	1424.48	1458.67
	51"(1295mm)	48"(1219mm)	SYCW-3448-L	■ ■ ■ ■	1010.53	1050.06	1511.62	1551.15
	57"(1448mm)	54"(1372mm)	SYCW-3454-L	■ ■ ■ ■	1043.17	1088.04	1598.76	1643.63
	63"(1600mm)	60"(1524mm)	SYCW-3460-L	■ ■ ■ ■	1075.81	1126.02	1685.90	1736.11
	69"(1753mm)	66"(1676mm)	SYCW-3466-L	■ ■ ■ ■	1108.45	1164.00	1773.04	1828.59
	75"(1905mm)	72"(1829mm)	SYCW-3472-L	■ ■ ■ ■	1141.09	1201.98	1860.18	1921.07
	81"(2057mm)	78"(1981mm)	SYCW-3478-L	■ ■ ■ ■	1173.73	1239.96	1947.32	2013.55
	87"(2210mm)	84"(2134mm)	SYCW-3484-L	■ ■ ■ ■	1206.37	1277.94	2034.46	2106.03
	93"(2362mm)	90"(2286mm)	SYCW-3490-L	■ ■ ■ ■	1239.01	1315.92	2121.60	2198.51
	99"(2515mm)	96"(2438mm)	SYCW-3496-L	■ ■ ■ ■	1271.65	1353.90	2208.74	2290.99
	105"(2667mm)	102"(2591mm)	SYCW-34A2-L	■ ■ ■ ■	1304.29	1391.88	2295.88	2383.47
	111"(2819mm)	108"(2743mm)	SYCW-34A8-L	■ ■ ■ ■	1336.93	1429.86	2383.02	2475.95
	117"(2972mm)	114"(2896mm)	SYCW-34B4-L	■ ■ ■ ■	1369.57	1467.84	2470.16	2568.43



# Gallery Panel to Compose Panel End-of-Run C (Center Mount)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③④	A	B	A	B
42"(1067mm)	21"(533mm)	18"(457mm)	SYCW-4218-L	■ ■ ■ ■	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	27"(686mm)	24"(610mm)	SYCW-4224-L	■ ■ ■ ■	689.54	717.87	972.63	1000.96
	33"(838mm)	30"(762mm)	SYCW-4230-L	■ ■ ■ ■	722.18	755.85	1059.77	1093.44
	39"(991mm)	36"(914mm)	SYCW-4236-L	■ ■ ■ ■	910.26	949.27	1302.35	1341.36
	45"(1143mm)	42"(1067mm)	SYCW-4242-L	■ ■ ■ ■	1040.05	1084.40	1486.64	1530.99
	51"(1295mm)	48"(1219mm)	SYCW-4248-L	■ ■ ■ ■	1072.69	1122.38	1573.78	1623.47
	57"(1448mm)	54"(1372mm)	SYCW-4254-L	■ ■ ■ ■	1105.33	1160.36	1660.92	1715.95
	63"(1600mm)	60"(1524mm)	SYCW-4260-L	■ ■ ■ ■	1137.97	1198.34	1748.06	1808.43
	69"(1753mm)	66"(1676mm)	SYCW-4266-L	■ ■ ■ ■	1170.61	1236.32	1835.20	1900.91
	75"(1905mm)	72"(1829mm)	SYCW-4272-L	■ ■ ■ ■	1203.25	1274.30	1922.34	1993.39
	81"(2057mm)	78"(1981mm)	SYCW-4278-L	■ ■ ■ ■	1235.89	1312.28	2009.48	2085.87
	87"(2210mm)	84"(2134mm)	SYCW-4284-L	■ ■ ■ ■	1268.53	1350.26	2096.62	2178.35
	93"(2362mm)	90"(2286mm)	SYCW-4290-L	■ ■ ■ ■	1301.17	1388.24	2183.76	2270.83
	99"(2515mm)	96"(2438mm)	SYCW-4296-L	■ ■ ■ ■	1333.81	1426.22	2270.90	2363.31
	105"(2667mm)	102"(2591mm)	SYCW-42A2-L	■ ■ ■ ■	1366.45	1464.20	2358.04	2455.79
	111"(2819mm)	108"(2743mm)	SYCW-42A8-L	■ ■ ■ ■	1399.09	1502.18	2445.18	2548.27
	117"(2972mm)	114"(2896mm)	SYCW-42B4-L	■ ■ ■ ■	1431.73	1540.16	2532.32	2640.75
<b>Gallery Panels 50"(1270mm)H</b>								
50"(1270mm)	21"(533mm)	18"(457mm)	SYC -5018-L	■ ■ ■ ■	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	27"(686mm)	24"(610mm)	SYC -5024-L	■ ■ ■ ■	751.70	790.19	1034.79	1073.28
	33"(838mm)	30"(762mm)	SYC -5030-L	■ ■ ■ ■	784.34	828.17	1121.93	1165.76
	39"(991mm)	36"(914mm)	SYC -5036-L	■ ■ ■ ■	972.42	1021.59	1364.51	1413.68
	45"(1143mm)	42"(1067mm)	SYC -5042-L	■ ■ ■ ■	1102.21	1156.72	1548.80	1603.31
	51"(1295mm)	48"(1219mm)	SYC -5048-L	■ ■ ■ ■	1134.85	1194.70	1635.94	1695.79
	57"(1448mm)	54"(1372mm)	SYC -5054-L	■ ■ ■ ■	1167.49	1232.68	1723.08	1788.27
	63"(1600mm)	60"(1524mm)	SYC -5060-L	■ ■ ■ ■	1200.13	1270.66	1810.22	1880.75
	69"(1753mm)	66"(1676mm)	SYC -5066-L	■ ■ ■ ■	1232.77	1308.64	1897.36	1973.23
	75"(1905mm)	72"(1829mm)	SYC -5072-L	■ ■ ■ ■	1265.41	1346.62	1984.50	2065.71
	81"(2057mm)	78"(1981mm)	SYC -5078-L	■ ■ ■ ■	1298.05	1384.60	2071.64	2158.19
	87"(2210mm)	84"(2134mm)	SYC -5084-L	■ ■ ■ ■	1330.69	1422.58	2158.78	2250.67
	93"(2362mm)	90"(2286mm)	SYC -5090-L	■ ■ ■ ■	1363.33	1460.56	2245.92	2343.15
	99"(2515mm)	96"(2438mm)	SYC -5096-L	■ ■ ■ ■	1395.97	1498.54	2333.06	2435.63
	105"(2667mm)	102"(2591mm)	SYC -50A2-L	■ ■ ■ ■	1428.61	1536.52	2420.20	2528.11
	111"(2819mm)	108"(2743mm)	SYC -50A8-L	■ ■ ■ ■	1461.25	1574.50	2507.34	2620.59
	117"(2972mm)	114"(2896mm)	SYC -50B4-L	■ ■ ■ ■	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	21"(533mm)	18"(457mm)	SYC -5818-L	■ ■ ■ ■	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	27"(686mm)	24"(610mm)	SYC -5824-L	■ ■ ■ ■	813.86	862.51	1096.95	1145.60
	33"(838mm)	30"(762mm)	SYC -5830-L	■ ■ ■ ■	846.50	900.49	1184.09	1238.08
	39"(991mm)	36"(914mm)	SYC -5836-L	■ ■ ■ ■	1034.58	1093.91	1426.67	1486.00
	45"(1143mm)	42"(1067mm)	SYC -5842-L	■ ■ ■ ■	1164.37	1229.04	1610.96	1675.63
	51"(1295mm)	48"(1219mm)	SYC -5848-L	■ ■ ■ ■	1197.01	1267.02	1698.10	1768.11
	57"(1448mm)	54"(1372mm)	SYC -5854-L	■ ■ ■ ■	1229.65	1305.00	1785.24	1860.59
	63"(1600mm)	60"(1524mm)	SYC -5860-L	■ ■ ■ ■	1262.29	1342.98	1872.38	1953.07

# Gallery Panel to Compose Panel Intermediate T (Two-Sided Left/Right)



SYTW  
SYTZ



Class BC

## Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18"(30mm) thick. Compose panel adds 3"(76mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.
- **Power pass through standard at the base.**

## Specification Tips

- For intermediate use between two Compose panel frames. The two Compose panel frames must be the same height. Specify two Variable Height End-of-Run Trim or a Gallery Panel Variable Height In-Line Trim Post if the Gallery Panel is shorter than the two Compose panel frames.
- Not for use with Compose Glass Panels.
- Gallery Panels and Compose panel frames can be the same height, lower or taller than each other. Panel frame attachment heights on the Face of the Gallery Panel are available at 26"(660mm)H or 50"(1270mm)H:
  - If the Gallery Panel or panel frame are 42"(1067mm)H or lower, select W (26"(660mm)H) for mounting height.
  - If the Gallery Panel and panel frame are 50"(1270mm)H or higher select Z (50"(1270mm)H) for mounting height.
  - In conditions with Stack Frames, choose connection based on height of panel frame. **DO NOT MATCH HEIGHT OF STACK FRAME(S).**
- Gallery Panel has a handed face connection on both sides.
- Refer to the Specification Guide for Face and End mounting application guidelines.
- Base power applications require separately specified Flexible Power Connector - Corner Span, Work-height (VZEF-OBOQ-).
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

## To Order, Specify:

1) Product number, including:

### 1 Face Connection Height

**W** 26"(660mm)H-42"(1067mm)H  
Frame

**Z** 50"(1270mm)H or higher  
Frame

### 2 Other End (Finished End or Connection End)

**N** No Connection (Finished End)

**A** 26"(660mm)H Connection

**B** 34"(864mm)H Connection

**C** 42"(1067mm)H Connection

**D** 50"(1270mm)H Connection

**E** 58"(1473mm)H Connection

### 3 Glass Options

**N** No Glass (Finished Top)

**G** Glass Ready

2) Laminate surface color.

3) Edgeband color.

# Gallery Panel to Compose Panel Intermediate T (Two-Sided Left/Right)





Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③	A	B	A	B
<b>Gallery Panels 26"(660mm)H-42"(1067mm)H</b>								
26"(660mm)	21"(533mm)	18"(457mm)	SYTW-2618-LN		\$ 665.95	\$ 668.62	\$ 894.54	\$ 897.21
	27"(686mm)	24"(610mm)	SYTW-2624-LN		698.59	706.60	981.68	989.69
	33"(838mm)	30"(762mm)	SYTW-2630-LN		731.23	744.58	1068.82	1082.17
	39"(991mm)	36"(914mm)	SYTW-2636-LN		919.31	938.00	1311.40	1330.09
	45"(1143mm)	42"(1067mm)	SYTW-2642-LN		1049.10	1073.13	1495.69	1519.72
	51"(1295mm)	48"(1219mm)	SYTW-2648-LN		1081.74	1111.11	1582.83	1612.20
	57"(1448mm)	54"(1372mm)	SYTW-2654-LN		1114.38	1149.09	1669.97	1704.68
	63"(1600mm)	60"(1524mm)	SYTW-2660-LN		1147.02	1187.07	1757.11	1797.16
	69"(1753mm)	66"(1676mm)	SYTW-2666-LN		1179.66	1225.05	1844.25	1889.64
	75"(1905mm)	72"(1829mm)	SYTW-2672-LN		1212.30	1263.03	1931.39	1982.12
	81"(2057mm)	78"(1981mm)	SYTW-2678-LN		1244.94	1301.01	2018.53	2074.60
	87"(2210mm)	84"(2134mm)	SYTW-2684-LN		1277.58	1338.99	2105.67	2167.08
	93"(2362mm)	90"(2286mm)	SYTW-2690-LN		1310.22	1376.97	2192.81	2259.56
	99"(2515mm)	96"(2438mm)	SYTW-2696-LN		1342.86	1414.95	2279.95	2352.04
	105"(2667mm)	102"(2591mm)	SYTW-26A2-LN		1375.50	1452.93	2367.09	2444.52
	111"(2819mm)	108"(2743mm)	SYTW-26A8-LN		1408.14	1490.91	2454.23	2537.00
	117"(2972mm)	114"(2896mm)	SYTW-26B4-LN		1440.78	1528.89	2541.37	2629.48
27"(686mm)	21"(533mm)	18"(457mm)	SYTW-2718-LN		\$ 673.72	\$ 677.66	\$ 902.31	\$ 906.25
	27"(686mm)	24"(610mm)	SYTW-2724-LN		706.36	715.64	989.45	998.73
	33"(838mm)	30"(762mm)	SYTW-2730-LN		739.00	753.62	1076.59	1091.21
	39"(991mm)	36"(914mm)	SYTW-2736-LN		927.08	947.04	1319.17	1339.13
	45"(1143mm)	42"(1067mm)	SYTW-2742-LN		1056.87	1082.17	1503.46	1528.76
	51"(1295mm)	48"(1219mm)	SYTW-2748-LN		1089.51	1120.15	1590.60	1621.24
	57"(1448mm)	54"(1372mm)	SYTW-2754-LN		1122.15	1158.13	1677.74	1713.72
	63"(1600mm)	60"(1524mm)	SYTW-2760-LN		1154.79	1196.11	1764.88	1806.20
	69"(1753mm)	66"(1676mm)	SYTW-2766-LN		1187.43	1234.09	1852.02	1898.68
	75"(1905mm)	72"(1829mm)	SYTW-2772-LN		1220.07	1272.07	1939.16	1991.16
	81"(2057mm)	78"(1981mm)	SYTW-2778-LN		1252.71	1310.05	2026.30	2083.64
	87"(2210mm)	84"(2134mm)	SYTW-2784-LN		1285.35	1348.03	2113.44	2176.12
	93"(2362mm)	90"(2286mm)	SYTW-2790-LN		1317.99	1386.01	2200.58	2268.60
	99"(2515mm)	96"(2438mm)	SYTW-2796-LN		1350.63	1423.99	2287.72	2361.08
	105"(2667mm)	102"(2591mm)	SYTW-27A2-LN		1383.27	1461.97	2374.86	2453.56
	111"(2819mm)	108"(2743mm)	SYTW-27A8-LN		1415.91	1499.95	2462.00	2546.04
	117"(2972mm)	114"(2896mm)	SYTW-27B4-LN		1448.55	1537.93	2549.14	2638.52
34"(864mm)	21"(533mm)	18"(457mm)	SYTW-3418-LN		\$ 728.11	\$ 740.94	\$ 956.70	\$ 969.53
	27"(686mm)	24"(610mm)	SYTW-3424-LN		760.75	778.92	1043.84	1062.01
	33"(838mm)	30"(762mm)	SYTW-3430-LN		793.39	816.90	1130.98	1154.49
	39"(991mm)	36"(914mm)	SYTW-3436-LN		981.47	1010.32	1373.56	1402.41
	45"(1143mm)	42"(1067mm)	SYTW-3442-LN		1111.26	1145.45	1557.85	1592.04
	51"(1295mm)	48"(1219mm)	SYTW-3448-LN		1143.90	1183.43	1644.99	1684.52
	57"(1448mm)	54"(1372mm)	SYTW-3454-LN		1176.54	1221.41	1732.13	1777.00
	63"(1600mm)	60"(1524mm)	SYTW-3460-LN		1209.18	1259.39	1819.27	1869.48
	69"(1753mm)	66"(1676mm)	SYTW-3466-LN		1241.82	1297.37	1906.41	1961.96
	75"(1905mm)	72"(1829mm)	SYTW-3472-LN		1274.46	1335.35	1993.55	2054.44
	81"(2057mm)	78"(1981mm)	SYTW-3478-LN		1307.10	1373.33	2080.69	2146.92
	87"(2210mm)	84"(2134mm)	SYTW-3484-LN		1339.74	1411.31	2167.83	2239.40
	93"(2362mm)	90"(2286mm)	SYTW-3490-LN		1372.38	1449.29	2254.97	2331.88
	99"(2515mm)	96"(2438mm)	SYTW-3496-LN		1405.02	1487.27	2342.11	2424.36
	105"(2667mm)	102"(2591mm)	SYTW-34A2-LN		1437.66	1525.25	2429.25	2516.84
	111"(2819mm)	108"(2743mm)	SYTW-34A8-LN		1470.30	1563.23	2516.39	2609.32
	117"(2972mm)	114"(2896mm)	SYTW-34B4-LN		1502.94	1601.21	2603.53	2701.80





# Gallery Panel to Compose Panel Intermediate T (Two-Sided Left/Right)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③	A	B	A	B
42"(1067mm)	21"(533mm)	18"(457mm)	SYTW-4218-LN	■ ■	\$ 790.27	\$ 813.26	\$ 1018.86	\$ 1041.85
	27"(686mm)	24"(610mm)	SYTW-4224-LN	■ ■	822.91	851.24	1106.00	1134.33
	33"(838mm)	30"(762mm)	SYTW-4230-LN	■ ■	855.55	889.22	1193.14	1226.81
	39"(991mm)	36"(914mm)	SYTW-4236-LN	■ ■	1043.63	1082.64	1435.72	1474.73
	45"(1143mm)	42"(1067mm)	SYTW-4242-LN	■ ■	1173.42	1217.77	1620.01	1664.36
	51"(1295mm)	48"(1219mm)	SYTW-4248-LN	■ ■	1206.06	1255.75	1707.15	1756.84
	57"(1448mm)	54"(1372mm)	SYTW-4254-LN	■ ■	1238.70	1293.73	1794.29	1849.32
	63"(1600mm)	60"(1524mm)	SYTW-4260-LN	■ ■	1271.34	1331.71	1881.43	1941.80
	69"(1753mm)	66"(1676mm)	SYTW-4266-LN	■ ■	1303.98	1369.69	1968.57	2034.28
	75"(1905mm)	72"(1829mm)	SYTW-4272-LN	■ ■	1336.62	1407.67	2055.71	2126.76
	81"(2057mm)	78"(1981mm)	SYTW-4278-LN	■ ■	1369.26	1445.65	2142.85	2219.24
	87"(2210mm)	84"(2134mm)	SYTW-4284-LN	■ ■	1401.90	1483.63	2229.99	2311.72
	93"(2362mm)	90"(2286mm)	SYTW-4290-LN	■ ■	1434.54	1521.61	2317.13	2404.20
	99"(2515mm)	96"(2438mm)	SYTW-4296-LN	■ ■	1467.18	1559.59	2404.27	2496.68
	105"(2667mm)	102"(2591mm)	SYTW-42A2-LN	■ ■	1499.82	1597.57	2491.41	2589.16
	111"(2819mm)	108"(2743mm)	SYTW-42A8-LN	■ ■	1532.46	1635.55	2578.55	2681.64
	117"(2972mm)	114"(2896mm)	SYTW-42B4-LN	■ ■	1565.10	1673.53	2665.69	2774.12
<b>Gallery Panels 50"(1270mm)H</b>								
50"(1270mm)	21"(533mm)	18"(457mm)	SYT -5018-LN	■ ■	\$ 852.43	\$ 885.58	\$ 1081.02	\$ 1114.17
	27"(686mm)	24"(610mm)	SYT -5024-LN	■ ■	885.07	923.56	1168.16	1206.65
	33"(838mm)	30"(762mm)	SYT -5030-LN	■ ■	917.71	961.54	1255.30	1299.13
	39"(991mm)	36"(914mm)	SYT -5036-LN	■ ■	1105.79	1154.96	1497.88	1547.05
	45"(1143mm)	42"(1067mm)	SYT -5042-LN	■ ■	1235.58	1290.09	1682.17	1736.68
	51"(1295mm)	48"(1219mm)	SYT -5048-LN	■ ■	1268.22	1328.07	1769.31	1829.16
	57"(1448mm)	54"(1372mm)	SYT -5054-LN	■ ■	1300.86	1366.05	1856.45	1921.64
	63"(1600mm)	60"(1524mm)	SYT -5060-LN	■ ■	1333.50	1404.03	1943.59	2014.12
	69"(1753mm)	66"(1676mm)	SYT -5066-LN	■ ■	1366.14	1442.01	2030.73	2106.60
	75"(1905mm)	72"(1829mm)	SYT -5072-LN	■ ■	1398.78	1479.99	2117.87	2199.08
	81"(2057mm)	78"(1981mm)	SYT -5078-LN	■ ■	1431.42	1517.97	2205.01	2291.56
	87"(2210mm)	84"(2134mm)	SYT -5084-LN	■ ■	1464.06	1555.95	2292.15	2384.04
	93"(2362mm)	90"(2286mm)	SYT -5090-LN	■ ■	1496.70	1593.93	2379.29	2476.52
	99"(2515mm)	96"(2438mm)	SYT -5096-LN	■ ■	1529.34	1631.91	2466.43	2569.00
	105"(2667mm)	102"(2591mm)	SYT -50A2-LN	■ ■	1561.98	1669.89	2553.57	2661.48
	111"(2819mm)	108"(2743mm)	SYT -50A8-LN	■ ■	1594.62	1707.87	2640.71	2753.96
	117"(2972mm)	114"(2896mm)	SYT -50B4-LN	■ ■	1627.26	1745.85	2727.85	2846.44
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	21"(533mm)	18"(457mm)	SYT -5818-LN	■ ■	\$ 914.59	\$ 957.90	\$ 1143.18	\$ 1186.49
	27"(686mm)	24"(610mm)	SYT -5824-LN	■ ■	947.23	995.88	1230.32	1278.97
	33"(838mm)	30"(762mm)	SYT -5830-LN	■ ■	979.87	1033.86	1317.46	1371.45
	39"(991mm)	36"(914mm)	SYT -5836-LN	■ ■	1167.95	1227.28	1560.04	1619.37
	45"(1143mm)	42"(1067mm)	SYT -5842-LN	■ ■	1297.74	1362.41	1744.33	1809.00
	51"(1295mm)	48"(1219mm)	SYT -5848-LN	■ ■	1330.38	1400.39	1831.47	1901.48
	57"(1448mm)	54"(1372mm)	SYT -5854-LN	■ ■	1363.02	1438.37	1918.61	1993.96
	63"(1600mm)	60"(1524mm)	SYT -5860-LN	■ ■	1395.66	1476.35	2005.75	2086.44

# Gallery Panel to Compose Panel Intermediate H (Two-Sided Half Left/Right)



SYHW  
SYHZ



Class BC

## Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Attachment hardware includes two flat brackets to install on one side of the Gallery Panel.
- Gallery Panel is 1.18"(30mm) thick. Half Compose panel adds 1.5"(38mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.
- Power pass through standard at the base.

## Specification Tips

- Two (H) Half Intermediate Gallery Panels are required for this application. Gallery Panel heights must match, widths may be different.
- For intermediate use between two Compose panel frames. The two Compose panel frames must be the same height. Specify two Variable Height End-of-Run Trim or a Gallery Panel Variable Height In-Line Trim Post if the Gallery Panel is shorter than the two panel frames.
- Not for use with Compose Glass Panels.
- Gallery Panels and Compose panel frames can be the same height, lower or taller than each other. Panel frame attachment heights on the Face of the Gallery Panel are available at 26"(660mm)H or 50"(1270mm)H:
  - If the Gallery Panel or panel frame are 42"(1067mm)H or lower, select W (26"(660mm)H) for mounting height.
  - If the Gallery Panel and panel frame are 50"(1270mm)H or higher select Z (50"(1270mm)H) for mounting height.
  - In conditions with Stack Frames, choose connection based on height of panel frame. **DO NOT MATCH HEIGHT OF STACK FRAME(S).**
- Gallery Panel has a handed face connection on both sides.
- Refer to the Specification Guide for Face and End mounting application guidelines.
- Base power applications require separately specified Flexible Power Connector - Corner Span, Work-height (VZEF-OBOQ-).
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

## To Order, Specify:

1) Product number, including:

### 1 Face Connection Height for Both Faces

**W** 26"(660mm)H-42"(1067mm)H Frame

**Z** 50"(1270mm)H or higher Frame

### 2 Other End (Finished End or Connection End)

**N** No Connection (Finished End)

**A** 26"(660mm)H Connection

**B** 34"(864mm)H Connection

**C** 42"(1067mm)H Connection

**D** 50"(1270mm)H Connection

**E** 58"(1473mm)H Connection

### 3 Glass Options

**N** No Glass (Finished Top)

**G** Glass Ready

2) Laminate surface color.

3) Edgeband color.


# Gallery Panel to Compose Panel Intermediate H (Two-Sided Half Left/Right)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③	A	B	A	B
<b>Gallery Panels 26"(660mm)H-42"(1067mm)H</b>								
26"(660mm)	19.5"(495mm)	18"(457mm)	SYHW-2618-LN	■ ■	\$ 665.95	\$ 668.62	\$ 894.54	\$ 897.21
	25.5"(648mm)	24"(610mm)	SYHW-2624-LN	■ ■	698.59	706.60	981.68	989.69
	31.5"(800mm)	30"(762mm)	SYHW-2630-LN	■ ■	731.23	744.58	1068.82	1082.17
	37.5"(953mm)	36"(914mm)	SYHW-2636-LN	■ ■	919.31	938.00	1311.40	1330.09
	43.5"(1105mm)	42"(1067mm)	SYHW-2642-LN	■ ■	1049.10	1073.13	1495.69	1519.72
	49.5"(1257mm)	48"(1219mm)	SYHW-2648-LN	■ ■	1081.74	1111.11	1582.83	1612.20
	55.5"(1410mm)	54"(1372mm)	SYHW-2654-LN	■ ■	1114.38	1149.09	1669.97	1704.68
	61.5"(1562mm)	60"(1524mm)	SYHW-2660-LN	■ ■	1147.02	1187.07	1757.11	1797.16
	67.5"(1715mm)	66"(1676mm)	SYHW-2666-LN	■ ■	1179.66	1225.05	1844.25	1889.64
	73.5"(1867mm)	72"(1829mm)	SYHW-2672-LN	■ ■	1212.30	1263.03	1931.39	1982.12
	79.5"(2019mm)	78"(1981mm)	SYHW-2678-LN	■ ■	1244.94	1301.01	2018.53	2074.60
	85.5"(2172mm)	84"(2134mm)	SYHW-2684-LN	■ ■	1277.58	1338.99	2105.67	2167.08
	91.5"(2324mm)	90"(2286mm)	SYHW-2690-LN	■ ■	1310.22	1376.97	2192.81	2259.56
	97.5"(2477mm)	96"(2438mm)	SYHW-2696-LN	■ ■	1342.86	1414.95	2279.95	2352.04
	103.5"(2629mm)	102"(2591mm)	SYHW-26A2-LN	■ ■	1375.50	1452.93	2367.09	2444.52
	109.5"(2781mm)	108"(2743mm)	SYHW-26A8-LN	■ ■	1408.14	1490.91	2454.23	2537.00
	115.5"(2934mm)	114"(2896mm)	SYHW-26B4-LN	■ ■	1440.78	1528.89	2541.37	2629.48
27"(686mm)	19.5"(495mm)	18"(457mm)	SYHW-2718-LN	■ ■	\$ 673.72	\$ 677.66	\$ 902.31	\$ 906.25
	25.5"(648mm)	24"(610mm)	SYHW-2724-LN	■ ■	706.36	715.64	989.45	998.73
	31.5"(800mm)	30"(762mm)	SYHW-2730-LN	■ ■	739.00	753.62	1076.59	1091.21
	37.5"(953mm)	36"(914mm)	SYHW-2736-LN	■ ■	927.08	947.04	1319.17	1339.13
	43.5"(1105mm)	42"(1067mm)	SYHW-2742-LN	■ ■	1056.87	1082.17	1503.46	1528.76
	49.5"(1257mm)	48"(1219mm)	SYHW-2748-LN	■ ■	1089.51	1120.15	1590.60	1621.24
	55.5"(1410mm)	54"(1372mm)	SYHW-2754-LN	■ ■	1122.15	1158.13	1677.74	1713.72
	61.5"(1562mm)	60"(1524mm)	SYHW-2760-LN	■ ■	1154.79	1196.11	1764.88	1806.20
	67.5"(1715mm)	66"(1676mm)	SYHW-2766-LN	■ ■	1187.43	1234.09	1852.02	1898.68
	73.5"(1867mm)	72"(1829mm)	SYHW-2772-LN	■ ■	1220.07	1272.07	1939.16	1991.16
	79.5"(2019mm)	78"(1981mm)	SYHW-2778-LN	■ ■	1252.71	1310.05	2026.30	2083.64
	85.5"(2172mm)	84"(2134mm)	SYHW-2784-LN	■ ■	1285.35	1348.03	2113.44	2176.12
	91.5"(2324mm)	90"(2286mm)	SYHW-2790-LN	■ ■	1317.99	1386.01	2200.58	2268.60
	97.5"(2477mm)	96"(2438mm)	SYHW-2796-LN	■ ■	1350.63	1423.99	2287.72	2361.08
	103.5"(2629mm)	102"(2591mm)	SYHW-27A2-LN	■ ■	1383.27	1461.97	2374.86	2453.56
	109.5"(2781mm)	108"(2743mm)	SYHW-27A8-LN	■ ■	1415.91	1499.95	2462.00	2546.04
	115.5"(2934mm)	114"(2896mm)	SYHW-27B4-LN	■ ■	1448.55	1537.93	2549.14	2638.52
34"(864mm)	19.5"(495mm)	18"(457mm)	SYHW-3418-LN	■ ■	\$ 728.11	\$ 740.94	\$ 956.70	\$ 969.53
	25.5"(648mm)	24"(610mm)	SYHW-3424-LN	■ ■	760.75	778.92	1043.84	1062.01
	31.5"(800mm)	30"(762mm)	SYHW-3430-LN	■ ■	793.39	816.90	1130.98	1154.49
	37.5"(953mm)	36"(914mm)	SYHW-3436-LN	■ ■	981.47	1010.32	1373.56	1402.41
	43.5"(1105mm)	42"(1067mm)	SYHW-3442-LN	■ ■	1111.26	1145.45	1557.85	1592.04
	49.5"(1257mm)	48"(1219mm)	SYHW-3448-LN	■ ■	1143.90	1183.43	1644.99	1684.52
	55.5"(1410mm)	54"(1372mm)	SYHW-3454-LN	■ ■	1176.54	1221.41	1732.13	1777.00
	61.5"(1562mm)	60"(1524mm)	SYHW-3460-LN	■ ■	1209.18	1259.39	1819.27	1869.48
	67.5"(1715mm)	66"(1676mm)	SYHW-3466-LN	■ ■	1241.82	1297.37	1906.41	1961.96
	73.5"(1867mm)	72"(1829mm)	SYHW-3472-LN	■ ■	1274.46	1335.35	1993.55	2054.44
	79.5"(2019mm)	78"(1981mm)	SYHW-3478-LN	■ ■	1307.10	1373.33	2080.69	2146.92
	85.5"(2172mm)	84"(2134mm)	SYHW-3484-LN	■ ■	1339.74	1411.31	2167.83	2239.40
	91.5"(2324mm)	90"(2286mm)	SYHW-3490-LN	■ ■	1372.38	1449.29	2254.97	2331.88
	97.5"(2477mm)	96"(2438mm)	SYHW-3496-LN	■ ■	1405.02	1487.27	2342.11	2424.36
	103.5"(2629mm)	102"(2591mm)	SYHW-34A2-LN	■ ■	1437.66	1525.25	2429.25	2516.84
	109.5"(2781mm)	108"(2743mm)	SYHW-34A8-LN	■ ■	1470.30	1563.23	2516.39	2609.32
	115.5"(2934mm)	114"(2896mm)	SYHW-34B4-LN	■ ■	1502.94	1601.21	2603.53	2701.80

# Gallery Panel to Compose Panel Intermediate H (Two-Sided Half Left/Right)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③	A	B	A	B
42"(1067mm)	19.5"(495mm)	18"(457mm)	SYHW-4218-LN		\$ 790.27	\$ 813.26	\$ 1018.86	\$ 1041.85
	25.5"(648mm)	24"(610mm)	SYHW-4224-LN		822.91	851.24	1106.00	1134.33
	31.5"(800mm)	30"(762mm)	SYHW-4230-LN		855.55	889.22	1193.14	1226.81
	37.5"(953mm)	36"(914mm)	SYHW-4236-LN		1043.63	1082.64	1435.72	1474.73
	43.5"(1105mm)	42"(1067mm)	SYHW-4242-LN		1173.42	1217.77	1620.01	1664.36
	49.5"(1257mm)	48"(1219mm)	SYHW-4248-LN		1206.06	1255.75	1707.15	1756.84
	55.5"(1410mm)	54"(1372mm)	SYHW-4254-LN		1238.70	1293.73	1794.29	1849.32
	61.5"(1562mm)	60"(1524mm)	SYHW-4260-LN		1271.34	1331.71	1881.43	1941.80
	67.5"(1715mm)	66"(1676mm)	SYHW-4266-LN		1303.98	1369.69	1968.57	2034.28
	73.5"(1867mm)	72"(1829mm)	SYHW-4272-LN		1336.62	1407.67	2055.71	2126.76
	79.5"(2019mm)	78"(1981mm)	SYHW-4278-LN		1369.26	1445.65	2142.85	2219.24
	85.5"(2172mm)	84"(2134mm)	SYHW-4284-LN		1401.90	1483.63	2229.99	2311.72
	91.5"(2324mm)	90"(2286mm)	SYHW-4290-LN		1434.54	1521.61	2317.13	2404.20
	97.5"(2477mm)	96"(2438mm)	SYHW-4296-LN		1467.18	1559.59	2404.27	2496.68
	103.5"(2629mm)	102"(2591mm)	SYHW-42A2-LN		1499.82	1597.57	2491.41	2589.16
	109.5"(2781mm)	108"(2743mm)	SYHW-42A8-LN		1532.46	1635.55	2578.55	2681.64
	115.5"(2934mm)	114"(2896mm)	SYHW-42B4-LN		1565.10	1673.53	2665.69	2774.12
<b>Gallery Panels 50"(1270mm)H</b>								
50"(1270mm)	19.5"(495mm)	18"(457mm)	SYH -5018-LN		\$ 852.43	\$ 885.58	\$ 1081.02	\$ 1114.17
	25.5"(648mm)	24"(610mm)	SYH -5024-LN		885.07	923.56	1168.16	1206.65
	31.5"(800mm)	30"(762mm)	SYH -5030-LN		917.71	961.54	1255.30	1299.13
	37.5"(953mm)	36"(914mm)	SYH -5036-LN		1105.79	1154.96	1497.88	1547.05
	43.5"(1105mm)	42"(1067mm)	SYH -5042-LN		1235.58	1290.09	1682.17	1736.68
	49.5"(1257mm)	48"(1219mm)	SYH -5048-LN		1268.22	1328.07	1769.31	1829.16
	55.5"(1410mm)	54"(1372mm)	SYH -5054-LN		1300.86	1366.05	1856.45	1921.64
	61.5"(1562mm)	60"(1524mm)	SYH -5060-LN		1333.50	1404.03	1943.59	2014.12
	67.5"(1715mm)	66"(1676mm)	SYH -5066-LN		1366.14	1442.01	2030.73	2106.60
	73.5"(1867mm)	72"(1829mm)	SYH -5072-LN		1398.78	1479.99	2117.87	2199.08
	79.5"(2019mm)	78"(1981mm)	SYH -5078-LN		1431.42	1517.97	2205.01	2291.56
	85.5"(2172mm)	84"(2134mm)	SYH -5084-LN		1464.06	1555.95	2292.15	2384.04
	91.5"(2324mm)	90"(2286mm)	SYH -5090-LN		1496.70	1593.93	2379.29	2476.52
	97.5"(2477mm)	96"(2438mm)	SYH -5096-LN		1529.34	1631.91	2466.43	2569.00
	103.5"(2629mm)	102"(2591mm)	SYH -50A2-LN		1561.98	1669.89	2553.57	2661.48
	109.5"(2781mm)	108"(2743mm)	SYH -50A8-LN		1594.62	1707.87	2640.71	2753.96
	115.5"(2934mm)	114"(2896mm)	SYH -50B4-LN		1627.26	1745.85	2727.85	2846.44
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	19.5"(495mm)	18"(457mm)	SYH -5818-LN		\$ 914.59	\$ 957.90	\$ 1143.18	\$ 1186.49
	25.5"(648mm)	24"(610mm)	SYH -5824-LN		947.23	995.88	1230.32	1278.97
	31.5"(800mm)	30"(762mm)	SYH -5830-LN		979.87	1033.86	1317.46	1371.45
	37.5"(953mm)	36"(914mm)	SYH -5836-LN		1167.95	1227.28	1560.04	1619.37
	43.5"(1105mm)	42"(1067mm)	SYH -5842-LN		1297.74	1362.41	1744.33	1809.00
	49.5"(1257mm)	48"(1219mm)	SYH -5848-LN		1330.38	1400.39	1831.47	1901.48
	55.5"(1410mm)	54"(1372mm)	SYH -5854-LN		1363.02	1438.37	1918.61	1993.96
	61.5"(1562mm)	60"(1524mm)	SYH -5860-LN		1395.66	1476.35	2005.75	2086.44

# Gallery Panel to Compose Panel Intermediate X (Center - Two Sided Mount)



### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18" (30mm) thick. Compose panel adds 3" (76mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5" (38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.
- **Power pass through standard at the base.**

### Specification Tips

- For intermediate use between two Compose panel frames. The two panel frames must be the same height. Specify two Variable Height End-of-Run Trim or a Gallery Panel Variable Height In-Line Trim Post if the Gallery Panel is shorter than the two panel frames.
- Not for use with Compose Glass Panels.
- Gallery Panels and Compose panel frames can be the same height, lower or taller than each other. Compose panel frame attachment heights on the Face of the Gallery Panel are available at 26" (660mm)H or 50" (1270mm)H:
  - If the Gallery Panel or panel frame are 42" (1067mm)H or lower, select W (26" (660mm)H) for mounting height.
  - If the Gallery Panel and panel frame are 50" (1270mm)H or higher select Z (50" (1270mm)H) for mounting height.
  - In conditions with Stack Frames, choose connection based on height of panel frame. **DO NOT MATCH HEIGHT OF STACK FRAME(S).**
- Gallery Panel has a center face connection on both sides.
- Refer to the Specification Guide for Face and End mounting application guidelines.
- Base power applications require separately specified Flexible Power Connector - Corner Span, Work-height (VZEF-0B0Q-).
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

**1 Face Connection Height for Both Faces**

**W** 26" (660mm)H-42" (1067mm)H Frame

**Z** 50" (1270mm)H or higher Frame

**2 First End (Finished End or Connection End)**

**N** No Connection (Finished End)

**A** 26" (660mm)H Connection

**B** 34" (864mm)H Connection

**C** 42" (1067mm)H Connection

**D** 50" (1270mm)H Connection

**E** 58" (1473mm)H Connection

**3 Other End (Finished End or Connection End)**

**N** No Connection (Finished End)

**A** 26" (660mm)H Connection

**B** 34" (864mm)H Connection

**C** 42" (1067mm)H Connection

**D** 50" (1270mm)H Connection

**E** 58" (1473mm)H Connection

**4 Glass Options**

**N** No Glass (Finished Top)

**G** Glass Ready

2) Laminate surface color.

3) Edgeband color.

# Gallery Panel to Compose Panel Intermediate X (Center - Two Sided Mount)


Nominal Height	Actual Width	Nominal Width	Number			No Glass HPL		Glass Ready HPL	
			①	②③④		A	B	A	B
<b>Gallery Panels 26"(660mm)H-42"(1067mm)H</b>									
26"(660mm)	21"(533mm)	18"(457mm)	SYXW-2618-L	■ ■ ■ ■		\$ 665.95	\$ 668.62	\$ 894.54	\$ 897.21
	27"(686mm)	24"(610mm)	SYXW-2624-L	■ ■ ■ ■		698.59	706.60	981.68	989.69
	33"(838mm)	30"(762mm)	SYXW-2630-L	■ ■ ■ ■		731.23	744.58	1068.82	1082.17
	39"(991mm)	36"(914mm)	SYXW-2636-L	■ ■ ■ ■		919.31	938.00	1311.40	1330.09
	45"(1143mm)	42"(1067mm)	SYXW-2642-L	■ ■ ■ ■		1049.10	1073.13	1495.69	1519.72
	51"(1295mm)	48"(1219mm)	SYXW-2648-L	■ ■ ■ ■		1081.74	1111.11	1582.83	1612.20
	57"(1448mm)	54"(1372mm)	SYXW-2654-L	■ ■ ■ ■		1114.38	1149.09	1669.97	1704.68
	63"(1600mm)	60"(1524mm)	SYXW-2660-L	■ ■ ■ ■		1147.02	1187.07	1757.11	1797.16
	69"(1753mm)	66"(1676mm)	SYXW-2666-L	■ ■ ■ ■		1179.66	1225.05	1844.25	1889.64
	75"(1905mm)	72"(1829mm)	SYXW-2672-L	■ ■ ■ ■		1212.30	1263.03	1931.39	1982.12
	81"(2057mm)	78"(1981mm)	SYXW-2678-L	■ ■ ■ ■		1244.94	1301.01	2018.53	2074.60
	87"(2210mm)	84"(2134mm)	SYXW-2684-L	■ ■ ■ ■		1277.58	1338.99	2105.67	2167.08
	93"(2362mm)	90"(2286mm)	SYXW-2690-L	■ ■ ■ ■		1310.22	1376.97	2192.81	2259.56
	99"(2515mm)	96"(2438mm)	SYXW-2696-L	■ ■ ■ ■		1342.86	1414.95	2279.95	2352.04
	105"(2667mm)	102"(2591mm)	SYXW-26A2-L	■ ■ ■ ■		1375.50	1452.93	2367.09	2444.52
	111"(2819mm)	108"(2743mm)	SYXW-26A8-L	■ ■ ■ ■		1408.14	1490.91	2454.23	2537.00
	117"(2972mm)	114"(2896mm)	SYXW-26B4-L	■ ■ ■ ■		1440.78	1528.89	2541.37	2629.48
27"(686mm)	21"(533mm)	18"(457mm)	SYXW-2718-L	■ ■ ■ ■		\$ 673.72	\$ 677.66	\$ 902.31	\$ 906.25
	27"(686mm)	24"(610mm)	SYXW-2724-L	■ ■ ■ ■		706.36	715.64	989.45	998.73
	33"(838mm)	30"(762mm)	SYXW-2730-L	■ ■ ■ ■		739.00	753.62	1076.59	1091.21
	39"(991mm)	36"(914mm)	SYXW-2736-L	■ ■ ■ ■		927.08	947.04	1319.17	1339.13
	45"(1143mm)	42"(1067mm)	SYXW-2742-L	■ ■ ■ ■		1056.87	1082.17	1503.46	1528.76
	51"(1295mm)	48"(1219mm)	SYXW-2748-L	■ ■ ■ ■		1089.51	1120.15	1590.60	1621.24
	57"(1448mm)	54"(1372mm)	SYXW-2754-L	■ ■ ■ ■		1122.15	1158.13	1677.74	1713.72
	63"(1600mm)	60"(1524mm)	SYXW-2760-L	■ ■ ■ ■		1154.79	1196.11	1764.88	1806.20
	69"(1753mm)	66"(1676mm)	SYXW-2766-L	■ ■ ■ ■		1187.43	1234.09	1852.02	1898.68
	75"(1905mm)	72"(1829mm)	SYXW-2772-L	■ ■ ■ ■		1220.07	1272.07	1939.16	1991.16
	81"(2057mm)	78"(1981mm)	SYXW-2778-L	■ ■ ■ ■		1252.71	1310.05	2026.30	2083.64
	87"(2210mm)	84"(2134mm)	SYXW-2784-L	■ ■ ■ ■		1285.35	1348.03	2113.44	2176.12
	93"(2362mm)	90"(2286mm)	SYXW-2790-L	■ ■ ■ ■		1317.99	1386.01	2200.58	2268.60
	99"(2515mm)	96"(2438mm)	SYXW-2796-L	■ ■ ■ ■		1350.63	1423.99	2287.72	2361.08
	105"(2667mm)	102"(2591mm)	SYXW-27A2-L	■ ■ ■ ■		1383.27	1461.97	2374.86	2453.56
	111"(2819mm)	108"(2743mm)	SYXW-27A8-L	■ ■ ■ ■		1415.91	1499.95	2462.00	2546.04
	117"(2972mm)	114"(2896mm)	SYXW-27B4-L	■ ■ ■ ■		1448.55	1537.93	2549.14	2638.52
34"(864mm)	21"(533mm)	18"(457mm)	SYXW-3418-L	■ ■ ■ ■		\$ 728.11	\$ 740.94	\$ 956.70	\$ 969.53
	27"(686mm)	24"(610mm)	SYXW-3424-L	■ ■ ■ ■		760.75	778.92	1043.84	1062.01
	33"(838mm)	30"(762mm)	SYXW-3430-L	■ ■ ■ ■		793.39	816.90	1130.98	1154.49
	39"(991mm)	36"(914mm)	SYXW-3436-L	■ ■ ■ ■		981.47	1010.32	1373.56	1402.41
	45"(1143mm)	42"(1067mm)	SYXW-3442-L	■ ■ ■ ■		1111.26	1145.45	1557.85	1592.04
	51"(1295mm)	48"(1219mm)	SYXW-3448-L	■ ■ ■ ■		1143.90	1183.43	1644.99	1684.52
	57"(1448mm)	54"(1372mm)	SYXW-3454-L	■ ■ ■ ■		1176.54	1221.41	1732.13	1777.00
	63"(1600mm)	60"(1524mm)	SYXW-3460-L	■ ■ ■ ■		1209.18	1259.39	1819.27	1869.48
	69"(1753mm)	66"(1676mm)	SYXW-3466-L	■ ■ ■ ■		1241.82	1297.37	1906.41	1961.96
	75"(1905mm)	72"(1829mm)	SYXW-3472-L	■ ■ ■ ■		1274.46	1335.35	1993.55	2054.44
	81"(2057mm)	78"(1981mm)	SYXW-3478-L	■ ■ ■ ■		1307.10	1373.33	2080.69	2146.92
	87"(2210mm)	84"(2134mm)	SYXW-3484-L	■ ■ ■ ■		1339.74	1411.31	2167.83	2239.40
	93"(2362mm)	90"(2286mm)	SYXW-3490-L	■ ■ ■ ■		1372.38	1449.29	2254.97	2331.88
	99"(2515mm)	96"(2438mm)	SYXW-3496-L	■ ■ ■ ■		1405.02	1487.27	2342.11	2424.36
	105"(2667mm)	102"(2591mm)	SYXW-34A2-L	■ ■ ■ ■		1437.66	1525.25	2429.25	2516.84
	111"(2819mm)	108"(2743mm)	SYXW-34A8-L	■ ■ ■ ■		1470.30	1563.23	2516.39	2609.32
	117"(2972mm)	114"(2896mm)	SYXW-34B4-L	■ ■ ■ ■		1502.94	1601.21	2603.53	2701.80

# Gallery Panel to Compose Panel Intermediate X (Center - Two Sided Mount)


Nominal Height	Actual Width	Nominal Width	Number	No Glass HPL		Glass Ready HPL		
				A	B	A	B	
42"(1067mm)	21"(533mm)	18"(457mm)	SYXW-4218-L	█ █ █ █	\$ 790.27	\$ 813.26	\$ 1018.86	\$ 1041.85
	27"(686mm)	24"(610mm)	SYXW-4224-L	█ █ █ █	822.91	851.24	1106.00	1134.33
	33"(838mm)	30"(762mm)	SYXW-4230-L	█ █ █ █	855.55	889.22	1193.14	1226.81
	39"(991mm)	36"(914mm)	SYXW-4236-L	█ █ █ █	1043.63	1082.64	1435.72	1474.73
	45"(1143mm)	42"(1067mm)	SYXW-4242-L	█ █ █ █	1173.42	1217.77	1620.01	1664.36
	51"(1295mm)	48"(1219mm)	SYXW-4248-L	█ █ █ █	1206.06	1255.75	1707.15	1756.84
	57"(1448mm)	54"(1372mm)	SYXW-4254-L	█ █ █ █	1238.70	1293.73	1794.29	1849.32
	63"(1600mm)	60"(1524mm)	SYXW-4260-L	█ █ █ █	1271.34	1331.71	1881.43	1941.80
	69"(1753mm)	66"(1676mm)	SYXW-4266-L	█ █ █ █	1303.98	1369.69	1968.57	2034.28
	75"(1905mm)	72"(1829mm)	SYXW-4272-L	█ █ █ █	1336.62	1407.67	2055.71	2126.76
	81"(2057mm)	78"(1981mm)	SYXW-4278-L	█ █ █ █	1369.26	1445.65	2142.85	2219.24
	87"(2210mm)	84"(2134mm)	SYXW-4284-L	█ █ █ █	1401.90	1483.63	2229.99	2311.72
	93"(2362mm)	90"(2286mm)	SYXW-4290-L	█ █ █ █	1434.54	1521.61	2317.13	2404.20
	99"(2515mm)	96"(2438mm)	SYXW-4296-L	█ █ █ █	1467.18	1559.59	2404.27	2496.68
	105"(2667mm)	102"(2591mm)	SYXW-42A2-L	█ █ █ █	1499.82	1597.57	2491.41	2589.16
	111"(2819mm)	108"(2743mm)	SYXW-42A8-L	█ █ █ █	1532.46	1635.55	2578.55	2681.64
	117"(2972mm)	114"(2896mm)	SYXW-42B4-L	█ █ █ █	1565.10	1673.53	2665.69	2774.12
<b>Gallery Panels 50"(1270mm)H</b>								
50"(1270mm)	21"(533mm)	18"(457mm)	SYX -5018-L	█ █ █ █	\$ 852.43	\$ 885.58	\$ 1081.02	\$ 1114.17
	27"(686mm)	24"(610mm)	SYX -5024-L	█ █ █ █	885.07	923.56	1168.16	1206.65
	33"(838mm)	30"(762mm)	SYX -5030-L	█ █ █ █	917.71	961.54	1255.30	1299.13
	39"(991mm)	36"(914mm)	SYX -5036-L	█ █ █ █	1105.79	1154.96	1497.88	1547.05
	45"(1143mm)	42"(1067mm)	SYX -5042-L	█ █ █ █	1235.58	1290.09	1682.17	1736.68
	51"(1295mm)	48"(1219mm)	SYX -5048-L	█ █ █ █	1268.22	1328.07	1769.31	1829.16
	57"(1448mm)	54"(1372mm)	SYX -5054-L	█ █ █ █	1300.86	1366.05	1856.45	1921.64
	63"(1600mm)	60"(1524mm)	SYX -5060-L	█ █ █ █	1333.50	1404.03	1943.59	2014.12
	69"(1753mm)	66"(1676mm)	SYX -5066-L	█ █ █ █	1366.14	1442.01	2030.73	2106.60
	75"(1905mm)	72"(1829mm)	SYX -5072-L	█ █ █ █	1398.78	1479.99	2117.87	2199.08
	81"(2057mm)	78"(1981mm)	SYX -5078-L	█ █ █ █	1431.42	1517.97	2205.01	2291.56
	87"(2210mm)	84"(2134mm)	SYX -5084-L	█ █ █ █	1464.06	1555.95	2292.15	2384.04
	93"(2362mm)	90"(2286mm)	SYX -5090-L	█ █ █ █	1496.70	1593.93	2379.29	2476.52
	99"(2515mm)	96"(2438mm)	SYX -5096-L	█ █ █ █	1529.34	1631.91	2466.43	2569.00
	105"(2667mm)	102"(2591mm)	SYX -50A2-L	█ █ █ █	1561.98	1669.89	2553.57	2661.48
	111"(2819mm)	108"(2743mm)	SYX -50A8-L	█ █ █ █	1594.62	1707.87	2640.71	2753.96
	117"(2972mm)	114"(2896mm)	SYX -50B4-L	█ █ █ █	1627.26	1745.85	2727.85	2846.44
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	21"(533mm)	18"(457mm)	SYX -5818-L	█ █ █ █	\$ 914.59	\$ 957.90	\$ 1143.18	\$ 1186.49
	27"(686mm)	24"(610mm)	SYX -5824-L	█ █ █ █	947.23	995.88	1230.32	1278.97
	33"(838mm)	30"(762mm)	SYX -5830-L	█ █ █ █	979.87	1033.86	1317.46	1371.45
	39"(991mm)	36"(914mm)	SYX -5836-L	█ █ █ █	1167.95	1227.28	1560.04	1619.37
	45"(1143mm)	42"(1067mm)	SYX -5842-L	█ █ █ █	1297.74	1362.41	1744.33	1809.00
	51"(1295mm)	48"(1219mm)	SYX -5848-L	█ █ █ █	1330.38	1400.39	1831.47	1901.48
	57"(1448mm)	54"(1372mm)	SYX -5854-L	█ █ █ █	1363.02	1438.37	1918.61	1993.96
	63"(1600mm)	60"(1524mm)	SYX -5860-L	█ █ █ █	1395.66	1476.35	2005.75	2086.44

# Gallery Panel to Compose Beam End-of-Run


## L/R (Left or Right Mount)



SYLJ (Left Face)



SYRJ (Right Face)



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18"(30mm) thick. Compose Beam adds 3"(76mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Beam and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.

### Specification Tips

- For use at the end of a Compose Beam. Takes the place of Beam End-of-Run Trim.
- Gallery Panels can be the same height or taller than the Beam.
- Gallery Panel has one face connection only; select RH or LH.
- Gallery Panel End attachment is not allowed on the same hand as the face attachment. Refer to the Specification Guide for Face and End mounting application guidelines.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

#### 1 Face Handed Connection

- L** Left Face
- R** Right Face

#### 2 Left End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection (not available for Left-Hand orientation)
- B** 34"(864mm)H Connection (not available for Left-Hand orientation)
- C** 42"(1067mm)H Connection (not available for Left-Hand orientation)
- D** 50"(1270mm)H Connection (not available for Left-Hand orientation)
- E** 58"(1473mm)H Connection (not available for Left-Hand orientation)

#### 3 Right End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection (not available for Right-Hand orientation)
- B** 34"(864mm)H Connection (not available for Right-Hand orientation)
- C** 42"(1067mm)H Connection (not available for Right-Hand orientation)
- D** 50"(1270mm)H Connection (not available for Right-Hand orientation)
- E** 58"(1473mm)H Connection (not available for Right-Hand orientation)

#### 4 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.

3) Edgeband color.



# Gallery Panel to Compose Beam End-of-Run

## L/R (Left or Right Mount)


Nominal Height	Actual Width	Nominal Width	Number			No Glass HPL		Glass Ready HPL	
			①	②③④		A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>									
26"(660mm)	21"(533mm)	18"(457mm)	SY	J-2618-L	■ ■ ■ ■	\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	27"(686mm)	24"(610mm)	SY	J-2624-L	■ ■ ■ ■	565.22	573.23	848.31	856.32
	33"(838mm)	30"(762mm)	SY	J-2630-L	■ ■ ■ ■	597.86	611.21	935.45	948.80
	39"(991mm)	36"(914mm)	SY	J-2636-L	■ ■ ■ ■	785.94	804.63	1178.03	1196.72
	45"(1143mm)	42"(1067mm)	SY	J-2642-L	■ ■ ■ ■	915.73	939.76	1362.32	1386.35
	51"(1295mm)	48"(1219mm)	SY	J-2648-L	■ ■ ■ ■	948.37	977.74	1449.46	1478.83
	57"(1448mm)	54"(1372mm)	SY	J-2654-L	■ ■ ■ ■	981.01	1015.72	1536.60	1571.31
	63"(1600mm)	60"(1524mm)	SY	J-2660-L	■ ■ ■ ■	1013.65	1053.70	1623.74	1663.79
	69"(1753mm)	66"(1676mm)	SY	J-2666-L	■ ■ ■ ■	1046.29	1091.68	1710.88	1756.27
	75"(1905mm)	72"(1829mm)	SY	J-2672-L	■ ■ ■ ■	1078.93	1129.66	1798.02	1848.75
	81"(2057mm)	78"(1981mm)	SY	J-2678-L	■ ■ ■ ■	1111.57	1167.64	1885.16	1941.23
	87"(2210mm)	84"(2134mm)	SY	J-2684-L	■ ■ ■ ■	1144.21	1205.62	1972.30	2033.71
	93"(2362mm)	90"(2286mm)	SY	J-2690-L	■ ■ ■ ■	1176.85	1243.60	2059.44	2126.19
	99"(2515mm)	96"(2438mm)	SY	J-2696-L	■ ■ ■ ■	1209.49	1281.58	2146.58	2218.67
	105"(2667mm)	102"(2591mm)	SY	J-26A2-L	■ ■ ■ ■	1242.13	1319.56	2233.72	2311.15
	111"(2819mm)	108"(2743mm)	SY	J-26A8-L	■ ■ ■ ■	1274.77	1357.54	2320.86	2403.63
	117"(2972mm)	114"(2896mm)	SY	J-26B4-L	■ ■ ■ ■	1307.41	1395.52	2408.00	2496.11
27"(686mm)	21"(533mm)	18"(457mm)	SY	J-2718-L	■ ■ ■ ■	\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	27"(686mm)	24"(610mm)	SY	J-2724-L	■ ■ ■ ■	572.99	582.27	856.08	865.36
	33"(838mm)	30"(762mm)	SY	J-2730-L	■ ■ ■ ■	605.63	620.25	943.22	957.84
	39"(991mm)	36"(914mm)	SY	J-2736-L	■ ■ ■ ■	793.71	813.67	1185.80	1205.76
	45"(1143mm)	42"(1067mm)	SY	J-2742-L	■ ■ ■ ■	923.50	948.80	1370.09	1395.39
	51"(1295mm)	48"(1219mm)	SY	J-2748-L	■ ■ ■ ■	956.14	986.78	1457.23	1487.87
	57"(1448mm)	54"(1372mm)	SY	J-2754-L	■ ■ ■ ■	988.78	1024.76	1544.37	1580.35
	63"(1600mm)	60"(1524mm)	SY	J-2760-L	■ ■ ■ ■	1021.42	1062.74	1631.51	1672.83
	69"(1753mm)	66"(1676mm)	SY	J-2766-L	■ ■ ■ ■	1054.06	1100.72	1718.65	1765.31
	75"(1905mm)	72"(1829mm)	SY	J-2772-L	■ ■ ■ ■	1086.70	1138.70	1805.79	1857.79
	81"(2057mm)	78"(1981mm)	SY	J-2778-L	■ ■ ■ ■	1119.34	1176.68	1892.93	1950.27
	87"(2210mm)	84"(2134mm)	SY	J-2784-L	■ ■ ■ ■	1151.98	1214.66	1980.07	2042.75
	93"(2362mm)	90"(2286mm)	SY	J-2790-L	■ ■ ■ ■	1184.62	1252.64	2067.21	2135.23
	99"(2515mm)	96"(2438mm)	SY	J-2796-L	■ ■ ■ ■	1217.26	1290.62	2154.35	2227.71
	105"(2667mm)	102"(2591mm)	SY	J-27A2-L	■ ■ ■ ■	1249.90	1328.60	2241.49	2320.19
	111"(2819mm)	108"(2743mm)	SY	J-27A8-L	■ ■ ■ ■	1282.54	1366.58	2328.63	2412.67
	117"(2972mm)	114"(2896mm)	SY	J-27B4-L	■ ■ ■ ■	1315.18	1404.56	2415.77	2505.15
34"(864mm)	21"(533mm)	18"(457mm)	SY	J-3418-L	■ ■ ■ ■	\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	27"(686mm)	24"(610mm)	SY	J-3424-L	■ ■ ■ ■	627.38	645.55	910.47	928.64
	33"(838mm)	30"(762mm)	SY	J-3430-L	■ ■ ■ ■	660.02	683.53	997.61	1021.12
	39"(991mm)	36"(914mm)	SY	J-3436-L	■ ■ ■ ■	848.10	876.95	1240.19	1269.04
	45"(1143mm)	42"(1067mm)	SY	J-3442-L	■ ■ ■ ■	977.89	1012.08	1424.48	1458.67
	51"(1295mm)	48"(1219mm)	SY	J-3448-L	■ ■ ■ ■	1010.53	1050.06	1511.62	1551.15
	57"(1448mm)	54"(1372mm)	SY	J-3454-L	■ ■ ■ ■	1043.17	1088.04	1598.76	1643.63
	63"(1600mm)	60"(1524mm)	SY	J-3460-L	■ ■ ■ ■	1075.81	1126.02	1685.90	1736.11
	69"(1753mm)	66"(1676mm)	SY	J-3466-L	■ ■ ■ ■	1108.45	1164.00	1773.04	1828.59
	75"(1905mm)	72"(1829mm)	SY	J-3472-L	■ ■ ■ ■	1141.09	1201.98	1860.18	1921.07
	81"(2057mm)	78"(1981mm)	SY	J-3478-L	■ ■ ■ ■	1173.73	1239.96	1947.32	2013.55
	87"(2210mm)	84"(2134mm)	SY	J-3484-L	■ ■ ■ ■	1206.37	1277.94	2034.46	2106.03
	93"(2362mm)	90"(2286mm)	SY	J-3490-L	■ ■ ■ ■	1239.01	1315.92	2121.60	2198.51
	99"(2515mm)	96"(2438mm)	SY	J-3496-L	■ ■ ■ ■	1271.65	1353.90	2208.74	2290.99
	105"(2667mm)	102"(2591mm)	SY	J-34A2-L	■ ■ ■ ■	1304.29	1391.88	2295.88	2383.47
	111"(2819mm)	108"(2743mm)	SY	J-34A8-L	■ ■ ■ ■	1336.93	1429.86	2383.02	2475.95
	117"(2972mm)	114"(2896mm)	SY	J-34B4-L	■ ■ ■ ■	1369.57	1467.84	2470.16	2568.43

# Gallery Panel to Compose Beam End-of-Run


## L/R (Left or Right Mount)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③④	A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>								
42"(1067mm)	21"(533mm)	18"(457mm)	SY	J-4218-L	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	27"(686mm)	24"(610mm)	SY	J-4224-L	689.54	717.87	972.63	1000.96
	33"(838mm)	30"(762mm)	SY	J-4230-L	722.18	755.85	1059.77	1093.44
	39"(991mm)	36"(914mm)	SY	J-4236-L	910.26	949.27	1302.35	1341.36
	45"(1143mm)	42"(1067mm)	SY	J-4242-L	1040.05	1084.40	1486.64	1530.99
	51"(1295mm)	48"(1219mm)	SY	J-4248-L	1072.69	1122.38	1573.78	1623.47
	57"(1448mm)	54"(1372mm)	SY	J-4254-L	1105.33	1160.36	1660.92	1715.95
	63"(1600mm)	60"(1524mm)	SY	J-4260-L	1137.97	1198.34	1748.06	1808.43
	69"(1753mm)	66"(1676mm)	SY	J-4266-L	1170.61	1236.32	1835.20	1900.91
	75"(1905mm)	72"(1829mm)	SY	J-4272-L	1203.25	1274.30	1922.34	1993.39
	81"(2057mm)	78"(1981mm)	SY	J-4278-L	1235.89	1312.28	2009.48	2085.87
	87"(2210mm)	84"(2134mm)	SY	J-4284-L	1268.53	1350.26	2096.62	2178.35
	93"(2362mm)	90"(2286mm)	SY	J-4290-L	1301.17	1388.24	2183.76	2270.83
	99"(2515mm)	96"(2438mm)	SY	J-4296-L	1333.81	1426.22	2270.90	2363.31
	105"(2667mm)	102"(2591mm)	SY	J-42A2-L	1366.45	1464.20	2358.04	2455.79
	111"(2819mm)	108"(2743mm)	SY	J-42A8-L	1399.09	1502.18	2445.18	2548.27
	117"(2972mm)	114"(2896mm)	SY	J-42B4-L	1431.73	1540.16	2532.32	2640.75
<b>50"(1270mm)</b>								
	21"(533mm)	18"(457mm)	SY	J-5018-L	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	27"(686mm)	24"(610mm)	SY	J-5024-L	751.70	790.19	1034.79	1073.28
	33"(838mm)	30"(762mm)	SY	J-5030-L	784.34	828.17	1121.93	1165.76
	39"(991mm)	36"(914mm)	SY	J-5036-L	972.42	1021.59	1364.51	1413.68
	45"(1143mm)	42"(1067mm)	SY	J-5042-L	1102.21	1156.72	1548.80	1603.31
	51"(1295mm)	48"(1219mm)	SY	J-5048-L	1134.85	1194.70	1635.94	1695.79
	57"(1448mm)	54"(1372mm)	SY	J-5054-L	1167.49	1232.68	1723.08	1788.27
	63"(1600mm)	60"(1524mm)	SY	J-5060-L	1200.13	1270.66	1810.22	1880.75
	69"(1753mm)	66"(1676mm)	SY	J-5066-L	1232.77	1308.64	1897.36	1973.23
	75"(1905mm)	72"(1829mm)	SY	J-5072-L	1265.41	1346.62	1984.50	2065.71
	81"(2057mm)	78"(1981mm)	SY	J-5078-L	1298.05	1384.60	2071.64	2158.19
	87"(2210mm)	84"(2134mm)	SY	J-5084-L	1330.69	1422.58	2158.78	2250.67
	93"(2362mm)	90"(2286mm)	SY	J-5090-L	1363.33	1460.56	2245.92	2343.15
	99"(2515mm)	96"(2438mm)	SY	J-5096-L	1395.97	1498.54	2333.06	2435.63
	105"(2667mm)	102"(2591mm)	SY	J-50A2-L	1428.61	1536.52	2420.20	2528.11
	111"(2819mm)	108"(2743mm)	SY	J-50A8-L	1461.25	1574.50	2507.34	2620.59
	117"(2972mm)	114"(2896mm)	SY	J-50B4-L	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	21"(533mm)	18"(457mm)	SY	J-5818-L	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	27"(686mm)	24"(610mm)	SY	J-5824-L	813.86	862.51	1096.95	1145.60
	33"(838mm)	30"(762mm)	SY	J-5830-L	846.50	900.49	1184.09	1238.08
	39"(991mm)	36"(914mm)	SY	J-5836-L	1034.58	1093.91	1426.67	1486.00
	45"(1143mm)	42"(1067mm)	SY	J-5842-L	1164.37	1229.04	1610.96	1675.63
	51"(1295mm)	48"(1219mm)	SY	J-5848-L	1197.01	1267.02	1698.10	1768.11
	57"(1448mm)	54"(1372mm)	SY	J-5854-L	1229.65	1305.00	1785.24	1860.59
	63"(1600mm)	60"(1524mm)	SY	J-5860-L	1262.29	1342.98	1872.38	1953.07



# Gallery Panel to Compose Beam End-of-Run W/E (Half Left or Half Right Mount)



SYWJ (Left Face)



SYEJ (Right Face)



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18" (30mm) thick. Half Compose Beam adds 1.5" (38mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5" (38mm) level adjustment.
- Beam and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.

### Specification Tips

- A Half-Left and a Half-Right Gallery Panel are required for this application. Gallery Panel heights must match, widths may be different.
- For use at the end of a Compose Beam. Takes the place of Beam End-of-Run Trim.
- Gallery Panels can be the same height or taller than the Beam.
- Gallery Panel has one face connection only; select RH or LH.
- Gallery Panel End attachment is not allowed on the same hand as the face attachment. Refer to the Specification Guide for End mounting application guidelines.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

#### 1 Left End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26" (660mm)H or 27" (686mm)H Connection (not available for Left-Hand orientation)
- B** 34" (864mm)H Connection (not available for Left-Hand orientation)
- C** 42" (1067mm)H Connection (not available for Left-Hand orientation)
- D** 50" (1270mm)H Connection (not available for Left-Hand orientation)
- E** 58" (1473mm)H Connection (not available for Left-Hand orientation)

#### 2 Right End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26" (660mm)H or 27" (686mm)H Connection (not available for Right-Hand orientation)
- B** 34" (864mm)H Connection (not available for Right-Hand orientation)
- C** 42" (1067mm)H Connection (not available for Right-Hand orientation)
- D** 50" (1270mm)H Connection (not available for Right-Hand orientation)
- E** 58" (1473mm)H Connection (not available for Right-Hand orientation)

#### 3 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

- 2) Laminate surface color.
- 3) Edgeband color.

# Gallery Panel to Compose Beam End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number 123	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>East / Right Face Connection</b>							
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>							
26"(660mm)	19.5"(495mm)	18"(457mm)	SYEJ-2618-L N	\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	25.5"(648mm)	24"(610mm)	SYEJ-2624-L N	565.22	573.23	848.31	856.32
	31.5"(800mm)	30"(762mm)	SYEJ-2630-L N	597.86	611.21	935.45	948.80
	37.5"(953mm)	36"(914mm)	SYEJ-2636-L N	785.94	804.63	1178.03	1196.72
	43.5"(1105mm)	42"(1067mm)	SYEJ-2642-L N	915.73	939.76	1362.32	1386.35
	49.5"(1257mm)	48"(1219mm)	SYEJ-2648-L N	948.37	977.74	1449.46	1478.83
	55.5"(1410mm)	54"(1372mm)	SYEJ-2654-L N	981.01	1015.72	1536.60	1571.31
	61.5"(1562mm)	60"(1524mm)	SYEJ-2660-L N	1013.65	1053.70	1623.74	1663.79
	67.5"(1715mm)	66"(1676mm)	SYEJ-2666-L N	1046.29	1091.68	1710.88	1756.27
	73.5"(1867mm)	72"(1829mm)	SYEJ-2672-L N	1078.93	1129.66	1798.02	1848.75
	79.5"(2019mm)	78"(1981mm)	SYEJ-2678-L N	1111.57	1167.64	1885.16	1941.23
	85.5"(2172mm)	84"(2134mm)	SYEJ-2684-L N	1144.21	1205.62	1972.30	2033.71
	91.5"(2324mm)	90"(2286mm)	SYEJ-2690-L N	1176.85	1243.60	2059.44	2126.19
	97.5"(2477mm)	96"(2438mm)	SYEJ-2696-L N	1209.49	1281.58	2146.58	2218.67
	103.5"(2629mm)	102"(2591mm)	SYEJ-26A2-L N	1242.13	1319.56	2233.72	2311.15
	109.5"(2781mm)	108"(2743mm)	SYEJ-26A8-L N	1274.77	1357.54	2320.86	2403.63
	115.5"(2934mm)	114"(2896mm)	SYEJ-26B4-L N	1307.41	1395.52	2408.00	2496.11
27"(686mm)	19.5"(495mm)	18"(457mm)	SYEJ-2718-L N	\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	25.5"(648mm)	24"(610mm)	SYEJ-2724-L N	572.99	582.27	856.08	865.36
	31.5"(800mm)	30"(762mm)	SYEJ-2730-L N	605.63	620.25	943.22	957.84
	37.5"(953mm)	36"(914mm)	SYEJ-2736-L N	793.71	813.67	1185.80	1205.76
	43.5"(1105mm)	42"(1067mm)	SYEJ-2742-L N	923.50	948.80	1370.09	1395.39
	49.5"(1257mm)	48"(1219mm)	SYEJ-2748-L N	956.14	986.78	1457.23	1487.87
	55.5"(1410mm)	54"(1372mm)	SYEJ-2754-L N	988.78	1024.76	1544.37	1580.35
	61.5"(1562mm)	60"(1524mm)	SYEJ-2760-L N	1021.42	1062.74	1631.51	1672.83
	67.5"(1715mm)	66"(1676mm)	SYEJ-2766-L N	1054.06	1100.72	1718.65	1765.31
	73.5"(1867mm)	72"(1829mm)	SYEJ-2772-L N	1086.70	1138.70	1805.79	1857.79
	79.5"(2019mm)	78"(1981mm)	SYEJ-2778-L N	1119.34	1176.68	1892.93	1950.27
	85.5"(2172mm)	84"(2134mm)	SYEJ-2784-L N	1151.98	1214.66	1980.07	2042.75
	91.5"(2324mm)	90"(2286mm)	SYEJ-2790-L N	1184.62	1252.64	2067.21	2135.23
	97.5"(2477mm)	96"(2438mm)	SYEJ-2796-L N	1217.26	1290.62	2154.35	2227.71
	103.5"(2629mm)	102"(2591mm)	SYEJ-27A2-L N	1249.90	1328.60	2241.49	2320.19
	109.5"(2781mm)	108"(2743mm)	SYEJ-27A8-L N	1282.54	1366.58	2328.63	2412.67
	115.5"(2934mm)	114"(2896mm)	SYEJ-27B4-L N	1315.18	1404.56	2415.77	2505.15
34"(864mm)	19.5"(495mm)	18"(457mm)	SYEJ-3418-L N	\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	25.5"(648mm)	24"(610mm)	SYEJ-3424-L N	627.38	645.55	910.47	928.64
	31.5"(800mm)	30"(762mm)	SYEJ-3430-L N	660.02	683.53	997.61	1021.12
	37.5"(953mm)	36"(914mm)	SYEJ-3436-L N	848.10	876.95	1240.19	1269.04
	43.5"(1105mm)	42"(1067mm)	SYEJ-3442-L N	977.89	1012.08	1424.48	1458.67
	49.5"(1257mm)	48"(1219mm)	SYEJ-3448-L N	1010.53	1050.06	1511.62	1551.15
	55.5"(1410mm)	54"(1372mm)	SYEJ-3454-L N	1043.17	1088.04	1598.76	1643.63
	61.5"(1562mm)	60"(1524mm)	SYEJ-3460-L N	1075.81	1126.02	1685.90	1736.11
	67.5"(1715mm)	66"(1676mm)	SYEJ-3466-L N	1108.45	1164.00	1773.04	1828.59
	73.5"(1867mm)	72"(1829mm)	SYEJ-3472-L N	1141.09	1201.98	1860.18	1921.07
	79.5"(2019mm)	78"(1981mm)	SYEJ-3478-L N	1173.73	1239.96	1947.32	2013.55
	85.5"(2172mm)	84"(2134mm)	SYEJ-3484-L N	1206.37	1277.94	2034.46	2106.03
	91.5"(2324mm)	90"(2286mm)	SYEJ-3490-L N	1239.01	1315.92	2121.60	2198.51
	97.5"(2477mm)	96"(2438mm)	SYEJ-3496-L N	1271.65	1353.90	2208.74	2290.99
	103.5"(2629mm)	102"(2591mm)	SYEJ-34A2-L N	1304.29	1391.88	2295.88	2383.47
	109.5"(2781mm)	108"(2743mm)	SYEJ-34A8-L N	1336.93	1429.86	2383.02	2475.95
	115.5"(2934mm)	114"(2896mm)	SYEJ-34B4-L N	1369.57	1467.84	2470.16	2568.43

# Gallery Panel to Compose Beam End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>							
42"(1067mm)	19.5"(495mm)	18"(457mm)	SYEJ-4218-L N	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	25.5"(648mm)	24"(610mm)	SYEJ-4224-L N	689.54	717.87	972.63	1000.96
	31.5"(800mm)	30"(762mm)	SYEJ-4230-L N	722.18	755.85	1059.77	1093.44
	37.5"(953mm)	36"(914mm)	SYEJ-4236-L N	910.26	949.27	1302.35	1341.36
	43.5"(1105mm)	42"(1067mm)	SYEJ-4242-L N	1040.05	1084.40	1486.64	1530.99
	49.5"(1257mm)	48"(1219mm)	SYEJ-4248-L N	1072.69	1122.38	1573.78	1623.47
	55.5"(1410mm)	54"(1372mm)	SYEJ-4254-L N	1105.33	1160.36	1660.92	1715.95
	61.5"(1562mm)	60"(1524mm)	SYEJ-4260-L N	1137.97	1198.34	1748.06	1808.43
	67.5"(1715mm)	66"(1676mm)	SYEJ-4266-L N	1170.61	1236.32	1835.20	1900.91
	73.5"(1867mm)	72"(1829mm)	SYEJ-4272-L N	1203.25	1274.30	1922.34	1993.39
	79.5"(2019mm)	78"(1981mm)	SYEJ-4278-L N	1235.89	1312.28	2009.48	2085.87
	85.5"(2172mm)	84"(2134mm)	SYEJ-4284-L N	1268.53	1350.26	2096.62	2178.35
	91.5"(2324mm)	90"(2286mm)	SYEJ-4290-L N	1301.17	1388.24	2183.76	2270.83
	97.5"(2477mm)	96"(2438mm)	SYEJ-4296-L N	1333.81	1426.22	2270.90	2363.31
	103.5"(2629mm)	102"(2591mm)	SYEJ-42A2-L N	1366.45	1464.20	2358.04	2455.79
	109.5"(2781mm)	108"(2743mm)	SYEJ-42A8-L N	1399.09	1502.18	2445.18	2548.27
	115.5"(2934mm)	114"(2896mm)	SYEJ-42B4-L N	1431.73	1540.16	2532.32	2640.75
<b>50"(1270mm)</b>							
	19.5"(495mm)	18"(457mm)	SYEJ-5018-L N	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	25.5"(648mm)	24"(610mm)	SYEJ-5024-L N	751.70	790.19	1034.79	1073.28
	31.5"(800mm)	30"(762mm)	SYEJ-5030-L N	784.34	828.17	1121.93	1165.76
	37.5"(953mm)	36"(914mm)	SYEJ-5036-L N	972.42	1021.59	1364.51	1413.68
	43.5"(1105mm)	42"(1067mm)	SYEJ-5042-L N	1102.21	1156.72	1548.80	1603.31
	49.5"(1257mm)	48"(1219mm)	SYEJ-5048-L N	1134.85	1194.70	1635.94	1695.79
	55.5"(1410mm)	54"(1372mm)	SYEJ-5054-L N	1167.49	1232.68	1723.08	1788.27
	61.5"(1562mm)	60"(1524mm)	SYEJ-5060-L N	1200.13	1270.66	1810.22	1880.75
	67.5"(1715mm)	66"(1676mm)	SYEJ-5066-L N	1232.77	1308.64	1897.36	1973.23
	73.5"(1867mm)	72"(1829mm)	SYEJ-5072-L N	1265.41	1346.62	1984.50	2065.71
	79.5"(2019mm)	78"(1981mm)	SYEJ-5078-L N	1298.05	1384.60	2071.64	2158.19
	85.5"(2172mm)	84"(2134mm)	SYEJ-5084-L N	1330.69	1422.58	2158.78	2250.67
	91.5"(2324mm)	90"(2286mm)	SYEJ-5090-L N	1363.33	1460.56	2245.92	2343.15
	97.5"(2477mm)	96"(2438mm)	SYEJ-5096-L N	1395.97	1498.54	2333.06	2435.63
	103.5"(2629mm)	102"(2591mm)	SYEJ-50A2-L N	1428.61	1536.52	2420.20	2528.11
	109.5"(2781mm)	108"(2743mm)	SYEJ-50A8-L N	1461.25	1574.50	2507.34	2620.59
	115.5"(2934mm)	114"(2896mm)	SYEJ-50B4-L N	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>							
58"(1473mm)	19.5"(495mm)	18"(457mm)	SYEJ-5818-L N	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	25.5"(648mm)	24"(610mm)	SYEJ-5824-L N	813.86	862.51	1096.95	1145.60
	31.5"(800mm)	30"(762mm)	SYEJ-5830-L N	846.50	900.49	1184.09	1238.08
	37.5"(953mm)	36"(914mm)	SYEJ-5836-L N	1034.58	1093.91	1426.67	1486.00
	43.5"(1105mm)	42"(1067mm)	SYEJ-5842-L N	1164.37	1229.04	1610.96	1675.63
	49.5"(1257mm)	48"(1219mm)	SYEJ-5848-L N	1197.01	1267.02	1698.10	1768.11
	55.5"(1410mm)	54"(1372mm)	SYEJ-5854-L N	1229.65	1305.00	1785.24	1860.59
	61.5"(1562mm)	60"(1524mm)	SYEJ-5860-L N	1262.29	1342.98	1872.38	1953.07


# Gallery Panel to Compose Beam End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>West / Left Face Connection</b>							
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>							
26"(660mm)	19.5"(495mm)	18"(457mm)	SYWJ-2618-LN ■■	\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	25.5"(648mm)	24"(610mm)	SYWJ-2624-LN ■■	565.22	573.23	848.31	856.32
	31.5"(800mm)	30"(762mm)	SYWJ-2630-LN ■■	597.86	611.21	935.45	948.80
	37.5"(953mm)	36"(914mm)	SYWJ-2636-LN ■■	785.94	804.63	1178.03	1196.72
	43.5"(1105mm)	42"(1067mm)	SYWJ-2642-LN ■■	915.73	939.76	1362.32	1386.35
	49.5"(1257mm)	48"(1219mm)	SYWJ-2648-LN ■■	948.37	977.74	1449.46	1478.83
	55.5"(1410mm)	54"(1372mm)	SYWJ-2654-LN ■■	981.01	1015.72	1536.60	1571.31
	61.5"(1562mm)	60"(1524mm)	SYWJ-2660-LN ■■	1013.65	1053.70	1623.74	1663.79
	67.5"(1715mm)	66"(1676mm)	SYWJ-2666-LN ■■	1046.29	1091.68	1710.88	1756.27
	73.5"(1867mm)	72"(1829mm)	SYWJ-2672-LN ■■	1078.93	1129.66	1798.02	1848.75
	79.5"(2019mm)	78"(1981mm)	SYWJ-2678-LN ■■	1111.57	1167.64	1885.16	1941.23
	85.5"(2172mm)	84"(2134mm)	SYWJ-2684-LN ■■	1144.21	1205.62	1972.30	2033.71
	91.5"(2324mm)	90"(2286mm)	SYWJ-2690-LN ■■	1176.85	1243.60	2059.44	2126.19
	97.5"(2477mm)	96"(2438mm)	SYWJ-2696-LN ■■	1209.49	1281.58	2146.58	2218.67
	103.5"(2629mm)	102"(2591mm)	SYWJ-26A2-LN ■■	1242.13	1319.56	2233.72	2311.15
	109.5"(2781mm)	108"(2743mm)	SYWJ-26A8-LN ■■	1274.77	1357.54	2320.86	2403.63
	115.5"(2934mm)	114"(2896mm)	SYWJ-26B4-LN ■■	1307.41	1395.52	2408.00	2496.11
27"(686mm)	19.5"(495mm)	18"(457mm)	SYWJ-2718-LN ■■	\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	25.5"(648mm)	24"(610mm)	SYWJ-2724-LN ■■	572.99	582.27	856.08	865.36
	31.5"(800mm)	30"(762mm)	SYWJ-2730-LN ■■	605.63	620.25	943.22	957.84
	37.5"(953mm)	36"(914mm)	SYWJ-2736-LN ■■	793.71	813.67	1185.80	1205.76
	43.5"(1105mm)	42"(1067mm)	SYWJ-2742-LN ■■	923.50	948.80	1370.09	1395.39
	49.5"(1257mm)	48"(1219mm)	SYWJ-2748-LN ■■	956.14	986.78	1457.23	1487.87
	55.5"(1410mm)	54"(1372mm)	SYWJ-2754-LN ■■	988.78	1024.76	1544.37	1580.35
	61.5"(1562mm)	60"(1524mm)	SYWJ-2760-LN ■■	1021.42	1062.74	1631.51	1672.83
	67.5"(1715mm)	66"(1676mm)	SYWJ-2766-LN ■■	1054.06	1100.72	1718.65	1765.31
	73.5"(1867mm)	72"(1829mm)	SYWJ-2772-LN ■■	1086.70	1138.70	1805.79	1857.79
	79.5"(2019mm)	78"(1981mm)	SYWJ-2778-LN ■■	1119.34	1176.68	1892.93	1950.27
	85.5"(2172mm)	84"(2134mm)	SYWJ-2784-LN ■■	1151.98	1214.66	1980.07	2042.75
	91.5"(2324mm)	90"(2286mm)	SYWJ-2790-LN ■■	1184.62	1252.64	2067.21	2135.23
	97.5"(2477mm)	96"(2438mm)	SYWJ-2796-LN ■■	1217.26	1290.62	2154.35	2227.71
	103.5"(2629mm)	102"(2591mm)	SYWJ-27A2-LN ■■	1249.90	1328.60	2241.49	2320.19
	109.5"(2781mm)	108"(2743mm)	SYWJ-27A8-LN ■■	1282.54	1366.58	2328.63	2412.67
	115.5"(2934mm)	114"(2896mm)	SYWJ-27B4-LN ■■	1315.18	1404.56	2415.77	2505.15
34"(864mm)	19.5"(495mm)	18"(457mm)	SYWJ-3418-LN ■■	\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	25.5"(648mm)	24"(610mm)	SYWJ-3424-LN ■■	627.38	645.55	910.47	928.64
	31.5"(800mm)	30"(762mm)	SYWJ-3430-LN ■■	660.02	683.53	997.61	1021.12
	37.5"(953mm)	36"(914mm)	SYWJ-3436-LN ■■	848.10	876.95	1240.19	1269.04
	43.5"(1105mm)	42"(1067mm)	SYWJ-3442-LN ■■	977.89	1012.08	1424.48	1458.67
	49.5"(1257mm)	48"(1219mm)	SYWJ-3448-LN ■■	1010.53	1050.06	1511.62	1551.15
	55.5"(1410mm)	54"(1372mm)	SYWJ-3454-LN ■■	1043.17	1088.04	1598.76	1643.63
	61.5"(1562mm)	60"(1524mm)	SYWJ-3460-LN ■■	1075.81	1126.02	1685.90	1736.11
	67.5"(1715mm)	66"(1676mm)	SYWJ-3466-LN ■■	1108.45	1164.00	1773.04	1828.59
	73.5"(1867mm)	72"(1829mm)	SYWJ-3472-LN ■■	1141.09	1201.98	1860.18	1921.07
	79.5"(2019mm)	78"(1981mm)	SYWJ-3478-LN ■■	1173.73	1239.96	1947.32	2013.55
	85.5"(2172mm)	84"(2134mm)	SYWJ-3484-LN ■■	1206.37	1277.94	2034.46	2106.03
	91.5"(2324mm)	90"(2286mm)	SYWJ-3490-LN ■■	1239.01	1315.92	2121.60	2198.51
	97.5"(2477mm)	96"(2438mm)	SYWJ-3496-LN ■■	1271.65	1353.90	2208.74	2290.99
	103.5"(2629mm)	102"(2591mm)	SYWJ-34A2-LN ■■	1304.29	1391.88	2295.88	2383.47
	109.5"(2781mm)	108"(2743mm)	SYWJ-34A8-LN ■■	1336.93	1429.86	2383.02	2475.95
	115.5"(2934mm)	114"(2896mm)	SYWJ-34B4-LN ■■	1369.57	1467.84	2470.16	2568.43

# Gallery Panel to Compose Beam End-of-Run W/E (Half Left or Half Right Mount)

Nominal Height	Actual Width	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>							
42"(1067mm)	19.5"(495mm)	18"(457mm)	SYWJ-4218-LN ■■	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	25.5"(648mm)	24"(610mm)	SYWJ-4224-LN ■■	689.54	717.87	972.63	1000.96
	31.5"(800mm)	30"(762mm)	SYWJ-4230-LN ■■	722.18	755.85	1059.77	1093.44
	37.5"(953mm)	36"(914mm)	SYWJ-4236-LN ■■	910.26	949.27	1302.35	1341.36
	43.5"(1105mm)	42"(1067mm)	SYWJ-4242-LN ■■	1040.05	1084.40	1486.64	1530.99
	49.5"(1257mm)	48"(1219mm)	SYWJ-4248-LN ■■	1072.69	1122.38	1573.78	1623.47
	55.5"(1410mm)	54"(1372mm)	SYWJ-4254-LN ■■	1105.33	1160.36	1660.92	1715.95
	61.5"(1562mm)	60"(1524mm)	SYWJ-4260-LN ■■	1137.97	1198.34	1748.06	1808.43
	67.5"(1715mm)	66"(1676mm)	SYWJ-4266-LN ■■	1170.61	1236.32	1835.20	1900.91
	73.5"(1867mm)	72"(1829mm)	SYWJ-4272-LN ■■	1203.25	1274.30	1922.34	1993.39
	79.5"(2019mm)	78"(1981mm)	SYWJ-4278-LN ■■	1235.89	1312.28	2009.48	2085.87
	85.5"(2172mm)	84"(2134mm)	SYWJ-4284-LN ■■	1268.53	1350.26	2096.62	2178.35
	91.5"(2324mm)	90"(2286mm)	SYWJ-4290-LN ■■	1301.17	1388.24	2183.76	2270.83
	97.5"(2477mm)	96"(2438mm)	SYWJ-4296-LN ■■	1333.81	1426.22	2270.90	2363.31
	103.5"(2629mm)	102"(2591mm)	SYWJ-42A2-LN ■■	1366.45	1464.20	2358.04	2455.79
	109.5"(2781mm)	108"(2743mm)	SYWJ-42A8-LN ■■	1399.09	1502.18	2445.18	2548.27
	115.5"(2934mm)	114"(2896mm)	SYWJ-42B4-LN ■■	1431.73	1540.16	2532.32	2640.75
<b>50"(1270mm)</b>							
	19.5"(495mm)	18"(457mm)	SYWJ-5018-LN ■■	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	25.5"(648mm)	24"(610mm)	SYWJ-5024-LN ■■	751.70	790.19	1034.79	1073.28
	31.5"(800mm)	30"(762mm)	SYWJ-5030-LN ■■	784.34	828.17	1121.93	1165.76
	37.5"(953mm)	36"(914mm)	SYWJ-5036-LN ■■	972.42	1021.59	1364.51	1413.68
	43.5"(1105mm)	42"(1067mm)	SYWJ-5042-LN ■■	1102.21	1156.72	1548.80	1603.31
	49.5"(1257mm)	48"(1219mm)	SYWJ-5048-LN ■■	1134.85	1194.70	1635.94	1695.79
	55.5"(1410mm)	54"(1372mm)	SYWJ-5054-LN ■■	1167.49	1232.68	1723.08	1788.27
	61.5"(1562mm)	60"(1524mm)	SYWJ-5060-LN ■■	1200.13	1270.66	1810.22	1880.75
	67.5"(1715mm)	66"(1676mm)	SYWJ-5066-LN ■■	1232.77	1308.64	1897.36	1973.23
	73.5"(1867mm)	72"(1829mm)	SYWJ-5072-LN ■■	1265.41	1346.62	1984.50	2065.71
	79.5"(2019mm)	78"(1981mm)	SYWJ-5078-LN ■■	1298.05	1384.60	2071.64	2158.19
	85.5"(2172mm)	84"(2134mm)	SYWJ-5084-LN ■■	1330.69	1422.58	2158.78	2250.67
	91.5"(2324mm)	90"(2286mm)	SYWJ-5090-LN ■■	1363.33	1460.56	2245.92	2343.15
	97.5"(2477mm)	96"(2438mm)	SYWJ-5096-LN ■■	1395.97	1498.54	2333.06	2435.63
	103.5"(2629mm)	102"(2591mm)	SYWJ-50A2-LN ■■	1428.61	1536.52	2420.20	2528.11
	109.5"(2781mm)	108"(2743mm)	SYWJ-50A8-LN ■■	1461.25	1574.50	2507.34	2620.59
	115.5"(2934mm)	114"(2896mm)	SYWJ-50B4-LN ■■	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>							
58"(1473mm)	19.5"(495mm)	18"(457mm)	SYWJ-5818-LN ■■	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	25.5"(648mm)	24"(610mm)	SYWJ-5824-LN ■■	813.86	862.51	1096.95	1145.60
	31.5"(800mm)	30"(762mm)	SYWJ-5830-LN ■■	846.50	900.49	1184.09	1238.08
	37.5"(953mm)	36"(914mm)	SYWJ-5836-LN ■■	1034.58	1093.91	1426.67	1486.00
	43.5"(1105mm)	42"(1067mm)	SYWJ-5842-LN ■■	1164.37	1229.04	1610.96	1675.63
	49.5"(1257mm)	48"(1219mm)	SYWJ-5848-LN ■■	1197.01	1267.02	1698.10	1768.11
	55.5"(1410mm)	54"(1372mm)	SYWJ-5854-LN ■■	1229.65	1305.00	1785.24	1860.59
	61.5"(1562mm)	60"(1524mm)	SYWJ-5860-LN ■■	1262.29	1342.98	1872.38	1953.07

# Gallery Panel to Compose Beam End-of-Run C (Center Mount)



### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18" (30mm) thick. Compose Beam adds 3" (76mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5" (38mm) level adjustment.
- Beam and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.

### Specification Tips

- For use at the end of a Compose Beam. Takes the place of Beam End-of-Run Trim.
- Gallery Panels can be the same height or taller than the Beam.
- Gallery Panel has one center face connection only.
- Refer to the Specification Guide for End mounting application guidelines.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

#### 1 Left End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26" (660mm)H or 27" (686mm)H Connection
- B** 34" (864mm)H Connection
- C** 42" (1067mm)H Connection
- D** 50" (1270mm)H Connection
- E** 58" (1473mm)H Connection

#### 2 Right End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26" (660mm)H or 27" (686mm)H Connection
- B** 34" (864mm)H Connection
- C** 42" (1067mm)H Connection
- D** 50" (1270mm)H Connection
- E** 58" (1473mm)H Connection

#### 3 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.  
3) Edgeband color.




# Gallery Panel to Compose Beam End-of-Run C (Center Mount)

Nominal Height	Actual Width	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>							
26"(660mm)	21"(533mm)	18"(457mm)	SYCJ-2618-L	\$ 532.58	\$ 535.25	\$ 761.17	\$ 763.84
	27"(686mm)	24"(610mm)	SYCJ-2624-L	565.22	573.23	848.31	856.32
	33"(838mm)	30"(762mm)	SYCJ-2630-L	597.86	611.21	935.45	948.80
	39"(991mm)	36"(914mm)	SYCJ-2636-L	785.94	804.63	1178.03	1196.72
	45"(1143mm)	42"(1067mm)	SYCJ-2642-L	915.73	939.76	1362.32	1386.35
	51"(1295mm)	48"(1219mm)	SYCJ-2648-L	948.37	977.74	1449.46	1478.83
	57"(1448mm)	54"(1372mm)	SYCJ-2654-L	981.01	1015.72	1536.60	1571.31
	63"(1600mm)	60"(1524mm)	SYCJ-2660-L	1013.65	1053.70	1623.74	1663.79
	69"(1753mm)	66"(1676mm)	SYCJ-2666-L	1046.29	1091.68	1710.88	1756.27
	75"(1905mm)	72"(1829mm)	SYCJ-2672-L	1078.93	1129.66	1798.02	1848.75
	81"(2057mm)	78"(1981mm)	SYCJ-2678-L	1111.57	1167.64	1885.16	1941.23
	87"(2210mm)	84"(2134mm)	SYCJ-2684-L	1144.21	1205.62	1972.30	2033.71
	93"(2362mm)	90"(2286mm)	SYCJ-2690-L	1176.85	1243.60	2059.44	2126.19
	99"(2515mm)	96"(2438mm)	SYCJ-2696-L	1209.49	1281.58	2146.58	2218.67
105"(2667mm)	102"(2591mm)	SYCJ-26A2-L	1242.13	1319.56	2233.72	2311.15	
111"(2819mm)	108"(2743mm)	SYCJ-26A8-L	1274.77	1357.54	2320.86	2403.63	
117"(2972mm)	114"(2896mm)	SYCJ-26B4-L	1307.41	1395.52	2408.00	2496.11	
27"(686mm)	21"(533mm)	18"(457mm)	SYCJ-2718-L	\$ 540.35	\$ 544.29	\$ 768.94	\$ 772.88
	27"(686mm)	24"(610mm)	SYCJ-2724-L	572.99	582.27	856.08	865.36
	33"(838mm)	30"(762mm)	SYCJ-2730-L	605.63	620.25	943.22	957.84
	39"(991mm)	36"(914mm)	SYCJ-2736-L	793.71	813.67	1185.80	1205.76
	45"(1143mm)	42"(1067mm)	SYCJ-2742-L	923.50	948.80	1370.09	1395.39
	51"(1295mm)	48"(1219mm)	SYCJ-2748-L	956.14	986.78	1457.23	1487.87
	57"(1448mm)	54"(1372mm)	SYCJ-2754-L	988.78	1024.76	1544.37	1580.35
	63"(1600mm)	60"(1524mm)	SYCJ-2760-L	1021.42	1062.74	1631.51	1672.83
	69"(1753mm)	66"(1676mm)	SYCJ-2766-L	1054.06	1100.72	1718.65	1765.31
	75"(1905mm)	72"(1829mm)	SYCJ-2772-L	1086.70	1138.70	1805.79	1857.79
	81"(2057mm)	78"(1981mm)	SYCJ-2778-L	1119.34	1176.68	1892.93	1950.27
	87"(2210mm)	84"(2134mm)	SYCJ-2784-L	1151.98	1214.66	1980.07	2042.75
	93"(2362mm)	90"(2286mm)	SYCJ-2790-L	1184.62	1252.64	2067.21	2135.23
	99"(2515mm)	96"(2438mm)	SYCJ-2796-L	1217.26	1290.62	2154.35	2227.71
105"(2667mm)	102"(2591mm)	SYCJ-27A2-L	1249.90	1328.60	2241.49	2320.19	
111"(2819mm)	108"(2743mm)	SYCJ-27A8-L	1282.54	1366.58	2328.63	2412.67	
117"(2972mm)	114"(2896mm)	SYCJ-27B4-L	1315.18	1404.56	2415.77	2505.15	
34"(864mm)	21"(533mm)	18"(457mm)	SYCJ-3418-L	\$ 594.74	\$ 607.57	\$ 823.33	\$ 836.16
	27"(686mm)	24"(610mm)	SYCJ-3424-L	627.38	645.55	910.47	928.64
	33"(838mm)	30"(762mm)	SYCJ-3430-L	660.02	683.53	997.61	1021.12
	39"(991mm)	36"(914mm)	SYCJ-3436-L	848.10	876.95	1240.19	1269.04
	45"(1143mm)	42"(1067mm)	SYCJ-3442-L	977.89	1012.08	1424.48	1458.67
	51"(1295mm)	48"(1219mm)	SYCJ-3448-L	1010.53	1050.06	1511.62	1551.15
	57"(1448mm)	54"(1372mm)	SYCJ-3454-L	1043.17	1088.04	1598.76	1643.63
	63"(1600mm)	60"(1524mm)	SYCJ-3460-L	1075.81	1126.02	1685.90	1736.11
	69"(1753mm)	66"(1676mm)	SYCJ-3466-L	1108.45	1164.00	1773.04	1828.59
	75"(1905mm)	72"(1829mm)	SYCJ-3472-L	1141.09	1201.98	1860.18	1921.07
	81"(2057mm)	78"(1981mm)	SYCJ-3478-L	1173.73	1239.96	1947.32	2013.55
	87"(2210mm)	84"(2134mm)	SYCJ-3484-L	1206.37	1277.94	2034.46	2106.03
	93"(2362mm)	90"(2286mm)	SYCJ-3490-L	1239.01	1315.92	2121.60	2198.51
	99"(2515mm)	96"(2438mm)	SYCJ-3496-L	1271.65	1353.90	2208.74	2290.99
105"(2667mm)	102"(2591mm)	SYCJ-34A2-L	1304.29	1391.88	2295.88	2383.47	
111"(2819mm)	108"(2743mm)	SYCJ-34A8-L	1336.93	1429.86	2383.02	2475.95	
117"(2972mm)	114"(2896mm)	SYCJ-34B4-L	1369.57	1467.84	2470.16	2568.43	


# Gallery Panel to Compose Beam End-of-Run C (Center Mount)

Nominal Height	Actual Width	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>							
42"(1067mm)	21"(533mm)	18"(457mm)	SYCJ-4218-L	\$ 656.90	\$ 679.89	\$ 885.49	\$ 908.48
	27"(686mm)	24"(610mm)	SYCJ-4224-L	689.54	717.87	972.63	1000.96
	33"(838mm)	30"(762mm)	SYCJ-4230-L	722.18	755.85	1059.77	1093.44
	39"(991mm)	36"(914mm)	SYCJ-4236-L	910.26	949.27	1302.35	1341.36
	45"(1143mm)	42"(1067mm)	SYCJ-4242-L	1040.05	1084.40	1486.64	1530.99
	51"(1295mm)	48"(1219mm)	SYCJ-4248-L	1072.69	1122.38	1573.78	1623.47
	57"(1448mm)	54"(1372mm)	SYCJ-4254-L	1105.33	1160.36	1660.92	1715.95
	63"(1600mm)	60"(1524mm)	SYCJ-4260-L	1137.97	1198.34	1748.06	1808.43
	69"(1753mm)	66"(1676mm)	SYCJ-4266-L	1170.61	1236.32	1835.20	1900.91
	75"(1905mm)	72"(1829mm)	SYCJ-4272-L	1203.25	1274.30	1922.34	1993.39
	81"(2057mm)	78"(1981mm)	SYCJ-4278-L	1235.89	1312.28	2009.48	2085.87
	87"(2210mm)	84"(2134mm)	SYCJ-4284-L	1268.53	1350.26	2096.62	2178.35
	93"(2362mm)	90"(2286mm)	SYCJ-4290-L	1301.17	1388.24	2183.76	2270.83
	99"(2515mm)	96"(2438mm)	SYCJ-4296-L	1333.81	1426.22	2270.90	2363.31
	105"(2667mm)	102"(2591mm)	SYCJ-42A2-L	1366.45	1464.20	2358.04	2455.79
	111"(2819mm)	108"(2743mm)	SYCJ-42A8-L	1399.09	1502.18	2445.18	2548.27
	117"(2972mm)	114"(2896mm)	SYCJ-42B4-L	1431.73	1540.16	2532.32	2640.75
<b>50"(1270mm)</b>							
	21"(533mm)	18"(457mm)	SYCJ-5018-L	\$ 719.06	\$ 752.21	\$ 947.65	\$ 980.80
	27"(686mm)	24"(610mm)	SYCJ-5024-L	751.70	790.19	1034.79	1073.28
	33"(838mm)	30"(762mm)	SYCJ-5030-L	784.34	828.17	1121.93	1165.76
	39"(991mm)	36"(914mm)	SYCJ-5036-L	972.42	1021.59	1364.51	1413.68
	45"(1143mm)	42"(1067mm)	SYCJ-5042-L	1102.21	1156.72	1548.80	1603.31
	51"(1295mm)	48"(1219mm)	SYCJ-5048-L	1134.85	1194.70	1635.94	1695.79
	57"(1448mm)	54"(1372mm)	SYCJ-5054-L	1167.49	1232.68	1723.08	1788.27
	63"(1600mm)	60"(1524mm)	SYCJ-5060-L	1200.13	1270.66	1810.22	1880.75
	69"(1753mm)	66"(1676mm)	SYCJ-5066-L	1232.77	1308.64	1897.36	1973.23
	75"(1905mm)	72"(1829mm)	SYCJ-5072-L	1265.41	1346.62	1984.50	2065.71
	81"(2057mm)	78"(1981mm)	SYCJ-5078-L	1298.05	1384.60	2071.64	2158.19
	87"(2210mm)	84"(2134mm)	SYCJ-5084-L	1330.69	1422.58	2158.78	2250.67
	93"(2362mm)	90"(2286mm)	SYCJ-5090-L	1363.33	1460.56	2245.92	2343.15
	99"(2515mm)	96"(2438mm)	SYCJ-5096-L	1395.97	1498.54	2333.06	2435.63
	105"(2667mm)	102"(2591mm)	SYCJ-50A2-L	1428.61	1536.52	2420.20	2528.11
	111"(2819mm)	108"(2743mm)	SYCJ-50A8-L	1461.25	1574.50	2507.34	2620.59
	117"(2972mm)	114"(2896mm)	SYCJ-50B4-L	1493.89	1612.48	2594.48	2713.07
<b>Gallery Panels 58"(1473mm)H</b>							
58"(1473mm)	21"(533mm)	18"(457mm)	SYCJ-5818-L	\$ 781.22	\$ 824.53	\$ 1009.81	\$ 1053.12
	27"(686mm)	24"(610mm)	SYCJ-5824-L	813.86	862.51	1096.95	1145.60
	33"(838mm)	30"(762mm)	SYCJ-5830-L	846.50	900.49	1184.09	1238.08
	39"(991mm)	36"(914mm)	SYCJ-5836-L	1034.58	1093.91	1426.67	1486.00
	45"(1143mm)	42"(1067mm)	SYCJ-5842-L	1164.37	1229.04	1610.96	1675.63
	51"(1295mm)	48"(1219mm)	SYCJ-5848-L	1197.01	1267.02	1698.10	1768.11
	57"(1448mm)	54"(1372mm)	SYCJ-5854-L	1229.65	1305.00	1785.24	1860.59
	63"(1600mm)	60"(1524mm)	SYCJ-5860-L	1262.29	1342.98	1872.38	1953.07

# Gallery Panel to Compose Beam Intermediate T (Two Sided Left/Right)



SYTJ



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18"(30mm) thick. Compose Beam adds 3"(76mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Beam and hardware are field installed.
- Rail for glass ready option standard in black.
- Power pass through standard at below worksurface.

### Specification Tips

- For intermediate use between two Compose Beams.
- Gallery Panels can be the same height or taller than the Beam.
- Gallery Panel has one face connection on both sides.
- Gallery Panel End attachment is not allowed on the same hand as the face attachment. Refer to the Specification Guide for End mounting application guidelines.
- Base power applications require separately specified Flexible Power Connector - Corner Span, Work-height (VZEF-OBOQ-).
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

**1 Other End (Finished End or Connection End)**

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

**2 Glass Options**

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.  
3) Edgeband color.



# Gallery Panel to Compose Beam Intermediate T (Two Sided Left/Right)

Nominal Height	Actual Width	Nominal Width	Number	①②	No Glass HPL		Glass Ready HPL	
					A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>								
26"(660mm)	21"(533mm)	18"(457mm)	SYTJ-2618-LN	■ ■	\$ 665.95	\$ 668.62	\$ 894.54	\$ 897.21
	27"(686mm)	24"(610mm)	SYTJ-2624-LN	■ ■	698.59	706.60	981.68	989.69
	33"(838mm)	30"(762mm)	SYTJ-2630-LN	■ ■	731.23	744.58	1068.82	1082.17
	39"(991mm)	36"(914mm)	SYTJ-2636-LN	■ ■	919.31	938.00	1311.40	1330.09
	45"(1143mm)	42"(1067mm)	SYTJ-2642-LN	■ ■	1049.10	1073.13	1495.69	1519.72
	51"(1295mm)	48"(1219mm)	SYTJ-2648-LN	■ ■	1081.74	1111.11	1582.83	1612.20
	57"(1448mm)	54"(1372mm)	SYTJ-2654-LN	■ ■	1114.38	1149.09	1669.97	1704.68
	63"(1600mm)	60"(1524mm)	SYTJ-2660-LN	■ ■	1147.02	1187.07	1757.11	1797.16
	69"(1753mm)	66"(1676mm)	SYTJ-2666-LN	■ ■	1179.66	1225.05	1844.25	1889.64
	75"(1905mm)	72"(1829mm)	SYTJ-2672-LN	■ ■	1212.30	1263.03	1931.39	1982.12
	81"(2057mm)	78"(1981mm)	SYTJ-2678-LN	■ ■	1244.94	1301.01	2018.53	2074.60
	87"(2210mm)	84"(2134mm)	SYTJ-2684-LN	■ ■	1277.58	1338.99	2105.67	2167.08
	93"(2362mm)	90"(2286mm)	SYTJ-2690-LN	■ ■	1310.22	1376.97	2192.81	2259.56
	99"(2515mm)	96"(2438mm)	SYTJ-2696-LN	■ ■	1342.86	1414.95	2279.95	2352.04
105"(2667mm)	102"(2591mm)	SYTJ-26A2-LN	■ ■	1375.50	1452.93	2367.09	2444.52	
111"(2819mm)	108"(2743mm)	SYTJ-26A8-LN	■ ■	1408.14	1490.91	2454.23	2537.00	
117"(2972mm)	114"(2896mm)	SYTJ-26B4-LN	■ ■	1440.78	1528.89	2541.37	2629.48	
27"(686mm)	21"(533mm)	18"(457mm)	SYTJ-2718-LN	■ ■	\$ 673.72	\$ 677.66	\$ 902.31	\$ 906.25
	27"(686mm)	24"(610mm)	SYTJ-2724-LN	■ ■	706.36	715.64	989.45	998.73
	33"(838mm)	30"(762mm)	SYTJ-2730-LN	■ ■	739.00	753.62	1076.59	1091.21
	39"(991mm)	36"(914mm)	SYTJ-2736-LN	■ ■	927.08	947.04	1319.17	1339.13
	45"(1143mm)	42"(1067mm)	SYTJ-2742-LN	■ ■	1056.87	1082.17	1503.46	1528.76
	51"(1295mm)	48"(1219mm)	SYTJ-2748-LN	■ ■	1089.51	1120.15	1590.60	1621.24
	57"(1448mm)	54"(1372mm)	SYTJ-2754-LN	■ ■	1122.15	1158.13	1677.74	1713.72
	63"(1600mm)	60"(1524mm)	SYTJ-2760-LN	■ ■	1154.79	1196.11	1764.88	1806.20
	69"(1753mm)	66"(1676mm)	SYTJ-2766-LN	■ ■	1187.43	1234.09	1852.02	1898.68
	75"(1905mm)	72"(1829mm)	SYTJ-2772-LN	■ ■	1220.07	1272.07	1939.16	1991.16
	81"(2057mm)	78"(1981mm)	SYTJ-2778-LN	■ ■	1252.71	1310.05	2026.30	2083.64
	87"(2210mm)	84"(2134mm)	SYTJ-2784-LN	■ ■	1285.35	1348.03	2113.44	2176.12
	93"(2362mm)	90"(2286mm)	SYTJ-2790-LN	■ ■	1317.99	1386.01	2200.58	2268.60
	99"(2515mm)	96"(2438mm)	SYTJ-2796-LN	■ ■	1350.63	1423.99	2287.72	2361.08
105"(2667mm)	102"(2591mm)	SYTJ-27A2-LN	■ ■	1383.27	1461.97	2374.86	2453.56	
111"(2819mm)	108"(2743mm)	SYTJ-27A8-LN	■ ■	1415.91	1499.95	2462.00	2546.04	
117"(2972mm)	114"(2896mm)	SYTJ-27B4-LN	■ ■	1448.55	1537.93	2549.14	2638.52	
34"(864mm)	21"(533mm)	18"(457mm)	SYTJ-3418-LN	■ ■	\$ 728.11	\$ 740.94	\$ 956.70	\$ 969.53
	27"(686mm)	24"(610mm)	SYTJ-3424-LN	■ ■	760.75	778.92	1043.84	1062.01
	33"(838mm)	30"(762mm)	SYTJ-3430-LN	■ ■	793.39	816.90	1130.98	1154.49
	39"(991mm)	36"(914mm)	SYTJ-3436-LN	■ ■	981.47	1010.32	1373.56	1402.41
	45"(1143mm)	42"(1067mm)	SYTJ-3442-LN	■ ■	1111.26	1145.45	1557.85	1592.04
	51"(1295mm)	48"(1219mm)	SYTJ-3448-LN	■ ■	1143.90	1183.43	1644.99	1684.52
	57"(1448mm)	54"(1372mm)	SYTJ-3454-LN	■ ■	1176.54	1221.41	1732.13	1777.00
	63"(1600mm)	60"(1524mm)	SYTJ-3460-LN	■ ■	1209.18	1259.39	1819.27	1869.48
	69"(1753mm)	66"(1676mm)	SYTJ-3466-LN	■ ■	1241.82	1297.37	1906.41	1961.96
	75"(1905mm)	72"(1829mm)	SYTJ-3472-LN	■ ■	1274.46	1335.35	1993.55	2054.44
	81"(2057mm)	78"(1981mm)	SYTJ-3478-LN	■ ■	1307.10	1373.33	2080.69	2146.92
	87"(2210mm)	84"(2134mm)	SYTJ-3484-LN	■ ■	1339.74	1411.31	2167.83	2239.40
	93"(2362mm)	90"(2286mm)	SYTJ-3490-LN	■ ■	1372.38	1449.29	2254.97	2331.88
	99"(2515mm)	96"(2438mm)	SYTJ-3496-LN	■ ■	1405.02	1487.27	2342.11	2424.36
105"(2667mm)	102"(2591mm)	SYTJ-34A2-LN	■ ■	1437.66	1525.25	2429.25	2516.84	
111"(2819mm)	108"(2743mm)	SYTJ-34A8-LN	■ ■	1470.30	1563.23	2516.39	2609.32	
117"(2972mm)	114"(2896mm)	SYTJ-34B4-LN	■ ■	1502.94	1601.21	2603.53	2701.80	

# Gallery Panel to Compose Beam Intermediate T (Two Sided Left/Right)

Nominal Height	Actual Width	Nominal Width	Number	①②	No Glass HPL		Glass Ready HPL	
					A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>								
42"(1067mm)	21"(533mm)	18"(457mm)	SYTJ-4218-LN	■ ■	\$ 790.27	\$ 813.26	\$ 1018.86	\$ 1041.85
	27"(686mm)	24"(610mm)	SYTJ-4224-LN	■ ■	822.91	851.24	1106.00	1134.33
	33"(838mm)	30"(762mm)	SYTJ-4230-LN	■ ■	855.55	889.22	1193.14	1226.81
	39"(991mm)	36"(914mm)	SYTJ-4236-LN	■ ■	1043.63	1082.64	1435.72	1474.73
	45"(1143mm)	42"(1067mm)	SYTJ-4242-LN	■ ■	1173.42	1217.77	1620.01	1664.36
	51"(1295mm)	48"(1219mm)	SYTJ-4248-LN	■ ■	1206.06	1255.75	1707.15	1756.84
	57"(1448mm)	54"(1372mm)	SYTJ-4254-LN	■ ■	1238.70	1293.73	1794.29	1849.32
	63"(1600mm)	60"(1524mm)	SYTJ-4260-LN	■ ■	1271.34	1331.71	1881.43	1941.80
	69"(1753mm)	66"(1676mm)	SYTJ-4266-LN	■ ■	1303.98	1369.69	1968.57	2034.28
	75"(1905mm)	72"(1829mm)	SYTJ-4272-LN	■ ■	1336.62	1407.67	2055.71	2126.76
	81"(2057mm)	78"(1981mm)	SYTJ-4278-LN	■ ■	1369.26	1445.65	2142.85	2219.24
	87"(2210mm)	84"(2134mm)	SYTJ-4284-LN	■ ■	1401.90	1483.63	2229.99	2311.72
	93"(2362mm)	90"(2286mm)	SYTJ-4290-LN	■ ■	1434.54	1521.61	2317.13	2404.20
	99"(2515mm)	96"(2438mm)	SYTJ-4296-LN	■ ■	1467.18	1559.59	2404.27	2496.68
	105"(2667mm)	102"(2591mm)	SYTJ-42A2-LN	■ ■	1499.82	1597.57	2491.41	2589.16
	111"(2819mm)	108"(2743mm)	SYTJ-42A8-LN	■ ■	1532.46	1635.55	2578.55	2681.64
	117"(2972mm)	114"(2896mm)	SYTJ-42B4-LN	■ ■	1565.10	1673.53	2665.69	2774.12
50"(1270mm)	21"(533mm)	18"(457mm)	SYTJ-5018-LN	■ ■	\$ 852.43	\$ 885.58	\$ 1081.02	\$ 1114.17
	27"(686mm)	24"(610mm)	SYTJ-5024-LN	■ ■	885.07	923.56	1168.16	1206.65
	33"(838mm)	30"(762mm)	SYTJ-5030-LN	■ ■	917.71	961.54	1255.30	1299.13
	39"(991mm)	36"(914mm)	SYTJ-5036-LN	■ ■	1105.79	1154.96	1497.88	1547.05
	45"(1143mm)	42"(1067mm)	SYTJ-5042-LN	■ ■	1235.58	1290.09	1682.17	1736.68
	51"(1295mm)	48"(1219mm)	SYTJ-5048-LN	■ ■	1268.22	1328.07	1769.31	1829.16
	57"(1448mm)	54"(1372mm)	SYTJ-5054-LN	■ ■	1300.86	1366.05	1856.45	1921.64
	63"(1600mm)	60"(1524mm)	SYTJ-5060-LN	■ ■	1333.50	1404.03	1943.59	2014.12
	69"(1753mm)	66"(1676mm)	SYTJ-5066-LN	■ ■	1366.14	1442.01	2030.73	2106.60
	75"(1905mm)	72"(1829mm)	SYTJ-5072-LN	■ ■	1398.78	1479.99	2117.87	2199.08
	81"(2057mm)	78"(1981mm)	SYTJ-5078-LN	■ ■	1431.42	1517.97	2205.01	2291.56
	87"(2210mm)	84"(2134mm)	SYTJ-5084-LN	■ ■	1464.06	1555.95	2292.15	2384.04
	93"(2362mm)	90"(2286mm)	SYTJ-5090-LN	■ ■	1496.70	1593.93	2379.29	2476.52
	99"(2515mm)	96"(2438mm)	SYTJ-5096-LN	■ ■	1529.34	1631.91	2466.43	2569.00
	105"(2667mm)	102"(2591mm)	SYTJ-50A2-LN	■ ■	1561.98	1669.89	2553.57	2661.48
	111"(2819mm)	108"(2743mm)	SYTJ-50A8-LN	■ ■	1594.62	1707.87	2640.71	2753.96
	117"(2972mm)	114"(2896mm)	SYTJ-50B4-LN	■ ■	1627.26	1745.85	2727.85	2846.44
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	21"(533mm)	18"(457mm)	SYTJ-5818-LN	■ ■	\$ 914.59	\$ 957.90	\$ 1143.18	\$ 1186.49
	27"(686mm)	24"(610mm)	SYTJ-5824-LN	■ ■	947.23	995.88	1230.32	1278.97
	33"(838mm)	30"(762mm)	SYTJ-5830-LN	■ ■	979.87	1033.86	1317.46	1371.45
	39"(991mm)	36"(914mm)	SYTJ-5836-LN	■ ■	1167.95	1227.28	1560.04	1619.37
	45"(1143mm)	42"(1067mm)	SYTJ-5842-LN	■ ■	1297.74	1362.41	1744.33	1809.00
	51"(1295mm)	48"(1219mm)	SYTJ-5848-LN	■ ■	1330.38	1400.39	1831.47	1901.48
	57"(1448mm)	54"(1372mm)	SYTJ-5854-LN	■ ■	1363.02	1438.37	1918.61	1993.96
	63"(1600mm)	60"(1524mm)	SYTJ-5860-LN	■ ■	1395.66	1476.35	2005.75	2086.44

# Gallery Panel to Compose Beam Intermediate H (Two Sided Half Left/Right)



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Attachment hardware includes one flat bracket to install on one side of the Gallery Panel.
- Gallery Panel is 1.18"(30mm) thick. Half Compose Beam adds 1.5"(38mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Beam and hardware are field installed.
- Rail for glass ready option standard in black.
- Power pass through standard at below worksurface.

### Specification Tips

- Two (H) Half Intermediate Gallery Panels are required for this application. Gallery Panel heights must match, widths may be different.
- For intermediate use between two Compose Beams.
- Gallery Panels can be the same height or taller than the Beam.
- Gallery Panel End attachment is not allowed on the same hand as the face attachment. Refer to the Specification Guide for End mounting application guidelines.
- Base power applications require separately specified Flexible Power Connector - Corner Span, Work-height (VZEF-OBOQ-).
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

**1 Other End (Finished End or Connection End)**

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

**2 Glass Options**

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.  
3) Edgeband color.

# Gallery Panel to Compose Beam Intermediate H (Two Sided Half Left/Right)


Nominal Height	Actual Width	Nominal Width	Number	①②	No Glass HPL		Glass Ready HPL	
					A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>								
26"(660mm)	19.5"(495mm)	18"(457mm)	SYHJ-2618-LN	■ ■	\$ 665.95	\$ 668.62	\$ 894.54	\$ 897.21
	25.5"(648mm)	24"(610mm)	SYHJ-2624-LN	■ ■	698.59	706.60	981.68	989.69
	31.5"(800mm)	30"(762mm)	SYHJ-2630-LN	■ ■	731.23	744.58	1068.82	1082.17
	37.5"(953mm)	36"(914mm)	SYHJ-2636-LN	■ ■	919.31	938.00	1311.40	1330.09
	43.5"(1105mm)	42"(1067mm)	SYHJ-2642-LN	■ ■	1049.10	1073.13	1495.69	1519.72
	49.5"(1257mm)	48"(1219mm)	SYHJ-2648-LN	■ ■	1081.74	1111.11	1582.83	1612.20
	55.5"(1410mm)	54"(1372mm)	SYHJ-2654-LN	■ ■	1114.38	1149.09	1669.97	1704.68
	61.5"(1562mm)	60"(1524mm)	SYHJ-2660-LN	■ ■	1147.02	1187.07	1757.11	1797.16
	67.5"(1715mm)	66"(1676mm)	SYHJ-2666-LN	■ ■	1179.66	1225.05	1844.25	1889.64
	73.5"(1867mm)	72"(1829mm)	SYHJ-2672-LN	■ ■	1212.30	1263.03	1931.39	1982.12
	79.5"(2019mm)	78"(1981mm)	SYHJ-2678-LN	■ ■	1244.94	1301.01	2018.53	2074.60
	85.5"(2172mm)	84"(2134mm)	SYHJ-2684-LN	■ ■	1277.58	1338.99	2105.67	2167.08
	91.5"(2324mm)	90"(2286mm)	SYHJ-2690-LN	■ ■	1310.22	1376.97	2192.81	2259.56
	97.5"(2477mm)	96"(2438mm)	SYHJ-2696-LN	■ ■	1342.86	1414.95	2279.95	2352.04
	103.5"(2629mm)	102"(2591mm)	SYHJ-26A2-LN	■ ■	1375.50	1452.93	2367.09	2444.52
	109.5"(2781mm)	108"(2743mm)	SYHJ-26A8-LN	■ ■	1408.14	1490.91	2454.23	2537.00
	115.5"(2934mm)	114"(2896mm)	SYHJ-26B4-LN	■ ■	1440.78	1528.89	2541.37	2629.48
27"(686mm)	19.5"(495mm)	18"(457mm)	SYHJ-2718-LN	■ ■	\$ 673.72	\$ 677.66	\$ 902.31	\$ 906.25
	25.5"(648mm)	24"(610mm)	SYHJ-2724-LN	■ ■	706.36	715.64	989.45	998.73
	31.5"(800mm)	30"(762mm)	SYHJ-2730-LN	■ ■	739.00	753.62	1076.59	1091.21
	37.5"(953mm)	36"(914mm)	SYHJ-2736-LN	■ ■	927.08	947.04	1319.17	1339.13
	43.5"(1105mm)	42"(1067mm)	SYHJ-2742-LN	■ ■	1056.87	1082.17	1503.46	1528.76
	49.5"(1257mm)	48"(1219mm)	SYHJ-2748-LN	■ ■	1089.51	1120.15	1590.60	1621.24
	55.5"(1410mm)	54"(1372mm)	SYHJ-2754-LN	■ ■	1122.15	1158.13	1677.74	1713.72
	61.5"(1562mm)	60"(1524mm)	SYHJ-2760-LN	■ ■	1154.79	1196.11	1764.88	1806.20
	67.5"(1715mm)	66"(1676mm)	SYHJ-2766-LN	■ ■	1187.43	1234.09	1852.02	1898.68
	73.5"(1867mm)	72"(1829mm)	SYHJ-2772-LN	■ ■	1220.07	1272.07	1939.16	1991.16
	79.5"(2019mm)	78"(1981mm)	SYHJ-2778-LN	■ ■	1252.71	1310.05	2026.30	2083.64
	85.5"(2172mm)	84"(2134mm)	SYHJ-2784-LN	■ ■	1285.35	1348.03	2113.44	2176.12
	91.5"(2324mm)	90"(2286mm)	SYHJ-2790-LN	■ ■	1317.99	1386.01	2200.58	2268.60
	97.5"(2477mm)	96"(2438mm)	SYHJ-2796-LN	■ ■	1350.63	1423.99	2287.72	2361.08
	103.5"(2629mm)	102"(2591mm)	SYHJ-27A2-LN	■ ■	1383.27	1461.97	2374.86	2453.56
	109.5"(2781mm)	108"(2743mm)	SYHJ-27A8-LN	■ ■	1415.91	1499.95	2462.00	2546.04
	115.5"(2934mm)	114"(2896mm)	SYHJ-27B4-LN	■ ■	1448.55	1537.93	2549.14	2638.52
34"(864mm)	19.5"(495mm)	18"(457mm)	SYHJ-3418-LN	■ ■	\$ 728.11	\$ 740.94	\$ 956.70	\$ 969.53
	25.5"(648mm)	24"(610mm)	SYHJ-3424-LN	■ ■	760.75	778.92	1043.84	1062.01
	31.5"(800mm)	30"(762mm)	SYHJ-3430-LN	■ ■	793.39	816.90	1130.98	1154.49
	37.5"(953mm)	36"(914mm)	SYHJ-3436-LN	■ ■	981.47	1010.32	1373.56	1402.41
	43.5"(1105mm)	42"(1067mm)	SYHJ-3442-LN	■ ■	1111.26	1145.45	1557.85	1592.04
	49.5"(1257mm)	48"(1219mm)	SYHJ-3448-LN	■ ■	1143.90	1183.43	1644.99	1684.52
	55.5"(1410mm)	54"(1372mm)	SYHJ-3454-LN	■ ■	1176.54	1221.41	1732.13	1777.00
	61.5"(1562mm)	60"(1524mm)	SYHJ-3460-LN	■ ■	1209.18	1259.39	1819.27	1869.48
	67.5"(1715mm)	66"(1676mm)	SYHJ-3466-LN	■ ■	1241.82	1297.37	1906.41	1961.96
	73.5"(1867mm)	72"(1829mm)	SYHJ-3472-LN	■ ■	1274.46	1335.35	1993.55	2054.44
	79.5"(2019mm)	78"(1981mm)	SYHJ-3478-LN	■ ■	1307.10	1373.33	2080.69	2146.92
	85.5"(2172mm)	84"(2134mm)	SYHJ-3484-LN	■ ■	1339.74	1411.31	2167.83	2239.40
	91.5"(2324mm)	90"(2286mm)	SYHJ-3490-LN	■ ■	1372.38	1449.29	2254.97	2331.88
	97.5"(2477mm)	96"(2438mm)	SYHJ-3496-LN	■ ■	1405.02	1487.27	2342.11	2424.36
	103.5"(2629mm)	102"(2591mm)	SYHJ-34A2-LN	■ ■	1437.66	1525.25	2429.25	2516.84
	109.5"(2781mm)	108"(2743mm)	SYHJ-34A8-LN	■ ■	1470.30	1563.23	2516.39	2609.32
	115.5"(2934mm)	114"(2896mm)	SYHJ-34B4-LN	■ ■	1502.94	1601.21	2603.53	2701.80

# Gallery Panel to Compose Beam Intermediate H (Two Sided Half Left/Right)

Nominal Height	Actual Width	Nominal Width	Number	①②	No Glass HPL		Glass Ready HPL	
					A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>								
42"(1067mm)	19.5"(495mm)	18"(457mm)	SYHJ-4218-LN	■ ■	\$ 790.27	\$ 813.26	\$ 1018.86	\$ 1041.85
	25.5"(648mm)	24"(610mm)	SYHJ-4224-LN	■ ■	822.91	851.24	1106.00	1134.33
	31.5"(800mm)	30"(762mm)	SYHJ-4230-LN	■ ■	855.55	889.22	1193.14	1226.81
	37.5"(953mm)	36"(914mm)	SYHJ-4236-LN	■ ■	1043.63	1082.64	1435.72	1474.73
	43.5"(1105mm)	42"(1067mm)	SYHJ-4242-LN	■ ■	1173.42	1217.77	1620.01	1664.36
	49.5"(1257mm)	48"(1219mm)	SYHJ-4248-LN	■ ■	1206.06	1255.75	1707.15	1756.84
	55.5"(1410mm)	54"(1372mm)	SYHJ-4254-LN	■ ■	1238.70	1293.73	1794.29	1849.32
	61.5"(1562mm)	60"(1524mm)	SYHJ-4260-LN	■ ■	1271.34	1331.71	1881.43	1941.80
	67.5"(1715mm)	66"(1676mm)	SYHJ-4266-LN	■ ■	1303.98	1369.69	1968.57	2034.28
	73.5"(1867mm)	72"(1829mm)	SYHJ-4272-LN	■ ■	1336.62	1407.67	2055.71	2126.76
	79.5"(2019mm)	78"(1981mm)	SYHJ-4278-LN	■ ■	1369.26	1445.65	2142.85	2219.24
	85.5"(2172mm)	84"(2134mm)	SYHJ-4284-LN	■ ■	1401.90	1483.63	2229.99	2311.72
	91.5"(2324mm)	90"(2286mm)	SYHJ-4290-LN	■ ■	1434.54	1521.61	2317.13	2404.20
	97.5"(2477mm)	96"(2438mm)	SYHJ-4296-LN	■ ■	1467.18	1559.59	2404.27	2496.68
	103.5"(2629mm)	102"(2591mm)	SYHJ-42A2-LN	■ ■	1499.82	1597.57	2491.41	2589.16
	109.5"(2781mm)	108"(2743mm)	SYHJ-42A8-LN	■ ■	1532.46	1635.55	2578.55	2681.64
	115.5"(2934mm)	114"(2896mm)	SYHJ-42B4-LN	■ ■	1565.10	1673.53	2665.69	2774.12
50"(1270mm)	19.5"(495mm)	18"(457mm)	SYHJ-5018-LN	■ ■	\$ 852.43	\$ 885.58	\$ 1081.02	\$ 1114.17
	25.5"(648mm)	24"(610mm)	SYHJ-5024-LN	■ ■	885.07	923.56	1168.16	1206.65
	31.5"(800mm)	30"(762mm)	SYHJ-5030-LN	■ ■	917.71	961.54	1255.30	1299.13
	37.5"(953mm)	36"(914mm)	SYHJ-5036-LN	■ ■	1105.79	1154.96	1497.88	1547.05
	43.5"(1105mm)	42"(1067mm)	SYHJ-5042-LN	■ ■	1235.58	1290.09	1682.17	1736.68
	49.5"(1257mm)	48"(1219mm)	SYHJ-5048-LN	■ ■	1268.22	1328.07	1769.31	1829.16
	55.5"(1410mm)	54"(1372mm)	SYHJ-5054-LN	■ ■	1300.86	1366.05	1856.45	1921.64
	61.5"(1562mm)	60"(1524mm)	SYHJ-5060-LN	■ ■	1333.50	1404.03	1943.59	2014.12
	67.5"(1715mm)	66"(1676mm)	SYHJ-5066-LN	■ ■	1366.14	1442.01	2030.73	2106.60
	73.5"(1867mm)	72"(1829mm)	SYHJ-5072-LN	■ ■	1398.78	1479.99	2117.87	2199.08
	79.5"(2019mm)	78"(1981mm)	SYHJ-5078-LN	■ ■	1431.42	1517.97	2205.01	2291.56
	85.5"(2172mm)	84"(2134mm)	SYHJ-5084-LN	■ ■	1464.06	1555.95	2292.15	2384.04
	91.5"(2324mm)	90"(2286mm)	SYHJ-5090-LN	■ ■	1496.70	1593.93	2379.29	2476.52
	97.5"(2477mm)	96"(2438mm)	SYHJ-5096-LN	■ ■	1529.34	1631.91	2466.43	2569.00
	103.5"(2629mm)	102"(2591mm)	SYHJ-50A2-LN	■ ■	1561.98	1669.89	2553.57	2661.48
	109.5"(2781mm)	108"(2743mm)	SYHJ-50A8-LN	■ ■	1594.62	1707.87	2640.71	2753.96
	115.5"(2934mm)	114"(2896mm)	SYHJ-50B4-LN	■ ■	1627.26	1745.85	2727.85	2846.44
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	19.5"(495mm)	18"(457mm)	SYHJ-5818-LN	■ ■	\$ 914.59	\$ 957.90	\$ 1143.18	\$ 1186.49
	25.5"(648mm)	24"(610mm)	SYHJ-5824-LN	■ ■	947.23	995.88	1230.32	1278.97
	31.5"(800mm)	30"(762mm)	SYHJ-5830-LN	■ ■	979.87	1033.86	1317.46	1371.45
	37.5"(953mm)	36"(914mm)	SYHJ-5836-LN	■ ■	1167.95	1227.28	1560.04	1619.37
	43.5"(1105mm)	42"(1067mm)	SYHJ-5842-LN	■ ■	1297.74	1362.41	1744.33	1809.00
	49.5"(1257mm)	48"(1219mm)	SYHJ-5848-LN	■ ■	1330.38	1400.39	1831.47	1901.48
	55.5"(1410mm)	54"(1372mm)	SYHJ-5854-LN	■ ■	1363.02	1438.37	1918.61	1993.96
	61.5"(1562mm)	60"(1524mm)	SYHJ-5860-LN	■ ■	1395.66	1476.35	2005.75	2086.44



# Gallery Panel to Compose Beam Intermediate X (Center - Two-Sided Mount)



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18"(30mm) thick. Compose Beam adds 3"(76mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Beam and hardware are field installed.
- Rail for glass ready option standard in black.
- Power pass through standard at below worksurface.

### Specification Tips

- For in-line use between two Compose Beams.
- Gallery Panels can be the same height or taller than the Compose Beam.
- Gallery Panel has one center face connection both sides.
- Refer to the Specification Guide for Face and Beam End mounting application guidelines.
- Base power applications require separately specified Flexible Power Connector - Corner Span, Work-height (VZEF-0B0Q-).
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

**1 First End (Finished End or Connection End)**

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

**2 Other End (Finished End or Connection End)**

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

**3 Glass Options**

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.  
3) Edgeband

# Gallery Panel to Compose Beam Intermediate X (Center - Two-Sided Mount)



Nominal Height	Actual Width	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>							
26"(660mm)	21"(533mm)	18"(457mm)	SYXJ-2618-L	\$ 665.95	\$ 668.62	\$ 894.54	\$ 897.21
	27"(686mm)	24"(610mm)	SYXJ-2624-L	698.59	706.60	981.68	989.69
	33"(838mm)	30"(762mm)	SYXJ-2630-L	731.23	744.58	1068.82	1082.17
	39"(991mm)	36"(914mm)	SYXJ-2636-L	919.31	938.00	1311.40	1330.09
	45"(1143mm)	42"(1067mm)	SYXJ-2642-L	1049.10	1073.13	1495.69	1519.72
	51"(1295mm)	48"(1219mm)	SYXJ-2648-L	1081.74	1111.11	1582.83	1612.20
	57"(1448mm)	54"(1372mm)	SYXJ-2654-L	1114.38	1149.09	1669.97	1704.68
	63"(1600mm)	60"(1524mm)	SYXJ-2660-L	1147.02	1187.07	1757.11	1797.16
	69"(1753mm)	66"(1676mm)	SYXJ-2666-L	1179.66	1225.05	1844.25	1889.64
	75"(1905mm)	72"(1829mm)	SYXJ-2672-L	1212.30	1263.03	1931.39	1982.12
	81"(2057mm)	78"(1981mm)	SYXJ-2678-L	1244.94	1301.01	2018.53	2074.60
	87"(2210mm)	84"(2134mm)	SYXJ-2684-L	1277.58	1338.99	2105.67	2167.08
	93"(2362mm)	90"(2286mm)	SYXJ-2690-L	1310.22	1376.97	2192.81	2259.56
	99"(2515mm)	96"(2438mm)	SYXJ-2696-L	1342.86	1414.95	2279.95	2352.04
105"(2667mm)	102"(2591mm)	SYXJ-26A2-L	1375.50	1452.93	2367.09	2444.52	
111"(2819mm)	108"(2743mm)	SYXJ-26A8-L	1408.14	1490.91	2454.23	2537.00	
117"(2972mm)	114"(2896mm)	SYXJ-26B4-L	1440.78	1528.89	2541.37	2629.48	
27"(686mm)	21"(533mm)	18"(457mm)	SYXJ-2718-L	\$ 673.72	\$ 677.66	\$ 902.31	\$ 906.25
	27"(686mm)	24"(610mm)	SYXJ-2724-L	706.36	715.64	989.45	998.73
	33"(838mm)	30"(762mm)	SYXJ-2730-L	739.00	753.62	1076.59	1091.21
	39"(991mm)	36"(914mm)	SYXJ-2736-L	927.08	947.04	1319.17	1339.13
	45"(1143mm)	42"(1067mm)	SYXJ-2742-L	1056.87	1082.17	1503.46	1528.76
	51"(1295mm)	48"(1219mm)	SYXJ-2748-L	1089.51	1120.15	1590.60	1621.24
	57"(1448mm)	54"(1372mm)	SYXJ-2754-L	1122.15	1158.13	1677.74	1713.72
	63"(1600mm)	60"(1524mm)	SYXJ-2760-L	1154.79	1196.11	1764.88	1806.20
	69"(1753mm)	66"(1676mm)	SYXJ-2766-L	1187.43	1234.09	1852.02	1898.68
	75"(1905mm)	72"(1829mm)	SYXJ-2772-L	1220.07	1272.07	1939.16	1991.16
	81"(2057mm)	78"(1981mm)	SYXJ-2778-L	1252.71	1310.05	2026.30	2083.64
	87"(2210mm)	84"(2134mm)	SYXJ-2784-L	1285.35	1348.03	2113.44	2176.12
	93"(2362mm)	90"(2286mm)	SYXJ-2790-L	1317.99	1386.01	2200.58	2268.60
	99"(2515mm)	96"(2438mm)	SYXJ-2796-L	1350.63	1423.99	2287.72	2361.08
105"(2667mm)	102"(2591mm)	SYXJ-27A2-L	1383.27	1461.97	2374.86	2453.56	
111"(2819mm)	108"(2743mm)	SYXJ-27A8-L	1415.91	1499.95	2462.00	2546.04	
117"(2972mm)	114"(2896mm)	SYXJ-27B4-L	1448.55	1537.93	2549.14	2638.52	
34"(864mm)	21"(533mm)	18"(457mm)	SYXJ-3418-L	\$ 728.11	\$ 740.94	\$ 956.70	\$ 969.53
	27"(686mm)	24"(610mm)	SYXJ-3424-L	760.75	778.92	1043.84	1062.01
	33"(838mm)	30"(762mm)	SYXJ-3430-L	793.39	816.90	1130.98	1154.49
	39"(991mm)	36"(914mm)	SYXJ-3436-L	981.47	1010.32	1373.56	1402.41
	45"(1143mm)	42"(1067mm)	SYXJ-3442-L	1111.26	1145.45	1557.85	1592.04
	51"(1295mm)	48"(1219mm)	SYXJ-3448-L	1143.90	1183.43	1644.99	1684.52
	57"(1448mm)	54"(1372mm)	SYXJ-3454-L	1176.54	1221.41	1732.13	1777.00
	63"(1600mm)	60"(1524mm)	SYXJ-3460-L	1209.18	1259.39	1819.27	1869.48
	69"(1753mm)	66"(1676mm)	SYXJ-3466-L	1241.82	1297.37	1906.41	1961.96
	75"(1905mm)	72"(1829mm)	SYXJ-3472-L	1274.46	1335.35	1993.55	2054.44
	81"(2057mm)	78"(1981mm)	SYXJ-3478-L	1307.10	1373.33	2080.69	2146.92
	87"(2210mm)	84"(2134mm)	SYXJ-3484-L	1339.74	1411.31	2167.83	2239.40
	93"(2362mm)	90"(2286mm)	SYXJ-3490-L	1372.38	1449.29	2254.97	2331.88
	99"(2515mm)	96"(2438mm)	SYXJ-3496-L	1405.02	1487.27	2342.11	2424.36
105"(2667mm)	102"(2591mm)	SYXJ-34A2-L	1437.66	1525.25	2429.25	2516.84	
111"(2819mm)	108"(2743mm)	SYXJ-34A8-L	1470.30	1563.23	2516.39	2609.32	
117"(2972mm)	114"(2896mm)	SYXJ-34B4-L	1502.94	1601.21	2603.53	2701.80	

# Gallery Panel to Compose Beam Intermediate X (Center - Two-Sided Mount)



Nominal Height	Actual Width	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
				A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>							
42"(1067mm)	21"(533mm)	18"(457mm)	SYXJ-4218-L	\$ 790.27	\$ 813.26	\$ 1018.86	\$ 1041.85
	27"(686mm)	24"(610mm)	SYXJ-4224-L	822.91	851.24	1106.00	1134.33
	33"(838mm)	30"(762mm)	SYXJ-4230-L	855.55	889.22	1193.14	1226.81
	39"(991mm)	36"(914mm)	SYXJ-4236-L	1043.63	1082.64	1435.72	1474.73
	45"(1143mm)	42"(1067mm)	SYXJ-4242-L	1173.42	1217.77	1620.01	1664.36
	51"(1295mm)	48"(1219mm)	SYXJ-4248-L	1206.06	1255.75	1707.15	1756.84
	57"(1448mm)	54"(1372mm)	SYXJ-4254-L	1238.70	1293.73	1794.29	1849.32
	63"(1600mm)	60"(1524mm)	SYXJ-4260-L	1271.34	1331.71	1881.43	1941.80
	69"(1753mm)	66"(1676mm)	SYXJ-4266-L	1303.98	1369.69	1968.57	2034.28
	75"(1905mm)	72"(1829mm)	SYXJ-4272-L	1336.62	1407.67	2055.71	2126.76
	81"(2057mm)	78"(1981mm)	SYXJ-4278-L	1369.26	1445.65	2142.85	2219.24
	87"(2210mm)	84"(2134mm)	SYXJ-4284-L	1401.90	1483.63	2229.99	2311.72
	93"(2362mm)	90"(2286mm)	SYXJ-4290-L	1434.54	1521.61	2317.13	2404.20
	99"(2515mm)	96"(2438mm)	SYXJ-4296-L	1467.18	1559.59	2404.27	2496.68
	105"(2667mm)	102"(2591mm)	SYXJ-42A2-L	1499.82	1597.57	2491.41	2589.16
	111"(2819mm)	108"(2743mm)	SYXJ-42A8-L	1532.46	1635.55	2578.55	2681.64
	117"(2972mm)	114"(2896mm)	SYXJ-42B4-L	1565.10	1673.53	2665.69	2774.12
<b>50"(1270mm)</b>							
	21"(533mm)	18"(457mm)	SYXJ-5018-L	\$ 852.43	\$ 885.58	\$ 1081.02	\$ 1114.17
	27"(686mm)	24"(610mm)	SYXJ-5024-L	885.07	923.56	1168.16	1206.65
	33"(838mm)	30"(762mm)	SYXJ-5030-L	917.71	961.54	1255.30	1299.13
	39"(991mm)	36"(914mm)	SYXJ-5036-L	1105.79	1154.96	1497.88	1547.05
	45"(1143mm)	42"(1067mm)	SYXJ-5042-L	1235.58	1290.09	1682.17	1736.68
	51"(1295mm)	48"(1219mm)	SYXJ-5048-L	1268.22	1328.07	1769.31	1829.16
	57"(1448mm)	54"(1372mm)	SYXJ-5054-L	1300.86	1366.05	1856.45	1921.64
	63"(1600mm)	60"(1524mm)	SYXJ-5060-L	1333.50	1404.03	1943.59	2014.12
	69"(1753mm)	66"(1676mm)	SYXJ-5066-L	1366.14	1442.01	2030.73	2106.60
	75"(1905mm)	72"(1829mm)	SYXJ-5072-L	1398.78	1479.99	2117.87	2199.08
	81"(2057mm)	78"(1981mm)	SYXJ-5078-L	1431.42	1517.97	2205.01	2291.56
	87"(2210mm)	84"(2134mm)	SYXJ-5084-L	1464.06	1555.95	2292.15	2384.04
	93"(2362mm)	90"(2286mm)	SYXJ-5090-L	1496.70	1593.93	2379.29	2476.52
	99"(2515mm)	96"(2438mm)	SYXJ-5096-L	1529.34	1631.91	2466.43	2569.00
	105"(2667mm)	102"(2591mm)	SYXJ-50A2-L	1561.98	1669.89	2553.57	2661.48
	111"(2819mm)	108"(2743mm)	SYXJ-50A8-L	1594.62	1707.87	2640.71	2753.96
	117"(2972mm)	114"(2896mm)	SYXJ-50B4-L	1627.26	1745.85	2727.85	2846.44
<b>Gallery Panels 58"(1473mm)H</b>							
58"(1473mm)	21"(533mm)	18"(457mm)	SYXJ-5818-L	\$ 914.59	\$ 957.90	\$ 1143.18	\$ 1186.49
	27"(686mm)	24"(610mm)	SYXJ-5824-L	947.23	995.88	1230.32	1278.97
	33"(838mm)	30"(762mm)	SYXJ-5830-L	979.87	1033.86	1317.46	1371.45
	39"(991mm)	36"(914mm)	SYXJ-5836-L	1167.95	1227.28	1560.04	1619.37
	45"(1143mm)	42"(1067mm)	SYXJ-5842-L	1297.74	1362.41	1744.33	1809.00
	51"(1295mm)	48"(1219mm)	SYXJ-5848-L	1330.38	1400.39	1831.47	1901.48
	57"(1448mm)	54"(1372mm)	SYXJ-5854-L	1363.02	1438.37	1918.61	1993.96
	63"(1600mm)	60"(1524mm)	SYXJ-5860-L	1395.66	1476.35	2005.75	2086.44

# Gallery Panel to Gallery Panel Face Attachment



## L/R (Left or Right Mount)



SYLD (Left Face)



SYRD (Right Face)



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18" (30mm) thick. Additional Gallery Panel adds 1.18" (30mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5" (38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.

### Specification Tips

- Designed to connect to other Compose Gallery Panels on the Face and/or Ends.
- Connecting Compose Gallery Panels may be shorter, the same height or taller than each other. For each connection:
  - If Gallery Panels are different heights, select the connection height of the shortest Gallery Panel.
  - If Gallery Panels are the same height, select this connection height.
  - Gallery Panel End attachment is not allowed on the same hand as the face attachment. Refer to the Specification Guide for Face and End mounting application guidelines.
- Gallery Panel has one face connection only; select RH or LH.
- Must separately specify two (one each side) Tie Plates (ZBBP-0000-PN) to secure End-to-End Gallery Panels in 180° conditions. Required at each End-to-End connection. Tie Plates are not required for Post Connection Option.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

#### 1 Face Handed Connection

- L** Left Face
- R** Right Face

#### 2 Face Connection Height

- A** 26" (660mm)H or 27" (686mm)H Connection
- B** 34" (864mm)H Connection
- C** 42" (1067mm)H Connection
- D** 50" (1270mm)H Connection
- E** 58" (1473mm)H Connection

#### 3 Left End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26" (660mm)H or 27" (686mm)H Connection (not available for Left-Hand orientation)
- B** 34" (864mm)H Connection (not available for Left-Hand orientation)
- C** 42" (1067mm)H Connection (not available for Left-Hand orientation)
- D** 50" (1270mm)H Connection (not available for Left-Hand orientation)
- E** 58" (1473mm)H Connection (not available for Left-Hand orientation)

#### 4 Right End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26" (660mm)H or 27" (686mm)H Connection (not available for Right-Hand orientation)
- B** 34" (864mm)H Connection (not available for Right-Hand orientation)
- C** 42" (1067mm)H Connection (not available for Right-Hand orientation)
- D** 50" (1270mm)H Connection (not available for Right-Hand orientation)
- E** 58" (1473mm)H Connection (not available for Right-Hand orientation)

#### 5 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.

3) Edgeband color.

# Gallery Panel to Gallery Panel Face Attachment

## L/R (Left or Right Mount)



Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①②	③④⑤	A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>								
26"(660mm)	19.8"(503mm)	18"(457mm)	SY	A-2618-L	\$ 484.71	\$ 487.38	\$ 713.30	\$ 715.97
	25.8"(655mm)	24"(610mm)	SY	A-2624-L	517.35	525.36	800.44	808.45
	31.8"(808mm)	30"(762mm)	SY	A-2630-L	549.99	563.34	887.58	900.93
	37.8"(960mm)	36"(914mm)	SY	A-2636-L	738.07	756.76	1130.16	1148.85
	43.8"(1113mm)	42"(1067mm)	SY	A-2642-L	867.86	891.89	1314.45	1338.48
	49.8"(1265mm)	48"(1219mm)	SY	A-2648-L	900.50	929.87	1401.59	1430.96
	45.8"(1163mm)	54"(1372mm)	SY	A-2654-L	933.14	967.85	1488.73	1523.44
	61.8"(1570mm)	60"(1524mm)	SY	A-2660-L	965.78	1005.83	1575.87	1615.92
	67.8"(1722mm)	66"(1676mm)	SY	A-2666-L	998.42	1043.81	1663.01	1708.40
	73.8"(1875mm)	72"(1829mm)	SY	A-2672-L	1031.06	1081.79	1750.15	1800.88
	79.8"(2027mm)	78"(1981mm)	SY	A-2678-L	1063.70	1119.77	1837.29	1893.36
	85.8"(2179mm)	84"(2134mm)	SY	A-2684-L	1096.34	1157.75	1924.43	1985.84
	91.8"(2332mm)	90"(2286mm)	SY	A-2690-L	1128.98	1195.73	2011.57	2078.32
	97.8"(2484mm)	96"(2438mm)	SY	A-2696-L	1161.62	1233.71	2098.71	2170.80
	103.8"(2637mm)	102"(2591mm)	SY	A-26A2-L	1194.26	1271.69	2185.85	2263.28
	109.8"(2789mm)	108"(2743mm)	SY	A-26A8-L	1226.90	1309.67	2272.99	2355.76
	115.8"(2941mm)	114"(2896mm)	SY	A-26B4-L	1259.54	1347.65	2360.13	2448.24
27"(686mm)	19.8"(503mm)	18"(457mm)	SY	A-2718-L	\$ 492.48	\$ 496.42	\$ 721.07	\$ 725.01
	25.8"(655mm)	24"(610mm)	SY	A-2724-L	525.12	534.40	808.21	817.49
	31.8"(808mm)	30"(762mm)	SY	A-2730-L	557.76	572.38	895.35	909.97
	37.8"(960mm)	36"(914mm)	SY	A-2736-L	745.84	765.80	1137.93	1157.89
	43.8"(1113mm)	42"(1067mm)	SY	A-2742-L	875.63	900.93	1322.22	1347.52
	49.8"(1265mm)	48"(1219mm)	SY	A-2748-L	908.27	938.91	1409.36	1440.00
	45.8"(1163mm)	54"(1372mm)	SY	A-2754-L	940.91	976.89	1496.50	1532.48
	61.8"(1570mm)	60"(1524mm)	SY	A-2760-L	973.55	1014.87	1583.64	1624.96
	67.8"(1722mm)	66"(1676mm)	SY	A-2766-L	1006.19	1052.85	1670.78	1717.44
	73.8"(1875mm)	72"(1829mm)	SY	A-2772-L	1038.83	1090.83	1757.92	1809.92
	79.8"(2027mm)	78"(1981mm)	SY	A-2778-L	1071.47	1128.81	1845.06	1902.40
	85.8"(2179mm)	84"(2134mm)	SY	A-2784-L	1104.11	1166.79	1932.20	1994.88
	91.8"(2332mm)	90"(2286mm)	SY	A-2790-L	1136.75	1204.77	2019.34	2087.36
	97.8"(2484mm)	96"(2438mm)	SY	A-2796-L	1169.39	1242.75	2106.48	2179.84
	103.8"(2637mm)	102"(2591mm)	SY	A-27A2-L	1202.03	1280.73	2193.62	2272.32
	109.8"(2789mm)	108"(2743mm)	SY	A-27A8-L	1234.67	1318.71	2280.76	2364.80
	115.8"(2941mm)	114"(2896mm)	SY	A-27B4-L	1267.31	1356.69	2367.90	2457.28
34"(864mm)	19.8"(503mm)	18"(457mm)	SY	-3418-L	\$ 546.87	\$ 559.70	\$ 775.46	\$ 788.29
	25.8"(655mm)	24"(610mm)	SY	-3424-L	579.51	597.68	862.60	880.77
	31.8"(808mm)	30"(762mm)	SY	-3430-L	612.15	635.66	949.74	973.25
	37.8"(960mm)	36"(914mm)	SY	-3436-L	800.23	829.08	1192.32	1221.17
	43.8"(1113mm)	42"(1067mm)	SY	-3442-L	930.02	964.21	1376.61	1410.80
	49.8"(1265mm)	48"(1219mm)	SY	-3448-L	962.66	1002.19	1463.75	1503.28
	45.8"(1163mm)	54"(1372mm)	SY	-3454-L	995.30	1040.17	1550.89	1595.76
	61.8"(1570mm)	60"(1524mm)	SY	-3460-L	1027.94	1078.15	1638.03	1688.24
	67.8"(1722mm)	66"(1676mm)	SY	-3466-L	1060.58	1116.13	1725.17	1780.72
	73.8"(1875mm)	72"(1829mm)	SY	-3472-L	1093.22	1154.11	1812.31	1873.20
	79.8"(2027mm)	78"(1981mm)	SY	-3478-L	1125.86	1192.09	1899.45	1965.68
	85.8"(2179mm)	84"(2134mm)	SY	-3484-L	1158.50	1230.07	1986.59	2058.16
	91.8"(2332mm)	90"(2286mm)	SY	-3490-L	1191.14	1268.05	2073.73	2150.64
	97.8"(2484mm)	96"(2438mm)	SY	-3496-L	1223.78	1306.03	2160.87	2243.12
	103.8"(2637mm)	102"(2591mm)	SY	-34A2-L	1256.42	1344.01	2248.01	2335.60
	109.8"(2789mm)	108"(2743mm)	SY	-34A8-L	1289.06	1381.99	2335.15	2428.08
	115.8"(2941mm)	114"(2896mm)	SY	-34B4-L	1321.70	1419.97	2422.29	2520.56

# Gallery Panel to Gallery Panel Face Attachment



## L/R (Left or Right Mount)

Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①②	③④⑤	A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>								
42"(1067mm)	19.8"(503mm)	18"(457mm)	SY	-4218-L	\$ 609.03	\$ 632.02	\$ 837.62	\$ 860.61
	25.8"(655mm)	24"(610mm)	SY	-4224-L	641.67	670.00	924.76	953.09
	31.8"(808mm)	30"(762mm)	SY	-4230-L	674.31	707.98	1011.90	1045.57
	37.8"(960mm)	36"(914mm)	SY	-4236-L	862.39	901.40	1254.48	1293.49
	43.8"(1113mm)	42"(1067mm)	SY	-4242-L	992.18	1036.53	1438.77	1483.12
	49.8"(1265mm)	48"(1219mm)	SY	-4248-L	1024.82	1074.51	1525.91	1575.60
	45.8"(1163mm)	54"(1372mm)	SY	-4254-L	1057.46	1112.49	1613.05	1668.08
	61.8"(1570mm)	60"(1524mm)	SY	-4260-L	1090.10	1150.47	1700.19	1760.56
	67.8"(1722mm)	66"(1676mm)	SY	-4266-L	1122.74	1188.45	1787.33	1853.04
	73.8"(1875mm)	72"(1829mm)	SY	-4272-L	1155.38	1226.43	1874.47	1945.52
	79.8"(2027mm)	78"(1981mm)	SY	-4278-L	1188.02	1264.41	1961.61	2038.00
	85.8"(2179mm)	84"(2134mm)	SY	-4284-L	1220.66	1302.39	2048.75	2130.48
	91.8"(2332mm)	90"(2286mm)	SY	-4290-L	1253.30	1340.37	2135.89	2222.96
	97.8"(2484mm)	96"(2438mm)	SY	-4296-L	1285.94	1378.35	2223.03	2315.44
	103.8"(2637mm)	102"(2591mm)	SY	-42A2-L	1318.58	1416.33	2310.17	2407.92
	109.8"(2789mm)	108"(2743mm)	SY	-42A8-L	1351.22	1454.31	2397.31	2500.40
	115.8"(2941mm)	114"(2896mm)	SY	-42B4-L	1383.86	1492.29	2484.45	2592.88
<b>50"(1270mm)</b>								
	19.8"(503mm)	18"(457mm)	SY	-5018-L	\$ 671.19	\$ 704.34	\$ 899.78	\$ 932.93
	25.8"(655mm)	24"(610mm)	SY	-5024-L	703.83	742.32	986.92	1025.41
	31.8"(808mm)	30"(762mm)	SY	-5030-L	736.47	780.30	1074.06	1117.89
	37.8"(960mm)	36"(914mm)	SY	-5036-L	924.55	973.72	1316.64	1365.81
	43.8"(1113mm)	42"(1067mm)	SY	-5042-L	1054.34	1108.85	1500.93	1555.44
	49.8"(1265mm)	48"(1219mm)	SY	-5048-L	1086.98	1146.83	1588.07	1647.92
	45.8"(1163mm)	54"(1372mm)	SY	-5054-L	1119.62	1184.81	1675.21	1740.40
	61.8"(1570mm)	60"(1524mm)	SY	-5060-L	1152.26	1222.79	1762.35	1832.88
	67.8"(1722mm)	66"(1676mm)	SY	-5066-L	1184.90	1260.77	1849.49	1925.36
	73.8"(1875mm)	72"(1829mm)	SY	-5072-L	1217.54	1298.75	1936.63	2017.84
	79.8"(2027mm)	78"(1981mm)	SY	-5078-L	1250.18	1336.73	2023.77	2110.32
	85.8"(2179mm)	84"(2134mm)	SY	-5084-L	1282.82	1374.71	2110.91	2202.80
	91.8"(2332mm)	90"(2286mm)	SY	-5090-L	1315.46	1412.69	2198.05	2295.28
	97.8"(2484mm)	96"(2438mm)	SY	-5096-L	1348.10	1450.67	2285.19	2387.76
	103.8"(2637mm)	102"(2591mm)	SY	-50A2-L	1380.74	1488.65	2372.33	2480.24
	109.8"(2789mm)	108"(2743mm)	SY	-50A8-L	1413.38	1526.63	2459.47	2572.72
	115.8"(2941mm)	114"(2896mm)	SY	-50B4-L	1446.02	1564.61	2546.61	2665.20
<b>Gallery Panels 58"(1473mm)H</b>								
58"(1473mm)	19.8"(503mm)	18"(457mm)	SY	-5818-L	\$ 733.35	\$ 776.66	\$ 961.94	\$ 1005.25
	25.8"(655mm)	24"(610mm)	SY	-5824-L	765.99	814.64	1049.08	1097.73
	31.8"(808mm)	30"(762mm)	SY	-5830-L	798.63	852.62	1136.22	1190.21
	37.8"(960mm)	36"(914mm)	SY	-5836-L	986.71	1046.04	1378.80	1438.13
	43.8"(1113mm)	42"(1067mm)	SY	-5842-L	1116.50	1181.17	1563.09	1627.76
	49.8"(1265mm)	48"(1219mm)	SY	-5848-L	1149.14	1219.15	1650.23	1720.24
	45.8"(1163mm)	54"(1372mm)	SY	-5854-L	1181.78	1257.13	1737.37	1812.72
	61.8"(1570mm)	60"(1524mm)	SY	-5860-L	1214.42	1295.11	1824.51	1905.20

# Gallery Panel to Gallery Panel Face Attachment C (Center Mount)



SYCD



Class BC

## Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Gallery Panel is 1.18"(30mm) thick. Additional Gallery Panel adds 1.18"(30mm) to width.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.
- Handedness is determined by Face Connection.

## Specification Tips

- Designed to connect to other Compose Gallery Panels on the Face and/or Ends.
- Connecting Compose Gallery Panels may be shorter, the same height or taller than each other. For each connection:
  - If Gallery Panels are different heights, select the connection height of the shortest Gallery Panel.
  - If Gallery Panels are the same height, select this connection height.
  - Refer to the Specification Guide for Face and End mounting application guidelines.
- Gallery Panel has one face connection only.
- Must separately specify four (two each side) Attachment Brackets (ZUBW-0000-\_N) to secure the two Gallery Panels in 90° condition.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

## To Order, Specify:

1) Product number, including:

### 1 Face Connection Height

- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

### 2 Left End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

### 3 Right End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

### 4 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

- 2) Laminate surface color.  
3) Edgeband color.

# Gallery Panel to Gallery Panel Face Attachment C (Center Mount)




Nominal Height	Actual Width	Nominal Width	Number		No Glass HPL		Glass Ready HPL	
			①	②③④	A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>								
26"(660mm)	19.8"(503mm)	18"(457mm)	SYCA-2618-L	■ ■ ■ ■	\$ 484.71	\$ 487.38	\$ 713.30	\$ 715.97
	25.8"(655mm)	24"(610mm)	SYCA-2624-L	■ ■ ■ ■	517.35	525.36	800.44	808.45
	31.8"(808mm)	30"(762mm)	SYCA-2630-L	■ ■ ■ ■	549.99	563.34	887.58	900.93
	37.8"(960mm)	36"(914mm)	SYCA-2636-L	■ ■ ■ ■	738.07	756.76	1130.16	1148.85
	43.8"(1113mm)	42"(1067mm)	SYCA-2642-L	■ ■ ■ ■	867.86	891.89	1314.45	1338.48
	49.8"(1265mm)	48"(1219mm)	SYCA-2648-L	■ ■ ■ ■	900.50	929.87	1401.59	1430.96
	55.8"(1417mm)	54"(1372mm)	SYCA-2654-L	■ ■ ■ ■	933.14	967.85	1488.73	1523.44
	61.8"(1570mm)	60"(1524mm)	SYCA-2660-L	■ ■ ■ ■	965.78	1005.83	1575.87	1615.92
	67.8"(1722mm)	66"(1676mm)	SYCA-2666-L	■ ■ ■ ■	998.42	1043.81	1663.01	1708.40
	73.8"(1875mm)	72"(1829mm)	SYCA-2672-L	■ ■ ■ ■	1031.06	1081.79	1750.15	1800.88
	79.8"(2027mm)	78"(1981mm)	SYCA-2678-L	■ ■ ■ ■	1063.70	1119.77	1837.29	1893.36
	85.8"(2179mm)	84"(2134mm)	SYCA-2684-L	■ ■ ■ ■	1096.34	1157.75	1924.43	1985.84
	91.8"(2332mm)	90"(2286mm)	SYCA-2690-L	■ ■ ■ ■	1128.98	1195.73	2011.57	2078.32
	97.8"(2484mm)	96"(2438mm)	SYCA-2696-L	■ ■ ■ ■	1161.62	1233.71	2098.71	2170.80
	103.8"(2637mm)	102"(2591mm)	SYCA-26A2-L	■ ■ ■ ■	1194.26	1271.69	2185.85	2263.28
	109.8"(2789mm)	108"(2743mm)	SYCA-26A8-L	■ ■ ■ ■	1226.90	1309.67	2272.99	2355.76
	115.8"(2941mm)	114"(2896mm)	SYCA-26B4-L	■ ■ ■ ■	1259.54	1347.65	2360.13	2448.24
27"(686mm)	19.8"(503mm)	18"(457mm)	SYCA-2718-L	■ ■ ■ ■	\$ 492.48	\$ 496.42	\$ 721.07	\$ 725.01
	25.8"(655mm)	24"(610mm)	SYCA-2724-L	■ ■ ■ ■	525.12	534.40	808.21	817.49
	31.8"(808mm)	30"(762mm)	SYCA-2730-L	■ ■ ■ ■	557.76	572.38	895.35	909.97
	37.8"(960mm)	36"(914mm)	SYCA-2736-L	■ ■ ■ ■	745.84	765.80	1137.93	1157.89
	43.8"(1113mm)	42"(1067mm)	SYCA-2742-L	■ ■ ■ ■	875.63	900.93	1322.22	1347.52
	49.8"(1265mm)	48"(1219mm)	SYCA-2748-L	■ ■ ■ ■	908.27	938.91	1409.36	1440.00
	55.8"(1417mm)	54"(1372mm)	SYCA-2754-L	■ ■ ■ ■	940.91	976.89	1496.50	1532.48
	61.8"(1570mm)	60"(1524mm)	SYCA-2760-L	■ ■ ■ ■	973.55	1014.87	1583.64	1624.96
	67.8"(1722mm)	66"(1676mm)	SYCA-2766-L	■ ■ ■ ■	1006.19	1052.85	1670.78	1717.44
	73.8"(1875mm)	72"(1829mm)	SYCA-2772-L	■ ■ ■ ■	1038.83	1090.83	1757.92	1809.92
	79.8"(2027mm)	78"(1981mm)	SYCA-2778-L	■ ■ ■ ■	1071.47	1128.81	1845.06	1902.40
	85.8"(2179mm)	84"(2134mm)	SYCA-2784-L	■ ■ ■ ■	1104.11	1166.79	1932.20	1994.88
	91.8"(2332mm)	90"(2286mm)	SYCA-2790-L	■ ■ ■ ■	1136.75	1204.77	2019.34	2087.36
	97.8"(2484mm)	96"(2438mm)	SYCA-2796-L	■ ■ ■ ■	1169.39	1242.75	2106.48	2179.84
	103.8"(2637mm)	102"(2591mm)	SYCA-27A2-L	■ ■ ■ ■	1202.03	1280.73	2193.62	2272.32
	109.8"(2789mm)	108"(2743mm)	SYCA-27A8-L	■ ■ ■ ■	1234.67	1318.71	2280.76	2364.80
	115.8"(2941mm)	114"(2896mm)	SYCA-27B4-L	■ ■ ■ ■	1267.31	1356.69	2367.90	2457.28
34"(864mm)	19.8"(503mm)	18"(457mm)	SYC -3418-L	■ ■ ■ ■	\$ 546.87	\$ 559.70	\$ 775.46	\$ 788.29
	25.8"(655mm)	24"(610mm)	SYC -3424-L	■ ■ ■ ■	579.51	597.68	862.60	880.77
	31.8"(808mm)	30"(762mm)	SYC -3430-L	■ ■ ■ ■	612.15	635.66	949.74	973.25
	37.8"(960mm)	36"(914mm)	SYC -3436-L	■ ■ ■ ■	800.23	829.08	1192.32	1221.17
	43.8"(1113mm)	42"(1067mm)	SYC -3442-L	■ ■ ■ ■	930.02	964.21	1376.61	1410.80
	49.8"(1265mm)	48"(1219mm)	SYC -3448-L	■ ■ ■ ■	962.66	1002.19	1463.75	1503.28
	55.8"(1417mm)	54"(1372mm)	SYC -3454-L	■ ■ ■ ■	995.30	1040.17	1550.89	1595.76
	61.8"(1570mm)	60"(1524mm)	SYC -3460-L	■ ■ ■ ■	1027.94	1078.15	1638.03	1688.24
	67.8"(1722mm)	66"(1676mm)	SYC -3466-L	■ ■ ■ ■	1060.58	1116.13	1725.17	1780.72
	73.8"(1875mm)	72"(1829mm)	SYC -3472-L	■ ■ ■ ■	1093.22	1154.11	1812.31	1873.20
	79.8"(2027mm)	78"(1981mm)	SYC -3478-L	■ ■ ■ ■	1125.86	1192.09	1899.45	1965.68
	85.8"(2179mm)	84"(2134mm)	SYC -3484-L	■ ■ ■ ■	1158.50	1230.07	1986.59	2058.16
	91.8"(2332mm)	90"(2286mm)	SYC -3490-L	■ ■ ■ ■	1191.14	1268.05	2073.73	2150.64
	97.8"(2484mm)	96"(2438mm)	SYC -3496-L	■ ■ ■ ■	1223.78	1306.03	2160.87	2243.12
	103.8"(2637mm)	102"(2591mm)	SYC -34A2-L	■ ■ ■ ■	1256.42	1344.01	2248.01	2335.60
	109.8"(2789mm)	108"(2743mm)	SYC -34A8-L	■ ■ ■ ■	1289.06	1381.99	2335.15	2428.08
	115.8"(2941mm)	114"(2896mm)	SYC -34B4-L	■ ■ ■ ■	1321.70	1419.97	2422.29	2520.56





# Gallery Panel to Gallery Panel Face Attachment C (Center Mount)

Nominal Height	Actual Width	Nominal Width	Number			No Glass HPL		Glass Ready HPL	
			①	②③④		A	B	A	B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>									
42"(1067mm)	19.8"(503mm)	18"(457mm)	SYC	-4218-L	■■■■	\$ 609.03	\$ 632.02	\$ 837.62	\$ 860.61
	25.8"(655mm)	24"(610mm)	SYC	-4224-L	■■■■	641.67	670.00	924.76	953.09
	31.8"(808mm)	30"(762mm)	SYC	-4230-L	■■■■	674.31	707.98	1011.90	1045.57
	37.8"(960mm)	36"(914mm)	SYC	-4236-L	■■■■	862.39	901.40	1254.48	1293.49
	43.8"(1113mm)	42"(1067mm)	SYC	-4242-L	■■■■	992.18	1036.53	1438.77	1483.12
	49.8"(1265mm)	48"(1219mm)	SYC	-4248-L	■■■■	1024.82	1074.51	1525.91	1575.60
	55.8"(1417mm)	54"(1372mm)	SYC	-4254-L	■■■■	1057.46	1112.49	1613.05	1668.08
	61.8"(1570mm)	60"(1524mm)	SYC	-4260-L	■■■■	1090.10	1150.47	1700.19	1760.56
	67.8"(1722mm)	66"(1676mm)	SYC	-4266-L	■■■■	1122.74	1188.45	1787.33	1853.04
	73.8"(1875mm)	72"(1829mm)	SYC	-4272-L	■■■■	1155.38	1226.43	1874.47	1945.52
	79.8"(2027mm)	78"(1981mm)	SYC	-4278-L	■■■■	1188.02	1264.41	1961.61	2038.00
	85.8"(2179mm)	84"(2134mm)	SYC	-4284-L	■■■■	1220.66	1302.39	2048.75	2130.48
	91.8"(2332mm)	90"(2286mm)	SYC	-4290-L	■■■■	1253.30	1340.37	2135.89	2222.96
	97.8"(2484mm)	96"(2438mm)	SYC	-4296-L	■■■■	1285.94	1378.35	2223.03	2315.44
	103.8"(2637mm)	102"(2591mm)	SYC	-42A2-L	■■■■	1318.58	1416.33	2310.17	2407.92
	109.8"(2789mm)	108"(2743mm)	SYC	-42A8-L	■■■■	1351.22	1454.31	2397.31	2500.40
	115.8"(2941mm)	114"(2896mm)	SYC	-42B4-L	■■■■	1383.86	1492.29	2484.45	2592.88
<b>50"(1270mm)</b>									
	19.8"(503mm)	18"(457mm)	SYC	-5018-L	■■■■	\$ 671.19	\$ 704.34	\$ 899.78	\$ 932.93
	25.8"(655mm)	24"(610mm)	SYC	-5024-L	■■■■	703.83	742.32	986.92	1025.41
	31.8"(808mm)	30"(762mm)	SYC	-5030-L	■■■■	736.47	780.30	1074.06	1117.89
	37.8"(960mm)	36"(914mm)	SYC	-5036-L	■■■■	924.55	973.72	1316.64	1365.81
	43.8"(1113mm)	42"(1067mm)	SYC	-5042-L	■■■■	1054.34	1108.85	1500.93	1555.44
	49.8"(1265mm)	48"(1219mm)	SYC	-5048-L	■■■■	1086.98	1146.83	1588.07	1647.92
	55.8"(1417mm)	54"(1372mm)	SYC	-5054-L	■■■■	1119.62	1184.81	1675.21	1740.40
	61.8"(1570mm)	60"(1524mm)	SYC	-5060-L	■■■■	1152.26	1222.79	1762.35	1832.88
	67.8"(1722mm)	66"(1676mm)	SYC	-5066-L	■■■■	1184.90	1260.77	1849.49	1925.36
	73.8"(1875mm)	72"(1829mm)	SYC	-5072-L	■■■■	1217.54	1298.75	1936.63	2017.84
	79.8"(2027mm)	78"(1981mm)	SYC	-5078-L	■■■■	1250.18	1336.73	2023.77	2110.32
	85.8"(2179mm)	84"(2134mm)	SYC	-5084-L	■■■■	1282.82	1374.71	2110.91	2202.80
	91.8"(2332mm)	90"(2286mm)	SYC	-5090-L	■■■■	1315.46	1412.69	2198.05	2295.28
	97.8"(2484mm)	96"(2438mm)	SYC	-5096-L	■■■■	1348.10	1450.67	2285.19	2387.76
	103.8"(2637mm)	102"(2591mm)	SYC	-50A2-L	■■■■	1380.74	1488.65	2372.33	2480.24
	109.8"(2789mm)	108"(2743mm)	SYC	-50A8-L	■■■■	1413.38	1526.63	2459.47	2572.72
	115.8"(2941mm)	114"(2896mm)	SYC	-50B4-L	■■■■	1446.02	1564.61	2546.61	2665.20
<b>Gallery Panels 58"(1473mm)H</b>									
58"(1473mm)	19.8"(503mm)	18"(457mm)	SYC	-5818-L	■■■■	\$ 733.35	\$ 776.66	\$ 961.94	\$ 1005.25
	25.8"(655mm)	24"(610mm)	SYC	-5824-L	■■■■	765.99	814.64	1049.08	1097.73
	31.8"(808mm)	30"(762mm)	SYC	-5830-L	■■■■	798.63	852.62	1136.22	1190.21
	37.8"(960mm)	36"(914mm)	SYC	-5836-L	■■■■	986.71	1046.04	1378.80	1438.13
	43.8"(1113mm)	42"(1067mm)	SYC	-5842-L	■■■■	1116.50	1181.17	1563.09	1627.76
	49.8"(1265mm)	48"(1219mm)	SYC	-5848-L	■■■■	1149.14	1219.15	1650.23	1720.24
	55.8"(1417mm)	54"(1372mm)	SYC	-5854-L	■■■■	1181.78	1257.13	1737.37	1812.72
	61.8"(1570mm)	60"(1524mm)	SYC	-5860-L	■■■■	1214.42	1295.11	1824.51	1905.20

# Gallery Panel to Gallery Panel End Attachment I (90° Face or Post Connection)



SYSN



Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Panel is 1.18"(30mm) thick.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.

### Specification Tips

- Connection End is designed to attach to other Compose Gallery Panels perpendicular to the Face (L/R or C) or Connection End to Intermediate Full Height Trim Post -3-Way or 4-Way.
- Connecting Gallery Panels may be shorter, the same height or taller than each other. For each connection:
  - If Gallery Panels are different heights, select the connection height of the shortest Gallery Panel.
  - If Gallery Panels are the same height, select this connection height.
  - Refer to the Specification Guide for Face and End mounting application guidelines.
- Gallery Panel has End connections only.
- Must separately specify two (one each side) Tie Plates (ZBBP-0000-PN) to secure End-to-End Gallery Panels in 180° conditions. Required at each End-to-End connection. Tie Plates are not required for Post Connection Option.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofit to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

#### 1 Connection End

- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection
- Z** Post Connection

#### 2 Other End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

#### 3 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.

3) Edgeband color.

# Gallery Panel to Gallery Panel End Attachment I (90° Face or Post Connection)





Nominal Height	Nominal Width	Number ①②③	No Glass HPL		Glass Ready HPL	
			A	B	A	B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>						
26"(660mm)	18"(457mm)	SYIN-2618-LA	\$ 508.20	\$ 510.87	\$ 736.79	\$ 739.46
	24"(610mm)	SYIN-2624-LA	540.84	548.85	823.93	831.94
	30"(762mm)	SYIN-2630-LA	573.48	586.83	911.07	924.42
	36"(914mm)	SYIN-2636-LA	761.56	780.25	1153.65	1172.34
	42"(1067mm)	SYIN-2642-LA	891.35	915.38	1337.94	1361.97
	48"(1219mm)	SYIN-2648-LA	923.99	953.36	1425.08	1454.45
	54"(1372mm)	SYIN-2654-LA	956.63	991.34	1512.22	1546.93
	60"(1524mm)	SYIN-2660-LA	989.27	1029.32	1599.36	1639.41
	66"(1676mm)	SYIN-2666-LA	1021.91	1067.30	1686.50	1731.89
	72"(1829mm)	SYIN-2672-LA	1054.55	1105.28	1773.64	1824.37
	78"(1981mm)	SYIN-2678-LA	1087.19	1143.26	1860.78	1916.85
	84"(2134mm)	SYIN-2684-LA	1119.83	1181.24	1947.92	2009.33
	90"(2286mm)	SYIN-2690-LA	1152.47	1219.22	2035.06	2101.81
	96"(2438mm)	SYIN-2696-LA	1185.11	1257.20	2122.20	2194.29
	102"(2591mm)	SYIN-26A2-LA	1217.75	1295.18	2209.34	2286.77
108"(2743mm)	SYIN-26A8-LA	1250.39	1333.16	2296.48	2379.25	
114"(2896mm)	SYIN-26B4-LA	1283.03	1371.14	2383.62	2471.73	
120"(3048mm)	SYIN-26C0-LA	1315.67	1409.12	2470.76	2564.21	
27"(686mm)	18"(457mm)	SYIN-2718-LA	\$ 515.97	\$ 519.91	\$ 744.56	\$ 748.50
	24"(610mm)	SYIN-2724-LA	548.61	557.89	831.70	840.98
	30"(762mm)	SYIN-2730-LA	581.25	595.87	918.84	933.46
	36"(914mm)	SYIN-2736-LA	769.33	789.29	1161.42	1181.38
	42"(1067mm)	SYIN-2742-LA	899.12	924.42	1345.71	1371.01
	48"(1219mm)	SYIN-2748-LA	931.76	962.40	1432.85	1463.49
	54"(1372mm)	SYIN-2754-LA	964.40	1000.38	1519.99	1555.97
	60"(1524mm)	SYIN-2760-LA	997.04	1038.36	1607.13	1648.45
	66"(1676mm)	SYIN-2766-LA	1029.68	1076.34	1694.27	1740.93
	72"(1829mm)	SYIN-2772-LA	1062.32	1114.32	1781.41	1833.41
	78"(1981mm)	SYIN-2778-LA	1094.96	1152.30	1868.55	1925.89
	84"(2134mm)	SYIN-2784-LA	1127.60	1190.28	1955.69	2018.37
	90"(2286mm)	SYIN-2790-LA	1160.24	1228.26	2042.83	2110.85
	96"(2438mm)	SYIN-2796-LA	1192.88	1266.24	2129.97	2203.33
	102"(2591mm)	SYIN-27A2-LA	1225.52	1304.22	2217.11	2295.81
108"(2743mm)	SYIN-27A8-LA	1258.16	1342.20	2304.25	2388.29	
114"(2896mm)	SYIN-27B4-LA	1290.80	1380.18	2391.39	2480.77	
120"(3048mm)	SYIN-27C0-LA	1323.44	1418.16	2478.53	2573.25	
34"(864mm)	18"(457mm)	SYIN-3418-L	\$ 570.36	\$ 583.19	\$ 798.95	\$ 811.78
	24"(610mm)	SYIN-3424-L	603.00	621.17	886.09	904.26
	30"(762mm)	SYIN-3430-L	635.64	659.15	973.23	996.74
	36"(914mm)	SYIN-3436-L	823.72	852.57	1215.81	1244.66
	42"(1067mm)	SYIN-3442-L	953.51	987.70	1400.10	1434.29
	48"(1219mm)	SYIN-3448-L	986.15	1025.68	1487.24	1526.77
	54"(1372mm)	SYIN-3454-L	1018.79	1063.66	1574.38	1619.25
	60"(1524mm)	SYIN-3460-L	1051.43	1101.64	1661.52	1711.73
	66"(1676mm)	SYIN-3466-L	1084.07	1139.62	1748.66	1804.21
	72"(1829mm)	SYIN-3472-L	1116.71	1177.60	1835.80	1896.69
	78"(1981mm)	SYIN-3478-L	1149.35	1215.58	1922.94	1989.17
	84"(2134mm)	SYIN-3484-L	1181.99	1253.56	2010.08	2081.65
	90"(2286mm)	SYIN-3490-L	1214.63	1291.54	2097.22	2174.13
	96"(2438mm)	SYIN-3496-L	1247.27	1329.52	2184.36	2266.61
	102"(2591mm)	SYIN-34A2-L	1279.91	1367.50	2271.50	2359.09
108"(2743mm)	SYIN-34A8-L	1312.55	1405.48	2358.64	2451.57	
114"(2896mm)	SYIN-34B4-L	1345.19	1443.46	2445.78	2544.05	
120"(3048mm)	SYIN-34C0-L	1377.83	1481.44	2532.92	2636.53	

# Gallery Panel to Gallery Panel End Attachment I (90° Face or Post Connection)

Nominal Height	Nominal Width	Number ①②③	No Glass		Glass Ready	
			HPL A	HPL B	HPL A	HPL B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>						
42"(1067mm)	18"(457mm)	SYIN-4218-L	\$ 632.52	\$ 655.51	\$ 861.11	\$ 884.10
	24"(610mm)	SYIN-4224-L	665.16	693.49	948.25	976.58
	30"(762mm)	SYIN-4230-L	697.80	731.47	1035.39	1069.06
	36"(914mm)	SYIN-4236-L	885.88	924.89	1277.97	1316.98
	42"(1067mm)	SYIN-4242-L	1015.67	1060.02	1462.26	1506.61
	48"(1219mm)	SYIN-4248-L	1048.31	1098.00	1549.40	1599.09
	54"(1372mm)	SYIN-4254-L	1080.95	1135.98	1636.54	1691.57
	60"(1524mm)	SYIN-4260-L	1113.59	1173.96	1723.68	1784.05
	66"(1676mm)	SYIN-4266-L	1146.23	1211.94	1810.82	1876.53
	72"(1829mm)	SYIN-4272-L	1178.87	1249.92	1897.96	1969.01
	78"(1981mm)	SYIN-4278-L	1211.51	1287.90	1985.10	2061.49
	84"(2134mm)	SYIN-4284-L	1244.15	1325.88	2072.24	2153.97
	90"(2286mm)	SYIN-4290-L	1276.79	1363.86	2159.38	2246.45
	96"(2438mm)	SYIN-4296-L	1309.43	1401.84	2246.52	2338.93
	102"(2591mm)	SYIN-42A2-L	1342.07	1439.82	2333.66	2431.41
	108"(2743mm)	SYIN-42A8-L	1374.71	1477.80	2420.80	2523.89
114"(2896mm)	SYIN-42B4-L	1407.35	1515.78	2507.94	2616.37	
120"(3048mm)	SYIN-42C0-L	1439.99	1553.76	2595.08	2708.85	
50"(1270mm)	18"(457mm)	SYIN-5018-L	\$ 694.68	\$ 727.83	\$ 923.27	\$ 956.42
	24"(610mm)	SYIN-5024-L	727.32	765.81	1010.41	1048.90
	30"(762mm)	SYIN-5030-L	759.96	803.79	1097.55	1141.38
	36"(914mm)	SYIN-5036-L	948.04	997.21	1340.13	1389.30
	42"(1067mm)	SYIN-5042-L	1077.83	1132.34	1524.42	1578.93
	48"(1219mm)	SYIN-5048-L	1110.47	1170.32	1611.56	1671.41
	54"(1372mm)	SYIN-5054-L	1143.11	1208.30	1698.70	1763.89
	60"(1524mm)	SYIN-5060-L	1175.75	1246.28	1785.84	1856.37
	66"(1676mm)	SYIN-5066-L	1208.39	1284.26	1872.98	1948.85
	72"(1829mm)	SYIN-5072-L	1241.03	1322.24	1960.12	2041.33
	78"(1981mm)	SYIN-5078-L	1273.67	1360.22	2047.26	2133.81
	84"(2134mm)	SYIN-5084-L	1306.31	1398.20	2134.40	2226.29
	90"(2286mm)	SYIN-5090-L	1338.95	1436.18	2221.54	2318.77
	96"(2438mm)	SYIN-5096-L	1371.59	1474.16	2308.68	2411.25
	102"(2591mm)	SYIN-50A2-L	1404.23	1512.14	2395.82	2503.73
	108"(2743mm)	SYIN-50A8-L	1436.87	1550.12	2482.96	2596.21
114"(2896mm)	SYIN-50B4-L	1469.51	1588.10	2570.10	2688.69	
120"(3048mm)	SYIN-50C0-L	1502.15	1626.08	2657.24	2781.17	
<b>Gallery Panels 58"(1473mm)H</b>						
58"(1473mm)	18"(457mm)	SYIN-5818-L	\$ 756.84	\$ 800.15	\$ 985.43	\$ 1028.74
	24"(610mm)	SYIN-5824-L	789.48	838.13	1072.57	1121.22
	30"(762mm)	SYIN-5830-L	822.12	876.11	1159.71	1213.70
	36"(914mm)	SYIN-5836-L	1010.20	1069.53	1402.29	1461.62
	42"(1067mm)	SYIN-5842-L	1139.99	1204.66	1586.58	1651.25
	48"(1219mm)	SYIN-5848-L	1172.63	1242.64	1673.72	1743.73
	54"(1372mm)	SYIN-5854-L	1205.27	1280.62	1760.86	1836.21
	60"(1524mm)	SYIN-5860-L	1237.91	1318.60	1848.00	1928.69
	66"(1676mm)	SYIN-5866-L	1270.55	1356.58	1935.14	2021.17
	72"(1829mm)	SYIN-5872-L	1303.19	1394.56	2022.28	2113.65
	78"(1981mm)	SYIN-5878-L	1335.83	1432.54	2109.42	2206.13
	84"(2134mm)	SYIN-5884-L	1368.47	1470.52	2196.56	2298.61
	90"(2286mm)	SYIN-5890-L	1401.11	1508.50	2283.70	2391.09
	96"(2438mm)	SYIN-5896-L	1433.75	1546.48	2370.84	2483.57
	102"(2591mm)	SYIN-58A2-L	1466.39	1584.46	2457.98	2576.05
	108"(2743mm)	SYIN-58A8-L	1499.03	1622.44	2545.12	2668.53
114"(2896mm)	SYIN-58B4-L	1531.67	1660.42	2632.26	2761.01	
120"(3048mm)	SYIN-58C0-L	1564.31	1698.40	2719.40	2853.49	

# Gallery Panel to Gallery Panel End Attachment

## S (Straight In-Line Add-On)



SYSN  
Class BC

### Features

- Includes one pre-drilled, finished panel and attachment hardware.
- Panel is 1.18"(30mm) thick.
- High Pressure Laminate (HPL) panel has 1mm edgeband.
- Glides provide 1.5"(38mm) level adjustment.
- Panel and hardware are field installed.
- Rail for glass ready option standard in black.

### Specification Tips

- Connection End is designed to attach to another Compose Gallery Panel End-to-End in straight in-line conditions.
- Connecting Gallery Panels may be shorter, the same height or taller than each other. For each connection:
  - If Gallery Panels are different heights, select the connection height of the shortest Gallery Panel.
  - If Gallery Panels are the same height, select this connection height.
  - Refer to the Specification Guide for Face and End mounting application guidelines.
- Gallery Panel has End connections only.
- Must separately specify two (one each side) Tie Plates (ZBBP-0000-PN) to secure End-to-End Gallery Panels in 180° conditions. Required at each End-to-End connection.
- Specify No Glass option when using Glass Topper Holder Kit.
- "No Glass" Gallery Panels option cannot be retrofitted to Glass Ready Option.
- Separately specify:
  - Insert Glass for Glass-Ready Gallery Panels
  - Glass Topper Holder Kit

### To Order, Specify:

1) Product number, including:

#### 1 Connection End

- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

#### 2 Other End (Finished End or Connection End)

- N** No Connection (Finished End)
- A** 26"(660mm)H or 27"(686mm)H Connection
- B** 34"(864mm)H Connection
- C** 42"(1067mm)H Connection
- D** 50"(1270mm)H Connection
- E** 58"(1473mm)H Connection

#### 3 Glass Options

- N** No Glass (Finished Top)
- G** Glass Ready

2) Laminate surface color.  
3) Edgeband color.

# Gallery Panel to Gallery Panel End Attachment

## S (Straight In-Line Add-On)

Nominal Height	Nominal Width	Number ①②③	No Glass		Glass Ready	
			HPL A	HPL B	HPL A	HPL B
<b>Gallery Panels 26"(660mm)H-34"(864mm)H</b>						
26"(660mm)	18"(457mm)	SYSN-2618-LA	\$ 508.20	\$ 510.87	\$ 736.79	\$ 739.46
	24"(610mm)	SYSN-2624-LA	540.84	548.85	823.93	831.94
	30"(762mm)	SYSN-2630-LA	573.48	586.83	911.07	924.42
	36"(914mm)	SYSN-2636-LA	761.56	780.25	1153.65	1172.34
	42"(1067mm)	SYSN-2642-LA	891.35	915.38	1337.94	1361.97
	48"(1219mm)	SYSN-2648-LA	923.99	953.36	1425.08	1454.45
	54"(1372mm)	SYSN-2654-LA	956.63	991.34	1512.22	1546.93
	60"(1524mm)	SYSN-2660-LA	989.27	1029.32	1599.36	1639.41
	66"(1676mm)	SYSN-2666-LA	1021.91	1067.30	1686.50	1731.89
	72"(1829mm)	SYSN-2672-LA	1054.55	1105.28	1773.64	1824.37
	78"(1981mm)	SYSN-2678-LA	1087.19	1143.26	1860.78	1916.85
	84"(2134mm)	SYSN-2684-LA	1119.83	1181.24	1947.92	2009.33
	90"(2286mm)	SYSN-2690-LA	1152.47	1219.22	2035.06	2101.81
	96"(2438mm)	SYSN-2696-LA	1185.11	1257.20	2122.20	2194.29
	102"(2591mm)	SYSN-26A2-LA	1217.75	1295.18	2209.34	2286.77
108"(2743mm)	SYSN-26A8-LA	1250.39	1333.16	2296.48	2379.25	
114"(2896mm)	SYSN-26B4-LA	1283.03	1371.14	2383.62	2471.73	
120"(3048mm)	SYSN-26C0-LA	1315.67	1409.12	2470.76	2564.21	
27"(686mm)	18"(457mm)	SYSN-2718-LA	\$ 515.97	\$ 519.91	\$ 744.56	\$ 748.50
	24"(610mm)	SYSN-2724-LA	548.61	557.89	831.70	840.98
	30"(762mm)	SYSN-2730-LA	581.25	595.87	918.84	933.46
	36"(914mm)	SYSN-2736-LA	769.33	789.29	1161.42	1181.38
	42"(1067mm)	SYSN-2742-LA	899.12	924.42	1345.71	1371.01
	48"(1219mm)	SYSN-2748-LA	931.76	962.40	1432.85	1463.49
	54"(1372mm)	SYSN-2754-LA	964.40	1000.38	1519.99	1555.97
	60"(1524mm)	SYSN-2760-LA	997.04	1038.36	1607.13	1648.45
	66"(1676mm)	SYSN-2766-LA	1029.68	1076.34	1694.27	1740.93
	72"(1829mm)	SYSN-2772-LA	1062.32	1114.32	1781.41	1833.41
	78"(1981mm)	SYSN-2778-LA	1094.96	1152.30	1868.55	1925.89
	84"(2134mm)	SYSN-2784-LA	1127.60	1190.28	1955.69	2018.37
	90"(2286mm)	SYSN-2790-LA	1160.24	1228.26	2042.83	2110.85
	96"(2438mm)	SYSN-2796-LA	1192.88	1266.24	2129.97	2203.33
	102"(2591mm)	SYSN-27A2-LA	1225.52	1304.22	2217.11	2295.81
108"(2743mm)	SYSN-27A8-LA	1258.16	1342.20	2304.25	2388.29	
114"(2896mm)	SYSN-27B4-LA	1290.80	1380.18	2391.39	2480.77	
120"(3048mm)	SYSN-27C0-LA	1323.44	1418.16	2478.53	2573.25	
34"(864mm)	18"(457mm)	SYSN-3418-L	\$ 570.36	\$ 583.19	\$ 798.95	\$ 811.78
	24"(610mm)	SYSN-3424-L	603.00	621.17	886.09	904.26
	30"(762mm)	SYSN-3430-L	635.64	659.15	973.23	996.74
	36"(914mm)	SYSN-3436-L	823.72	852.57	1215.81	1244.66
	42"(1067mm)	SYSN-3442-L	953.51	987.70	1400.10	1434.29
	48"(1219mm)	SYSN-3448-L	986.15	1025.68	1487.24	1526.77
	54"(1372mm)	SYSN-3454-L	1018.79	1063.66	1574.38	1619.25
	60"(1524mm)	SYSN-3460-L	1051.43	1101.64	1661.52	1711.73
	66"(1676mm)	SYSN-3466-L	1084.07	1139.62	1748.66	1804.21
	72"(1829mm)	SYSN-3472-L	1116.71	1177.60	1835.80	1896.69
	78"(1981mm)	SYSN-3478-L	1149.35	1215.58	1922.94	1989.17
	84"(2134mm)	SYSN-3484-L	1181.99	1253.56	2010.08	2081.65
	90"(2286mm)	SYSN-3490-L	1214.63	1291.54	2097.22	2174.13
	96"(2438mm)	SYSN-3496-L	1247.27	1329.52	2184.36	2266.61
	102"(2591mm)	SYSN-34A2-L	1279.91	1367.50	2271.50	2359.09
108"(2743mm)	SYSN-34A8-L	1312.55	1405.48	2358.64	2451.57	
114"(2896mm)	SYSN-34B4-L	1345.19	1443.46	2445.78	2544.05	
120"(3048mm)	SYSN-34C0-L	1377.83	1481.44	2532.92	2636.53	

# Gallery Panel to Gallery Panel End Attachment


## S (Straight In-Line Add-On)

Nominal Height	Nominal Width	Number ①②③	No Glass		Glass Ready	
			HPL A	HPL B	HPL A	HPL B
<b>Gallery Panels 42"(1067mm)H-50"(1270mm)H</b>						
42"(1067mm)	18"(457mm)	SYSN-4218-L	\$ 632.52	\$ 655.51	\$ 861.11	\$ 884.10
	24"(610mm)	SYSN-4224-L	665.16	693.49	948.25	976.58
	30"(762mm)	SYSN-4230-L	697.80	731.47	1035.39	1069.06
	36"(914mm)	SYSN-4236-L	885.88	924.89	1277.97	1316.98
	42"(1067mm)	SYSN-4242-L	1015.67	1060.02	1462.26	1506.61
	48"(1219mm)	SYSN-4248-L	1048.31	1098.00	1549.40	1599.09
	54"(1372mm)	SYSN-4254-L	1080.95	1135.98	1636.54	1691.57
	60"(1524mm)	SYSN-4260-L	1113.59	1173.96	1723.68	1784.05
	66"(1676mm)	SYSN-4266-L	1146.23	1211.94	1810.82	1876.53
	72"(1829mm)	SYSN-4272-L	1178.87	1249.92	1897.96	1969.01
	78"(1981mm)	SYSN-4278-L	1211.51	1287.90	1985.10	2061.49
	84"(2134mm)	SYSN-4284-L	1244.15	1325.88	2072.24	2153.97
	90"(2286mm)	SYSN-4290-L	1276.79	1363.86	2159.38	2246.45
	96"(2438mm)	SYSN-4296-L	1309.43	1401.84	2246.52	2338.93
	102"(2591mm)	SYSN-42A2-L	1342.07	1439.82	2333.66	2431.41
	50"(1270mm)	108"(2743mm)	SYSN-42A8-L	1374.71	1477.80	2420.80
114"(2896mm)		SYSN-42B4-L	1407.35	1515.78	2507.94	2616.37
120"(3048mm)		SYSN-42C0-L	1439.99	1553.76	2595.08	2708.85
18"(457mm)		SYSN-5018-L	\$ 694.68	\$ 727.83	\$ 923.27	\$ 956.42
24"(610mm)		SYSN-5024-L	727.32	765.81	1010.41	1048.90
30"(762mm)		SYSN-5030-L	759.96	803.79	1097.55	1141.38
36"(914mm)		SYSN-5036-L	948.04	997.21	1340.13	1389.30
42"(1067mm)		SYSN-5042-L	1077.83	1132.34	1524.42	1578.93
48"(1219mm)		SYSN-5048-L	1110.47	1170.32	1611.56	1671.41
54"(1372mm)		SYSN-5054-L	1143.11	1208.30	1698.70	1763.89
60"(1524mm)		SYSN-5060-L	1175.75	1246.28	1785.84	1856.37
66"(1676mm)		SYSN-5066-L	1208.39	1284.26	1872.98	1948.85
72"(1829mm)		SYSN-5072-L	1241.03	1322.24	1960.12	2041.33
78"(1981mm)		SYSN-5078-L	1273.67	1360.22	2047.26	2133.81
84"(2134mm)		SYSN-5084-L	1306.31	1398.20	2134.40	2226.29
90"(2286mm)		SYSN-5090-L	1338.95	1436.18	2221.54	2318.77
96"(2438mm)	SYSN-5096-L	1371.59	1474.16	2308.68	2411.25	
102"(2591mm)	SYSN-50A2-L	1404.23	1512.14	2395.82	2503.73	
108"(2743mm)	SYSN-50A8-L	1436.87	1550.12	2482.96	2596.21	
114"(2896mm)	SYSN-50B4-L	1469.51	1588.10	2570.10	2688.69	
120"(3048mm)	SYSN-50C0-L	1502.15	1626.08	2657.24	2781.17	
<b>Gallery Panels 58"(1473mm)H</b>						
58"(1473mm)	18"(457mm)	SYSN-5818-L	\$ 756.84	\$ 800.15	\$ 985.43	\$ 1028.74
	24"(610mm)	SYSN-5824-L	789.48	838.13	1072.57	1121.22
	30"(762mm)	SYSN-5830-L	822.12	876.11	1159.71	1213.70
	36"(914mm)	SYSN-5836-L	1010.20	1069.53	1402.29	1461.62
	42"(1067mm)	SYSN-5842-L	1139.99	1204.66	1586.58	1651.25
	48"(1219mm)	SYSN-5848-L	1172.63	1242.64	1673.72	1743.73
	54"(1372mm)	SYSN-5854-L	1205.27	1280.62	1760.86	1836.21
	60"(1524mm)	SYSN-5860-L	1237.91	1318.60	1848.00	1928.69
	66"(1676mm)	SYSN-5866-L	1270.55	1356.58	1935.14	2021.17
	72"(1829mm)	SYSN-5872-L	1303.19	1394.56	2022.28	2113.65
	78"(1981mm)	SYSN-5878-L	1335.83	1432.54	2109.42	2206.13
	84"(2134mm)	SYSN-5884-L	1368.47	1470.52	2196.56	2298.61
	90"(2286mm)	SYSN-5890-L	1401.11	1508.50	2283.70	2391.09
	96"(2438mm)	SYSN-5896-L	1433.75	1546.48	2370.84	2483.57
	102"(2591mm)	SYSN-58A2-L	1466.39	1584.46	2457.98	2576.05
	108"(2743mm)	SYSN-58A8-L	1499.03	1622.44	2545.12	2668.53
114"(2896mm)	SYSN-58B4-L	1531.67	1660.42	2632.26	2761.01	
120"(3048mm)	SYSN-58C0-L	1564.31	1698.40	2719.40	2853.49	

# Gallery Panel Accessories

## Brackets

### Tie Plate



ZBBP-0000-PN  
Class IN

**Features**

- Includes tie plate and attachment hardware.
- Tie plate is used to connect Gallery Panels inline.

**Specification Tip**

- Refer to Specification Guide for planning information.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color (if applicable).

Description	Depth	Width	Number	Price	Trim	
					A	B
Black (No finish specification required)	3.5"(89mm)	3"(76mm)	ZBBP-0000-PN	\$28.62	N/A	N/A
Painted			ZBBP-0000-CN		\$34.62	\$39.62






# Gallery Panel Accessories

## Glass Topper

Nominal Height	Nominal Width	Number ①	Clear Glass (1C)	Satin Etch (E21)	
8"(203mm)	18"(457mm)	VZSG-0818-1 4	\$ 376.84	\$ 395.95	
	24"(610mm)	VZSG-0824-1 4	410.25	454.17	
	30"(762mm)	VZSG-0830-1 4	443.66	512.39	
	36"(914mm)	VZSG-0836-1 4	477.07	570.61	
	42"(1067mm)	VZSG-0842-1 4	510.48	628.83	
	48"(1219mm)	VZSG-0848-1 4	543.89	687.05	
	54"(1372mm)	VZSG-0854-1 4	577.30	745.27	
	60"(1524mm)	VZSG-0860-1 4	610.71	803.49	
	66"(1676mm)	VZSG-0866-1 4	644.12	861.71	
	72"(1829mm)	VZSG-0872-1 4	878.16	1120.56	
	78"(1981mm)	VZSG-0878-1 4	986.49	1253.70	
	84"(2134mm)	VZSG-0884-1 4	1019.90	1311.92	
	90"(2286mm)	VZSG-0890-1 4	1053.31	1370.14	
	96"(2438mm)	VZSG-0896-1 4	1086.72	1428.36	
12"(305mm)	102"(2591mm)	VZSG-08A2-1 4	1120.13	1486.58	
	108"(2743mm)	VZSG-08A8-1 4	1153.54	1544.80	
	114"(2896mm)	VZSG-08B4-1 4	1186.95	1603.02	
	120"(3048mm)	VZSG-08C0-1 4	1220.36	1661.24	
	12"(305mm)	18"(457mm)	VZSG-1218-1 4	\$ 416.15	\$ 473.47
		24"(610mm)	VZSG-1224-1 4	449.56	531.69
		30"(762mm)	VZSG-1230-1 4	482.97	589.91
		36"(914mm)	VZSG-1236-1 4	516.38	648.13
		42"(1067mm)	VZSG-1242-1 4	549.79	706.35
		48"(1219mm)	VZSG-1248-1 4	604.82	786.19
		54"(1372mm)	VZSG-1254-1 4	638.23	844.41
		60"(1524mm)	VZSG-1260-1 4	671.64	902.63
		66"(1676mm)	VZSG-1266-1 4	705.05	960.85
		72"(1829mm)	VZSG-1272-1 4	939.09	1219.70
78"(1981mm)		VZSG-1278-1 4	1047.42	1352.84	
84"(2134mm)		VZSG-1284-1 4	1080.83	1411.06	
90"(2286mm)		VZSG-1290-1 4	1114.24	1469.28	
96"(2438mm)		VZSG-1296-1 4	1147.65	1527.50	
16"(406mm)	102"(2591mm)	VZSG-12A2-1 4	1181.06	1585.72	
	108"(2743mm)	VZSG-12A8-1 4	1214.47	1643.94	
	114"(2896mm)	VZSG-12B4-1 4	1247.88	1702.16	
	120"(3048mm)	VZSG-12C0-1 4	1281.29	1760.38	
	16"(406mm)	18"(457mm)	VZSG-1618-1 4	\$ 455.46	\$ 550.99
		24"(610mm)	VZSG-1624-1 4	488.87	609.21
		30"(762mm)	VZSG-1630-1 4	522.28	667.43
		36"(914mm)	VZSG-1636-1 4	555.69	725.65
		42"(1067mm)	VZSG-1642-1 4	589.10	783.87
		48"(1219mm)	VZSG-1648-1 4	701.12	920.70
		54"(1372mm)	VZSG-1654-1 4	734.53	978.92
		60"(1524mm)	VZSG-1660-1 4	767.94	1037.14
		66"(1676mm)	VZSG-1666-1 4	801.35	1095.36
		72"(1829mm)	VZSG-1672-1 4	1035.39	1354.21
78"(1981mm)		VZSG-1678-1 4	1143.72	1487.35	
84"(2134mm)		VZSG-1684-1 4	1177.13	1545.57	
90"(2286mm)		VZSG-1690-1 4	1210.54	1603.79	
96"(2438mm)		VZSG-1696-1 4	1243.95	1662.01	
16"(406mm)	102"(2591mm)	VZSG-16A2-1 4	1277.36	1720.23	
	108"(2743mm)	VZSG-16A8-1 4	1310.77	1778.45	
	114"(2896mm)	VZSG-16B4-1 4	1344.18	1836.67	
	120"(3048mm)	VZSG-16C0-1 4	1377.59	1894.89	

# Gallery Panel Accessories

## Topper Holder Kit



ZYST  
Class BC

### Features

- Includes brackets and attachment hardware for attaching one piece of glass to the top of a Gallery Panel.
- Field assembly to Gallery Panel.

### Specification Tips

- For use with Gallery Panel. Separately specify 0.25”(6mm) thick Glass Topper or other field supplied glass.
- Topper Holder Kit and separately specified Glass Topper support centered or off-modular mounting on a Gallery Panel. Order one kit per Gallery Panel. Glass may span two or more Gallery Panels or be smaller than the mounting Gallery Panel.
- Not for use with “Glass Ready” Gallery Panel option.
- Refer to the Specification Guide for Topper Holder Kit and Glass Topper application guidelines.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Description	Quantity of Clips	Number	Trim	
			A	B
For Glass 72”(1829mm)W or less	2	VZST-2-4	\$ 131.35	\$ 136.35
For Glass greater than 72”(1829mm)W	3	VZST-3-4	197.03	202.03



# Gallery Panel Accessories


## Insert Glass

Nominal Height	Nominal Width	Number ① ②	Clear Glass (1C)	Satin Etch (E21)	Frosted Acrylic (1E)	
8"(203mm)	18"(457mm)	SYGG-0818- 4	\$ 465.73	\$ 848.54	\$ 1304.27	
	24"(610mm)	SYGG-0824- 4	498.99	909.74	1398.71	
	30"(762mm)	SYGG-0830- 4	532.25	970.94	1493.15	
	36"(914mm)	SYGG-0836- 4	565.51	1032.14	1587.59	
	42"(1067mm)	SYGG-0842- 4	598.77	1093.34	1682.03	
	48"(1219mm)	SYGG-0848- 4	632.03	1154.54	1776.47	
	54"(1372mm)	SYGG-0854- 4	665.29	1215.74	1870.91	
	60"(1524mm)	SYGG-0860- 4	698.55	1276.94	1965.35	
	66"(1676mm)	SYGG-0866- 4	731.81	1338.14	2059.79	
	72"(1829mm)	SYGG-0872- 4	765.07	1399.34	2154.23	
	78"(1981mm)	SYGG-0878- 4	798.33	1460.54	2248.67	
	84"(2134mm)	SYGG-0884- 4	831.59	1521.74	2343.11	
	90"(2286mm)	SYGG-0890- 4	864.85	1582.94	2437.55	
	96"(2438mm)	SYGG-0896- 4	898.11	1644.14	2531.99	
12"(305mm)	102"(2591mm)	SYGG-08A2- 4	931.37	1705.34	2626.43	
	108"(2743mm)	SYGG-08A8- 4	964.63	1766.54	2720.87	
	114"(2896mm)	SYGG-08B4- 4	997.89	1827.74	2815.31	
	120"(3048mm)	SYGG-08C0- 4	1031.15	1888.94	2909.75	
	12"(305mm)	18"(457mm)	SYGG-1218- 4	\$ 515.62	\$ 940.34	\$ 1445.93
		24"(610mm)	SYGG-1224- 4	565.51	1032.14	1587.59
		30"(762mm)	SYGG-1230- 4	615.40	1123.94	1729.25
		36"(914mm)	SYGG-1236- 4	665.29	1215.74	1870.91
		42"(1067mm)	SYGG-1242- 4	715.18	1307.54	2012.57
		48"(1219mm)	SYGG-1248- 4	765.07	1399.34	2154.23
		54"(1372mm)	SYGG-1254- 4	814.96	1491.14	2295.89
		60"(1524mm)	SYGG-1260- 4	864.85	1582.94	2437.55
		66"(1676mm)	SYGG-1266- 4	914.74	1674.74	2579.21
		72"(1829mm)	SYGG-1272- 4	964.63	1766.54	2720.87
78"(1981mm)		SYGG-1278- 4	1014.52	1858.34	2862.53	
84"(2134mm)		SYGG-1284- 4	1064.41	1950.14	3004.19	
90"(2286mm)		SYGG-1290- 4	1114.30	2041.94	3145.85	
96"(2438mm)		SYGG-1296- 4	1164.19	2133.74	3287.51	
102"(2591mm)	SYGG-12A2- 4	1214.08	2225.54	3429.17		
16"(406mm)	108"(2743mm)	SYGG-12A8- 4	1263.97	2317.34	3570.83	
	114"(2896mm)	SYGG-12B4- 4	1313.86	2409.14	3712.49	
	120"(3048mm)	SYGG-12C0- 4	1363.75	2500.94	3854.15	
	16"(406mm)	18"(457mm)	SYGG-1618- 4	\$ 565.51	\$ 1032.14	\$ 1587.59
		24"(610mm)	SYGG-1624- 4	632.03	1154.54	1776.47
		30"(762mm)	SYGG-1630- 4	698.55	1276.94	1965.35
		36"(914mm)	SYGG-1636- 4	765.07	1399.34	2154.23
		42"(1067mm)	SYGG-1642- 4	831.59	1521.74	2343.11
		48"(1219mm)	SYGG-1648- 4	898.11	1644.14	2531.99
		54"(1372mm)	SYGG-1654- 4	964.63	1766.54	2720.87
		60"(1524mm)	SYGG-1660- 4	1031.15	1888.94	2909.75
		66"(1676mm)	SYGG-1666- 4	1097.67	2011.34	3098.63
		72"(1829mm)	SYGG-1672- 4	1164.19	2133.74	3287.51
		78"(1981mm)	SYGG-1678- 4	1230.71	2256.14	3476.39
84"(2134mm)		SYGG-1684- 4	1297.23	2378.54	3665.27	
90"(2286mm)		SYGG-1690- 4	1363.75	2500.94	3854.15	
96"(2438mm)		SYGG-1696- 4	1430.27	2623.34	4043.03	
102"(2591mm)	SYGG-16A2- 4	1496.79	2745.74	4231.91		
16"(406mm)	108"(2743mm)	SYGG-16A8- 4	1563.31	2868.14	4420.79	
	114"(2896mm)	SYGG-16B4- 4	1629.83	2990.54	4609.67	
	120"(3048mm)	SYGG-16C0- 4	1696.35	3112.94	4798.55	

# Gallery Panel Accessories

## Compose Echo Tackboard

### For use with Gallery Panels or Wall Mount



STUT  
Class TR

#### Feature

- Includes one tackboard and mounting hardware.

#### Specification Tips

- Designed to mount on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List) or structural wall.
- Can be mounted using included mounting hardware or with separately specified Gallery Panel Hanging Bracket.
- Tackboard may:
  - span multiple Gallery Panels
  - be smaller than the Gallery Panel
  - be located off-modular.
- Fabric application guidelines:
  - 54"(1372mm)W rolls require railroad application on tackboards >52"(1321mm)
  - 60"(1524mm) and 66"(1676mm)W rolls require railroad application on tackboards >60"(1524mm)
- Dimensions shown are nominal dimensions. Actual width dimensions are 1" smaller than nominal.
- Refer to Specification Guide for details.

#### To Order, Specify:

- 1) Product number.
- 2) Fabric color.

#### Fabric

Height	Width	Number	A	B	C	D	E	F	G
12"(305mm)	18"(457mm)	STUT-1218-FNNUNS	\$ 159.14	\$ 175.72	\$ 193.96	\$ 213.85	\$ 233.75	\$260.28	\$ 276.86
	24"(610mm)	STUT-1224-FNNUNS	185.30	205.84	228.46	253.15	277.79	310.74	331.28
	30"(762mm)	STUT-1230-FNNUNS	211.46	235.96	262.96	292.45	321.83	361.20	385.70
	36"(914mm)	STUT-1236-FNNUNS	237.62	266.08	297.46	331.75	365.87	411.66	440.12
	42"(1067mm)	STUT-1242-FNNUNS	263.78	296.20	331.96	371.05	409.91	462.12	494.54
	48"(1219mm)	STUT-1248-FNNUNS	289.94	326.32	366.46	410.35	453.95	512.58	548.96
	54"(1372mm)	STUT-1254-FNNUNS	316.10	356.44	400.96	449.65	497.99	563.04	603.38
	60"(1524mm)	STUT-1260-FNNUNS	342.26	386.56	435.46	488.95	542.03	613.50	657.80
	66"(1676mm)	STUT-1266-FNNUNS	392.67	440.93	494.21	552.50	610.32	688.21	736.47
	72"(1829mm)	STUT-1272-FNNUNS	418.83	471.05	528.71	591.80	654.36	738.67	790.89
16"(406mm)	18"(457mm)	STUT-1618-FNNUNS	\$ 180.94	\$200.84	\$ 222.72	\$ 246.61	\$ 270.47	\$302.32	\$ 322.22
	24"(610mm)	STUT-1624-FNNUNS	207.10	230.96	257.22	285.91	314.51	352.78	376.64
	30"(762mm)	STUT-1630-FNNUNS	233.26	261.08	291.72	325.21	358.55	403.24	431.06
	36"(914mm)	STUT-1636-FNNUNS	259.42	291.20	326.22	364.51	402.59	453.70	485.48
	42"(1067mm)	STUT-1642-FNNUNS	285.58	321.32	360.72	403.81	446.63	504.16	539.90
	48"(1219mm)	STUT-1648-FNNUNS	311.74	351.44	395.22	443.11	490.67	554.62	594.32
	54"(1372mm)	STUT-1654-FNNUNS	337.90	381.56	429.72	482.41	534.71	605.08	648.74
	60"(1524mm)	STUT-1660-FNNUNS	364.06	411.68	464.22	521.71	578.75	655.54	703.16
	66"(1676mm)	STUT-1666-FNNUNS	414.47	466.05	522.97	585.26	647.04	730.25	781.83
	72"(1829mm)	STUT-1672-FNNUNS	440.63	496.17	557.47	624.56	691.08	780.71	836.25
24"(610mm)	18"(457mm)	STUT-2418-FNNUNS	\$ 224.54	\$ 251.08	\$ 280.24	\$ 312.13	\$ 343.91	\$386.40	\$ 412.94
	24"(610mm)	STUT-2424-FNNUNS	250.70	281.20	314.74	351.43	387.95	436.86	467.36
	30"(762mm)	STUT-2430-FNNUNS	276.86	311.32	349.24	390.73	431.99	487.32	521.78
	36"(914mm)	STUT-2436-FNNUNS	303.02	341.44	383.74	430.03	476.03	537.78	576.20
	42"(1067mm)	STUT-2442-FNNUNS	329.18	371.56	418.24	469.33	520.07	588.24	630.62
	48"(1219mm)	STUT-2448-FNNUNS	355.34	401.68	452.74	508.63	564.11	638.70	685.04
	54"(1372mm)	STUT-2454-FNNUNS	381.50	431.80	487.24	547.93	608.15	689.16	739.46
	60"(1524mm)	STUT-2460-FNNUNS	407.66	461.92	521.74	587.23	652.19	739.62	793.88
	66"(1676mm)	STUT-2466-FNNUNS	458.07	516.29	580.49	650.78	720.48	814.33	872.55
	72"(1829mm)	STUT-2472-FNNUNS	484.23	546.41	614.99	690.08	764.52	864.79	926.97
84"(2134mm)	78"(1981mm)	STUT-2478-FNNUNS	510.39	576.53	649.49	729.38	808.56	915.25	981.39
	84"(2134mm)	STUT-2484-FNNUNS	536.55	606.65	683.99	768.68	852.60	965.71	1035.81

# Gallery Panel Accessories


## Compose Tile Hardware Kit

### For use with Gallery Panels or Wall Mount

- Includes six mounting brackets and mounting hardware for attaching one Compose Tile to a Gallery Panel.
- Hardware kit is specific to the tile type being mounted; specify accordingly.

**To Order, Specify:**

- 1) Product number.  
(No finish specification required.)




SYTI  
Class BC

Description	Number	Price
Fabric	SYTI-0000-F	\$ 75.00
Markerboard	SYTI-0000-M	150.00

# Gallery Panel Accessories

## Gallery Panel Hanging Brackets



SYWB  
Class BC – GSA; Open Market

### Features

- Includes one bracket.
- Brackets allow attachment of components to Gallery Panel without leaving holes in the Gallery Panel.

### Specification Tips

- Designed to mount on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List).
- **Single and Double Sided Finished Top brackets are designed for use on a Gallery Panel finished top.** Not for use with Compose Gallery Panels specified with Glass Ready option. Not recommended for use with Topper Kit due to installation sequence.
- **Single Sided - Inset/Frameless Glass Bracket is designed for use on Compose Gallery Panels with Glass Ready option only.**
- Designed to hang the following, separately specified, components found in the Compose Price List:
  - Compose Fabric Tile (VZTI-FNN)
  - Compose Markerboard Tile (VZTI-MNN)
  - Wall Mount Tackboard (KUAF)
  - Wall Mount Markerboard (KUAM)
  - Compose Echo Tackboard (STUT)
- See Application Guide for vertical and horizontal offset by component.
- Bracket supported components may span more than one in-line Gallery Panel. Bracket can mount on a Gallery Panel in-line seam.
  - Use two brackets per component. Use three brackets if component is 72”(1829mm) and greater.
- When using Double Sided Bracket, components must be the same on both sides. Cannot mix components.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.


Description	Number	Trim	
		A	B
Single Sided - Finished Top	SYWB-0000-CS	\$45.00	\$50.00
Double Sided - Finished Top	SYWB-0000-CD	50.00	55.00
Single Sided - Inset/Frameless Glass	SYWB-0000-CG	47.00	52.00



# Gallery Panel Accessories

## Trim Post

### Variable Height — Intermediate Intersection



SYPX  
Class BC

#### Feature

- Variable height post with steel or aluminum top cap and attachment hardware.

#### Specification Tips

- For use between two Compose panels of the same height and a shorter intermediate Gallery Panel application.
- Not for use with Compose Glass Panels.
- Trim Post height is the difference between Compose panel and Gallery Panel(s).
- Mixing Steel top trim with Aluminum top trim is not recommended.
- Refer to Specification Guide for Planning with Gallery Panel Variable Height Trim Posts.

#### To Order, Specify:

- 1) Product number, including:

#### 1 Top Cap Options

- H** Steel
- A** Aluminum


- 2) Trim color for post.
- 3) Trim color for top cap.

Height	Number ①	Steel (H) Trim		Aluminum (A) Trim	
		A	B	A	B
<b>Intermediate Intersection</b>					
8"(203mm)	SYPX-0800- V	\$ 319.60	\$ 327.61	\$ 367.47	\$ 375.48
16"(406mm)	SYPX-1600- V	409.09	420.10	456.96	467.97
24"(610mm)	SYPX-2400- V	498.59	512.60	546.46	560.47
32"(813mm)	SYPX-3200- V	588.08	605.08	635.95	652.95

# Gallery Panel Accessories

## Trim Post

### 3-Way or 4-Way — Intermediate Full Height



SYPT  
Class BC

#### Feature

- Includes steel or aluminum variable height (Proud) post, cap and attachment hardware.

#### Specification Tips

- For intermediate use between two Compose panel frames of the same height.
- Not for use with Compose Glass Panels.
- Full Height Trim Post attaches to one (3-way) or two (4-way) Gallery Panel(s) on the End(s).
- Trim Post must match height of connecting Compose panel frames:
  - Select connection height to match attaching Gallery Panel height.
  - In 4-way conditions both Gallery Panels must be the same height.
  - Refer to the Specification Guide for Full Height Trim Post and End mounting application guidelines.
- Select top cap option to match trim on surrounding Compose panels.
- Gallery Panel may not be taller than the Intermediate Full Height Trim Post.
- Base power applications require separately specified Flexible Power Connector - Panel-to-Panel, Work-height (VZEF-OBOP-\_)

#### To Order, Specify:

- 1) Product number, including:

#### 1 Trim Option

- H** Steel
- A** Aluminum

- 2) Trim color for post.
- 3) Trim color for top cap.

Post Height	Gallery Panel Connection Height	Number ①	Steel (H) Trim		Aluminum (A) Trim	
			A	B	A	B
<b>Intermediate 3-Way Intersection</b>						
34"(864mm)	26"(660mm)	SYPT-3426- C	\$660.56	\$ 678.32	\$ 708.43	\$ 726.19
	34"(864mm)	SYPT-3434- C	660.56	678.32	708.43	726.19
42"(1067mm)	26"(660mm)	SYPT-4226- C	\$ 750.05	\$ 770.80	\$ 797.92	\$ 818.67
	34"(864mm)	SYPT-4234- C	750.05	770.80	797.92	818.67
	42"(1067mm)	SYPT-4242- C	750.05	770.80	797.92	818.67
50"(1270mm)	26"(660mm)	SYPT-5026- C	\$ 839.55	\$ 863.30	\$ 887.42	\$ 911.17
	34"(864mm)	SYPT-5034- C	839.55	863.30	887.42	911.17
	42"(1067mm)	SYPT-5042- C	839.55	863.30	887.42	911.17
	50"(1270mm)	SYPT-5050- C	839.55	863.30	887.42	911.17
58"(1473mm)	26"(660mm)	SYPT-5826- C	\$ 929.48	\$ 956.24	\$ 977.35	\$ 1004.11
	34"(864mm)	SYPT-5834- C	929.48	956.24	977.35	1004.11
	42"(1067mm)	SYPT-5842- C	929.48	956.24	977.35	1004.11
	50"(1270mm)	SYPT-5850- C	929.48	956.24	977.35	1004.11
	58"(1473mm)	SYPT-5858- C	929.48	956.24	977.35	1004.11
66"(1676mm)	26"(660mm)	SYPT-6626- C	\$1018.97	\$1048.73	\$1066.84	\$1096.60
	34"(864mm)	SYPT-6634- C	1018.97	1048.73	1066.84	1096.60
	42"(1067mm)	SYPT-6642- C	1018.97	1048.73	1066.84	1096.60
	50"(1270mm)	SYPT-6650- C	1018.97	1048.73	1066.84	1096.60
	58"(1473mm)	SYPT-6658- C	1018.97	1048.73	1066.84	1096.60
74"(1880mm)	26"(660mm)	SYPT-7426- C	\$1108.46	\$ 1141.22	\$ 1156.33	\$ 1189.09
	34"(864mm)	SYPT-7434- C	1108.46	1141.22	1156.33	1189.09
	42"(1067mm)	SYPT-7442- C	1108.46	1141.22	1156.33	1189.09
	50"(1270mm)	SYPT-7450- C	1108.46	1141.22	1156.33	1189.09
	58"(1473mm)	SYPT-7458- C	1108.46	1141.22	1156.33	1189.09
82"(2083mm)	26"(660mm)	SYPT-8226- C	\$ 1197.95	\$1233.70	\$ 1245.82	\$ 1281.57
	34"(864mm)	SYPT-8234- C	1197.95	1233.70	1245.82	1281.57
	42"(1067mm)	SYPT-8242- C	1197.95	1233.70	1245.82	1281.57
	50"(1270mm)	SYPT-8250- C	1197.95	1233.70	1245.82	1281.57
	58"(1473mm)	SYPT-8258- C	1197.95	1233.70	1245.82	1281.57
90"(2286mm)	26"(660mm)	SYPT-9026- C	\$1287.45	\$1326.20	\$ 1335.32	\$ 1374.07
	34"(864mm)	SYPT-9034- C	1287.45	1326.20	1335.32	1374.07
	42"(1067mm)	SYPT-9042- C	1287.45	1326.20	1335.32	1374.07
	50"(1270mm)	SYPT-9050- C	1287.45	1326.20	1335.32	1374.07
	58"(1473mm)	SYPT-9058- C	1287.45	1326.20	1335.32	1374.07

# Gallery Panel Accessories

## Trim Post

Post Height	Gallery Panel Post Height	Number ①	Steel (H) Trim		Aluminum (A) Trim	
			A	B	A	B
<b>Intermediate 4-Way Intersection</b>						
34"(864mm)	26"(660mm)	SYPX-3426- C	\$660.56	\$ 678.32	\$ 708.43	\$ 726.19
	34"(864mm)	SYPX-3434- C	660.56	678.32	708.43	726.19
42"(1067mm)	26"(660mm)	SYPX-4226- C	\$ 750.05	\$ 770.80	\$ 797.92	\$ 818.67
	34"(864mm)	SYPX-4234- C	750.05	770.80	797.92	818.67
	42"(1067mm)	SYPX-4242- C	750.05	770.80	797.92	818.67
50"(1270mm)	26"(660mm)	SYPX-5026- C	\$ 839.55	\$ 863.30	\$ 887.42	\$ 911.17
	34"(864mm)	SYPX-5034- C	839.55	863.30	887.42	911.17
	42"(1067mm)	SYPX-5042- C	839.55	863.30	887.42	911.17
	50"(1270mm)	SYPX-5050- C	839.55	863.30	887.42	911.17
58"(1473mm)	26"(660mm)	SYPX-5826- C	\$ 929.48	\$ 956.24	\$ 977.35	\$ 1004.11
	34"(864mm)	SYPX-5834- C	929.48	956.24	977.35	1004.11
	42"(1067mm)	SYPX-5842- C	929.48	956.24	977.35	1004.11
	50"(1270mm)	SYPX-5850- C	929.48	956.24	977.35	1004.11
	58"(1473mm)	SYPX-5858- C	929.48	956.24	977.35	1004.11
66"(1676mm)	26"(660mm)	SYPX-6626- C	\$1018.97	\$1048.73	\$1066.84	\$1096.60
	34"(864mm)	SYPX-6634- C	1018.97	1048.73	1066.84	1096.60
	42"(1067mm)	SYPX-6642- C	1018.97	1048.73	1066.84	1096.60
	50"(1270mm)	SYPX-6650- C	1018.97	1048.73	1066.84	1096.60
	58"(1473mm)	SYPX-6666- C	1018.97	1048.73	1066.84	1096.60
74"(1880mm)	26"(660mm)	SYPX-7426- C	\$1108.46	\$ 1141.22	\$ 1156.33	\$ 1189.09
	34"(864mm)	SYPX-7434- C	1108.46	1141.22	1156.33	1189.09
	42"(1067mm)	SYPX-7442- C	1108.46	1141.22	1156.33	1189.09
	50"(1270mm)	SYPX-7450- C	1108.46	1141.22	1156.33	1189.09
	58"(1473mm)	SYPX-7474- C	1108.46	1141.22	1156.33	1189.09
82"(2083mm)	26"(660mm)	SYPX-8226- C	\$ 1197.95	\$ 1233.70	\$ 1245.82	\$ 1281.57
	34"(864mm)	SYPX-8234- C	1197.95	1233.70	1245.82	1281.57
	42"(1067mm)	SYPX-8242- C	1197.95	1233.70	1245.82	1281.57
	50"(1270mm)	SYPX-8250- C	1197.95	1233.70	1245.82	1281.57
	58"(1473mm)	SYPX-8282- C	1197.95	1233.70	1245.82	1281.57
90"(2286mm)	26"(660mm)	SYPX-9026- C	\$1287.45	\$1326.20	\$ 1335.32	\$ 1374.07
	34"(864mm)	SYPX-9034- C	1287.45	1326.20	1335.32	1374.07
	42"(1067mm)	SYPX-9042- C	1287.45	1326.20	1335.32	1374.07
	50"(1270mm)	SYPX-9050- C	1287.45	1326.20	1335.32	1374.07
	58"(1473mm)	SYPX-9058- C	1287.45	1326.20	1335.32	1374.07

# Adaptable Worksurfaces — Rectangular

## General Specifications



WURA  
Rectangular




WURT-N43  
WURT-N34  
Rectangular Transition




WURS  
Rectangular Swell



WURW  
Rectangular Inverse Swell



WURE-N34  
WURE-N43  
Wedge



WURG-N34  
WURG-N43  
Sharp Wedge



WURR  
Rectangular Radius End

- Includes work surface and tie plate.
- Available in high-pressure laminate (HPL) or wood veneer.
- Laminate edge option:
  - (J) 3mm edgeband on user side with 1mm edgeband on sides and back.
  - (F) Knife edge on user side and 1mm edgeband on sides and back.
- Wood veneer edge option:
  - (K) 3mm edgeband on user side with 1mm edgeband on sides and back.
  - (U) Knife edge on user side and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options. 36"(914mm)W and above are predrilled for pedestals.
- Optional wireway:
  - 24"(610mm)W-60"(1524mm)W worksurfaces have one wireway centered on back edge.
  - Worksurfaces wider than 60"(1524mm) have two wireways on back edge.
  - Wireway will be color-matched to solid side/back edge trim. Wood veneer or patterned/wood grain laminate will have a Charcoal wireway.
  - Refer to Specification Guide for wireway details.
- Optional Belong Hatch cutout:
  - Laminate tops only with one cutout.
  - Available on worksurfaces 30"(762mm)D and widths 42"(1067mm), 48"(1219mm), 51"(1295mm), 54"(1372mm) and 60"(1524mm).
  - Requires separately specified Belong Hatch.
  - Refer to Specification Guide for cutout details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.


### Specification Tips

- **Work surface support specific to product line and work surface edge guidelines; must be separately specified.**
- Knife edge requires use of work surface supports for that application; work surface support panel and/or side bracket for use with knife edge.
- Intermediate support is required for unsupported work surface span greater than 60"(1524mm).
- Not intended for use on Height Adjustable Tables.

**Note:** Separately specified work surface reinforcement bar provides additional support for worksurfaces with 60"(1524mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, work surface support panels, columns, legs or attached lower storage.

# Adaptable Worksurfaces — Rectangular

## Rectangular



WURA  
Class CA

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- A** Notched
- C** Without
- H** Belong Hatch

2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Depth	Width	Number <b>1</b> <b>2</b> <b>3</b>	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
18"(457mm)	24"(610mm)	WURA-1824- S	\$ 397.40	\$ 420.74	\$ 489.03	\$ 718.45	\$ 741.79	\$ 810.08	\$ 684.21	\$ 725.84	\$ 948.64	\$ 990.27
	27"(686mm)	WURA-1827- S	415.88	440.99	514.86	742.21	767.32	841.19	731.67	775.82	1005.48	1049.63
	30"(762mm)	WURA-1830- S	435.20	462.08	541.53	769.45	796.33	875.78	779.13	825.80	1067.01	1113.68
	33"(838mm)	WURA-1833- S	454.52	483.17	568.20	796.69	825.34	910.37	826.59	875.78	1128.54	1177.73
	36"(914mm)	WURA-1836- S	473.84	504.26	594.87	823.93	854.35	944.96	874.05	925.76	1190.07	1241.78
	39"(991mm)	WURA-1839- S	493.16	525.35	621.54	851.17	883.36	979.55	921.51	975.74	1251.60	1305.83
	42"(1067mm)	WURA-1842- S	512.48	546.44	648.21	878.41	912.37	1014.14	968.97	1025.72	1313.13	1369.88
	45"(1143mm)	WURA-1845- S	531.80	567.53	674.88	905.65	941.38	1048.73	1016.43	1075.70	1374.66	1433.93
	48"(1219mm)	WURA-1848- S	604.42	641.92	754.85	986.19	1023.69	1136.62	1172.19	1233.98	1544.49	1606.28
	51"(1295mm)	WURA-1851- S	623.74	663.01	781.52	1013.43	1052.70	1171.21	1219.65	1283.96	1606.02	1670.33
	54"(1372mm)	WURA-1854- S	643.06	684.10	808.19	1040.67	1081.71	1205.80	1267.11	1333.94	1667.55	1734.38
	57"(1448mm)	WURA-1857- S	662.38	705.19	834.86	1067.91	1110.72	1240.39	1314.57	1383.92	1729.08	1798.43
	60"(1524mm)	WURA-1860- S	681.70	726.28	861.53	1095.15	1139.73	1274.98	1362.03	1433.90	1790.61	1862.48
	63"(1600mm)	WURA-1863- S	701.02	747.37	888.20	1122.39	1168.74	1309.57	1409.49	1483.88	1852.14	1926.53
	66"(1676mm)	WURA-1866- S	720.34	768.46	914.87	1149.63	1197.75	1344.16	1456.95	1533.86	1913.67	1990.58
	69"(1753mm)	WURA-1869- S	739.66	789.55	941.54	1176.87	1226.76	1378.75	1504.41	1583.84	1975.20	2054.63
	72"(1829mm)	WURA-1872- S	758.98	810.64	968.21	1204.11	1255.77	1413.34	1551.87	1633.82	2036.73	2118.68
	75"(1905mm)	WURA-1875- S	778.30	831.73	994.88	1231.35	1284.78	1447.93	1599.33	1683.80	2098.26	2182.73
	78"(1981mm)	WURA-1878- S	797.62	852.82	1021.55	1258.59	1313.79	1482.52	1646.79	1733.78	2159.79	2246.78
	81"(2057mm)	WURA-1881- S	816.94	873.91	1048.22	1285.83	1342.80	1517.11	1694.25	1783.76	2221.32	2310.83
	84"(2134mm)	WURA-1884- S	836.26	895.00	1074.89	1313.07	1371.81	1551.70	1741.71	1833.74	2282.85	2374.88
	87"(2210mm)	WURA-1887- S	855.58	916.09	1101.56	1340.31	1400.82	1586.29	1789.17	1883.72	2344.38	2438.93
	90"(2286mm)	WURA-1890- S	874.90	937.18	1128.23	1367.55	1429.83	1620.88	1836.63	1933.70	2405.91	2502.98
	93"(2362mm)	WURA-1893- S	894.22	958.27	1154.90	1394.79	1458.84	1655.47	1884.09	1983.68	2467.44	2567.03
	96"(2438mm)	WURA-1896- S	913.54	979.36	1181.57	1422.03	1487.85	1690.06	1931.55	2033.66	2528.97	2631.08
	99"(2515mm)	WURA-1899- S	932.86	1000.45	1208.24	1449.27	1516.86	1724.65	1979.01	2083.64	2590.50	2695.13
	102"(2591mm)	WURA-18A2- S	952.18	1021.54	1234.91	1476.51	1545.87	1759.24	2026.47	2133.62	2652.03	2759.18
	105"(2667mm)	WURA-18A5- S	971.50	1042.63	1261.58	1503.75	1574.88	1793.83	2073.93	2183.60	2713.56	2823.23
	108"(2743mm)	WURA-18A8- S	990.82	1063.72	1288.25	1530.99	1603.89	1828.42	2121.39	2233.58	2775.09	2887.28
	111"(2819mm)	WURA-18B1- S	1010.14	1084.81	1314.92	1558.23	1632.90	1863.01	2168.85	2283.56	2836.62	2951.33
	114"(2896mm)	WURA-18B4- S	1029.46	1105.90	1341.59	1585.47	1661.91	1897.60	2216.31	2333.54	2898.15	3015.38
	117"(2972mm)	WURA-18B7- S	1048.78	1126.99	1368.26	1612.71	1690.92	1932.19	2263.77	2383.52	2959.68	3079.43
	120"(3048mm)	WURA-18C0- S	1068.10	1148.08	1394.93	1639.95	1719.93	1966.78	2311.23	2433.50	3021.21	3143.48

# Adaptable Worksurfaces — Rectangular

## Rectangular

Depth	Width	Number ①②③	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)		
			A	B	E	A	B	E	A	B	A	B	
24"(610mm)	24"(610mm)	WURA-2424-	S	\$ 389.03	\$ 412.37	\$ 480.66	\$ 743.27	\$ 766.61	\$ 834.90	\$ 750.83	\$ 792.46	\$ 1040.01	\$ 1081.64
	27"(686mm)	WURA-2427-	S	414.41	439.52	513.39	773.93	799.04	872.91	803.24	847.39	1101.80	1145.95
	30"(762mm)	WURA-2430-	S	440.63	467.51	546.96	808.07	834.95	914.40	855.65	902.32	1168.28	1214.95
	33"(838mm)	WURA-2433-	S	466.85	495.50	580.53	842.21	870.86	955.89	908.06	957.25	1234.76	1283.95
	36"(914mm)	WURA-2436-	S	493.07	523.49	614.10	876.35	906.77	997.38	960.47	1012.18	1301.24	1352.95
	39"(991mm)	WURA-2439-	S	519.29	551.48	647.67	910.49	942.68	1038.87	1012.88	1067.11	1367.72	1421.95
	42"(1067mm)	WURA-2442-	S	545.51	579.47	681.24	944.63	978.59	1080.36	1065.29	1122.04	1434.20	1490.95
	45"(1143mm)	WURA-2445-	S	571.73	607.46	714.81	978.77	1014.50	1121.85	1117.70	1176.97	1500.68	1559.95
	48"(1219mm)	WURA-2448-	S	651.25	688.75	801.68	1066.21	1103.71	1216.64	1278.41	1340.20	1675.46	1737.25
	51"(1295mm)	WURA-2451-	S	677.47	716.74	835.25	1100.35	1139.62	1258.13	1330.82	1395.13	1741.94	1806.25
	54"(1372mm)	WURA-2454-	S	703.69	744.73	868.82	1134.49	1175.53	1299.62	1383.23	1450.06	1808.42	1875.25
	57"(1448mm)	WURA-2457-	S	729.91	772.72	902.39	1168.63	1211.44	1341.11	1435.64	1504.99	1874.90	1944.25
	60"(1524mm)	WURA-2460-	S	756.13	800.71	935.96	1202.77	1247.35	1382.60	1488.05	1559.92	1941.38	2013.25
	63"(1600mm)	WURA-2463-	S	782.35	828.70	969.53	1236.91	1283.26	1424.09	1540.46	1614.85	2007.86	2082.25
	66"(1676mm)	WURA-2466-	S	808.57	856.69	1003.10	1271.05	1319.17	1465.58	1592.87	1669.78	2074.34	2151.25
	69"(1753mm)	WURA-2469-	S	834.79	884.68	1036.67	1305.19	1355.08	1507.07	1645.28	1724.71	2140.82	2220.25
	72"(1829mm)	WURA-2472-	S	861.01	912.67	1070.24	1339.33	1390.99	1548.56	1697.69	1779.64	2207.30	2289.25
	75"(1905mm)	WURA-2475-	S	887.23	940.66	1103.81	1373.47	1426.90	1590.05	1750.10	1834.57	2273.78	2358.25
	78"(1981mm)	WURA-2478-	S	913.45	968.65	1137.38	1407.61	1462.81	1631.54	1802.51	1889.50	2340.26	2427.25
	81"(2057mm)	WURA-2481-	S	939.67	996.64	1170.95	1441.75	1498.72	1673.03	1854.92	1944.43	2406.74	2496.25
	84"(2134mm)	WURA-2484-	S	965.89	1024.63	1204.52	1475.89	1534.63	1714.52	1907.33	1999.36	2473.22	2565.25
	87"(2210mm)	WURA-2487-	S	992.11	1052.62	1238.09	1510.03	1570.54	1756.01	1959.74	2054.29	2539.70	2634.25
	90"(2286mm)	WURA-2490-	S	1018.33	1080.61	1271.66	1544.17	1606.45	1797.50	2012.15	2109.22	2606.18	2703.25
	93"(2362mm)	WURA-2493-	S	1044.55	1108.60	1305.23	1578.31	1642.36	1838.99	2064.56	2164.15	2672.66	2772.25
	96"(2438mm)	WURA-2496-	S	1070.77	1136.59	1338.80	1612.45	1678.27	1880.48	2116.97	2219.08	2739.14	2841.25
	99"(2515mm)	WURA-2499-	S	1096.99	1164.58	1372.37	1646.59	1714.18	1921.97	2169.38	2274.01	2805.62	2910.25
	102"(2591mm)	WURA-24A2-	S	1123.21	1192.57	1405.94	1680.73	1750.09	1963.46	2221.79	2328.94	2872.10	2979.25
105"(2667mm)	WURA-24A5-	S	1149.43	1220.56	1439.51	1714.87	1786.00	2004.95	2274.20	2383.87	2938.58	3048.25	
108"(2743mm)	WURA-24A8-	S	1175.65	1248.55	1473.08	1749.01	1821.91	2046.44	2326.61	2438.80	3005.06	3117.25	
111"(2819mm)	WURA-24B1-	S	1201.87	1276.54	1506.65	1783.15	1857.82	2087.93	2379.02	2493.73	3071.54	3186.25	
114"(2896mm)	WURA-24B4-	S	1228.09	1304.53	1540.22	1817.29	1893.73	2129.42	2431.43	2548.66	3138.02	3255.25	
117"(2972mm)	WURA-24B7-	S	1254.31	1332.52	1573.79	1851.43	1929.64	2170.91	2483.84	2603.59	3204.50	3324.25	
120"(3048mm)	WURA-24C0-	S	1280.53	1360.51	1607.36	1885.57	1965.55	2212.40	2536.25	2658.52	3270.98	3393.25	
30"(762mm)	24"(610mm)	WURA-3024-	S	\$ 430.67	\$ 454.01	\$ 522.30	\$ 917.54	\$ 940.88	\$ 1009.17	\$ 1099.91	\$ 1141.54	\$ 1479.79	\$ 1521.42
	27"(686mm)	WURA-3027-	S	458.57	483.68	557.55	950.72	975.83	1049.70	1157.42	1201.57	1546.68	1590.83
	30"(762mm)	WURA-3030-	S	487.31	514.19	593.64	987.38	1014.26	1093.71	1214.93	1261.60	1618.26	1664.93
	33"(838mm)	WURA-3033-	S	516.05	544.70	629.73	1024.04	1052.69	1137.72	1272.44	1321.63	1689.84	1739.03
	36"(914mm)	WURA-3036-	S	544.79	575.21	665.82	1060.70	1091.12	1181.73	1329.95	1381.66	1761.42	1813.13
	39"(991mm)	WURA-3039-	S	573.53	605.72	701.91	1097.36	1129.55	1225.74	1387.46	1441.69	1833.00	1887.23
	42"(1067mm)	WURA-3042-	S	602.27	636.23	738.00	1134.02	1167.98	1269.75	1444.97	1501.72	1904.58	1961.33
	45"(1143mm)	WURA-3045-	S	631.01	666.74	774.09	1170.68	1206.41	1313.76	1502.48	1561.75	1976.16	2035.43
	48"(1219mm)	WURA-3048-	S	713.05	760.55	863.48	1260.64	1298.14	1411.07	1668.29	1730.08	2156.04	2217.83
	51"(1295mm)	WURA-3051-	S	741.79	781.06	899.57	1297.30	1336.57	1455.08	1725.80	1790.11	2227.62	2291.93
	54"(1372mm)	WURA-3054-	S	770.53	811.57	935.66	1333.96	1375.00	1499.09	1783.31	1850.14	2299.20	2366.03
	57"(1448mm)	WURA-3057-	S	799.27	842.08	971.75	1370.62	1413.43	1543.10	1840.82	1910.17	2370.78	2440.13
	60"(1524mm)	WURA-3060-	S	828.01	872.59	1007.84	1407.28	1451.86	1587.11	1898.33	1970.20	2442.36	2514.23
	63"(1600mm)	WURA-3063-	S	856.75	903.10	1043.93	1443.94	1490.29	1631.12	1955.84	2030.23	2513.94	2588.33
	66"(1676mm)	WURA-3066-	S	885.49	933.61	1080.02	1480.60	1528.72	1675.13	2013.35	2090.26	2585.52	2662.43
	69"(1753mm)	WURA-3069-	S	914.23	964.12	1116.11	1517.26	1567.15	1719.14	2070.86	2150.29	2657.10	2736.53
	72"(1829mm)	WURA-3072-	S	942.97	994.63	1152.20	1553.92	1605.58	1763.15	2128.37	2210.32	2728.68	2810.63
	75"(1905mm)	WURA-3075-	S	971.71	1025.14	1188.29	1590.58	1644.01	1807.16	2185.88	2270.35	2800.26	2884.73
	78"(1981mm)	WURA-3078-	S	1000.45	1055.65	1224.38	1627.24	1682.44	1851.17	2243.39	2330.38	2871.84	2958.83
	81"(2057mm)	WURA-3081-	S	1029.19	1086.16	1260.47	1663.90	1720.87	1895.18	2300.90	2390.41	2943.42	3032.93
	84"(2134mm)	WURA-3084-	S	1057.93	1116.67	1296.56	1700.56	1759.30	1939.19	2358.41	2450.44	3015.00	3107.03
	87"(2210mm)	WURA-3087-	S	1086.67	1147.18	1332.65	1737.22	1797.73	1983.20	2415.92	2510.47	3086.58	3181.13
	90"(2286mm)	WURA-3090-	S	1115.41	1177.69	1368.74	1773.88	1836.16	2027.21	2473.43	2570.50	3158.16	3255.23
	93"(2362mm)	WURA-3093-	S	1144.15	1208.20	1404.83	1810.54	1874.59	2071.22	2530.94	2630.53	3229.74	3329.33
	96"(2438mm)	WURA-3096-	S	1172.89	1238.71	1440.92	1847.20	1913.02	2115.23	2588.45	2690.56	3301.32	3403.43
	99"(2515mm)	WURA-3099-	S	1201.63	1269.22	1477.01	1883.86	1951.45	2159.24	2645.96	2750.59	3372.90	3477.53
	102"(2591mm)	WURA-30A2-	S	1230.37	1299.73	1513.10	1920.52	1989.88	2203.25	2703.47	2810.62	3444.48	3551.63
105"(2667mm)	WURA-30A5-	S	1259.11	1330.24	1549.19	1957.18	2028.31	2247.26	2760.98	2870.65	3516.06	3625.73	
108"(2743mm)	WURA-30A8-	S	1287.85	1360.75	1585.28	1993.84	2066.74	2291.27	2818.49	2930.68	3587.64	3699.83	
111"(2819mm)	WURA-30B1-	S	1316.59	1391.26	1621.37	2030.50	2105.17	2335.28	2876.00	2990.71	3659.22	3773.93	
114"(2896mm)	WURA-30B4-	S	1345.33	1421.77	1657.46	2067.16	2143.60	2379.29	2933.51	3050.74	3730.80	3848.03	
117"(2972mm)	WURA-30B7-	S	1374.07	1452.28	1693.55	2103.82	2182.03	2423.30	2991.02	3107.77	3802.38	3922.13	
120"(3048mm)	WURA-30C0-	S	1402.81	1482.79	1729.64	2140.48	2220.46	2467.31	3048.53	3170.80	3873.96	3996.23	

# Adaptable Worksurfaces — Rectangular

## Rectangular Transition



WURT-N43



WURT-N34  
Class CA

### Unique Specifications

- Worksurface less than 42"(1067mm)W suggested pedestal style is mobile.
- Worksurfaces greater than 42"(1067mm)W attached pedestal may be installed on deepest side.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without

2) Laminate color or Wood finish color.


3) Edge trim color (laminite only).

Left/Right Depth	Width	Number <b>1</b> <b>2</b> <b>3</b>	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
24"(610mm)/18"(457mm)	24"(610mm)	WURT-2424- S N43	\$ 457.11	\$490.57	\$ 595.23	\$ 707.41	\$ 740.87	\$ 845.53	\$1032.69	\$1082.94	\$ 1386.31	\$ 1436.56
	30"(762mm)	WURT-2430- S N43	515.55	553.03	671.37	783.97	821.45	939.79	1153.35	1209.72	1539.19	1595.56
	36"(914mm)	WURT-2436- S N43	573.99	615.49	747.51	860.53	902.03	1034.05	1274.01	1336.50	1692.07	1754.56
	42"(1067mm)	WURT-2442- S N43	632.43	677.95	823.65	937.09	982.61	1128.31	1394.67	1463.28	1844.95	1913.56
	48"(1219mm)	WURT-2448- S N43	690.87	740.41	899.79	1013.65	1063.19	1222.57	1515.33	1590.06	1997.83	2072.56
	54"(1372mm)	WURT-2454- S N43	749.31	802.87	975.93	1090.21	1143.77	1316.83	1635.99	1716.84	2150.71	2231.56
60"(1524mm)	WURT-2460- S N43	807.75	865.33	1052.07	1166.77	1224.35	1411.09	1756.65	1843.62	2303.59	2390.56	
24"(610mm)/30"(762mm)	24"(610mm)	WURT-3024- S N45	\$490.57	\$524.03	\$ 628.69	\$ 740.87	\$ 774.33	\$ 878.99	\$ 1066.15	\$ 1116.40	\$ 1419.77	\$ 1470.02
	30"(762mm)	WURT-3030- S N45	549.01	586.49	704.83	817.43	854.91	973.25	1186.81	1243.18	1572.65	1629.02
	36"(914mm)	WURT-3036- S N45	607.45	648.95	780.97	893.99	935.49	1067.51	1307.47	1369.96	1725.53	1788.02
	42"(1067mm)	WURT-3042- S N45	665.89	711.41	857.11	970.55	1016.07	1161.77	1428.13	1496.74	1878.41	1947.02
	48"(1219mm)	WURT-3048- S N45	724.33	773.87	933.25	1047.11	1096.65	1256.03	1548.79	1623.52	2031.29	2106.02
	54"(1372mm)	WURT-3054- S N45	782.77	836.33	1009.39	1123.67	1177.23	1350.29	1669.45	1750.30	2184.17	2265.02
60"(1524mm)	WURT-3060- S N45	841.21	898.79	1085.53	1200.23	1257.81	1444.55	1790.11	1877.08	2337.05	2424.02	
30"(762mm)/24"(610mm)	24"(610mm)	WURT-3024- S N54	\$490.57	\$524.03	\$ 628.69	\$ 740.87	\$ 774.33	\$ 878.99	\$ 1066.15	\$ 1116.40	\$ 1419.77	\$ 1470.02
	30"(762mm)	WURT-3030- S N54	549.01	586.49	704.83	817.43	854.91	973.25	1186.81	1243.18	1572.65	1629.02
	36"(914mm)	WURT-3036- S N54	607.45	648.95	780.97	893.99	935.49	1067.51	1307.47	1369.96	1725.53	1788.02
	42"(1067mm)	WURT-3042- S N54	665.89	711.41	857.11	970.55	1016.07	1161.77	1428.13	1496.74	1878.41	1947.02
	48"(1219mm)	WURT-3048- S N54	724.33	773.87	933.25	1047.11	1096.65	1256.03	1548.79	1623.52	2031.29	2106.02
	54"(1372mm)	WURT-3054- S N54	782.77	836.33	1009.39	1123.67	1177.23	1350.29	1669.45	1750.30	2184.17	2265.02
60"(1524mm)	WURT-3060- S N54	841.21	898.79	1085.53	1200.23	1257.81	1444.55	1790.11	1877.08	2337.05	2424.02	

# Adaptable Worksurfaces — Rectangular


## Swell/Inverse Swell

### Swell



WURS

### Inverse Swell



WURW  
Class CA

### Unique Specifications

- Suggested pedestal style is mobile.
- Belong Hatch cutout only available on Swell work surface.

### To Order, Specify:

1) Product number, including:

#### 1 Surface Option:

- L** Laminate
- W** Wood

#### 2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

#### 3 Wireway/Cutout Option:

- A** Notched
- C** Without
- H** Belong Hatch

2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).




Depth	Swell Depth	Width	Number	1	2	3	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)			
							A	B	E	A	B	E	A	B	A	B		
<b>Swell</b>																		
18"(457mm)	21"(533mm)	24"(610mm)	WURS-1824-	S	\$ 442.18	\$473.21	\$571.48	\$686.35	\$717.38	\$815.65	\$904.93	\$956.63	\$1247.20	\$1298.90				
		30"(762mm)	WURS-1830-	S	487.86	522.13	630.66	745.73	780.00	888.53	996.01	1052.99	1362.38	1419.36				
		36"(914mm)	WURS-1836-	S	534.42	571.93	690.72	808.73	846.24	965.03	1087.09	1149.35	1482.38	1544.64				
		42"(1067mm)	WURS-1842-	S	580.98	621.73	750.78	871.73	912.48	1041.53	1178.17	1245.71	1602.38	1669.92				
		48"(1219mm)	WURS-1848-	S	627.54	671.53	810.84	934.73	978.72	1118.03	1269.25	1342.07	1722.38	1795.20				
		54"(1372mm)	WURS-1854-	S	674.10	721.33	870.90	997.73	1044.96	1194.53	1360.33	1438.43	1842.38	1920.48				
24"(610mm)	27"(686mm)	60"(1524mm)	WURS-1860-	S	720.66	771.13	930.96	1060.73	1111.20	1271.03	1451.41	1534.79	1962.38	2045.76				
		24"(610mm)	WURS-2424-	S	\$ 457.68	\$488.71	\$586.98	\$708.67	\$739.70	\$837.97	\$935.99	\$987.69	\$1286.81	\$1338.51				
		30"(762mm)	WURS-2430-	S	503.36	537.63	646.16	768.05	802.32	910.85	1032.29	1089.27	1407.21	1464.19				
		36"(914mm)	WURS-2436-	S	549.92	587.43	706.22	831.05	868.56	987.35	1128.59	1190.85	1532.43	1594.69				
		42"(1067mm)	WURS-2442-	S	596.48	637.23	766.28	894.05	934.80	1063.85	1224.89	1292.43	1657.65	1725.19				
		48"(1219mm)	WURS-2448-	S	643.04	687.03	826.34	957.05	1001.04	1140.35	1321.19	1394.01	1782.87	1855.69				
30"(762mm)	33"(838mm)	54"(1372mm)	WURS-2454-	S	689.60	736.83	886.40	1020.05	1067.28	1216.85	1417.49	1495.59	1908.09	1986.19				
		60"(1524mm)	WURS-2460-	S	736.16	786.63	946.46	1083.05	1133.52	1293.35	1513.79	1597.17	2033.31	2116.69				
		24"(610mm)	WURS-3024-	S	\$599.02	\$630.05	\$728.32	\$894.24	\$925.27	\$1023.54	\$1228.99	\$1280.69	\$1656.61	\$1708.31				
		30"(762mm)	WURS-3030-	S	644.70	678.97	787.50	953.62	987.89	1096.42	1330.27	1387.25	1781.99	1838.97				
		36"(914mm)	WURS-3036-	S	691.26	728.77	847.56	1016.62	1054.13	1172.92	1431.55	1493.81	1912.19	1974.45				
		42"(1067mm)	WURS-3042-	S	737.82	778.57	907.62	1079.62	1120.37	1249.42	1532.83	1600.37	2042.39	2109.93				
48"(1219mm)	54"(1372mm)	48"(1219mm)	WURS-3048-	S	784.38	828.37	967.68	1142.62	1186.61	1325.92	1634.11	1706.93	2172.59	2245.41				
		54"(1372mm)	WURS-3054-	S	830.94	878.17	1027.74	1205.62	1252.85	1402.42	1735.39	1813.49	2302.79	2380.89				
		60"(1524mm)	WURS-3060-	S	877.50	927.97	1087.80	1268.62	1319.09	1478.92	1836.67	1920.05	2432.99	2516.37				
		<b>Inverse Swell</b>																
		18"(457mm)	15"(381mm)	24"(610mm)	WURW-1824-	S	\$ 423.10	\$452.78	\$546.84	\$656.78	\$686.46	\$780.52	\$947.68	\$997.15	\$1275.22	\$1324.69		
				30"(762mm)	WURW-1830-	S	466.68	499.30	603.26	713.56	746.18	850.14	1034.80	1089.19	1385.39	1439.78		
36"(914mm)	WURW-1836-			S	511.08	546.64	660.50	773.80	809.36	923.22	1121.92	1181.23	1500.17	1559.48				
42"(1067mm)	WURW-1842-			S	555.48	593.98	717.74	834.04	872.54	996.30	1209.04	1273.27	1614.95	1679.18				
48"(1219mm)	WURW-1848-			S	599.88	641.32	774.98	894.28	935.72	1069.38	1296.16	1365.31	1729.73	1798.88				
54"(1372mm)	WURW-1854-			S	644.28	688.66	832.22	954.52	998.90	1142.46	1383.28	1457.35	1844.51	1918.58				
24"(610mm)	21"(533mm)	60"(1524mm)	WURW-1860-	S	688.68	736.00	889.46	1014.76	1062.08	1215.54	1470.40	1549.39	1959.29	2038.28				
		24"(610mm)	WURW-2424-	S	\$ 437.94	\$467.62	\$561.68	\$678.13	\$707.81	\$801.87	\$977.39	\$1026.86	\$1313.08	\$1362.55				
		30"(762mm)	WURW-2430-	S	481.52	514.14	618.10	734.91	767.53	871.49	1069.49	1123.88	1428.23	1482.62				
		36"(914mm)	WURW-2436-	S	525.92	561.48	675.34	795.15	830.71	944.57	1161.59	1220.90	1547.99	1607.30				
		42"(1067mm)	WURW-2442-	S	570.32	608.82	732.58	855.39	893.89	1017.65	1253.69	1317.92	1667.75	1731.98				
		48"(1219mm)	WURW-2448-	S	614.72	656.16	789.82	915.63	957.07	1090.73	1345.79	1414.94	1787.51	1856.66				
30"(762mm)	27"(686mm)	54"(1372mm)	WURW-2454-	S	659.12	703.50	847.06	975.87	1020.25	1163.81	1437.89	1511.96	1907.27	1981.34				
		60"(1524mm)	WURW-2460-	S	703.52	750.84	904.30	1036.11	1083.43	1236.89	1529.99	1608.98	2027.03	2106.02				
		24"(610mm)	WURW-3024-	S	\$ 573.19	\$602.87	\$696.93	\$855.73	\$885.41	\$979.47	\$1257.78	\$1307.25	\$1666.97	\$1716.44				
		30"(762mm)	WURW-3030-	S	616.77	649.39	753.35	912.51	945.13	1049.09	1354.80	1409.19	1787.04	1841.43				
		36"(914mm)	WURW-3036-	S	661.17	696.73	810.59	972.75	1008.31	1122.17	1451.82	1511.33	1911.72	1971.03				
		42"(1067mm)	WURW-3042-	S	705.57	744.07	867.83	1032.99	1071.49	1195.25	1548.84	1613.07	2036.40	2100.63				
48"(1219mm)	54"(1372mm)	48"(1219mm)	WURW-3048-	S	749.97	791.41	925.07	1093.23	1134.67	1268.33	1645.86	1715.01	2161.08	2230.23				
		54"(1372mm)	WURW-3054-	S	794.37	838.75	982.31	1153.47	1197.85	1341.41	1742.88	1816.95	2285.76	2359.83				
		60"(1524mm)	WURW-3060-	S	838.77	886.09	1039.55	1213.71	1261.03	1414.49	1839.90	1918.89	2410.44	2489.43				



# Adaptable Worksurfaces — Rectangular


## Wedge/Sharp Wedge

### Wedge



WURE-N34  
WURE-N43

### Sharp Wedge



Class CA

### Unique Specifications

- Suggested pedestal style is mobile.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- A** Notched
- C** Without
- H** Belong Hatch

2) Laminate color or Wood finish color.

3) Edge trim color (laminated only).

Left/Right Depth	Width	Number <b>1</b> <b>2</b> <b>3</b>	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
<b>Wedge</b>												
24"(610mm)/18"(457mm)	24"(610mm)	WURE-2424- S N43	\$ 658.82	\$ 693.82	\$ 798.37	\$ 909.80	\$ 944.80	\$ 1049.35	\$ 1216.42	\$ 1243.08	\$ 1550.37	\$ 1577.03
	30"(762mm)	WURE-2430- S N43	714.86	753.82	870.43	987.86	1026.82	1143.43	1336.30	1377.90	1706.37	1747.97
	36"(914mm)	WURE-2436- S N43	770.90	813.82	942.49	1065.92	1108.84	1237.51	1456.18	1512.72	1862.37	1918.91
	42"(1067mm)	WURE-2442- S N43	826.94	873.82	1014.55	1143.98	1190.86	1331.59	1576.06	1647.54	2018.37	2089.85
	48"(1219mm)	WURE-2448- S N43	882.98	933.82	1086.61	1222.04	1272.88	1425.67	1695.94	1782.36	2174.37	2260.79
	54"(1372mm)	WURE-2454- S N43	939.02	993.82	1158.67	1300.10	1354.90	1519.75	1815.82	1917.18	2330.37	2431.73
	60"(1524mm)	WURE-2460- S N43	995.06	1053.82	1230.73	1378.16	1436.92	1613.83	1935.70	2052.00	2486.37	2602.67
	66"(1676mm)	WURE-2466- S N43	1051.10	1113.82	1302.79	1456.22	1518.94	1707.91	2055.58	2186.82	2642.37	2773.61
	72"(1829mm)	WURE-2472- S N43	1107.14	1173.82	1374.85	1534.28	1600.96	1801.99	2175.46	2321.64	2798.37	2944.55
	78"(1981mm)	WURE-2478- S N43	1163.18	1233.82	1446.91	1612.34	1682.98	1896.07	2295.34	2456.46	2954.37	3115.49
	84"(2134mm)	WURE-2484- S N43	1219.22	1293.82	1518.97	1690.40	1765.00	1990.15	2415.22	2591.28	3110.37	3286.43
	90"(2286mm)	WURE-2490- S N43	1275.26	1353.82	1591.03	1768.46	1847.02	2084.23	2535.10	2726.10	3266.37	3457.37
	96"(2438mm)	WURE-2496- S N43	1331.30	1413.82	1663.09	1846.52	1929.04	2178.31	2654.98	2860.92	3422.37	3628.31
	102"(2591mm)	WURE-24A2- S N43	1387.34	1473.82	1735.15	1924.58	2011.06	2272.39	2774.86	2995.74	3578.37	3799.25
	108"(2743mm)	WURE-24A8- S N43	1443.38	1533.82	1807.21	2002.64	2093.08	2366.47	2894.74	3130.56	3734.37	3970.19
	114"(2896mm)	WURE-24B4- S N43	1480.74	1573.82	1855.25	2054.68	2147.76	2429.19	2974.66	3220.44	3838.37	4084.15
	120"(3048mm)	WURE-24C0- S N43	1555.46	1653.82	1951.33	2158.76	2257.12	2554.63	3134.50	3400.20	4046.37	4312.07

# Adaptable Worksurfaces — Rectangular

## Wedge/Sharp Wedge

Left/Right Depth	Width	Number ① ② ③	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
18"(457mm)/24"(610mm)	24"(610mm)	WURE-2424- S N34	\$ 658.82	\$ 693.82	\$ 798.37	\$ 909.80	\$ 944.80	\$ 1049.35	\$ 1216.42	\$ 1243.08	\$ 1550.37	\$ 1577.03
	30"(762mm)	WURE-2430- S N34	714.86	753.82	870.43	987.86	1026.82	1143.43	1336.30	1377.90	1706.37	1747.97
	36"(914mm)	WURE-2436- S N34	770.90	813.82	942.49	1065.92	1108.84	1237.51	1456.18	1512.72	1862.37	1918.91
	42"(1067mm)	WURE-2442- S N34	826.94	873.82	1014.55	1143.98	1190.86	1331.59	1576.06	1647.54	2018.37	2089.85
	48"(1219mm)	WURE-2448- S N34	882.98	933.82	1086.61	1222.04	1272.88	1425.67	1695.94	1782.36	2174.37	2260.79
	54"(1372mm)	WURE-2454- S N34	939.02	993.82	1158.67	1300.10	1354.90	1519.75	1815.82	1917.18	2330.37	2431.73
	60"(1524mm)	WURE-2460- S N34	995.06	1053.82	1230.73	1378.16	1436.92	1613.83	1935.70	2052.00	2486.37	2602.67
	66"(1676mm)	WURE-2466- S N34	1051.10	1113.82	1302.79	1456.22	1518.94	1707.91	2055.58	2186.82	2642.37	2773.61
	72"(1829mm)	WURE-2472- S N34	1107.14	1173.82	1374.85	1534.28	1600.96	1801.99	2175.46	2321.64	2798.37	2944.55
	78"(1981mm)	WURE-2478- S N34	1163.18	1233.82	1446.91	1612.34	1682.98	1896.07	2295.34	2456.46	2954.37	3115.49
	84"(2134mm)	WURE-2484- S N34	1219.22	1293.82	1518.97	1690.40	1765.00	1990.15	2415.22	2591.28	3110.37	3286.43
	90"(2286mm)	WURE-2490- S N34	1275.26	1353.82	1591.03	1768.46	1847.02	2084.23	2535.10	2726.10	3266.37	3457.37
	96"(2438mm)	WURE-2496- S N34	1331.30	1413.82	1663.09	1846.52	1929.04	2178.31	2654.98	2860.92	3422.37	3628.31
	102"(2591mm)	WURE-24A2- S N34	1387.34	1473.82	1735.15	1924.58	2011.06	2272.39	2774.86	2995.74	3578.37	3799.25
30"(762mm)/24"(610mm)	24"(610mm)	WURE-3024- S N54	\$ 675.46	\$ 710.46	\$ 815.01	\$ 926.44	\$ 961.44	\$ 1065.99	\$ 1233.06	\$ 1259.72	\$ 1567.01	\$ 1593.67
	30"(762mm)	WURE-3030- S N54	731.50	770.46	887.07	1004.50	1043.46	1160.07	1352.94	1394.54	1723.01	1764.61
	36"(914mm)	WURE-3036- S N54	787.54	830.46	959.13	1082.56	1125.48	1254.15	1472.82	1529.36	1879.01	1935.55
	42"(1067mm)	WURE-3042- S N54	843.58	890.46	1031.19	1160.62	1207.50	1348.23	1592.70	1664.18	2035.01	2106.49
	48"(1219mm)	WURE-3048- S N54	899.62	950.46	1103.25	1238.68	1289.52	1442.31	1712.58	1799.00	2191.01	2277.43
	54"(1372mm)	WURE-3054- S N54	955.66	1010.46	1175.31	1316.74	1371.54	1536.39	1832.46	1933.82	2347.01	2448.37
	60"(1524mm)	WURE-3060- S N54	1011.70	1070.46	1247.37	1394.80	1453.56	1630.47	1952.34	2068.64	2503.01	2619.31
	66"(1676mm)	WURE-3066- S N54	1067.74	1130.46	1319.43	1472.86	1535.58	1724.55	2072.22	2203.46	2659.01	2790.25
	72"(1829mm)	WURE-3072- S N54	1123.78	1190.46	1391.49	1550.92	1617.60	1818.63	2192.10	2338.28	2815.01	2961.19
	78"(1981mm)	WURE-3078- S N54	1179.82	1250.46	1463.55	1628.98	1699.62	1912.71	2311.98	2473.10	2971.01	3132.13
	84"(2134mm)	WURE-3084- S N54	1235.86	1310.46	1535.61	1707.04	1781.64	2006.79	2431.86	2607.92	3127.01	3303.07
	90"(2286mm)	WURE-3090- S N54	1291.90	1370.46	1607.67	1785.10	1863.66	2100.87	2551.74	2742.74	3283.01	3474.01
	96"(2438mm)	WURE-3096- S N54	1347.94	1430.46	1679.73	1863.16	1945.68	2194.95	2671.62	2877.56	3439.01	3644.95
	102"(2591mm)	WURE-30A2- S N54	1403.98	1490.46	1751.79	1941.22	2027.70	2289.03	2791.50	3012.38	3595.01	3815.89
24"(610mm)/30"(762mm)	24"(610mm)	WURE-3024- S N45	\$ 675.46	\$ 710.46	\$ 815.01	\$ 926.44	\$ 961.44	\$ 1065.99	\$ 1233.06	\$ 1259.72	\$ 1567.01	\$ 1593.67
	30"(762mm)	WURE-3030- S N45	731.50	770.46	887.07	1004.50	1043.46	1160.07	1352.94	1394.54	1723.01	1764.61
	36"(914mm)	WURE-3036- S N45	787.54	830.46	959.13	1082.56	1125.48	1254.15	1472.82	1529.36	1879.01	1935.55
	42"(1067mm)	WURE-3042- S N45	843.58	890.46	1031.19	1160.62	1207.50	1348.23	1592.70	1664.18	2035.01	2106.49
	48"(1219mm)	WURE-3048- S N45	899.62	950.46	1103.25	1238.68	1289.52	1442.31	1712.58	1799.00	2191.01	2277.43
	54"(1372mm)	WURE-3054- S N45	955.66	1010.46	1175.31	1316.74	1371.54	1536.39	1832.46	1933.82	2347.01	2448.37
	60"(1524mm)	WURE-3060- S N45	1011.70	1070.46	1247.37	1394.80	1453.56	1630.47	1952.34	2068.64	2503.01	2619.31
	66"(1676mm)	WURE-3066- S N45	1067.74	1130.46	1319.43	1472.86	1535.58	1724.55	2072.22	2203.46	2659.01	2790.25
	72"(1829mm)	WURE-3072- S N45	1123.78	1190.46	1391.49	1550.92	1617.60	1818.63	2192.10	2338.28	2815.01	2961.19
	78"(1981mm)	WURE-3078- S N45	1179.82	1250.46	1463.55	1628.98	1699.62	1912.71	2311.98	2473.10	2971.01	3132.13
	84"(2134mm)	WURE-3084- S N45	1235.86	1310.46	1535.61	1707.04	1781.64	2006.79	2431.86	2607.92	3127.01	3303.07
	90"(2286mm)	WURE-3090- S N45	1291.90	1370.46	1607.67	1785.10	1863.66	2100.87	2551.74	2742.74	3283.01	3474.01
	96"(2438mm)	WURE-3096- S N45	1347.94	1430.46	1679.73	1863.16	1945.68	2194.95	2671.62	2877.56	3439.01	3644.95
	102"(2591mm)	WURE-30A2- S N45	1403.98	1490.46	1751.79	1941.22	2027.70	2289.03	2791.50	3012.38	3595.01	3815.89
108"(2743mm)	WURE-30A8- S N45	1460.02	1550.46	1823.85	2019.28	2109.72	2383.11	2911.38	3147.20	3751.01	3986.83	
114"(2896mm)	WURE-30B4- S N45	1497.38	1590.46	1871.89	2071.32	2164.40	2445.83	2991.30	3237.08	3855.01	4100.79	
120"(3048mm)	WURE-30C0- S N45	1572.10	1670.46	1967.97	2175.40	2273.76	2571.27	3151.14	3416.84	4063.01	4328.71	

# Adaptable Worksurfaces — Rectangular

## Wedge/Sharp Wedge

Left/Right Depth	Width	Number ①② ③	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)			
			A	B	E	A	B	E	A	B	A	B		
<b>Sharp Wedge</b>														
24"(610mm)/18"(457mm)	24"(610mm)	WURG-2424-	S	N43	\$636.58	\$ 673.40	\$ 783.06	\$ 890.25	\$ 927.07	\$1036.73	\$1223.24	\$ 1328.70	\$ 1570.23	\$ 1675.69
	30"(762mm)	WURG-2430-	S	N43	699.22	736.15	860.20	973.97	1010.90	1134.95	1351.83	1480.15	1737.16	1865.48
	36"(914mm)	WURG-2436-	S	N43	761.86	798.90	937.34	1057.69	1094.73	1233.17	1480.42	1631.60	1904.09	2055.27
	42"(1067mm)	WURG-2442-	S	N43	824.50	861.65	1014.48	1141.41	1178.56	1331.39	1609.01	1783.05	2071.02	2245.06
	48"(1219mm)	WURG-2448-	S	N43	887.14	924.40	1091.62	1225.13	1262.39	1429.61	1737.60	1934.50	2237.95	2434.85
	54"(1372mm)	WURG-2454-	S	N43	949.78	987.15	1168.76	1308.85	1346.22	1527.83	1866.19	2085.95	2404.88	2624.64
	60"(1524mm)	WURG-2460-	S	N43	1012.42	1049.90	1245.90	1392.57	1430.05	1626.05	1994.78	2237.40	2571.81	2814.43
18"(457mm)/24"(610mm)	24"(610mm)	WURG-2424-	S	N34	\$636.58	\$ 673.40	\$ 783.06	\$ 890.25	\$ 927.07	\$1036.73	\$1223.24	\$ 1328.70	\$ 1570.23	\$ 1675.69
	30"(762mm)	WURG-2430-	S	N34	699.22	736.15	860.20	973.97	1010.90	1134.95	1351.83	1480.15	1737.16	1865.48
	36"(914mm)	WURG-2436-	S	N34	761.86	798.90	937.34	1057.69	1094.73	1233.17	1480.42	1631.60	1904.09	2055.27
	42"(1067mm)	WURG-2442-	S	N34	824.50	861.65	1014.48	1141.41	1178.56	1331.39	1609.01	1783.05	2071.02	2245.06
	48"(1219mm)	WURG-2448-	S	N34	887.14	924.40	1091.62	1225.13	1262.39	1429.61	1737.60	1934.50	2237.95	2434.85
	54"(1372mm)	WURG-2454-	S	N34	949.78	987.15	1168.76	1308.85	1346.22	1527.83	1866.19	2085.95	2404.88	2624.64
	60"(1524mm)	WURG-2460-	S	N34	1012.42	1049.90	1245.90	1392.57	1430.05	1626.05	1994.78	2237.40	2571.81	2814.43
30"(762mm)/24"(610mm)	24"(610mm)	WURG-3024-	S	N54	\$645.78	\$ 683.07	\$ 795.72	\$ 907.49	\$ 944.78	\$1057.43	\$1247.84	\$ 1357.68	\$ 1594.83	\$ 1704.67
	30"(762mm)	WURG-3030-	S	N54	708.42	745.82	872.86	991.21	1028.61	1155.65	1376.43	1509.13	1761.76	1894.46
	36"(914mm)	WURG-3036-	S	N54	771.06	808.57	950.00	1074.93	1112.44	1253.87	1505.02	1660.58	1928.69	2084.25
	42"(1067mm)	WURG-3042-	S	N54	833.70	871.32	1027.14	1158.65	1196.27	1352.09	1633.61	1812.03	2095.62	2274.04
	48"(1219mm)	WURG-3048-	S	N54	896.34	934.07	1104.28	1242.37	1280.10	1450.31	1762.20	1963.48	2262.55	2463.83
	54"(1372mm)	WURG-3054-	S	N54	958.98	996.82	1181.42	1326.09	1363.93	1548.53	1890.79	2114.93	2429.48	2653.62
	60"(1524mm)	WURG-3060-	S	N54	1021.62	1059.57	1258.56	1409.81	1447.76	1646.75	2019.38	2266.38	2596.41	2843.41
24"(610mm)/30"(762mm)	24"(610mm)	WURG-3024-	S	N45	\$645.78	\$ 683.07	\$ 795.72	\$ 907.49	\$ 944.78	\$1057.43	\$1247.84	\$ 1357.68	\$ 1594.83	\$ 1704.67
	30"(762mm)	WURG-3030-	S	N45	708.42	745.82	872.86	991.21	1028.61	1155.65	1376.43	1509.13	1761.76	1894.46
	36"(914mm)	WURG-3036-	S	N45	771.06	808.57	950.00	1074.93	1112.44	1253.87	1505.02	1660.58	1928.69	2084.25
	42"(1067mm)	WURG-3042-	S	N45	833.70	871.32	1027.14	1158.65	1196.27	1352.09	1633.61	1812.03	2095.62	2274.04
	48"(1219mm)	WURG-3048-	S	N45	896.34	934.07	1104.28	1242.37	1280.10	1450.31	1762.20	1963.48	2262.55	2463.83
	54"(1372mm)	WURG-3054-	S	N45	958.98	996.82	1181.42	1326.09	1363.93	1548.53	1890.79	2114.93	2429.48	2653.62
	60"(1524mm)	WURG-3060-	S	N45	1021.62	1059.57	1258.56	1409.81	1447.76	1646.75	2019.38	2266.38	2596.41	2843.41

# Adaptable Worksurfaces — Rectangular

## Rectangular Radius End



(Right-hand orientation)



(Left-hand orientation)

WURR  
Class CA

### Unique Specifications

- Separately specified floor support required on radius end:  
–Side/corner bracket with worksurface support leg or column.
- Worksurfaces less than 42”(1067mm)W, suggested pedestal style is mobile.
- Laminate worksurface will have 3mm edgeband or knife edge on user edge and side and 1mm edgeband on remaining side and back.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without

**4 Orientation (as seated):**

- R** Right-hand
- L** Left-hand

2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Depth	Width	Number 1 2 3 4	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
18"(457mm)	24"(610mm)	WURR-1824- S	\$494.03	\$ 523.71	\$ 613.61	\$ 724.44	\$ 754.12	\$ 844.02	\$1005.40	\$ 1049.94	\$ 1330.56	\$ 1375.10
	30"(762mm)	WURR-1830- S	551.53	585.05	686.29	795.14	828.66	929.90	1123.36	1172.82	1500.52	1549.98
	36"(914mm)	WURR-1836- S	609.85	647.21	759.79	869.30	906.66	1019.24	1241.32	1295.70	1680.88	1735.26
	42"(1067mm)	WURR-1842- S	668.17	709.37	833.29	943.46	984.66	1108.58	1359.28	1418.58	1861.24	1920.54
	48"(1219mm)	WURR-1848- S	726.49	771.53	906.79	1017.62	1062.66	1197.92	1477.24	1541.46	2041.60	2105.82
	54"(1372mm)	WURR-1854- S	784.81	833.69	980.29	1091.78	1140.66	1287.26	1595.20	1664.34	2221.96	2291.10
60"(1524mm)	WURR-1860- S	843.13	895.85	1053.79	1165.94	1218.66	1376.60	1713.16	1787.22	2402.32	2476.38	
24"(610mm)	24"(610mm)	WURR-2424- S	\$505.60	\$ 535.28	\$ 625.18	\$ 739.28	\$ 768.96	\$ 858.86	\$ 1018.61	\$ 1063.15	\$ 1351.94	\$ 1396.48
	30"(762mm)	WURR-2430- S	563.10	596.62	697.86	809.98	843.50	944.74	1139.39	1188.85	1524.72	1574.18
	36"(914mm)	WURR-2436- S	621.42	658.78	771.36	884.14	921.50	1034.08	1260.17	1314.55	1707.90	1762.28
	42"(1067mm)	WURR-2442- S	679.74	720.94	844.86	958.30	999.50	1123.42	1380.95	1440.25	1891.08	1950.38
	48"(1219mm)	WURR-2448- S	738.06	783.10	918.36	1032.46	1077.50	1212.76	1501.73	1565.95	2074.26	2138.48
	54"(1372mm)	WURR-2454- S	796.38	845.26	991.86	1106.62	1155.50	1302.10	1622.51	1691.65	2257.44	2326.58
60"(1524mm)	WURR-2460- S	854.70	907.42	1065.36	1180.78	1233.50	1391.44	1743.29	1817.35	2440.62	2514.68	
30"(762mm)	24"(610mm)	WURR-3024- S	\$ 660.61	\$ 690.29	\$ 780.19	\$ 954.53	\$ 984.21	\$ 1074.11	\$1233.06	\$ 1277.60	\$ 1667.64	\$ 1712.18
	30"(762mm)	WURR-3030- S	718.11	751.63	852.87	1025.23	1058.75	1159.99	1356.84	1406.30	1843.42	1892.88
	36"(914mm)	WURR-3036- S	776.43	813.79	926.37	1099.39	1136.75	1249.33	1480.62	1535.00	2029.60	2083.98
	42"(1067mm)	WURR-3042- S	834.75	875.95	999.87	1173.55	1214.75	1338.67	1604.40	1663.70	2215.78	2275.08
	48"(1219mm)	WURR-3048- S	893.07	938.11	1073.37	1247.71	1292.75	1428.01	1728.18	1792.40	2401.96	2466.18
	54"(1372mm)	WURR-3054- S	951.39	1000.27	1146.87	1321.87	1370.75	1517.35	1851.96	1921.10	2588.14	2657.28
60"(1524mm)	WURR-3060- S	1009.71	1062.43	1220.37	1396.03	1448.75	1606.69	1975.74	2049.80	2774.32	2848.38	

# Adaptable Worksurfaces — Corner

## General Specifications



WUCB-R45  
WUCB-L54  
Bent




WUCZ-N44  
Corner, 120° Wrap-Around



WURM  
120° Rectangular Radius End



WURL  
120° Rectangular Square End




WUCA-L  
Corner, 90° Straight Front



WUCR  
Corner, 90° Wrap-Around



WUCT-N34  
WUCT-N43  
Transitional




WUCN  
Corner, 90° Notched



WUCH-N34  
WUCH-N43  
Transitional



WUCX-R34  
WUCX-L43  
Corner, 90° Wrap-Around  
Transitional Extended



WUCQ-N44  
90° Merger



WUCU  
Corner, 90° Angled



WUCF-L45  
WUCF-L54  
Corner, 90° Angled-  
Transitional



WUCE-R44  
WUCE-L44  
Corner, 90° Wrap-Around  
Extended



WUCP-R44  
WUCP-L44  
Corner, 90° Notched  
Extended

## Common Features


- Includes worksurface and tie plate.
- Available in high-pressure laminate (HPL) or wood veneer. Grade E laminate available on rectangular worksurfaces only.
- Laminate edge option:
  - (J) 3mm edgeband on user side with 1mm edgeband on sides and back.
  - (F) Knife edge on user side and 1mm edgeband on sides and back.
- Wood veneer edge option:
  - (K) 3mm edgeband on user side with 1mm edgeband on sides and back.
  - (U) Knife edge on user side and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway:
  - Wireway will be color-matched to solid side/back edge trim. Wood veneer or patterned/wood grain laminate will have a Charcoal wireway.
  - Refer to Specification Guide for wireway details.
- Optional Belong Hatch cutout:
  - Laminate tops only with one cutout.
  - Available on worksurfaces 30"(762mm)D and widths of 54"(1372mm) and 60"(1524mm).
  - Requires separately specified Belong Hatch.
  - Refer to Specification Guide for cutout details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depth, width and length shown in nominal dimensions.

## Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Intermediate support is required for unsupported worksurface span greater than 60"(1524mm).
- Not intended for use on Height Adjustable Tables.


**Note:** Separately specified worksurface reinforcement bar provides additional support for worksurfaces with 60"(1524mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

# Adaptable Worksurfaces — Corner Bent



(Right-hand orientation)

WUCB-R45



(Left-hand orientation)

WUCB-L54

Class CA

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- A** Notched
- C** Without

2) Laminate color or Wood finish color.



3) Edge trim color (laminite only).

Left/Right Depth	Width	Length	Number ①②③	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
				A	B	A	B	A	B	A	B
24"(610mm)/30"(762mm)	24"(610mm)	36"(914mm)	WUCB-2436-■ S ■ R45	\$1084.80	\$ 1162.54	\$ 1536.91	\$ 1614.65	\$ 1657.25	\$ 1779.15	\$ 2192.66	\$ 2314.56
		42"(1067mm)	WUCB-2442-■ S ■ R45	1223.04	1310.68	1720.03	1807.67	1805.21	1953.45	2391.19	2539.43
		48"(1219mm)	WUCB-2448-■ S ■ R45	1449.61	1547.15	1991.48	2089.02	2218.16	2392.74	2854.71	3029.29
		60"(1524mm)	WUCB-2460-■ S ■ R45	1637.76	1755.10	2269.39	2386.73	2602.41	2829.67	3340.10	3567.36
24"(610mm)/30"(762mm)	30"(762mm)	36"(914mm)	WUCB-3036-■ S ■ R45	\$1223.04	\$ 1310.68	\$ 1720.03	\$ 1807.67	\$ 1805.21	\$ 1953.45	\$ 2391.19	\$ 2539.43
		42"(1067mm)	WUCB-3042-■ S ■ R45	1361.28	1458.82	1903.15	2000.69	1953.17	2127.75	2589.72	2764.30
		48"(1219mm)	WUCB-3048-■ S ■ R45	1587.85	1695.29	2174.60	2282.04	2366.12	2567.04	3053.24	3254.16
		60"(1524mm)	WUCB-3060-■ S ■ R45	1776.00	1903.24	2452.51	2579.75	2750.37	3003.97	3538.63	3792.23
30"(762mm)/24"(610mm)	24"(610mm)	36"(914mm)	WUCB-2436-■ S ■ L54	\$1084.80	\$ 1162.54	\$ 1536.91	\$ 1614.65	\$ 1657.25	\$ 1779.15	\$ 2192.66	\$ 2314.56
		42"(1067mm)	WUCB-2442-■ S ■ L54	1223.04	1310.68	1720.03	1807.67	1805.21	1953.45	2391.19	2539.43
		48"(1219mm)	WUCB-2448-■ S ■ L54	1449.61	1547.15	1991.48	2089.02	2218.16	2392.74	2854.71	3029.29
		60"(1524mm)	WUCB-2460-■ S ■ L54	1637.76	1755.10	2269.39	2386.73	2602.41	2829.67	3340.10	3567.36
30"(762mm)/24"(610mm)	30"(762mm)	36"(914mm)	WUCB-3036-■ S ■ L54	\$1223.04	\$ 1310.68	\$ 1720.03	\$ 1807.67	\$ 1805.21	\$ 1953.45	\$ 2391.19	\$ 2539.43
		42"(1067mm)	WUCB-3042-■ S ■ L54	1361.28	1458.82	1903.15	2000.69	1953.17	2127.75	2589.72	2764.30
		48"(1219mm)	WUCB-3048-■ S ■ L54	1587.85	1695.29	2174.60	2282.04	2366.12	2567.04	3053.24	3254.16
		60"(1524mm)	WUCB-3060-■ S ■ L54	1776.00	1903.24	2452.51	2579.75	2750.37	3003.97	3538.63	3792.23

# Adaptable Worksurfaces — Corner



## 120° Rectangular Radius and Square End

### 120° Rectangular Radius End



WURM

### 120° Rectangular Square End



WURL  
Class CA

#### Unique Specifications

- **Wireway not available.**
- Separately specified floor support required on radius/square end:
  - Connections Cantilever Worksurface Support Bracket with worksurface support leg or column; applicable to edgeband worksurface trim, only
  - Work Rail Top Trim Off-Modular Worksurface Support Bracket with worksurface support leg or column
- Panel Frame Heights: 26"(660mm) only
- Panel Frame Heights: 34"(864mm)-74"(1880mm)
- Standard Cantilever Worksurface Support Bracket with worksurface support leg or column; applicable to edgeband worksurface trim, only

#### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- C** Without
- H** Belong Hatch

**4 Orientation (as seated):**

- R** Right-hand
- L** Left-hand

2) Laminate color or Wood finish color.



3) Edge trim color (laminated only).

**Note:** Cantilever bracket cannot be used on radius end with knife edge worksurface trim.

Depth	Width	Number	①	②	③	④	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
							A	B	E	A	B	E	A	B	A	B
<b>Radius End</b>																
24"(610mm)	36"(914mm)	WURM-2436-	S				\$ 986.17	\$1067.50	\$ 1316.55	\$1274.44	\$ 1355.77	\$1604.82	\$2043.62	\$ 2231.84	\$ 2667.18	\$2855.40
	42"(1067mm)	WURM-2442-	S				1023.79	1108.00	1374.77	1325.32	1409.53	1676.30	2129.88	2333.06	2763.04	2966.22
	48"(1219mm)	WURM-2448-	S				1061.41	1148.50	1432.99	1376.20	1463.29	1747.78	2216.14	2434.28	2858.90	3077.04
	54"(1372mm)	WURM-2454-	S				1099.03	1189.00	1491.21	1427.08	1517.05	1819.26	2302.40	2535.50	2954.76	3187.86
	60"(1524mm)	WURM-2460-	S				1136.65	1229.50	1549.43	1477.96	1570.81	1890.74	2388.66	2636.72	3050.62	3298.68
30"(762mm)	36"(914mm)	WURM-3036-	S				\$ 1043.47	\$ 1129.12	\$1404.75	\$1353.04	\$1438.69	\$ 1714.32	\$ 2173.76	\$2384.42	\$ 2812.92	\$3023.58
	42"(1067mm)	WURM-3042-	S				1090.00	1179.25	1477.03	1412.83	1502.08	1799.86	2281.09	2510.45	2929.85	3159.21
	48"(1219mm)	WURM-3048-	S				1136.53	1229.38	1549.31	1472.62	1565.47	1885.40	2388.42	2636.48	3046.78	3294.84
	54"(1372mm)	WURM-3054-	S				1183.06	1279.51	1621.59	1532.41	1628.86	1970.94	2495.75	2762.51	3163.71	3430.47
	60"(1524mm)	WURM-3060-	S				1229.59	1329.64	1693.87	1592.20	1692.25	2056.48	2603.08	2888.54	3280.64	3566.10
<b>Square End</b>																
24"(610mm)	36"(914mm)	WURL-2436-	S				\$ 986.17	\$1067.50	\$ 1316.55	\$1274.44	\$ 1355.77	\$1604.82	\$2043.62	\$ 2231.84	\$ 2667.18	\$2855.40
	42"(1067mm)	WURL-2442-	S				1023.79	1108.00	1374.77	1325.32	1409.53	1676.30	2129.88	2333.06	2763.04	2966.22
	48"(1219mm)	WURL-2448-	S				1061.41	1148.50	1432.99	1376.20	1463.29	1747.78	2216.14	2434.28	2858.90	3077.04
	54"(1372mm)	WURL-2454-	S				1099.03	1189.00	1491.21	1427.08	1517.05	1819.26	2302.40	2535.50	2954.76	3187.86
	60"(1524mm)	WURL-2460-	S				1136.65	1229.50	1549.43	1477.96	1570.81	1890.74	2388.66	2636.72	3050.62	3298.68
30"(762mm)	36"(914mm)	WURL-3036-	S				\$ 1043.47	\$ 1129.12	\$1404.75	\$1353.04	\$1438.69	\$ 1714.32	\$ 2173.76	\$2384.42	\$ 2812.92	\$3023.58
	42"(1067mm)	WURL-3042-	S				1090.00	1179.25	1477.03	1412.83	1502.08	1799.86	2281.09	2510.45	2929.85	3159.21
	48"(1219mm)	WURL-3048-	S				1136.53	1229.38	1549.31	1472.62	1565.47	1885.40	2388.42	2636.48	3046.78	3294.84
	54"(1372mm)	WURL-3054-	S				1183.06	1279.51	1621.59	1532.41	1628.86	1970.94	2495.75	2762.51	3163.71	3430.47
	60"(1524mm)	WURL-3060-	S				1229.59	1329.64	1693.87	1592.20	1692.25	2056.48	2603.08	2888.54	3280.64	3566.10

# Adaptable Worksurfaces — Corner

## Wrap Around Corner – 120°



WUCZ-N44  
Class CA

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without

2) Laminate color or Wood finish color.



3) Edge trim color (laminite only).

Depth	Width	Number	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	A	B	A	B	A	B
18"(457mm)	36"(914mm)	WUCZ-3636- S N33	\$ 1605.64	\$ 1672.76	\$ 2011.99	\$ 2079.11	\$2264.26	\$ 2398.88	\$ 2768.72	\$2903.34
	42"(1067mm)	WUCZ-4242- S N33	1747.18	1824.41	2197.18	2274.41	2480.71	2653.88	3040.49	3213.66
	48"(1219mm)	WUCZ-4848- S N33	1888.72	1976.06	2382.37	2469.71	2697.16	2908.88	3312.26	3523.98
	54"(1372mm)	WUCZ-5454- S N33	2030.26	2127.71	2567.56	2665.01	2913.61	3163.88	3584.03	3834.30
	60"(1524mm)	WUCZ-6060- S N33	2171.80	2279.36	2752.75	2860.31	N/A	N/A	N/A	N/A
24"(610mm)	36"(914mm)	WUCZ-3636- S N44	\$ 1739.11	\$ 1816.86	\$ 2145.46	\$ 2223.21	\$2398.54	\$ 2557.10	\$2903.00	\$ 3061.56
	42"(1067mm)	WUCZ-4242- S N44	1880.65	1968.51	2330.65	2418.51	2614.99	2812.10	3174.77	3371.88
	48"(1219mm)	WUCZ-4848- S N44	2022.19	2120.16	2515.84	2613.81	2831.44	3067.10	3446.54	3682.20
	54"(1372mm)	WUCZ-5454- S N44	2163.73	2271.81	2701.03	2809.11	3047.89	3322.10	3718.31	3992.52
	60"(1524mm)	WUCZ-6060- S N44	2305.27	2423.46	2886.22	3004.41	N/A	N/A	N/A	N/A
30"(762mm)	36"(914mm)	WUCZ-3636- S N55	\$ 1872.58	\$ 1960.96	\$ 2278.93	\$ 2367.31	\$2532.82	\$ 2715.32	\$ 3037.28	\$ 3219.78
	42"(1067mm)	WUCZ-4242- S N55	2014.12	2112.61	2464.12	2562.61	2749.27	2970.32	3309.05	3530.10
	48"(1219mm)	WUCZ-4848- S N55	2155.66	2264.26	2649.31	2757.91	2965.72	3225.32	3580.82	3840.42
	54"(1372mm)	WUCZ-5454- S N55	2297.20	2415.91	2834.50	2953.21	N/A	N/A	N/A	N/A
	60"(1524mm)	WUCZ-6060- S N55	2438.74	2567.56	3019.69	3148.51	N/A	N/A	N/A	N/A



# Adaptable Worksurfaces — Corner

## Merger Corner – 90°



WUCQ-N44  
Class CA

### Unique Specifications

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- Not designed for use with an adjustable keyboard pad.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without



2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Depth	Width	Number	1	2	3	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
						A	B	A	B	A	B	A	B
18"(457mm)	36"(914mm)	WUCQ-3636-	S	N33	\$	810.76	\$ 859.50	\$ 1141.53	\$ 1190.27	\$1255.58	\$1294.48	\$ 1639.16	\$1678.06
	42"(1067mm)	WUCQ-4242-	S	N33		886.87	935.61	1298.10	1346.84	1389.17	1428.07	1715.27	1754.17
	48"(1219mm)	WUCQ-4848-	S	N33		1054.23	1102.97	1507.12	1555.86	1598.82	1637.72	2125.26	2164.16
	54"(1372mm)	WUCQ-5454-	S	N33		1223.30	1272.04	1729.55	1778.29	N/A	N/A	N/A	N/A
24"(610mm)	36"(914mm)	WUCQ-3636-	S	N44	\$	841.21	\$ 889.95	\$ 1171.98	\$ 1220.72	\$1286.03	\$1324.93	\$ 1669.61	\$ 1708.51
	42"(1067mm)	WUCQ-4242-	S	N44		917.32	966.06	1328.55	1377.29	1419.62	1458.52	1745.72	1784.62
	48"(1219mm)	WUCQ-4848-	S	N44		1084.68	1133.42	1537.57	1586.31	1629.27	1668.17	2155.71	2194.61
	54"(1372mm)	WUCQ-5454-	S	N44		1253.75	1302.49	1760.00	1808.74	N/A	N/A	N/A	N/A
30"(762mm)	36"(914mm)	WUCQ-3636-	S	N55	\$	969.69	\$ 1018.43	\$1300.46	\$1349.20	\$ 1414.51	\$ 1453.41	\$1798.09	\$1836.99
	42"(1067mm)	WUCQ-4242-	S	N55		1045.80	1094.54	1457.03	1505.77	1548.10	1587.00	1874.20	1913.10
	48"(1219mm)	WUCQ-4848-	S	N55		1213.16	1261.90	1666.05	1714.79	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCQ-5454-	S	N55		1382.23	1430.97	1888.48	1937.22	N/A	N/A	N/A	N/A

# Adaptable Worksurfaces — Corner

## Straight Front Corner – 90°



WUCA-L  
Class CA

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without

2) Laminate color or Wood finish color.



3) Edge trim color (laminite only).

Depth	Width	Number	① ② ③	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
				A	B	A	B	A	B	A	B
18"(457mm)	36"(914mm)	WUCA-3636-	■ S N33	\$ 894.11	\$ 943.36	\$ 1221.59	\$ 1270.84	\$ 1299.39	\$ 1355.19	\$ 1686.07	\$ 1741.87
	42"(1067mm)	WUCA-4242-	■ S N33	953.87	1010.69	1313.19	1370.01	1414.31	1498.02	1846.16	1929.87
	48"(1219mm)	WUCA-4848-	■ S N33	1105.55	1169.94	1496.71	1561.10	1621.15	1732.77	2098.17	2209.79
	54"(1372mm)	WUCA-5454-	■ S N33	1158.73	1230.69	1581.73	1653.69	N/A	N/A	N/A	N/A
24"(610mm)	36"(914mm)	WUCA-3636-	■ S N44	\$ 923.65	\$ 972.90	\$ 1251.13	\$ 1300.38	\$ 1328.93	\$ 1384.73	\$ 1715.61	\$ 1771.41
	42"(1067mm)	WUCA-4242-	■ S N44	983.41	1040.23	1342.73	1399.55	1443.85	1527.56	1875.70	1959.41
	48"(1219mm)	WUCA-4848-	■ S N44	1135.09	1199.48	1526.25	1590.64	1650.69	1762.31	2127.71	2239.33
	54"(1372mm)	WUCA-5454-	■ S N44	1188.27	1260.23	1611.27	1683.23	N/A	N/A	N/A	N/A
30"(762mm)	36"(914mm)	WUCA-3636-	■ S N55	\$ 1048.41	\$ 1097.66	\$ 1375.89	\$ 1425.14	\$ 1453.69	\$ 1509.49	\$ 1840.37	\$ 1896.17
	42"(1067mm)	WUCA-4242-	■ S N55	1108.17	1164.99	1467.49	1524.31	1568.61	1652.32	2000.46	2084.17
	48"(1219mm)	WUCA-4848-	■ S N55	1259.85	1324.24	1651.01	1715.40	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCA-5454-	■ S N55	1313.03	1384.99	1736.03	1807.99	N/A	N/A	N/A	N/A

# Adaptable Worksurfaces — Corner




## Wrap-Around Corner – 90°

### Wrap-Around



WUCR

### Wrap-Around Transitional



WUCT  
Class CA

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without

2) Laminate color or Wood finish color.


3) Edge trim color (laminite only).

Left/Right Depth	Width	Number 1 2 3	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)			
			A	B	A	B	A	B	A	B		
<b>90° Wrap-Around</b>												
18"(457mm)	36"(914mm)	WUCR-3636-	S	N33	\$ 857.21	\$ 904.41	\$ 1177.72	\$ 1224.92	\$ 1554.17	\$ 1710.52	\$ 1932.29	\$ 2088.64
	42"(1067mm)	WUCR-4242-	S	N33	983.69	1038.99	1323.82	1379.12	1724.21	1911.22	2146.85	2333.86
	48"(1219mm)	WUCR-4848-	S	N33	1110.17	1173.57	1469.92	1533.32	1894.25	2111.92	2361.41	2579.08
	54"(1372mm)	WUCR-5454-	S	N33	1236.65	1308.15	1616.02	1687.52	N/A	N/A	N/A	N/A
24"(610mm)	36"(914mm)	WUCR-3636-	S	N44	\$ 933.21	\$ 992.85	\$ 1261.46	\$ 1321.10	\$ 1655.53	\$ 1827.50	\$ 2033.65	\$ 2205.62
	42"(1067mm)	WUCR-4242-	S	N44	1059.69	1127.43	1407.56	1475.30	1825.57	2028.20	2248.21	2450.84
	48"(1219mm)	WUCR-4848-	S	N44	1186.17	1262.01	1553.66	1629.50	1995.61	2228.90	2462.77	2696.06
	54"(1372mm)	WUCR-5454-	S	N44	1312.65	1396.59	1699.76	1783.70	N/A	N/A	N/A	N/A
30"(762mm)	36"(914mm)	WUCR-3636-	S	N55	\$ 1009.21	\$ 1081.29	\$ 1345.20	\$ 1417.28	\$ 1756.89	\$ 1944.48	\$ 2135.01	\$ 2322.60
	42"(1067mm)	WUCR-4242-	S	N55	1135.69	1215.87	1491.30	1571.48	1926.93	2145.18	2349.57	2567.82
	48"(1219mm)	WUCR-4848-	S	N55	1262.17	1350.45	1637.40	1725.68	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCR-5454-	S	N55	1388.65	1485.03	1783.50	1879.88	N/A	N/A	N/A	N/A
<b>90° Wrap-Around Transitional</b>												
18"(457mm)/24"(610mm)	36"(914mm)	WUCT-3636-	S	N34	\$ 895.21	\$ 948.63	\$ 1219.59	\$ 1273.01	\$ 1604.85	\$ 1769.01	\$ 1982.97	\$ 2147.13
	42"(1067mm)	WUCT-4242-	S	N34	1021.69	1083.21	1365.69	1427.21	1774.89	1969.71	2197.53	2392.35
	48"(1219mm)	WUCT-4848-	S	N34	1148.17	1217.79	1511.79	1581.41	1944.93	2170.41	2412.09	2637.57
	54"(1372mm)	WUCT-5454-	S	N34	1274.65	1352.37	1657.89	1735.61	N/A	N/A	N/A	N/A
24"(610mm)/18"(457mm)	36"(914mm)	WUCT-3636-	S	N43	\$ 895.21	\$ 948.63	\$ 1219.59	\$ 1273.01	\$ 1604.85	\$ 1769.01	\$ 1982.97	\$ 2147.13
	42"(1067mm)	WUCT-4242-	S	N43	1021.69	1083.21	1365.69	1427.21	1774.89	1969.71	2197.53	2392.35
	48"(1219mm)	WUCT-4848-	S	N43	1148.17	1217.79	1511.79	1581.41	1944.93	2170.41	2412.09	2637.57
	54"(1372mm)	WUCT-5454-	S	N43	1274.65	1352.37	1657.89	1735.61	N/A	N/A	N/A	N/A
24"(610mm)/30"(762mm)	36"(914mm)	WUCT-3636-	S	N45	\$ 971.21	\$ 1037.07	\$ 1303.33	\$ 1369.19	\$ 1706.21	\$ 1885.99	\$ 2084.33	\$ 2264.11
	42"(1067mm)	WUCT-4242-	S	N45	1097.69	1171.65	1449.43	1523.39	1876.25	2086.69	2298.89	2509.33
	48"(1219mm)	WUCT-4848-	S	N45	1224.17	1306.23	1595.53	1677.59	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCT-5454-	S	N45	1350.65	1440.81	1741.63	1831.79	N/A	N/A	N/A	N/A
30"(762mm)/24"(610mm)	36"(914mm)	WUCT-3636-	S	N54	\$ 971.21	\$ 1037.07	\$ 1303.33	\$ 1369.19	\$ 1706.21	\$ 1885.99	\$ 2084.33	\$ 2264.11
	42"(1067mm)	WUCT-4242-	S	N54	1097.69	1171.65	1449.43	1523.39	1876.25	2086.69	2298.89	2509.33
	48"(1219mm)	WUCT-4848-	S	N54	1224.17	1306.23	1595.53	1677.59	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCT-5454-	S	N54	1350.65	1440.81	1741.63	1831.79	N/A	N/A	N/A	N/A


# Adaptable Worksurfaces — Corner

## Wrap-Around Extended Corner – 90°

### Wrap-Around Extended




(Right-hand orientation)  
WUCE-R44




(Left-hand orientation)  
WUCE-L44

### Wrap-Around Extended Transitional



(Right-hand orientation)  
WUCX-R34



(Left-hand orientation)  
WUCX-L43  
Class CA

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

*Laminate:*

**J** Edgeband

**F** Knife

*Wood:*

**K** Edgeband

**U** Knife

**3 Wireway Option:**

**A** Notched

**C** Without

**4 Orientation (as seated):**

**R** Right-hand

**L** Left-hand

2) Laminate color or Wood finish color.

3) Edge trim color (laminated only).

# Adaptable Worksurfaces — Corner

## Wrap-Around Extended Corner – 90°

Depth	Width	Length	Number	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)					
				A	B	A	B	A	B	A	B				
<b>90° Wrap-Around Extended</b>															
18"(457mm)	36"(914mm)	42"(1067mm)	WUCE-3642-	S	33	\$ 1201.28	\$ 1273.61	\$ 1653.60	\$ 1725.93	\$ 1952.93	\$ 2087.53	\$ 2504.63	\$ 2639.23		
		48"(1219mm)	WUCE-3648-	S	33	1217.05	1290.26	1685.51	1758.72	1969.37	2106.95	2540.57	2678.15		
		54"(1372mm)	WUCE-3654-	S	33	1232.82	1306.91	1717.42	1791.51	1985.81	2126.37	2576.51	2717.07		
		60"(1524mm)	WUCE-3660-	S	33	1248.59	1323.56	1749.33	1824.30	2002.25	2145.79	2612.45	2755.99		
		66"(1676mm)	WUCE-3666-	S	33	1380.56	1456.41	1897.44	1973.29	2207.15	2353.67	2836.85	2983.37		
24"(610mm)	36"(914mm)	42"(1067mm)	WUCE-3642-	S	44	\$ 1245.90	\$ 1321.81	\$ 1698.22	\$ 1774.13	\$ 1994.19	\$ 2136.29	\$ 2545.89	\$ 2687.99		
		48"(1219mm)	WUCE-3648-	S	44	1261.67	1338.46	1730.13	1806.92	2010.63	2155.71	2581.83	2726.91		
		54"(1372mm)	WUCE-3654-	S	44	1277.44	1355.11	1762.04	1839.71	2027.07	2175.13	2617.77	2765.83		
		60"(1524mm)	WUCE-3660-	S	44	1293.21	1371.76	1793.95	1872.50	2043.51	2194.55	2653.71	2804.75		
		66"(1676mm)	WUCE-3666-	S	44	1425.18	1504.61	1942.06	2021.49	2248.41	2402.43	2878.11	3032.13		
30"(762mm)	36"(914mm)	42"(1067mm)	WUCE-3642-	S	55	\$ 1478.94	\$ 1558.43	\$ 1931.26	\$ 2010.75	\$ 2223.87	\$ 2373.47	\$ 2775.57	\$ 2925.17		
		48"(1219mm)	WUCE-3648-	S	55	1494.71	1575.08	1963.17	2043.54	2240.31	2392.89	2811.51	2964.09		
		54"(1372mm)	WUCE-3654-	S	55	1510.48	1591.73	1995.08	2076.33	2256.75	2412.31	2847.45	3003.01		
		60"(1524mm)	WUCE-3660-	S	55	1526.25	1608.38	2026.99	2109.12	2273.19	2431.73	2883.39	3041.93		
		66"(1676mm)	WUCE-3666-	S	55	1658.22	1741.23	2175.10	2258.11	2478.09	2639.61	3107.79	3269.31		
18"(457mm)	42"(1067mm)	48"(1219mm)	WUCE-4248-	S	33	\$ 1232.82	\$ 1306.91	\$ 1717.42	\$ 1791.51	\$ 1985.81	\$ 2126.37	\$ 2576.51	\$ 2717.07		
		54"(1372mm)	WUCE-4254-	S	33	1248.59	1323.56	1749.33	1824.30	2002.25	2145.79	2612.45	2755.99		
		60"(1524mm)	WUCE-4260-	S	33	1264.36	1340.21	1781.24	1857.09	2018.69	2165.21	2648.39	2794.91		
		66"(1676mm)	WUCE-4266-	S	33	1425.38	1502.11	1958.40	2035.13	2223.59	2373.09	2872.79	3022.29		
		72"(1829mm)	WUCE-4272-	S	33	1537.49	1615.10	2086.65	2164.26	2433.49	2585.97	3102.19	3254.67		
24"(610mm)	42"(1067mm)	48"(1219mm)	WUCE-4248-	S	44	\$ 1277.44	\$ 1355.11	\$ 1762.04	\$ 1839.71	\$ 2027.07	\$ 2175.13	\$ 2617.77	\$ 2765.83		
		54"(1372mm)	WUCE-4254-	S	44	1293.21	1371.76	1793.95	1872.50	2043.51	2194.55	2653.71	2804.75		
		60"(1524mm)	WUCE-4260-	S	44	1308.98	1388.41	1825.86	1905.29	2059.95	2213.97	2689.65	2843.67		
		66"(1676mm)	WUCE-4266-	S	44	1470.00	1550.31	2003.02	2083.33	2264.85	2421.85	2914.05	3071.05		
		72"(1829mm)	WUCE-4272-	S	44	1582.11	1663.30	2131.27	2212.46	2474.75	2634.73	3143.45	3303.43		
30"(762mm)	42"(1067mm)	48"(1219mm)	WUCE-4248-	S	55	\$ 1510.48	\$ 1591.73	\$ 1995.08	\$ 2076.33	\$ 2256.75	\$ 2412.31	\$ 2847.45	\$ 3003.01		
		54"(1372mm)	WUCE-4254-	S	55	1526.25	1608.38	2026.99	2109.12	2273.19	2431.73	2883.39	3041.93		
		60"(1524mm)	WUCE-4260-	S	55	1542.02	1625.03	2058.90	2141.91	2289.63	2451.15	2919.33	3080.85		
		66"(1676mm)	WUCE-4266-	S	55	1703.04	1786.93	2236.06	2319.95	2494.53	2659.03	3143.73	3308.23		
		72"(1829mm)	WUCE-4272-	S	55	1815.15	1899.92	2364.31	2449.08	2704.43	2871.91	3373.13	3540.61		
18"(457mm)	48"(1219mm)	54"(1372mm)	WUCE-4854-	S	33	\$ 1264.36	\$ 1340.21	\$ 1781.24	\$ 1857.09	\$ 2018.69	\$ 2165.21	\$ 2648.39	\$ 2794.91		
		60"(1524mm)	WUCE-4860-	S	33	1280.13	1356.86	1813.15	1889.88	2035.13	2184.63	2684.33	2833.83		
		66"(1676mm)	WUCE-4866-	S	33	1470.20	1547.81	2019.36	2096.97	2240.03	2392.51	2908.73	3061.21		
		72"(1829mm)	WUCE-4872-	S	33	1582.31	1660.80	2147.61	2226.10	2449.93	2605.39	3138.13	3293.59		
		24"(610mm)	48"(1219mm)	54"(1372mm)	WUCE-4854-	S	44	\$ 1308.98	\$ 1388.41	\$ 1825.86	\$ 1905.29	\$ 2059.95	\$ 2213.97	\$ 2689.65	\$ 2843.67
30"(762mm)	48"(1219mm)	54"(1372mm)	WUCE-4854-	S	55	\$ 1542.02	\$ 1625.03	\$ 2058.90	\$ 2141.91	\$ 2289.63	\$ 2451.15	\$ 2919.33	\$ 3080.85		
		60"(1524mm)	WUCE-4860-	S	55	1557.79	1641.68	2090.81	2174.70	2306.07	2470.57	2955.27	3119.77		
		66"(1676mm)	WUCE-4866-	S	55	1747.86	1832.63	2297.02	2381.79	2510.97	2678.45	3179.67	3347.15		
		72"(1829mm)	WUCE-4872-	S	55	1859.97	1945.62	2425.27	2510.92	2720.87	2891.33	3409.07	3579.53		
		18"(457mm)	54"(1372mm)	60"(1524mm)	WUCE-5460-	S	33	\$ 1295.90	\$ 1373.51	\$ 1845.06	\$ 1922.67	N/A	N/A	N/A	N/A
24"(610mm)	54"(1372mm)	66"(1676mm)	WUCE-5466-	S	33	1515.02	1593.51	2080.32	2158.81	N/A	N/A	N/A	N/A		
		72"(1829mm)	WUCE-5472-	S	33	1627.13	1706.50	2208.57	2287.94	N/A	N/A	N/A	N/A		
		60"(1524mm)	WUCE-5460-	S	44	\$ 1340.52	\$ 1421.71	\$ 1889.68	\$ 1970.87	N/A	N/A	N/A	N/A		
		66"(1676mm)	WUCE-5466-	S	44	1559.64	1641.71	2124.94	2207.01	N/A	N/A	N/A	N/A		
		72"(1829mm)	WUCE-5472-	S	44	1671.75	1754.70	2253.19	2336.14	N/A	N/A	N/A	N/A		
30"(762mm)	54"(1372mm)	60"(1524mm)	WUCE-5460-	S	55	\$ 1573.56	\$ 1658.33	\$ 2122.72	\$ 2207.49	N/A	N/A	N/A	N/A		
		66"(1676mm)	WUCE-5466-	S	55	1792.68	1878.33	2357.98	2443.63	N/A	N/A	N/A	N/A		
		72"(1829mm)	WUCE-5472-	S	55	1904.79	1991.32	2486.23	2572.76	N/A	N/A	N/A	N/A		
		18"(457mm)	60"(1524mm)	66"(1676mm)	WUCE-6066-	S	33	\$ 1559.84	\$ 1639.21	\$ 2141.28	\$ 2220.65	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-6072-	S	33	1671.95	1752.20	2269.53	2349.78	N/A	N/A	N/A	N/A		
24"(610mm)	60"(1524mm)	66"(1676mm)	WUCE-6066-	S	44	\$ 1604.46	\$ 1687.41	\$ 2185.90	\$ 2268.85	N/A	N/A	N/A	N/A		
		72"(1829mm)	WUCE-6072-	S	44	1716.57	1800.40	2314.15	2397.98	N/A	N/A	N/A	N/A		
		30"(762mm)	60"(1524mm)	66"(1676mm)	WUCE-6066-	S	55	\$ 1837.50	\$ 1924.03	\$ 2418.94	\$ 2505.47	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-6072-	S	55	1949.61	2037.02	2547.19	2634.60	N/A	N/A	N/A	N/A		

# Adaptable Worksurfaces — Corner

## Wrap-Around Extended Corner – 90°

Left/Right Depth	Width	Length	Number ①② ③④	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)			
				A	B	A	B	A	B	A	B		
<b>90° Wrap-Around Transitional Extended</b>													
18"(457mm)/24"(610mm)	36"(914mm)	42"(1067mm)	WUCX-3642-	S	34	\$1354.82	\$1428.94	\$ 1807.14	\$ 1881.26	\$ 2192.26	\$ 2330.61	\$ 2743.96	\$ 2882.31
		48"(1219mm)	WUCX-3648-	S	34	1370.59	1445.59	1839.05	1914.05	2208.70	2350.03	2779.90	2921.23
		54"(1372mm)	WUCX-3654-	S	34	1386.36	1462.24	1870.96	1946.84	2225.14	2369.45	2815.84	2960.15
		60"(1524mm)	WUCX-3660-	S	34	1402.13	1478.89	1902.87	1979.63	2241.58	2388.87	2851.78	2999.07
		66"(1676mm)	WUCX-3666-	S	34	1534.10	1611.74	2050.98	2128.62	2446.48	2596.75	3076.18	3226.45
		72"(1829mm)	WUCX-3672-	S	34	1646.21	1724.73	2179.23	2257.75	2656.38	2809.63	3305.58	3458.83
24"(610mm)/18"(457mm)	36"(914mm)	42"(1067mm)	WUCX-3642-	S	43	\$1354.82	\$1428.94	\$ 1807.14	\$ 1881.26	\$ 2192.26	\$ 2330.61	\$ 2743.96	\$ 2882.31
		48"(1219mm)	WUCX-3648-	S	43	1370.59	1445.59	1839.05	1914.05	2208.70	2350.03	2779.90	2921.23
		54"(1372mm)	WUCX-3654-	S	43	1386.36	1462.24	1870.96	1946.84	2225.14	2369.45	2815.84	2960.15
		60"(1524mm)	WUCX-3660-	S	43	1402.13	1478.89	1902.87	1979.63	2241.58	2388.87	2851.78	2999.07
		66"(1676mm)	WUCX-3666-	S	43	1534.10	1611.74	2050.98	2128.62	2446.48	2596.75	3076.18	3226.45
		72"(1829mm)	WUCX-3672-	S	43	1646.21	1724.73	2179.23	2257.75	2656.38	2809.63	3305.58	3458.83
24"(610mm)/30"(762mm)	36"(914mm)	42"(1067mm)	WUCX-3642-	S	45	\$1399.44	\$ 1477.14	\$ 1851.76	\$ 1929.46	\$ 2233.52	\$ 2379.37	\$ 2785.22	\$ 2931.07
		48"(1219mm)	WUCX-3648-	S	45	1415.21	1493.79	1883.67	1962.25	2249.96	2398.79	2821.16	2969.99
		54"(1372mm)	WUCX-3654-	S	45	1430.98	1510.44	1915.58	1995.04	2266.40	2418.21	2857.10	3008.91
		60"(1524mm)	WUCX-3660-	S	45	1446.75	1527.09	1947.49	2027.83	2282.84	2437.63	2893.04	3047.83
		66"(1676mm)	WUCX-3666-	S	45	1578.72	1659.94	2095.60	2176.82	2487.74	2645.51	3117.44	3275.21
		72"(1829mm)	WUCX-3672-	S	45	1690.83	1772.93	2223.85	2305.95	2697.64	2858.39	3346.84	3507.59
30"(762mm)/24"(610mm)	36"(914mm)	42"(1067mm)	WUCX-3642-	S	54	\$1399.44	\$ 1477.14	\$ 1851.76	\$ 1929.46	\$ 2233.52	\$ 2379.37	\$ 2785.22	\$ 2931.07
		48"(1219mm)	WUCX-3648-	S	54	1415.21	1493.79	1883.67	1962.25	2249.96	2398.79	2821.16	2969.99
		54"(1372mm)	WUCX-3654-	S	54	1430.98	1510.44	1915.58	1995.04	2266.40	2418.21	2857.10	3008.91
		60"(1524mm)	WUCX-3660-	S	54	1446.75	1527.09	1947.49	2027.83	2282.84	2437.63	2893.04	3047.83
		66"(1676mm)	WUCX-3666-	S	54	1578.72	1659.94	2095.60	2176.82	2487.74	2645.51	3117.44	3275.21
		72"(1829mm)	WUCX-3672-	S	54	1690.83	1772.93	2223.85	2305.95	2697.64	2858.39	3346.84	3507.59
18"(457mm)/24"(610mm)	42"(1067mm)	48"(1219mm)	WUCX-4248-	S	34	\$1386.36	\$1462.24	\$ 1870.96	\$ 1946.84	\$ 2225.14	\$ 2369.45	\$ 2815.84	\$ 2960.15
		54"(1372mm)	WUCX-4254-	S	34	1402.13	1478.89	1902.87	1979.63	2241.58	2388.87	2851.78	2999.07
		60"(1524mm)	WUCX-4260-	S	34	1417.90	1495.54	1934.78	2012.42	2258.02	2408.29	2887.72	3037.99
		66"(1676mm)	WUCX-4266-	S	34	1578.92	1657.44	2111.94	2190.46	2462.92	2616.17	3112.12	3265.37
		72"(1829mm)	WUCX-4272-	S	34	1691.03	1770.43	2240.19	2319.59	2672.82	2829.05	3341.52	3497.75
		24"(610mm)/18"(457mm)	42"(1067mm)	48"(1219mm)	WUCX-4248-	S	43	\$1386.36	\$1462.24	\$ 1870.96	\$ 1946.84	\$ 2225.14	\$ 2369.45
54"(1372mm)	WUCX-4254-			S	43	1402.13	1478.89	1902.87	1979.63	2241.58	2388.87	2851.78	2999.07
60"(1524mm)	WUCX-4260-			S	43	1417.90	1495.54	1934.78	2012.42	2258.02	2408.29	2887.72	3037.99
66"(1676mm)	WUCX-4266-			S	43	1578.92	1657.44	2111.94	2190.46	2462.92	2616.17	3112.12	3265.37
72"(1829mm)	WUCX-4272-			S	43	1691.03	1770.43	2240.19	2319.59	2672.82	2829.05	3341.52	3497.75
24"(610mm)/30"(762mm)	42"(1067mm)			48"(1219mm)	WUCX-4248-	S	45	\$1430.98	\$ 1510.44	\$ 1915.58	\$ 1995.04	\$ 2266.40	\$ 2418.21
		54"(1372mm)	WUCX-4254-	S	45	1446.75	1527.09	1947.49	2027.83	2282.84	2437.63	2893.04	3047.83
		60"(1524mm)	WUCX-4260-	S	45	1462.52	1543.74	1979.40	2060.62	2299.28	2457.05	2928.98	3086.75
		66"(1676mm)	WUCX-4266-	S	45	1623.54	1705.64	2156.56	2238.66	2504.18	2664.93	3153.38	3314.13
		72"(1829mm)	WUCX-4272-	S	45	1735.65	1818.63	2284.81	2367.79	2714.08	2877.81	3382.78	3546.51
		30"(762mm)/24"(610mm)	42"(1067mm)	48"(1219mm)	WUCX-4248-	S	54	\$1430.98	\$ 1510.44	\$ 1915.58	\$ 1995.04	\$ 2266.40	\$ 2418.21
54"(1372mm)	WUCX-4254-			S	54	1446.75	1527.09	1947.49	2027.83	2282.84	2437.63	2893.04	3047.83
60"(1524mm)	WUCX-4260-			S	54	1462.52	1543.74	1979.40	2060.62	2299.28	2457.05	2928.98	3086.75
66"(1676mm)	WUCX-4266-			S	54	1623.54	1705.64	2156.56	2238.66	2504.18	2664.93	3153.38	3314.13
72"(1829mm)	WUCX-4272-			S	54	1735.65	1818.63	2284.81	2367.79	2714.08	2877.81	3382.78	3546.51

# Adaptable Worksurfaces — Corner


## Wrap-Around Extended Corner – 90°

Left/Right Depth	Width	Length	Number ①② ③④	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)			
				A	B	A	B	A	B	A	B		
18"(457mm)/24"(610mm)	48"(1219mm)	54"(1372mm)	WUCX-4854-	S	34	\$ 1417.90	\$1495.54	\$ 1934.78	\$ 2012.42	\$2258.02	\$2408.29	\$ 2887.72	\$3037.99
		60"(1524mm)	WUCX-4860-	S	34	1433.67	1512.19	1966.69	2045.21	2274.46	2427.71	2923.66	3076.91
		66"(1676mm)	WUCX-4866-	S	34	1623.74	1703.14	2172.90	2252.30	2479.36	2635.59	3148.06	3304.29
		72"(1829mm)	WUCX-4872-	S	34	1735.85	1816.13	2301.15	2381.43	2689.26	2848.47	3377.46	3536.67
24"(610mm)/18"(457mm)	48"(1219mm)	54"(1372mm)	WUCX-4854-	S	43	\$ 1417.90	\$1495.54	\$ 1934.78	\$ 2012.42	\$2258.02	\$2408.29	\$ 2887.72	\$3037.99
		60"(1524mm)	WUCX-4860-	S	43	1433.67	1512.19	1966.69	2045.21	2274.46	2427.71	2923.66	3076.91
		66"(1676mm)	WUCX-4866-	S	43	1623.74	1703.14	2172.90	2252.30	2479.36	2635.59	3148.06	3304.29
		72"(1829mm)	WUCX-4872-	S	43	1735.85	1816.13	2301.15	2381.43	2689.26	2848.47	3377.46	3536.67
24"(610mm)/30"(762mm)	48"(1219mm)	54"(1372mm)	WUCX-4854-	S	45	\$1462.52	\$1543.74	\$ 1979.40	\$2060.62	\$2299.28	\$ 2457.05	\$2928.98	\$3086.75
		60"(1524mm)	WUCX-4860-	S	45	1478.29	1560.39	2011.31	2093.41	2315.72	2476.47	2964.92	3125.67
		66"(1676mm)	WUCX-4866-	S	45	1668.36	1751.34	2217.52	2300.50	2520.62	2684.35	3189.32	3353.05
		72"(1829mm)	WUCX-4872-	S	45	1780.47	1864.33	2345.77	2429.63	2730.52	2897.23	3418.72	3585.43
30"(762mm)/24"(610mm)	48"(1219mm)	54"(1372mm)	WUCX-4854-	S	54	\$1462.52	\$1543.74	\$ 1979.40	\$2060.62	\$2299.28	\$ 2457.05	\$2928.98	\$3086.75
		60"(1524mm)	WUCX-4860-	S	54	1478.29	1560.39	2011.31	2093.41	2315.72	2476.47	2964.92	3125.67
		66"(1676mm)	WUCX-4866-	S	54	1668.36	1751.34	2217.52	2300.50	2520.62	2684.35	3189.32	3353.05
		72"(1829mm)	WUCX-4872-	S	54	1780.47	1864.33	2345.77	2429.63	2730.52	2897.23	3418.72	3585.43
18"(457mm)/24"(610mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-	S	34	\$1449.44	\$1528.84	\$1998.60	\$2078.00	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-	S	34	1668.56	1748.84	2233.86	2314.14	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-	S	34	1780.67	1861.83	2362.11	2443.27	N/A	N/A	N/A	N/A
24"(610mm)/18"(457mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-	S	43	\$1449.44	\$1528.84	\$1998.60	\$2078.00	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-	S	43	1668.56	1748.84	2233.86	2314.14	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-	S	43	1780.67	1861.83	2362.11	2443.27	N/A	N/A	N/A	N/A
24"(610mm)/30"(762mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-	S	45	\$1494.06	\$1577.04	\$2043.22	\$ 2126.20	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-	S	45	1713.18	1797.04	2278.48	2362.34	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-	S	45	1825.29	1910.03	2406.73	2491.47	N/A	N/A	N/A	N/A
30"(762mm)/24"(610mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-	S	54	\$1494.06	\$1577.04	\$2043.22	\$ 2126.20	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-	S	54	1713.18	1797.04	2278.48	2362.34	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-	S	54	1825.29	1910.03	2406.73	2491.47	N/A	N/A	N/A	N/A
18"(457mm)/24"(610mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-	S	34	\$ 1713.38	\$1794.54	\$2294.82	\$ 2375.98	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-	S	34	1825.49	1907.53	2423.07	2505.11	N/A	N/A	N/A	N/A
24"(610mm)/18"(457mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-	S	43	\$ 1713.38	\$1794.54	\$2294.82	\$ 2375.98	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-	S	43	1825.49	1907.53	2423.07	2505.11	N/A	N/A	N/A	N/A
24"(610mm)/30"(762mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-	S	45	\$1758.00	\$1842.74	\$2339.44	\$ 2424.18	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-	S	45	1870.11	1955.73	2467.69	2553.31	N/A	N/A	N/A	N/A
30"(762mm)/24"(610mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-	S	54	\$1758.00	\$1842.74	\$2339.44	\$ 2424.18	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-	S	54	1870.11	1955.73	2467.69	2553.31	N/A	N/A	N/A	N/A

# Adaptable Worksurfaces — Corner


## Notched Corner – 90°

### Notched




WUCN

### Notched Transitional



WUCH-N34



WUCH-N43

Class CA

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

*Laminate:*

**J** Edgeband

**F** Knife

*Wood:*

**K** Edgeband

**U** Knife

**3 Wireway Option:**

**A** Notched

**C** Without

2) Laminate color or Wood finish color.


3) Edge trim color (laminite only).

Left/Right Depth	Width	Number ①②③	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)			
			A	B	A	B	A	B	A	B		
<b>Notched</b>												
18"(457mm)	36"(914mm)	WUCN-3636-	S	N33	\$ 925.49	\$ 973.78	\$ 1247.92	\$ 1296.21	\$ 1342.88	\$ 1379.91	\$ 1721.37	\$ 1758.40
	42"(1067mm)	WUCN-4242-	S	N33	1039.80	1097.75	1396.48	1454.43	1516.70	1558.53	1935.34	1977.17
	48"(1219mm)	WUCN-4848-	S	N33	1155.72	1223.33	1553.50	1621.11	1690.52	1737.15	2157.34	2203.97
24"(610mm)	36"(914mm)	WUCN-3636-	S	N44	\$ 951.24	\$ 999.53	\$ 1273.67	\$ 1321.96	\$ 1368.63	\$ 1405.66	\$ 1747.12	\$ 1784.15
	42"(1067mm)	WUCN-4242-	S	N44	1065.55	1123.50	1422.23	1480.18	1542.45	1584.28	1961.09	2002.92
	48"(1219mm)	WUCN-4848-	S	N44	1181.47	1249.08	1579.25	1646.86	1716.27	1762.90	2183.09	2229.72
30"(762mm)	36"(914mm)	WUCN-3636-	S	N55	\$ 976.99	\$ 1025.28	\$ 1299.42	\$ 1347.71	\$ 1394.38	\$ 1431.41	\$ 1772.87	\$ 1809.90
	42"(1067mm)	WUCN-4242-	S	N55	1091.30	1149.25	1447.98	1505.93	1568.20	1610.03	1986.84	2028.67
	48"(1219mm)	WUCN-4848-	S	N55	1207.22	1274.83	1605.00	1672.61	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCN-5454-	S	N55	1361.78	1439.05	1800.66	1877.93	N/A	N/A	N/A	N/A
<b>Notched Transitional</b>												
18"(457mm)/24"(610mm)	36"(914mm)	WUCH-3636-	S	N34	\$ 909.41	\$ 957.70	\$ 1231.84	\$ 1280.13	\$ 1326.80	\$ 1363.83	\$ 1705.29	\$ 1742.32
	42"(1067mm)	WUCH-4242-	S	N34	1023.72	1081.67	1380.40	1438.35	1500.62	1542.45	1919.26	1961.09
	48"(1219mm)	WUCH-4848-	S	N34	1139.64	1207.25	1537.42	1605.03	1674.44	1721.07	2141.26	2187.89
24"(610mm)/18"(457mm)	36"(914mm)	WUCH-3636-	S	N43	\$ 909.41	\$ 957.70	\$ 1231.84	\$ 1280.13	\$ 1326.80	\$ 1363.83	\$ 1705.29	\$ 1742.32
	42"(1067mm)	WUCH-4242-	S	N43	1023.72	1081.67	1380.40	1438.35	1500.62	1542.45	1919.26	1961.09
	48"(1219mm)	WUCH-4848-	S	N43	1139.64	1207.25	1537.42	1605.03	1674.44	1721.07	2141.26	2187.89
24"(610mm)/30"(762mm)	36"(914mm)	WUCH-3636-	S	N45	\$ 960.91	\$ 1009.20	\$ 1283.34	\$ 1331.63	\$ 1378.30	\$ 1415.33	\$ 1756.79	\$ 1793.82
	42"(1067mm)	WUCH-4242-	S	N45	1075.22	1133.17	1431.90	1489.85	1552.12	1593.95	1970.76	2012.59
	48"(1219mm)	WUCH-4848-	S	N45	1191.14	1258.75	1588.92	1656.53	N/A	N/A	N/A	N/A
30"(762mm)/24"(610mm)	36"(914mm)	WUCH-3636-	S	N54	\$ 960.91	\$ 1009.20	\$ 1283.34	\$ 1331.63	\$ 1378.30	\$ 1415.33	\$ 1756.79	\$ 1793.82
	42"(1067mm)	WUCH-4242-	S	N54	1075.22	1133.17	1431.90	1489.85	1552.12	1593.95	1970.76	2012.59
	48"(1219mm)	WUCH-4848-	S	N54	1191.14	1258.75	1588.92	1656.53	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCH-5454-	S	N54	1345.70	1422.97	1784.58	1861.85	N/A	N/A	N/A	N/A




# Adaptable Worksurfaces — Corner

## Notch Extended Corner – 90°



(Right-hand orientation)

WUCP-R44



(Left-hand orientation)

WUCP-L44

Class CA

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- A** Notched
- C** Without

**4 Orientation (as seated):**

- R** Right-hand
- L** Left-hand

2) Laminate color or Wood finish color.

3) Edge trim color (laminates only).

Depth	Width	Length	Number	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)			
				A	B	A	B	A	B	A	B		
18"(457mm)	36"(914mm)	42"(1067mm)	WUCP-3642-	S	33	\$ 1296.73	\$ 1380.46	\$ 1747.33	\$ 1831.06	\$ 1894.24	\$ 2020.64	\$ 2441.82	\$ 2568.22
		48"(1219mm)	WUCP-3648-	S	33	1329.56	1415.51	1796.40	1882.35	1952.53	2089.28	2525.11	2661.86
		54"(1372mm)	WUCP-3654-	S	33	1362.39	1450.56	1845.47	1933.64	2010.82	2157.92	2608.40	2755.50
		60"(1524mm)	WUCP-3660-	S	33	1395.22	1485.61	1894.54	1984.93	2069.11	2226.56	2691.69	2849.14
		66"(1676mm)	WUCP-3666-	S	33	1428.05	1520.66	1943.61	2036.22	2127.40	2295.20	2774.98	2942.78
		72"(1829mm)	WUCP-3672-	S	33	1639.81	1734.64	2171.61	2266.44	2364.82	2542.77	3037.20	3215.35
24"(610mm)	36"(914mm)	42"(1067mm)	WUCP-3642-	S	44	\$ 1333.82	\$ 1420.53	\$ 1784.42	\$ 1871.13	\$ 1923.70	\$ 2055.33	\$ 2471.28	\$ 2602.91
		48"(1219mm)	WUCP-3648-	S	44	1366.65	1455.58	1833.49	1922.42	1981.99	2123.97	2554.57	2696.55
		54"(1372mm)	WUCP-3654-	S	44	1399.48	1490.63	1882.56	1973.71	2040.28	2192.61	2637.86	2790.19
		60"(1524mm)	WUCP-3660-	S	44	1432.31	1525.68	1931.63	2025.00	2098.57	2261.25	2721.15	2883.83
		66"(1676mm)	WUCP-3666-	S	44	1465.14	1560.73	1980.70	2076.29	2156.86	2329.89	2804.44	2977.47
		72"(1829mm)	WUCP-3672-	S	44	1676.90	1774.71	2208.70	2306.51	2394.08	2577.46	3066.66	3250.04
30"(762mm)	36"(914mm)	42"(1067mm)	WUCP-3642-	S	55	\$ 1370.91	\$ 1460.60	\$ 1821.51	\$ 1911.20	\$ 1953.16	\$ 2090.02	\$ 2500.74	\$ 2637.60
		48"(1219mm)	WUCP-3648-	S	55	1403.74	1495.65	1870.58	1962.49	2011.45	2158.66	2584.03	2731.24
		54"(1372mm)	WUCP-3654-	S	55	1436.57	1530.70	1919.65	2013.78	2069.74	2227.30	2667.32	2824.88
		60"(1524mm)	WUCP-3660-	S	55	1469.40	1565.75	1968.72	2065.07	2128.03	2295.94	2750.61	2918.52
		66"(1676mm)	WUCP-3666-	S	55	1502.23	1600.80	2017.79	2116.36	2186.32	2364.58	2833.90	3012.16
		72"(1829mm)	WUCP-3672-	S	55	1713.99	1814.78	2245.79	2346.58	2423.54	2612.15	3096.12	3284.73
18"(457mm)	42"(1067mm)	48"(1219mm)	WUCP-4248-	S	33	\$ 1362.39	\$ 1450.56	\$ 1845.47	\$ 1933.64	\$ 2010.82	\$ 2157.92	\$ 2608.40	\$ 2755.50
		54"(1372mm)	WUCP-4254-	S	33	1395.22	1485.61	1894.54	1984.93	2069.11	2226.56	2691.69	2849.14
		60"(1524mm)	WUCP-4260-	S	33	1428.05	1520.66	1943.61	2036.22	2127.40	2295.20	2774.98	2942.78
		66"(1676mm)	WUCP-4266-	S	33	1460.88	1555.71	1992.68	2087.51	2185.69	2363.84	2858.27	3036.42
		72"(1829mm)	WUCP-4272-	S	33	1672.64	1769.69	2220.68	2317.73	2422.91	2611.41	3120.49	3308.99
		24"(610mm)	42"(1067mm)	48"(1219mm)	WUCP-4248-	S	44	\$ 1399.48	\$ 1490.63	\$ 1882.56	\$ 1973.71	\$ 2040.28	\$ 2192.61
54"(1372mm)	WUCP-4254-			S	44	1432.31	1525.68	1931.63	2025.00	2098.57	2261.25	2721.15	2883.83
60"(1524mm)	WUCP-4260-			S	44	1465.14	1560.73	1980.70	2076.29	2156.86	2329.89	2804.44	2977.47
66"(1676mm)	WUCP-4266-			S	44	1497.97	1595.78	2029.77	2127.58	2215.15	2398.53	2887.73	3071.11
72"(1829mm)	WUCP-4272-			S	44	1709.73	1809.76	2257.77	2357.80	2452.37	2646.10	3149.95	3343.68
30"(762mm)	42"(1067mm)			48"(1219mm)	WUCP-4248-	S	55	\$ 1436.57	\$ 1530.70	\$ 1919.65	\$ 2013.78	\$ 2069.74	\$ 2227.30
		54"(1372mm)	WUCP-4254-	S	55	1469.40	1565.75	1968.72	2065.07	2128.03	2295.94	2750.61	2918.52
		60"(1524mm)	WUCP-4260-	S	55	1502.23	1600.80	2017.79	2116.36	2186.32	2364.58	2833.90	3012.16
		66"(1676mm)	WUCP-4266-	S	55	1535.06	1635.85	2066.86	2167.65	2244.61	2433.22	2917.19	3105.80
		72"(1829mm)	WUCP-4272-	S	55	1746.82	1849.83	2294.86	2397.87	2481.83	2680.79	3179.41	3378.37

# Adaptable Worksurfaces — Corner

## Notch Extended Corner – 90°

Depth	Width	Length	Number <b>1 2 3 4</b>	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
				A	B	A	B	A	B	A	B
18"(457mm)	48"(1219mm)	54"(1372mm)	WUCP-4854- S 33	\$1428.05	\$1520.66	\$ 1943.61	\$2036.22	\$ 2127.40	\$2295.20	\$ 2774.98	\$ 2942.78
		60"(1524mm)	WUCP-4860- S 33	1460.88	1555.71	1992.68	2087.51	2185.69	2363.84	2858.27	3036.42
		66"(1676mm)	WUCP-4866- S 33	1493.71	1590.76	2041.75	2138.80	2243.98	2432.48	2941.56	3130.06
		72"(1829mm)	WUCP-4872- S 33	1705.47	1804.74	2269.75	2369.02	2481.20	2680.05	3203.78	3402.63
24"(610mm)	48"(1219mm)	54"(1372mm)	WUCP-4854- S 44	\$ 1465.14	\$ 1560.73	\$ 1980.70	\$ 2076.29	\$ 2156.86	\$ 2329.89	\$ 2804.44	\$ 2977.47
		60"(1524mm)	WUCP-4860- S 44	1497.97	1595.78	2029.77	2127.58	2215.15	2398.53	2887.73	3071.11
		66"(1676mm)	WUCP-4866- S 44	1530.80	1630.83	2078.84	2178.87	2273.44	2467.17	2971.02	3164.75
		72"(1829mm)	WUCP-4872- S 44	1742.56	1844.81	2306.84	2409.09	2510.66	2714.74	3233.24	3437.32
30"(762mm)	48"(1219mm)	54"(1372mm)	WUCP-4854- S 55	\$1502.23	\$1600.80	\$ 2017.79	\$ 2116.36	\$ 2186.32	\$ 2364.58	\$ 2833.90	\$ 3012.16
		60"(1524mm)	WUCP-4860- S 55	1535.06	1635.85	2066.86	2167.65	2244.61	2433.22	2917.19	3105.80
		66"(1676mm)	WUCP-4866- S 55	1567.89	1670.90	2115.93	2218.94	2302.90	2501.86	3000.48	3199.44
		72"(1829mm)	WUCP-4872- S 55	1779.65	1884.88	2343.93	2449.16	2540.12	2749.43	3262.70	3472.01
18"(457mm)	54"(1372mm)	60"(1524mm)	WUCP-5460- S 33	\$ 1493.71	\$ 1590.76	\$ 2041.75	\$ 2138.80	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-5466- S 33	1526.54	1625.81	2090.82	2190.09	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-5472- S 33	1738.30	1839.79	2318.82	2420.31	N/A	N/A	N/A	N/A
24"(610mm)	54"(1372mm)	60"(1524mm)	WUCP-5460- S 44	\$1530.80	\$1630.83	\$ 2078.84	\$ 2178.87	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-5466- S 44	1563.63	1665.88	2127.91	2230.16	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-5472- S 44	1775.39	1879.86	2355.91	2460.38	N/A	N/A	N/A	N/A
30"(762mm)	54"(1372mm)	60"(1524mm)	WUCP-5460- S 55	\$ 1567.89	\$ 1670.90	\$ 2115.93	\$ 2218.94	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-5466- S 55	1600.72	1705.95	2165.00	2270.23	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-5472- S 55	1812.48	1919.93	2393.00	2500.45	N/A	N/A	N/A	N/A
18"(457mm)	60"(1524mm)	66"(1676mm)	WUCP-6066- S 33	\$ 1559.37	\$ 1660.86	\$ 2139.89	\$ 2241.38	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-6072- S 33	1771.13	1874.84	2367.89	2471.60	N/A	N/A	N/A	N/A
24"(610mm)	60"(1524mm)	66"(1676mm)	WUCP-6066- S 44	\$ 1596.46	\$ 1700.93	\$ 2176.98	\$ 2281.45	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-6072- S 44	1808.22	1914.91	2404.98	2511.67	N/A	N/A	N/A	N/A
30"(762mm)	60"(1524mm)	66"(1676mm)	WUCP-6066- S 55	\$ 1633.55	\$ 1741.00	\$ 2214.07	\$ 2321.52	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-6072- S 55	1845.31	1954.98	2442.07	2551.74	N/A	N/A	N/A	N/A

# Adaptable Worksurfaces — Corner

## Angled Corner – 90°

### Angled





(Left-hand orientation)



(Right-hand orientation)


WUCU

### Angled Transitional



(Left-hand orientation)

WUCF-L45



(Right-hand orientation)

WUCF

Class CA

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

**3 Wireway Option:**

**A** Notched

**C** Without

**4 Orientation (as seated):**

(Angled Corner only)

**R** Right-hand

**L** Left-hand


2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Left/Right Depth	Width	Number	①	②	③	④	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
							A	B	A	B	A	B	A	B
<b>Angled</b>														
18"(457mm)	36"(914mm)	WUCU-3636-	S	33	\$ 832.68	\$ 878.20	\$1096.30	\$ 1141.82	\$ 1174.28	\$1239.29	\$ 1507.73	\$ 1572.74		
	42"(1067mm)	WUCU-4242-	S	33	897.91	954.17	1218.23	1274.49	1317.96	1423.08	1724.67	1829.79		
	48"(1219mm)	WUCU-4848-	S	33	1044.43	1111.43	1421.45	1488.45	1542.93	1688.16	2022.90	2168.13		
24"(610mm)	36"(914mm)	WUCU-3636-	S	44	\$ 866.86	\$ 915.10	\$ 1140.98	\$ 1189.22	\$1223.28	\$1294.89	\$ 1544.69	\$ 1616.30		
	42"(1067mm)	WUCU-4242-	S	44	932.09	991.07	1262.91	1321.89	1366.96	1478.68	1761.63	1873.35		
	48"(1219mm)	WUCU-4848-	S	44	1078.61	1148.33	1466.13	1535.85	1591.93	1743.76	2059.86	2211.69		
30"(762mm)	36"(914mm)	WUCU-3636-	S	55	\$ 901.04	\$ 952.00	\$ 1185.66	\$ 1236.62	\$1272.28	\$1350.49	\$ 1581.65	\$1659.86		
	42"(1067mm)	WUCU-4242-	S	55	966.27	1027.97	1307.59	1369.29	1415.96	1534.28	1798.59	1916.91		
	48"(1219mm)	WUCU-4848-	S	55	1112.79	1185.23	1510.81	1583.25	N/A	N/A	N/A	N/A		
	54"(1372mm)	WUCU-5454-	S	55	1259.31	1342.49	1714.03	1797.21	N/A	N/A	N/A	N/A		
<b>Angled Transitional</b>														
18"(457mm)/24"(610mm)	36"(914mm)	WUCF-3636-	S	34	\$ 768.48	\$ 815.36	\$1037.35	\$1084.23	\$ 1117.49	\$ 1185.80	\$ 1444.92	\$ 1513.23		
	42"(1067mm)	WUCF-4242-	S	34	915.00	972.62	1240.57	1298.19	1342.46	1450.88	1743.15	1851.57		
	48"(1219mm)	WUCF-4848-	S	34	1061.52	1129.88	1443.79	1512.15	1567.43	1715.96	2041.38	2189.91		
	54"(1372mm)	WUCF-5454-	S	34	1208.04	1287.14	1647.01	1726.11	N/A	N/A	N/A	N/A		
24"(610mm)/18"(457mm)	36"(914mm)	WUCF-3636-	S	43	\$ 768.48	\$ 815.36	\$1037.35	\$1084.23	\$ 1117.49	\$ 1185.80	\$ 1444.92	\$ 1513.23		
	42"(1067mm)	WUCF-4242-	S	43	915.00	972.62	1240.57	1298.19	1342.46	1450.88	1743.15	1851.57		
	48"(1219mm)	WUCF-4848-	S	43	1061.52	1129.88	1443.79	1512.15	1567.43	1715.96	2041.38	2189.91		
	54"(1372mm)	WUCF-5454-	S	43	1208.04	1287.14	1647.01	1726.11	N/A	N/A	N/A	N/A		
24"(610mm)/30"(762mm)	36"(914mm)	WUCF-3636-	S	45	\$ 802.66	\$ 852.26	\$1082.03	\$ 1131.63	\$ 1166.49	\$ 1241.40	\$ 1481.88	\$1556.79		
	42"(1067mm)	WUCF-4242-	S	45	949.18	1009.52	1285.25	1345.59	1391.46	1506.48	1780.11	1895.13		
	48"(1219mm)	WUCF-4848-	S	45	1095.70	1166.78	1488.47	1559.55	N/A	N/A	N/A	N/A		
	54"(1372mm)	WUCF-5454-	S	45	1242.22	1324.04	1691.69	1773.51	N/A	N/A	N/A	N/A		
30"(762mm)/24"(610mm)	36"(914mm)	WUCF-3636-	S	54	\$ 802.66	\$ 852.26	\$1082.03	\$ 1131.63	\$ 1166.49	\$ 1241.40	\$ 1481.88	\$1556.79		
	42"(1067mm)	WUCF-4242-	S	54	949.18	1009.52	1285.25	1345.59	1391.46	1506.48	1780.11	1895.13		
	48"(1219mm)	WUCF-4848-	S	54	1095.70	1166.78	1488.47	1559.55	N/A	N/A	N/A	N/A		
	54"(1372mm)	WUCF-5454-	S	54	1242.22	1324.04	1691.69	1773.51	N/A	N/A	N/A	N/A		

# Adaptable Worksurfaces — Convergent


## General Specifications




WURV  
Rectangular Convergent




WURD  
D-Shaped Convergent



WUDD  
D-Shaped Ender  
Convergent



WUCD-L  
D-Shaped Convergent,  
Wrap-Around




WUYG  
Rectangular Radius  
Convergent




WUYH  
Wedge Radius Convergent



WUYC  
Rectangular Radius  
Half Convergent



WUYF  
Wedge Radius  
Half Convergent



WUYT  
Wedge Radius  
Half Convergent Plus

## Common Features



- Includes worksurface and tie plate.
- Available in high-pressure laminate (HPL) or wood veneer.
- Laminate edge option:
  - [J] 3mm edgeband on user side(s) with 1mm edgeband on sides and back (width).
  - [F] Knife edge on user side(s) and 1mm edgeband on sides and back (width).
- Wood veneer edge option;
  - [K] 3mm edgeband on user side(s) with 1mm edgeband on sides and back (width).
  - [U] Knife edge on user side(s) and 1mm edgeband on sides and back (width).
- Laminate Grade E available on Rectangular worksurfaces only.
- Worksurfaces predrilled to accept most support options. 36" (914mm)W and above are predrilled for pedestals.
- Optional wireway:
  - Wireway will be color-matched to solid side/back edge trim. Wood veneer or patterned/wood grain laminate will have a Charcoal wireway.
  - Refer to Specification Guide for wireway details.
- Optional Belong Hatch cutout:
  - Laminate tops only with one cutout.
  - Available on worksurfaces 30" (762mm), 34" (864mm) and 36" (914mm)D and widths of 60" (1524mm) and 72" (1829mm)
  - Requires separately specified Belong Hatch.
  - Refer to Specification Guide for cutout details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depth, width and length shown in nominal dimensions.

## Specification Tips

- **Must be attached to a panel or face of a straight worksurface (exception: D-Shaped Ender).**
- **Worksurface support is specific to product line and worksurface edge guidelines; separately specified.**
- Convergent worksurfaces require floor support. Please select one of the following options:
  - Worksurface support post or column
  - Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Intermediate support is required for unsupported worksurface span greater than 60" (1524mm).

**Note:** Separately specified worksurface reinforcement bar provides additional support for worksurfaces with 60" (1524mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

# Adaptable Worksurfaces — Convergent Rectangular



WURV  
Class CA

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without




2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Width	Length	Number ①②③	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
24"(610mm)	36"(914mm)	WURV-2436- S	\$ 500.66	\$ 530.95	\$ 624.17	\$ 808.73	\$ 839.02	\$ 932.24	\$ 1198.74	\$ 1251.31	\$ 1578.02	\$ 1630.59
	42"(1067mm)	WURV-2442- S	567.47	602.50	710.78	893.19	928.22	1036.50	1298.10	1357.33	1706.08	1765.31
	48"(1219mm)	WURV-2448- S	636.50	677.06	802.91	986.93	1027.49	1153.34	1397.46	1464.46	1845.62	1912.62
	54"(1372mm)	WURV-2454- S	703.31	747.82	886.22	1071.39	1115.90	1254.30	1496.82	1569.37	1973.68	2046.23
	60"(1524mm)	WURV-2460- S	772.34	822.38	978.35	1165.13	1215.17	1371.14	1596.18	1676.50	2113.22	2193.54
	66"(1676mm)	WURV-2466- S	840.26	895.04	1066.07	1254.23	1309.01	1480.04	1695.54	1782.52	2247.02	2334.00
	72"(1829mm)	WURV-2472- S	907.07	965.80	1149.38	1338.69	1397.42	1581.00	1794.90	1887.43	2375.08	2467.61
30"(762mm)	36"(914mm)	WURV-3036- S	\$ 594.13	\$ 624.42	\$ 717.64	\$ 977.53	\$ 1007.82	\$ 1101.04	\$ 1316.66	\$ 1369.23	\$ 1743.28	\$ 1795.85
	42"(1067mm)	WURV-3042- S	658.00	693.03	801.31	1059.05	1094.08	1202.36	1431.38	1490.61	1886.70	1945.93
	48"(1219mm)	WURV-3048- S	724.09	764.65	890.50	1149.85	1190.41	1316.26	1546.10	1613.10	2041.60	2108.60
	54"(1372mm)	WURV-3054- S	787.96	832.47	970.87	1231.37	1275.88	1414.28	1660.82	1733.37	2185.02	2257.57
	60"(1524mm)	WURV-3060- S	854.05	904.09	1060.06	1322.17	1372.21	1528.18	1775.54	1855.86	2339.92	2420.24
	66"(1676mm)	WURV-3066- S	919.03	973.81	1144.84	1408.33	1463.11	1634.14	1890.26	1977.24	2489.08	2576.06
	72"(1829mm)	WURV-3072- S	982.90	1041.63	1225.21	1489.85	1548.58	1732.16	2004.98	2097.51	2632.50	2725.03
36"(914mm)	36"(914mm)	WURV-3636- S	\$ 658.44	\$ 688.73	\$ 781.95	\$ 1071.57	\$ 1101.86	\$ 1195.08	\$ 1401.14	\$ 1453.71	\$ 1837.22	\$ 1889.79
	42"(1067mm)	WURV-3642- S	725.25	760.28	868.56	1156.03	1191.06	1299.34	1567.46	1626.69	2032.24	2091.47
	48"(1219mm)	WURV-3648- S	794.28	834.84	960.69	1249.77	1290.33	1416.18	1733.78	1800.78	2238.74	2305.74
	54"(1372mm)	WURV-3654- S	861.09	905.60	1044.00	1334.23	1378.74	1517.14	1900.10	1972.65	2433.76	2506.31
	60"(1524mm)	WURV-3660- S	930.12	980.16	1136.13	1427.97	1478.01	1633.98	2066.42	2146.74	2640.26	2720.58
	66"(1676mm)	WURV-3666- S	998.04	1052.82	1223.85	1517.07	1571.85	1742.88	2232.74	2319.72	2841.02	2928.00
	72"(1829mm)	WURV-3672- S	1064.85	1123.58	1307.16	1601.53	1660.26	1843.84	2399.06	2491.59	3036.04	3128.57

# Adaptable Worksurfaces — Convergent

## D-Shape Convergent



WURD  
Class CA

**To Order, Specify:**

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without



2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Width	Length	Number ① ② ③	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	A	B	A	B	A	B
24"(610mm)	36"(914mm)	WURD-2436- S	\$ 708.24	\$ 739.59	\$ 1149.55	\$ 1180.90	\$ 1348.72	\$ 1403.13	\$ 1743.73	\$ 1798.14
	42"(1067mm)	WURD-2442- S	777.47	813.74	1237.58	1273.85	1534.30	1598.55	1971.26	2035.51
	48"(1219mm)	WURD-2448- S	849.00	891.01	1335.43	1377.44	1719.88	1795.61	2215.57	2291.30
	54"(1372mm)	WURD-2454- S	918.23	964.34	1423.46	1469.57	1905.46	1989.39	2443.10	2527.03
	60"(1524mm)	WURD-2460- S	989.76	1041.61	1521.31	1573.16	2091.04	2186.45	2687.41	2782.82
	66"(1676mm)	WURD-2466- S	1060.14	1116.91	1614.25	1671.02	2276.62	2381.87	2923.33	3028.58
	72"(1829mm)	WURD-2472- S	1129.37	1190.24	1702.28	1763.15	2462.20	2575.65	3150.86	3264.31
30"(762mm)	36"(914mm)	WURD-3036- S	\$ 773.18	\$ 804.53	\$ 1266.62	\$ 1297.97	\$ 1509.52	\$ 1563.93	\$ 1953.52	\$ 2007.93
	42"(1067mm)	WURD-3042- S	839.35	875.62	1351.59	1387.86	1697.62	1761.87	2183.57	2247.82
	48"(1219mm)	WURD-3048- S	907.82	949.83	1446.38	1488.39	1885.72	1961.45	2430.40	2506.13
	54"(1372mm)	WURD-3054- S	973.99	1020.10	1531.35	1577.46	2073.82	2157.75	2660.45	2744.38
	60"(1524mm)	WURD-3060- S	1042.46	1094.31	1626.14	1677.99	2261.92	2357.33	2907.28	3002.69
	66"(1676mm)	WURD-3066- S	1109.78	1166.55	1716.02	1772.79	2450.02	2555.27	3145.72	3250.97
	72"(1829mm)	WURD-3072- S	1175.95	1236.82	1800.99	1861.86	2638.12	2751.57	3375.77	3489.22
36"(914mm)	36"(914mm)	WURD-3636- S	\$ 826.04	\$ 857.39	\$ 1324.34	\$ 1355.69	\$ 1573.03	\$ 1627.44	\$ 2026.83	\$ 2081.24
	42"(1067mm)	WURD-3642- S	895.27	931.54	1412.37	1448.64	1763.65	1827.90	2259.40	2323.65
	48"(1219mm)	WURD-3648- S	966.80	1008.81	1510.22	1552.23	1954.27	2030.00	2508.75	2584.48
	54"(1372mm)	WURD-3654- S	1036.03	1082.14	1598.25	1644.36	2144.89	2228.82	2741.32	2825.25
	60"(1524mm)	WURD-3660- S	1107.56	1159.41	1696.10	1747.95	2335.51	2430.92	2990.67	3086.08
	66"(1676mm)	WURD-3666- S	1177.94	1234.71	1789.04	1845.81	2526.13	2631.38	3231.63	3336.88
	72"(1829mm)	WURD-3672- S	1247.17	1308.04	1877.07	1937.94	2716.75	2830.20	3464.20	3577.65

# Adaptable Worksurfaces — Convergent

## D-Shape Ender Convergent



WUDD  
Class CA

### Unique Specifications

- Must be attached to the depth of adjoining worksurface.

### To Order, Specify:

- 1) Product number, including:

#### ① Surface Option:

- L** Laminate
- W** Wood

#### ② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife



- 2) Laminate color or Wood finish color.

- 3) Edge trim color (laminite only).


Depth	Length	Number ①②	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	A	B	A	B	A	B
18"(457mm)	36"(914mm)	WUDD-1836- SC	\$ 606.44	\$ 634.92	\$ 828.74	\$ 857.22	\$ 1245.08	\$ 1300.31	\$ 1616.93	\$ 1672.16
	42"(1067mm)	WUDD-1842- SC	662.60	695.76	905.00	938.16	1415.96	1481.15	1837.97	1903.16
	48"(1219mm)	WUDD-1848- SC	718.76	756.60	981.26	1019.10	1586.84	1661.99	2059.01	2134.16
	54"(1372mm)	WUDD-1854- SC	774.92	817.44	1057.52	1100.04	1757.72	1842.83	2280.05	2365.16
	60"(1524mm)	WUDD-1860- SC	831.08	878.28	1133.78	1180.98	1928.60	2023.67	2501.09	2596.16
	66"(1676mm)	WUDD-1866- SC	887.24	939.12	1210.04	1261.92	2099.48	2204.51	2722.13	2827.16
	72"(1829mm)	WUDD-1872- SC	943.40	999.96	1286.30	1342.86	2270.36	2385.35	2943.17	3058.16
24"(610mm)	36"(914mm)	WUDD-2436- SC	\$ 653.70	\$ 682.18	\$ 894.15	\$ 922.63	\$ 1303.69	\$ 1358.92	\$ 1695.47	\$ 1750.70
	42"(1067mm)	WUDD-2442- SC	724.92	758.08	985.47	1018.63	1494.55	1559.74	1936.49	2001.68
	48"(1219mm)	WUDD-2448- SC	796.14	833.98	1076.79	1114.63	1685.41	1760.56	2177.51	2252.66
	54"(1372mm)	WUDD-2454- SC	867.36	909.88	1168.11	1210.63	1876.27	1961.38	2418.53	2503.64
	60"(1524mm)	WUDD-2460- SC	938.58	985.78	1259.43	1306.63	2067.13	2162.20	2659.55	2754.62
	66"(1676mm)	WUDD-2466- SC	1009.80	1061.68	1350.75	1402.63	2257.99	2363.02	2900.57	3005.60
	72"(1829mm)	WUDD-2472- SC	1081.02	1137.58	1442.07	1498.63	2448.85	2563.84	3141.59	3256.58
30"(762mm)	36"(914mm)	WUDD-3036- SC	\$ 717.69	\$ 746.17	\$ 1211.02	\$ 1239.50	\$ 1459.38	\$ 1514.61	\$ 1900.86	\$ 1956.09
	42"(1067mm)	WUDD-3042- SC	785.91	819.07	1299.34	1332.50	1650.24	1715.43	2141.88	2207.07
	48"(1219mm)	WUDD-3048- SC	854.13	891.97	1387.66	1425.50	1841.10	1916.25	2382.90	2458.05
	54"(1372mm)	WUDD-3054- SC	922.35	964.87	1475.98	1518.50	2031.96	2117.07	2623.92	2709.03
	60"(1524mm)	WUDD-3060- SC	990.57	1037.77	1564.30	1611.50	2222.82	2317.89	2864.94	2960.01
	66"(1676mm)	WUDD-3066- SC	1058.79	1110.67	1652.62	1704.50	2413.68	2518.71	3105.96	3210.99
	72"(1829mm)	WUDD-3072- SC	1127.01	1183.57	1740.94	1797.50	2604.54	2719.53	3346.98	3461.97

# Adaptable Worksurfaces — Convergent

## D-Shape Convergent Wrap-Around



(Right-hand orientation)



(Left-hand orientation)

WUCD-L  
Class CA

### Unique Specifications

- 36"(914mm)W surfaces have a 24"(610mm) diameter D-shaped radius.
- 42"(1067mm)-60"(1524mm)W surfaces have a 30"(762mm) diameter D-shaped radius.
- Mini cantilever brackets are for use with 18"(457mm)D worksurface with knife edge only.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- C** Without

**4 Orientation (as seated):**

- R** Right-hand
- L** Left-hand

2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Depth	Width	Length	Number	HPL Edgeband (J)			HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)		
				1	2	3	4	A	B	A	B	A	B
18"(457mm)	36"(914mm)	60"(1524mm)	WUCD-3660-	S	3	\$ 1387.88	\$ 1487.81	\$ 1755.89	\$ 1855.82	\$ 2328.86	\$ 2499.28	\$ 2810.02	\$ 2980.44
		66"(1676mm)	WUCD-3666-	S	3	1432.82	1535.99	1819.01	1922.18	2412.56	2597.68	2918.20	3103.32
		72"(1829mm)	WUCD-3672-	S	3	1562.72	1669.13	1967.09	2073.50	2581.22	2781.04	3111.34	3311.16
24"(610mm)	36"(914mm)	60"(1524mm)	WUCD-3660-	S	4	\$ 1426.79	\$ 1529.23	\$ 1788.67	\$ 1891.11	\$ 2353.64	\$ 2528.25	\$ 2833.45	\$ 3008.06
		66"(1676mm)	WUCD-3666-	S	4	1471.73	1577.41	1851.79	1957.47	2437.34	2626.65	2941.63	3130.94
		72"(1829mm)	WUCD-3672-	S	4	1601.63	1710.55	1999.87	2108.79	2606.00	2810.01	3134.77	3338.78
30"(762mm)	36"(914mm)	60"(1524mm)	WUCD-3660-	S	5	\$ 1465.70	\$ 1570.65	\$ 1821.45	\$ 1926.40	\$ 2378.42	\$ 2557.22	\$ 2856.88	\$ 3035.68
		66"(1676mm)	WUCD-3666-	S	5	1510.64	1618.83	1884.57	1992.76	2462.12	2655.62	2965.06	3158.56
		72"(1829mm)	WUCD-3672-	S	5	1640.54	1751.97	2032.65	2144.08	2630.78	2838.98	3158.20	3366.40
18"(457mm)	42"(1067mm)	60"(1524mm)	WUCD-4260-	S	3	\$ 1471.73	\$ 1577.41	\$ 1851.79	\$ 1957.47	\$ 2437.34	\$ 2626.65	\$ 2941.63	\$ 3130.94
		66"(1676mm)	WUCD-4266-	S	3	1516.67	1625.59	1914.91	2023.83	2521.04	2725.05	3049.81	3253.82
		72"(1829mm)	WUCD-4272-	S	3	1561.61	1673.77	1978.03	2090.19	2604.74	2823.45	3157.99	3376.70
24"(610mm)	42"(1067mm)	60"(1524mm)	WUCD-4260-	S	4	\$ 1510.64	\$ 1618.83	\$ 1884.57	\$ 1992.76	\$ 2462.12	\$ 2655.62	\$ 2965.06	\$ 3158.56
		66"(1676mm)	WUCD-4266-	S	4	1555.58	1667.01	1947.69	2059.12	2545.82	2754.02	3073.24	3281.44
		72"(1829mm)	WUCD-4272-	S	4	1600.52	1715.19	2010.81	2125.48	2629.52	2852.42	3181.42	3404.32
30"(762mm)	42"(1067mm)	60"(1524mm)	WUCD-4260-	S	5	\$ 1549.55	\$ 1660.25	\$ 1917.35	\$ 2028.05	\$ 2486.90	\$ 2684.59	\$ 2988.49	\$ 3186.18
		66"(1676mm)	WUCD-4266-	S	5	1594.49	1708.43	1980.47	2094.41	2570.60	2782.99	3096.67	3309.06
		72"(1829mm)	WUCD-4272-	S	5	1639.43	1756.61	2043.59	2160.77	2654.30	2881.39	3204.85	3431.94
18"(457mm)	48"(1219mm)	60"(1524mm)	WUCD-4860-	S	3	\$ 1516.67	\$ 1625.59	\$ 1914.91	\$ 2023.83	\$ 2521.04	\$ 2725.05	\$ 3049.81	\$ 3253.82
		66"(1676mm)	WUCD-4866-	S	3	1561.61	1673.77	1978.03	2090.19	2604.74	2823.45	3157.99	3376.70
		72"(1829mm)	WUCD-4872-	S	3	1606.55	1721.95	2041.15	2156.55	2688.44	2921.85	3266.17	3499.58
24"(610mm)	48"(1219mm)	60"(1524mm)	WUCD-4860-	S	4	\$ 1555.58	\$ 1667.01	\$ 1947.69	\$ 2059.12	\$ 2545.82	\$ 2754.02	\$ 3073.24	\$ 3281.44
		66"(1676mm)	WUCD-4866-	S	4	1600.52	1715.19	2010.81	2125.48	2629.52	2852.42	3181.42	3404.32
		72"(1829mm)	WUCD-4872-	S	4	1645.46	1763.37	2073.93	2191.84	2713.22	2950.82	3289.60	3527.20
30"(762mm)	48"(1219mm)	60"(1524mm)	WUCD-4860-	S	5	\$ 1594.49	\$ 1708.43	\$ 1980.47	\$ 2094.41	\$ 2570.60	\$ 2782.99	\$ 3096.67	\$ 3309.06
		66"(1676mm)	WUCD-4866-	S	5	1639.43	1756.61	2043.59	2160.77	2654.30	2881.39	3204.85	3431.94
		72"(1829mm)	WUCD-4872-	S	5	1684.37	1804.79	2106.71	2227.13	2738.00	2979.79	3313.03	3554.82



# Adaptable Worksurfaces — Convergent




## D-Shape Convergent Wrap-Around

Depth	Width	Length	Number ① ② ③ ④	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
				A	B	A	B	A	B	A	B
18"(457mm)	54"(1372mm)	60"(1524mm)	WUCD-5460- S 3	\$ 1561.61	\$ 1673.77	\$ 1978.03	\$ 2090.19	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-5466- S 3	1606.55	1721.95	2041.15	2156.55	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-5472- S 3	1651.49	1770.13	2104.27	2222.91	N/A	N/A	N/A	N/A
24"(610mm)	54"(1372mm)	60"(1524mm)	WUCD-5460- S 4	\$ 1600.52	\$ 1715.19	\$ 2010.81	\$ 2125.48	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-5466- S 4	1645.46	1763.37	2073.93	2191.84	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-5472- S 4	1690.40	1811.55	2137.05	2258.20	N/A	N/A	N/A	N/A
30"(762mm)	54"(1372mm)	60"(1524mm)	WUCD-5460- S 5	\$ 1639.43	\$ 1756.61	\$ 2043.59	\$ 2160.77	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-5466- S 5	1684.37	1804.79	2106.71	2227.13	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-5472- S 5	1729.31	1852.97	2169.83	2293.49	N/A	N/A	N/A	N/A
18"(457mm)	60"(1524mm)	60"(1524mm)	WUCD-6060- S 3	\$ 1606.55	\$ 1721.95	\$ 2041.15	\$ 2156.55	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-6066- S 3	1651.49	1770.13	2104.27	2222.91	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-6072- S 3	1696.43	1818.31	2167.39	2289.27	N/A	N/A	N/A	N/A
24"(610mm)	60"(1524mm)	60"(1524mm)	WUCD-6060- S 4	\$ 1645.46	\$ 1763.37	\$ 2073.93	\$ 2191.84	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-6066- S 4	1690.40	1811.55	2137.05	2258.20	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-6072- S 4	1735.34	1859.73	2200.17	2324.56	N/A	N/A	N/A	N/A
30"(762mm)	60"(1524mm)	60"(1524mm)	WUCD-6060- S 5	\$ 1684.37	\$ 1804.79	\$ 2106.71	\$ 2227.13	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-6066- S 5	1729.31	1852.97	2169.83	2293.49	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-6072- S 5	1774.25	1901.15	2232.95	2359.85	N/A	N/A	N/A	N/A

# Adaptable Worksurfaces — Convergent



## Radius Convergent

### Radius Rectangular



WUYG

### Radius Wedge



WUYH  
Class CA

#### Unique Specifications

- Flush mount plate is application specific; specify as needed.
- Knife edge option does not allow cantilever bracket attachment on a Rectangular Radius Convergent. Use edgeband option for cantilever attachment.
- Wireway option not available.
- Cantilever bracket not for use on angled side.

#### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

*Laminate:*

**J** Edgeband

**F** Knife

*Wood:*

**K** Edgeband

**U** Knife

2) Laminate color or Wood finish color.



3) Edge trim color (laminated only).

Left/Right Width	Length	Number ①②	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
<b>Rectangular</b>												
24"(610mm)	60"(1524mm)	WUYG-2460-SCN	\$1095.06	\$ 1181.84	\$1477.06	\$ 1416.74	\$1503.52	\$ 1798.74	\$ 2411.48	\$2628.56	\$3037.24	\$3254.32
	72"(1829mm)	WUYG-2472-SCN	1217.38	1313.12	1665.22	1584.90	1680.64	2032.74	2634.04	2888.08	3288.84	3542.88
30"(762mm)	60"(1524mm)	WUYG-3060-SCN	\$1242.38	\$1340.36	\$1706.68	\$1584.34	\$1682.32	\$2048.64	\$2674.80	\$2938.08	\$3315.38	\$3578.66
	72"(1829mm)	WUYG-3072-SCN	1393.42	1502.60	1940.02	1781.22	1890.40	2327.82	2949.28	3258.76	3618.90	3928.38
<b>Wedge</b>												
34"(864mm)/60"(1524mm)	60"(1524mm)	WUYH-3460-SCL	\$1345.62	\$1451.44	\$1867.53	\$1706.14	\$ 1811.96	\$2228.05	\$2892.66	\$ 3188.28	\$3550.32	\$3845.94
36"(914mm)/72"(1829mm)	72"(1829mm)	WUYH-3672-SCL	1569.94	1692.56	2215.30	1988.10	2110.72	2633.46	3290.98	3655.90	3989.82	4354.74
60"(1524mm)/34"(864mm)	60"(1524mm)	WUYH-3460-SCR	\$1345.62	\$1451.44	\$1867.53	\$1706.14	\$ 1811.96	\$2228.05	\$2892.66	\$ 3188.28	\$3550.32	\$3845.94
72"(1829mm)/36"(914mm)	72"(1829mm)	WUYH-3672-SCR	1569.94	1692.56	2215.30	1988.10	2110.72	2633.46	3290.98	3655.90	3989.82	4354.74

# Adaptable Worksurfaces — Convergent



## Radius Half Convergent

### Rectangular



WUYC

### Wedge



WUYF  
Class CA

### Unique Specifications

- A left and a right handed work surface must be ordered together.
- A pair of work surfaces requires four separately specified Flush Mount Plates.
- Designed to be used with Belong Plus Screen (SUSC-\_\_\_\_-FNZANNN); requires wireway option on both work surfaces.
- 60"(1524mm) tops have two wireways and will only accept 42"(1067mm)W Belong Plus Screen.
- 72"(1829mm) tops have three wireways and will only accept 48"(1219mm)W Belong Plus Screen.
- Cantilever bracket cannot be used with wireway.
- Cantilever bracket not for use on angled side of Wedge Radius Half Convergent.
- Knife edge option for use with 26"(660mm)H frame, Connections or Beam with work rail off modular brackets only.
- Knife edge option does not allow cantilever bracket attachment on a Rectangular Radius Half Convergent. Use edgeband option for cantilever attachment.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- A** Notched
- C** Without
- H** Belong Hatch

**4 Orientation (as seated):**

(Rectangular only)

- R** Right-hand
- L** Left-hand



2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Left/Right Width	Length	Number	① ② ③ ④	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
				A	B	E	A	B	E	A	B	A	B
<b>Rectangular</b>													
24"(610mm)	60"(1524mm)	WUYC-2460-	S	\$1140.48	\$1231.33	\$1539.66	\$1455.27	\$1546.12	\$1854.45	\$2298.77	\$2525.47	\$2937.81	\$3164.51
	72"(1829mm)	WUYC-2472-	S	1264.44	1364.81	1732.42	1605.75	1706.12	2073.73	2523.57	2788.75	3178.09	3443.27
30"(762mm)	60"(1524mm)	WUYC-3060-	S	\$1294.32	\$1397.07	\$1779.50	\$1630.41	\$1733.16	\$2115.59	\$2574.01	\$2848.81	\$3228.53	\$3503.33
	72"(1829mm)	WUYC-3072-	S	1448.28	1562.93	2019.46	1810.89	1925.54	2382.07	2853.09	3175.99	3523.09	3845.99
<b>Wedge</b>													
34"(864mm)/24"(610mm)	60"(1524mm)	WUYF-3460-	S L	\$1395.48	\$1506.56	\$1940.86	\$1710.27	\$1821.35	\$2255.65	\$2760.15	\$2760.15	\$3707.66	\$3707.66
36"(914mm)/24"(610mm)	72"(1829mm)	WUYF-3672-	S L	1625.72	1754.65	2300.10	1974.13	2103.06	2648.51	3176.21	3176.21	4216.51	4216.51
24"(610mm)/34"(864mm)	60"(1524mm)	WUYF-3460-	S R	\$1395.48	\$1506.56	\$1940.86	\$1710.27	\$1821.35	\$2255.65	\$2760.15	\$2760.15	\$3707.66	\$3707.66
24"(610mm)/36"(914mm)	72"(1829mm)	WUYF-3672-	S R	1625.72	1754.65	2300.10	1974.13	2103.06	2648.51	3176.21	3556.83	3835.89	4216.51

# Adaptable Worksurfaces — Convergent

## Wedge Half Convergent Plus



WUYT  
Class CA

### Unique Specifications

- A left and a right handed work surface must be ordered together.
- A pair of work surfaces requires four separately specified Flush Mount Plates.
- Only for use with 26"(660mm)H frame, Connections, or Beam.
- Designed to be used with Belong Plus Screen (SUSC-\_\_\_-FNZANNN); requires wireway option on both work surfaces.
- 60"(1524mm) tops have two wireways and will only accept 42"(1067mm)W Belong Plus Screen.
- 72"(1829mm) tops have three wireways and will only accept 48"(1219mm)W Belong Plus Screen.
- Cantilever bracket cannot be used with wireway.
- Cantilever bracket not for use on angled side of Wedge Radius Half Convergent Plus.
- Knife edge option does not allow cantilever bracket attachment on a Rectangular Radius Half Convergent. Use edgeband option for cantilever attachment.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- A** Notched
- C** Without
- H** Belong Hatch




2) Laminate color or Wood finish color.

3) Edge trim color (laminated only).

Left/Right Width	Length	Number ①②③	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
34"(864mm)/24"(610mm)	60"(1524mm)	WUYT-3460- [ ] S L	\$ 1591.66	\$ 1716.52	\$ 2253.48	\$1964.90	\$2089.76	\$ 2626.72	\$3372.15	\$3746.29	\$4029.87	\$4404.01
36"(914mm)/24"(610mm)	72"(1829mm)	WUYT-3672- [ ] S L	1826.50	1969.28	2620.00	2231.94	2374.72	3025.44	3796.19	4244.25	4473.37	4921.43
24"(610mm)/34"(864mm)	60"(1524mm)	WUYT-3460- [ ] S R	\$ 1591.66	\$ 1716.52	\$ 2253.48	\$1964.90	\$2089.76	\$ 2626.72	\$3372.15	\$3746.29	\$4029.87	\$4404.01
24"(610mm)/36"(914mm)	72"(1829mm)	WUYT-3672- [ ] S R	1826.50	1969.28	2620.00	2231.94	2374.72	3025.44	3796.19	4244.25	4473.37	4921.43




# Adaptable Worksurfaces — Conference End

## Conference End



WUDC

## Key Conference End



WURY  
Class CA

### Features

- Includes worksurface and tie plate.
- High-Pressure Laminate (HPL) with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is color-matched to solid side/back edge trim.
- When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end-of-run trim.

### Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide**
- Key ends with single support posts or columns are generally not considered to be panel supports. See load guidelines in Specification Guide to insure that the panels are properly supported.
- The back edge of the key end must be supported by either
  - Two ZUBF-0000-PN brackets (51"(1295mm)/63"(1600mm) depths)
  - A standard link bracket (pair)
  - Another component with shared worksurface support (Worksurface support panel, P-leg)
  - A combination of the previous three
- **The front of the key end must be supported by one of the following:**
  - **Support post or column - REQUIRED**
- To be used in conference end application.
  - (D) wireway option specific to Compose end-of-run applications

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway Option:**

- A** Notched
- D** Compose End-of-Run



2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

**Note:** Grain direction for Conference and Key Conference End over 63"(1600mm)D will be reversed.

Depth	Width	Number ①②③	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	A	B	A	B	A	B
<b>Conference End</b>										
39"(991mm)	30"(762mm)	WUDC-3930-■ ■ S ■	\$ 955.24	\$ 1021.19	\$1342.32	\$ 1408.27	\$ 2764.31	\$ 2897.87	\$ 3511.02	\$3644.58
51"(1295mm)		WUDC-5130-■ ■ S ■	1000.74	1068.51	1405.37	1473.14	2911.73	3071.55	3700.95	3860.77
63"(1600mm)		WUDC-6330-■ ■ S ■	1042.74	1112.19	1463.57	1533.02	3047.81	3231.87	3876.27	4060.33
<b>Key Conference End</b>										
39"(991mm)	30"(762mm)	WURY-3930-■ ■ S ■	\$1208.49	\$1295.06	\$1698.92	\$ 1785.49	\$3275.63	\$3507.08	\$4258.86	\$ 4490.31
51"(1295mm)	30"(762mm)	WURY-5130-■ ■ S ■	\$ 1215.09	\$ 1302.11	\$ 1707.83	\$ 1794.85	\$ 3281.66	\$ 3514.15	\$4264.89	\$ 4497.38
	36"(914mm)	WURY-5136-■ ■ S ■	1241.19	1330.17	1740.90	1829.88	3358.68	3604.98	4364.34	4610.64
63"(1600mm)	36"(914mm)	WURY-6336-■ ■ S ■	\$ 1247.79	\$ 1337.22	\$ 1749.81	\$ 1839.24	\$ 3364.71	\$ 3612.05	\$4370.37	\$ 4617.71
	42"(1067mm)	WURY-6342-■ ■ S ■	1273.89	1365.28	1782.88	1874.27	3441.73	3702.88	4469.82	4730.97
	48"(1219mm)	WURY-6348-■ ■ S ■	1299.99	1393.34	1815.95	1909.30	3518.75	3793.71	4569.27	4844.23

# Adaptable Worksurfaces — 120° Link



WZDZ  
Class CA

### Features

- Includes worksurface and tie plate.
- High-Pressure Laminate (HPL) with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Depth shown in nominal dimensions.

### Specification Tips

- Support column, leg or worksurface support panel may be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - P-Leg
  - Support post
  - Support column
  - Worksurface support panel
  - Tie plate with 18"(457mm) depth
  - Flush mount plates with 24"(610mm) and 30"(762mm) depths
  - Standard link cantilevers
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm)D worksurfaces with knife edge only.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

**L** Laminate

**W** Wood

**2 Edge Option:**

*Laminate:*

**J** Edgeband

**F** Knife

*Wood:*

**K** Edgeband



**U** Knife

2) Laminate color or Wood finish color.

3) Edge trim color (laminated only).

Depth	Number 12	SC	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	A	B	A	B	A	B
18"(457mm)	WZDZ-1821-	SC	\$462.92	\$496.50	\$ 712.65	\$ 746.23	\$1243.83	\$ 1348.09	\$ 1670.75	\$ 1775.01
24"(610mm)	WZDZ-2427-	SC	507.76	541.34	757.49	791.07	1382.35	1451.22	1809.27	1878.14
30"(762mm)	WZDZ-3033-	SC	717.36	770.37	1047.51	1100.52	1929.36	2058.34	2539.96	2668.94

# Adaptable Worksurfaces — Triangular Key



WUYP  
Class CA

### Features

- Includes worksurface.
- High-Pressure Laminate (HPL) with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on panel sides and back.
- Wood with 3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on panel sides and back.
- Edge detail is on all sides except the panel and worksurface attachment location.
- Depths and widths shown in nominal dimensions.

### Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide.**
- Designed to be used with Off Modular Bracket and work rail or side corner bracket.
- Not for use with cantilevers.
- Worksurface support must be separately specified.

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:


- K** Edgeband
- U** Knife

2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Depth	Width	Number <b>12</b>	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	A	B	A	B	A	B
48"(1219mm)	60"(1524mm)	WUYP-4860- SC	\$1350.52	\$1457.45	\$1638.79	\$1745.72	\$2893.57	\$3226.59	\$3517.13	\$3850.15
60"(1524mm)	72"(1829mm)	WUYP-6072- SC	\$1692.61	\$1825.14	\$2035.02	\$2167.55	\$3721.26	\$4199.08	\$4384.01	\$4861.83

# Adaptable Worksurfaces — Rectangular Key



WURY  
Class CA

### Features

- Includes worksurface and tie plate.
- High-Pressure Laminate (HPL) with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireway can be specified to accommodate panel end-of-run trim. Wireway is color-matched to solid side/edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

### Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- **Support post or column is required.**

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

**3 Wireway/Cutout Option:**

- A** Notched
- C** Without

2) Laminate color or Wood finish color.


3) Edge trim color (laminite only).

Width	Length	Number ①② ③	HPL Edgeband (J)			HPL Knife Edge (F)			Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	E	A	B	E	A	B	A	B
30"(762mm)	36"(914mm)	WURY-3036- S	\$ 982.83	\$1054.92	\$ 1272.93	\$ 1393.07	\$ 1465.16	\$ 1683.17	\$ 2681.21	\$ 2841.21	\$ 3571.09	\$ 3731.09
	48"(1219mm)	WURY-3048- S	1044.70	1121.02	1365.47	1476.75	1553.07	1797.52	2824.49	3010.01	3756.04	3941.56
36"(914mm)	48"(1219mm)	WURY-3648- S	\$ 1108.70	\$ 1189.58	\$1462.83	\$1560.96	\$ 1641.84	\$ 1915.09	\$2990.64	\$3205.71	\$ 3968.77	\$ 4183.84
	60"(1524mm)	WURY-3660- S	1170.57	1255.68	1555.37	1644.64	1729.75	2029.44	3133.92	3374.51	4153.72	4394.31
	72"(1829mm)	WURY-3672- S	1232.44	1321.78	1647.91	1728.32	1817.66	2143.79	3277.20	3543.31	4338.67	4604.78
42"(1067mm)	60"(1524mm)	WURY-4260- S	\$ 1234.57	\$ 1324.24	\$ 1652.73	\$ 1728.85	\$ 1818.52	\$ 2147.01	\$3300.07	\$3570.21	\$4366.45	\$4636.59
	72"(1829mm)	WURY-4272- S	1296.44	1390.34	1745.27	1812.53	1906.43	2261.36	3443.35	3739.01	4551.40	4847.06
48"(1219mm)	60"(1524mm)	WURY-4860- S	\$ 1298.57	\$ 1392.80	\$ 1750.09	\$ 1813.06	\$ 1907.29	\$ 2264.58	\$ 3466.22	\$ 3765.91	\$ 4579.18	\$ 4878.87
	72"(1829mm)	WURY-4872- S	1360.44	1458.90	1842.63	1896.74	1995.20	2378.93	3609.50	3934.71	4764.13	5089.34



# Adaptable Worksurfaces

## Countertop



WUTS  
Class CA

### Features

- Includes countertop and tie plate.
- High-Pressure Laminate (HPL) with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on ends.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edges and 1mm edgeband on ends.
- Depths and widths shown in nominal dimensions.

### Specification Tips

- For use in applications that match panel width or multiple panel widths.
- **Countertop support specific to product line; must be separately specified.**

### To Order, Specify:

1) Product number, including:

**1 Surface Option:**

- L** Laminate
- W** Wood

**2 Edge Option:**

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife


2) Laminate color or Wood finish color.

3) Edge trim color (laminite only).

Width	Length	Number ①②	HPL Edgeband (J)		HPL Knife Edge (F)		Wood Edgeband (K)		Wood Knife Edge (U)	
			A	B	A	B	A	B	A	B
12"(305mm)	23"(584mm)	WUTS-1223- SC	\$498.28	\$534.83	\$ 942.10	\$ 978.65	\$ 872.05	\$ 905.00	\$ 1329.46	\$ 1362.41
	24"(610mm)	WUTS-1224- SC	502.64	539.50	947.99	984.85	879.24	913.45	1338.60	1372.81
	29"(737mm)	WUTS-1229- SC	524.44	562.85	977.44	1015.85	915.19	955.70	1384.30	1424.81
	30"(762mm)	WUTS-1230- SC	528.80	567.52	983.33	1022.05	922.38	964.15	1393.44	1435.21
	35"(889mm)	WUTS-1235- SC	550.60	590.87	1012.78	1053.05	958.33	1006.40	1439.14	1487.21
	36"(914mm)	WUTS-1236- SC	554.96	595.54	1018.67	1059.25	965.52	1014.85	1448.28	1497.61
	41"(1041mm)	WUTS-1241- SC	576.76	618.89	1048.12	1090.25	1001.47	1057.10	1493.98	1549.61
	42"(1067mm)	WUTS-1242- SC	581.12	623.56	1054.01	1096.45	1008.66	1065.55	1503.12	1560.01
	47"(1194mm)	WUTS-1247- SC	602.92	646.91	1083.46	1127.45	1044.61	1107.80	1548.82	1612.01
	48"(1219mm)	WUTS-1248- SC	607.28	651.58	1089.35	1133.65	1051.80	1116.25	1557.96	1622.41
	53"(1346mm)	WUTS-1253- SC	629.08	674.93	1118.80	1164.65	1087.75	1158.50	1603.66	1674.41
	54"(1372mm)	WUTS-1254- SC	633.44	679.60	1124.69	1170.85	1094.94	1166.95	1612.80	1684.81
	59"(1499mm)	WUTS-1259- SC	655.24	702.95	1154.14	1201.85	1130.89	1209.20	1658.50	1736.81
	60"(1524mm)	WUTS-1260- SC	659.60	707.62	1160.03	1208.05	1138.08	1217.65	1667.64	1747.21
	65"(1651mm)	WUTS-1265- SC	681.40	730.97	1189.48	1239.05	1174.03	1259.90	1713.34	1799.21
	66"(1676mm)	WUTS-1266- SC	685.76	735.64	1195.37	1245.25	1181.22	1268.35	1722.48	1809.61
	71"(1803mm)	WUTS-1271- SC	707.56	758.99	1224.82	1276.25	1217.17	1310.60	1768.18	1861.61
	72"(1829mm)	WUTS-1272- SC	711.92	763.66	1230.71	1282.45	1224.36	1319.05	1777.32	1872.01
	77"(1956mm)	WUTS-1277- SC	733.72	787.01	1260.16	1313.45	1260.31	1361.30	1823.02	1924.01
	78"(1981mm)	WUTS-1278- SC	738.08	791.68	1266.05	1319.65	1267.50	1369.75	1832.16	1934.41
83"(2108mm)	WUTS-1283- SC	759.88	815.03	1295.50	1350.65	1303.45	1412.00	1877.86	1986.41	
84"(2134mm)	WUTS-1284- SC	764.24	819.70	1301.39	1356.85	1310.64	1420.45	1887.00	1996.81	
89"(2261mm)	WUTS-1289- SC	786.04	843.05	1330.84	1387.85	1346.59	1462.70	1932.70	2048.81	
90"(2286mm)	WUTS-1290- SC	790.40	847.72	1336.73	1394.05	1353.78	1471.15	1941.84	2059.21	
95"(2413mm)	WUTS-1295- SC	812.20	871.07	1366.18	1425.05	1389.73	1513.40	1987.54	2111.21	
96"(2438mm)	WUTS-1296- SC	816.56	875.74	1372.07	1431.25	1396.92	1521.85	1996.68	2121.61	
101"(2565mm)	WUTS-12A1- SC	838.36	899.09	1401.52	1462.25	1432.87	1564.10	2042.38	2173.61	
102"(2591mm)	WUTS-12A2- SC	842.72	903.76	1407.41	1468.45	1440.06	1572.55	2051.52	2184.01	
107"(2718mm)	WUTS-12A7- SC	864.52	927.11	1436.86	1499.45	1476.01	1614.80	2097.22	2236.01	
108"(2743mm)	WUTS-12A8- SC	868.88	931.78	1442.75	1505.65	1483.20	1623.25	2106.36	2246.41	
113"(2870mm)	WUTS-12B3- SC	890.68	955.13	1472.20	1536.65	1519.15	1665.50	2152.06	2298.41	
114"(2896mm)	WUTS-12B4- SC	895.04	959.80	1478.09	1542.85	1526.34	1673.95	2161.20	2308.81	
119"(3023mm)	WUTS-12B9- SC	916.84	983.15	1507.54	1573.85	1562.29	1716.20	2206.90	2360.81	
120"(3048mm)	WUTS-12C0- SC	921.20	987.82	1513.43	1580.05	1569.48	1724.65	2216.04	2371.21	

# Adaptable Worksurfaces — Adjustable Split Top

## Rectangular



WUKR  
Class CA

### Features

- Includes one split rectangular split top surface with spring assist mechanism and hardware.
- Available in high-pressure laminate (HPL) only with 3mm edgeband on user edge and 1mm edgeband on sides and back.
- Spring assist mechanism:
  - Available in charcoal finish color only.
  - Spring assisted adjustment with manual lock.
  - Adjusts 6”(152mm) above and 6”(152mm) below worksurface.

### Specification Tips


- For use with 18”(457mm)D adaptable worksurfaces (WURA); separately specified.
- May be used with same width worksurface or larger.
- Overall depth of worksurface with split top is 30”(762mm).
- Rectangular worksurface split top applications are designed to align with adjacent 30”(762mm)D worksurfaces.
- Split top is designed to allow pinch point clearance to accommodate cables.
- Not designed for use on worksurfaces with knife edge.
- Not for use with attached pedestals.

### To Order, Specify:

- 1) Product number.
- 2) Laminate color.
- 3) Edgeband color.

Depth	Width	Minimum Worksurface Width	Number	HPL A	B
12”(305mm)	34”(864mm)	36”(914mm)	WUKR-1236-LJSC	\$2227.29	\$2591.67
	40”(1016mm)	42”(1067mm)	WUKR-1242-LJSC	2374.79	2763.33
	46”(1168mm)	48”(1219mm)	WUKR-1248-LJSC	2522.29	2934.99

## Corner — 90°



WUKC  
Class CA

### Features

- Includes one 90° corner split top surface with spring assist mechanism and hardware.
- Available in high-pressure laminate (HPL) only with 3mm edgeband on user edge and 1mm edgeband on sides and back.
- Spring assist mechanism:
  - Available in charcoal finish color only.
  - Spring assisted adjustment with manual lock.
  - Adjusts 6”(152mm) above and 6”(152mm) below worksurface.

### Specification Tips

- For use with 18”(457mm)D x 48”(1219mm)W Corner — 90° worksurfaces (WUCN); separately specified.
- Overall depth of worksurface with split top is 30”(762mm).
- Corner worksurface split top applications are designed to align with adjacent 18”(457mm)D worksurfaces.
- Split top is designed to allow pinch point clearance to accommodate cables.
- Not designed for use with adjacent worksurfaces 24”(610mm) or 30”(762mm)D.
- Not designed for use on worksurfaces with knife edge.
- Not for use with attached pedestals.


### To Order, Specify:

- 1) Product number.
- 2) Laminate color.
- 3) Edgeband color.

Depth	Width	Number	HPL A	B
12”(305mm)	48”(1219mm)	WUKC-1248-LJSC	\$2374.79	\$2763.33

# Worksurface Support


## Worksurface Support Panels



Edgeband



Knife



ZZFS  
ZUFS  
Class CA

### Features

- Includes support panel with glides and mounting hardware.
- Installs in panel frame component slots and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- High-Pressure Laminate (HPL) or wood surfaces with 1mm edgeband.
- Adjustable glides provide a maximum of 2.5"(64mm) of height adjustment.

### Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Separately specify Anti-Dislodgement Bracket for additional support. Please refer to Anti-Dislodgement Bracket price list page for specification tips.

### To Order, Specify:

1) Product number, including:

#### 1 Surface Options:

**L** Laminate

**W** Wood

#### 2 Edge Options:

Laminate:

**J** Edgeband

**F** Knife

Wood:

**K** Edgeband

**U** Knife

2) Laminate color or Wood finish color.


3) Edge trim color (laminite only).

Height	Thickness	Depth	Number ① ②	HPL		Wood	
				A	B	A	B
27.875"(708mm)	1.18"(30mm)	12"(305mm)	ZZFS-1200-■ NE ■	\$ 445.62	\$ 482.93	\$ 791.83	\$ 868.17
		18"(457mm)	ZZFS-1800-■ NE ■	482.94	517.49	839.77	922.59
		24"(610mm)	ZZFS-2400-■ NE ■	520.26	552.05	887.71	977.01
		30"(762mm)	ZZFS-3000-■ NE ■	557.58	586.61	935.65	1031.43
23.5"(597mm)	1.5"(38mm)	18"(457mm)	ZUFS-1924-LNFJS	\$ 284.51	\$ 397.52	N/A	N/A
27"(686mm)		18"(457mm)	ZUFS-1927-LNFJS	\$ 320.84	\$ 433.85	N/A	N/A
		24"(610mm)	ZUFS-2427-LNFJS	361.24	474.25	N/A	N/A
		30"(762mm)	ZUFS-3027-LNFJS	409.72	522.73	N/A	N/A
		36"(914mm)	ZUFS-3627-LNFJS	458.20	571.21	N/A	N/A
28"(711mm)	1.5"(38mm)	18"(457mm)	ZUFS-1928-LNFJS	\$ 332.95	\$ 445.96	N/A	N/A
		24"(610mm)	ZUFS-2428-LNFJS	373.35	486.36	N/A	N/A
		30"(762mm)	ZUFS-3028-LNFJS	421.83	534.84	N/A	N/A
		36"(914mm)	ZUFS-3628-LNFJS	470.31	583.32	N/A	N/A
23.5"(597mm)	2"(51mm)	18"(457mm)	ZUFS-1924-LNFJM	\$ 470.14	\$ 583.15	N/A	N/A
27"(686mm)		18"(457mm)	ZUFS-1927-LNFJM	\$ 530.71	\$ 643.72	N/A	N/A
		24"(610mm)	ZUFS-2427-LNFJM	581.21	694.22	N/A	N/A
		30"(762mm)	ZUFS-3027-LNFJM	641.81	754.82	N/A	N/A
		36"(914mm)	ZUFS-3627-LNFJM	702.41	815.42	N/A	N/A
28"(711mm)	2"(51mm)	18"(457mm)	ZUFS-1928-LNFJM	\$ 550.90	\$ 663.91	N/A	N/A
		24"(610mm)	ZUFS-2428-LNFJM	601.40	714.41	N/A	N/A
		30"(762mm)	ZUFS-3028-LNFJM	662.00	775.01	N/A	N/A
		36"(914mm)	ZUFS-3628-LNFJM	722.60	835.61	N/A	N/A

# Worksurface Support

## Worksurface Support Panels

### Anti Dislodgement Bracket for use with Worksurface Support Panels



ZZBF-0000-P  
Class CA

**Features**

- Includes one left or right-hand shared or non-shared anti-dislodgement bracket and mounting screws.
- Standard in black finish only.

**Specification Tips**

- **Anti-Dislodgement Bracket only for use with worksurface support panels used in conjunction with a worksurface.**
- Worksurface support panel with anti-dislodgement bracket can be used in place of a return panel in some applications.
- Panel runs with worksurface support panels: minimum of one anti-dislodgement bracket needed per side.
- See Load and Support guidelines for details.

**To Order, Specify:**

1) Product number, including:

**1 Handedness:**

**R** Right


**L** Left

*(No finish specification required.)*

Height	Description	For use with	Number <b>1</b>	Price
0.9"(23mm)	Non-shared	End condition	ZZBF-0000-P <input type="checkbox"/>	\$150.92
	Shared	Panel seams	ZZBF-0000-P <input type="checkbox"/> S	\$150.92

# Worksurface Support

## Standard Cantilever Bracket



ZZBD  
Class CA

### Features


- Includes one right- and/or one left-handed bracket and mounting screws.
- Provides cantilever support for the left or right side of worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18"(457mm), 24"(610mm) or 30"(762mm)D worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 17"(432mm)H.
- Provides clear access leg swing when supporting 24"(610mm) and 30"(762mm)D worksurfaces at standard 29"(737mm)H.
- (P) finish option standard in black

### To Order, Specify:

- 1) Product number, including:
  - 1 **Finish Option:**
    - P** No finish specification required.
    - C** Painted.
- 2) Trim color (Option C).

Height	Depth	Width	Description	Number	Black (P)	Painted (C)	
					Price	Trim A	B
9"(229mm)	1.625"(41mm)	16"(406mm)	Right-hand	ZZBD-1600- R	\$99.33	\$ 127.37	\$ 131.19
			Left-hand	ZZBD-1600- L	99.33	127.37	131.19
			Pair	ZZBD-1600- P	163.14	240.24	251.67

## Standard Mini Cantilever Bracket



ZZBD-1000  
Class CA

### Features

- Includes one right- and/or one left-handed bracket and mounting screws.
- Installs in panel side trim rail.
- Mounts worksurface in one inch vertical increments from a minimum of 17"(432mm)H.
- (P) finish option standard in black.

### Specification Tip


- **Mini cantilever brackets are for use with 18"(457mm)D worksurfaces with knife edge only.**

### To Order, Specify:

- 1) Product number, including:
  - 1 **Finish Option:**
    - P** No finish specification required.
    - C** Painted
- 2) Trim color (Option C).

Height	Depth	Width	Description	Number	Black (P)	Painted (C)	
					Price	Trim A	B
9"(229mm)	1.625"(41mm)	10"(254mm)	Right-hand	ZZBD-1000- R	\$ 111.31	\$139.35	\$ 143.17
			Left-hand	ZZBD-1000- L	111.31	139.35	143.17
			Pair	ZZBD-1000- P	184.08	261.18	272.61

## Connections Cantilever Bracket



ZZBD  
Class BC

### Features

- Includes one right- and/or one left-handed bracket and attachment hardware.
- Provides cantilever support for the left or right side of worksurface.
- **Installs in Connections or 26"(660mm)H frame rail.**
- Cantilever bracket for use with Adaptable Worksurfaces.
- Provides clear access leg swing when supporting 24"(610mm) and 30"(762mm)D worksurfaces at standard height.

### Specification Tips

- Right and Left-hand cantilevers can be installed side-by-side between worksurfaces in an in-line condition.
- Mounts underside of worksurface in one inch vertical increments from 21"(533mm)-28"(711mm).
- For use with Work Rail, Aluminum or Steel top trim.
- Not for use with Compose Beam.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Description	Number	Trim	
					A	B
9"(229mm)	1.625"(41mm)	16"(406mm)	Right-hand	ZZBD-1600-CRNB	\$ 216.14	\$246.88
			Left-hand	ZZBD-1600-CLNB	216.14	246.88
			Pair	ZZBD-1600-CPNB	432.28	463.02

# Worksurface Support

## Beam Cantilever Bracket



ZZBD  
Class BC

### Features

- Includes one right- and/or one left-handed bracket and attachment hardware.
- Provides cantilever support for the left or right side of worksurface.
- Installs in Beam Frame rail.
- Cantilever bracket for use with Adaptable Worksurfaces.
- Provides clear access leg swing when supporting 24"(610mm) and 30"(762mm)D worksurfaces at standard height.

### Specification Tips


- Right and Left-hand cantilevers can be installed side-by-side between worksurfaces in an in-line condition.
- Mounts underside of worksurface 28"(711mm) from the floor.
- Cantilever cannot be mounted under knife edge surfaces.
- For use with all trim options.
- For use with Compose Beam only.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Description	Number	Trim	
					A	B
9"(229mm)	1.625"(41mm)	16"(406mm)	Right-hand	ZZBD-0800-CRNJ	\$ 216.14	\$246.88
			Left-hand	ZZBD-0800-CLNJ	216.14	246.88
			Pair	ZZBD-0800-CPNJ	432.28	463.02

## Gallery Panel Cantilever Bracket



ZYBD-L  
ZYBD-1800  
Class BCX

### Features

- Includes one right-handed or one left-handed bracket and mounting screws to the Gallery panel and for a worksurface.
- Provides cantilever support for the left, right or middle of worksurface.
- Cantilever bracket can be used on either a 18"(457mm), 24"(610mm) or 30"(762mm)D worksurface.
- (P) finish option standard in black.
- Field installed.

### Specification Tips

- Cantilevers are not to be the sole support for a worksurface. See Specification Guide/Product Application for support and load guidelines.
- Designed for use with Gallery Panels.
- For structural wall mount see Specification Guide/Product Application for support and load guidelines.


### To Order, Specify:

- 1) Product number, including:
  - ① **Finish Option**
    - P** No finish specification required.
    - C** Painted.
- 2) Trim color (Option C).

Height	Depth	Width	Description	Number ①	Black (P)	Painted (C)	
					Price	Trim A	B
9"(229mm)	1.625"(41mm)	16"(406mm)	Right-hand	ZYBD-1600-█ R	\$106.17	\$134.21	\$138.03
			Left-hand	ZYBD-1600-█ L	106.17	134.21	138.03

# Worksurface Support

## Standard Link Cantilever Bracket



ZZBL-1600  
Class CA

### Features

- Includes one right- and/or one left-handed bracket, with attached angle bracket and mounting screws.
- Provides cantilever support for the left or right side of conference end and key conference end and the adjoining worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18"(457mm), 24"(610mm) or 30"(762mm)D worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 17"(432mm)H.
- Provides clear access leg swing when supporting 24"(610mm) and 30"(762mm)D worksurfaces at standard 29"(737mm)H.
- (P) finish option standard in black.

### Specification Tip

- **To be used with conference end, key conference end, 120° link and D-shaped ender only.**

### To Order, Specify:

1) Product number.


#### 1 Finish Option:

- P** No finish specification required.
- C** Painted.

2) Trim color (Option C).

Height	Depth	Width	Description	Number	Black (P)	Painted (C) Trim	
					Price	A	B
9"(229mm)	16.5"(419mm)	3.75"(95mm)	Right-hand	ZZBL-1600- R	\$ 143.37	\$ 171.41	\$ 175.23
			Left-hand	ZZBL-1600- L	143.37	171.41	175.23
			Pair	ZZBL-1600- P	240.22	317.32	328.75

## Side/Corner Bracket — Full Panel



ZZBA-0000-PR  
ZZBA-0000-PL  
Class CA

### Features


- Includes one left- or right-hand bracket, mounting screws and dislodgement clip.
- Standard in black finish color only
- Installs into full panel side trim rail and attaches to worksurface.
- Not for use with front corner of worksurfaces with knife edge.

### To Order, Specify:

1) Product number. (No finish specification required.)

Description	Number	Price
Right-hand	ZZBA-0000-PR	\$30.94
Left-hand	ZZBA-0000-PL	30.94

## Side/Corner Bracket for use with Knife Edge — Full Panel



ZZBA-0000-PRF  
ZZBA-0000-PLF  
Class CA

### Features

- Includes one left- or right-hand bracket, mounting screws.
- Attaches to front corner of worksurface with knife edge.

### To Order, Specify:


1) Product number.

2) Trim color.

Description	Number	Trim	
		A	B
Right	ZZBA-0000-PRF	\$91.41	\$116.01
Left	ZZBA-0000-PLF	91.41	116.01

# Worksurface Support

## Side/Corner Bracket — 26”(660mm)H, Connections or Beam



ZZBA  
Class BC

### Features

- Includes one right- or left-hand bracket, attachment hardware and dislodgement clip.
- **Installs in 26”(660mm)H panel frame, Connections or Beam frame rail.**
- For use with worksurfaces with or without knife edge.

### Specification Tips

- Required for use with 26”(660mm)H panel frame.
- Mounts underside of worksurface in one inch vertical increments from 21”(533mm)-28”(711mm).
- For use with Work Rail, Aluminum or Steel top trim.
- Required for back corner support with corner, 120° Wrap-Around worksurface.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Description	Number	Trim	
		A	B
Right-hand	ZZBA-0000-CRJB	\$88.45	\$111.54
Left-hand	ZZBA-0000-CLJB	88.45	111.54

## Flush Mount Plate



ZUBF-0000-PN  
Class CA

### Features



- Includes one bracket and mounting screws.
- Mounts straight end of convergent worksurfaces or conference end worksurfaces to panel-hung worksurfaces.
- Standard in black finish color only.
- Provides attachment of two worksurfaces at the same height.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Depth	Width	Number	Price
3”(76mm)	4”(102mm)	ZUBF-0000-PN	\$35.85

## Work Rail Top Trim Off-Modular Bracket



ZZBD  
Class BC

### Features

- Includes one bracket and attachment hardware.
- Installs in the side channel of Work Rail Top Trim.
- Provides worksurface support in modular or off-modular conditions.
- Bracket for use with Adaptable Worksurfaces.
- Locates underside of worksurface at 28”(711mm) when frame legs/panel glides are fully recessed.
- Provides clear leg support when supporting 24”(610mm) and 30”(762mm)D worksurfaces.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

### Specification Tips

- Worksurface front corners support requirements:
  - One corner must be floor supported.
  - Second corner must be either floor supported or attached to an adjacent worksurface with a flush mount kit.
  - The distance between these floor supports may not exceed 10 feet.
- For use with Work Rail Top Trim only.

### Bracket Requirements


Length of a particular worksurface Connections spine (inches)	Min # of Brackets Required (qty)
24-42	2
48-78	3
84-120	4

Number	Trim	
	A	B
ZZBD-0200-CNG	\$194.41	\$202.19



# Worksurface Support

## Gallery Panel Attachment Bracket



ZUBW-0000-PN  
ZUBW-0000-CN  
Class BOX

### Feature

- Includes: one steel non-handed bracket and hardware.

### Specification Tips


- Use ZUBW-0000-PN brackets (standard in Black) or ZUBW-0000-CN (requires trim color specification) with Adaptable Worksurfaces.
- Use two ZUBW-0000-PN or ZUBW-0000-CN Attachment Brackets for each 90° Gallery Panel to Gallery Panel condition.
- Bracket also used as WS to wall bracket. See page 292.
- Refer to Specification Guide for planning information.

### To Order, Specify:

- 1) Product number.
- 2) Trim color (if applicable).

Description	Depth	Width	Number	Price	Trim	
					A	B
Attachment Bracket (Black)	2"(51mm)	2"(51mm)	ZUBW-0000-PN	\$38.18	N/A	N/A
Attachment Bracket (trim color required)	2"(51mm)	2"(51mm)	ZUBW-0000-CN		44.27	\$52.00

## Convergent Bracket



ZBBC-0000-SN  
Class CA

### Features

- Includes two black painted steel bracket and eight screws.

### Specification Tips

- Attaches perpendicular worksurface to front, underside of modular lower storage top or common top.
- For use with open or sliding door modular lower storage.
- Not for use with storage on legs.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
ZBBC-0000-SN	\$27.34

# Worksurface Support

## Countertop Bracket Kit



ZZBT  
Class CA

### Feature

- Includes two left-hand and two right-hand countertop brackets and mounting screws.

### Specification Tips


- Not for use with glass panels or glass stacks.
- For countertop widths larger than 60"(1524mm), order two countertop bracket kits.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Description	Number	Trim	
					A	B
3"(76mm)	1.5"(38mm)	3"(76mm)	For use with Aluminum trim and wood	ZZBT-0000-PNE	\$134.24	\$135.88
3"(76mm)	1.5"(38mm)	3"(76mm)	For use with thin profile steel trim	ZZBT-0000-PNH	147.24	148.88

## Gallery Panel Countertop/OSU Bracket Kit



ZYBT-0000-PNY  
Class BOX

### Features

- Includes two countertop/OSU brackets and mounting screws.
- Field installed.

### Specification Tips

- Specify two countertop bracket kits for countertops up to 60"(1524mm). For countertops larger than 60"(1524mm), order three countertop bracket kits.
- Must be placed on each side of the countertop or OSU.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Number	Trim	
				A	B
1"(25mm)	1"(25mm)	2"(51mm)	ZYBT-0000-PNY	\$67.12	\$68.76

# Worksurface Support

## Column Leg



AUC1  
Class IN - GSA Open Market

### Features

- Includes one leg, glides and attachment hardware.
- Legs are painted metal.

### Specification Tips

- One end of worksurface must be panel attached. Not to be used as freestanding.
- Leg will be inset a minimum of 2"(51mm) on worksurface to clear knife edge.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Description	Number	Trim A	B
28"(711mm)	Single	AUC1-2900-ANFG	\$240.98	\$259.53

## Straight Leg Basic — Height Adjustable



WUCL-0001  
Class CA

### Features


- Includes one leg and mounting screws.
- 4"(102mm) glide adjustment range allows worksurface heights from 27"(686mm) to 31"(787mm).
- 2.25"(57mm) diameter column includes 6"(152mm)-diameter top plate.
- Standard in Charcoal finish only.
- Shipped assembled.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
WUCL-0001	\$268.52

## Single Support Leg



ZUFJ  
Class CA

### Features

- Includes one support leg and mounting hardware.
- Glide provides 0.5"(13mm) of height adjustment.

### Specification Tips

- **One end of worksurface must be panel attached, not to be used as freestanding.**
- A quantity of two Support Columns required to support the outboard end of a Rectangular Convergent worksurface.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Number	Trim A	B
28"(711mm)	3.25"(83mm)	1.125"(29mm)	ZUFJ-0101-PNFG	\$280.53	\$304.50

# Worksurface Support

## Support Post — Height Adjustable



ZZFJ  
Class CA

### Features

- Includes one single post and mounting hardware.
- 6"(152mm) height adjustment (26"(660mm)-32"(813mm)).

### Specification Tips


- **One end of worksurface must be panel attached, not to be used as freestanding.**
- Height adjustable leg has limited range with Connections and Beam frames.
- A quantity of two Support Columns required to support the outboard end of a Rectangular Convergent worksurface.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height Adjustable	Number	Trim	
		A	B
26"(660mm)/32"(813mm)	ZZFJ-0101-PNFG	\$497.69	\$520.78

## Support Column



WUCC-0004  
Class CA

### Features

- Includes one 27"(686mm)H column with glides and mounting screws.
- Glides provide 1.5"(38mm) leveling adjustability.
- 3"(76mm)-diameter column includes 6"(152mm) diameter top plate.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.


Height	Number	Trim	
		A	B
27"(686mm)	WUCC-0004	\$434.98	\$456.27

# Worksurface Support

## End Leg Kit



ZBE2-0000-PNFG



ZBA2-0000-PNFG  
Class IN

### Features

- Includes two fixed-height steel legs, brackets, and attachment hardware.
- Legs are 28" (711mm) to bottom of worksurface with glides fully recessed.
- Glides provide 0.5" (13mm) leveling adjustment.
- Field assembled.

### Specification Tips


- Supports one end of a worksurface.
- Not for use as freestanding.

### To Order, Specify:


- 1) Product number.
- 2) Trim color.

Description	Number	Trim	
		A	B
Straight Leg	ZBE2-0000-PNFG	\$673.33	\$692.86
Angled Leg	ZBA2-0000-PNFG	673.33	692.86

## Return Leg Kit



ZBI2-0030-HNFG



ZBA2-0030-HRFG  
Class IN

### Features

- Includes one fixed-height leg assembly, brackets, and attachment hardware.
- Leg is 28" (711mm) to bottom of worksurface with glides fully recessed.
- Glides provide 0.5" (13mm) leveling adjustment.
- Field assembled.

### Specification Tip

- Supports end of worksurface.

### To Order, Specify:


- 1) Product number.
- 2) Leg color.
- 3) Accent plate color.

**Note:** Upcharge for mixed grade trim surfaces; please refer to the electronic design and specification tools for pricing.

Height	Depth	Number	Trim	
			A	B
<b>Straight Leg</b>				
24" (610mm)	Non-Handed	ZBI2-0024-HNFG	\$485.42	\$ 521.24
30" (762mm)	Non-Handed	ZBI2-0030-HNFG	550.53	586.35
<b>Angled Leg</b>				
24" (610mm)	Left-Hand	ZBA2-0024-HLFG	\$485.42	\$ 521.24
	Right-Hand	ZBA2-0024-HRFG	485.42	521.24
30" (762mm)	Left-Hand	ZBA2-0030-HLFG	\$550.53	\$586.35
	Right-Hand	ZBA2-0030-HRFG	550.53	586.35

# Worksurface Support

## P-Leg



ZZFJ  
Class CA

### Features

- Includes mounting bracket and mounting hardware with one adjustable or fixed height aluminum P-leg, or one fixed height steel P-leg.
- Installs in panel frame component slots.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- Provides full support for one end of equal depth worksurface.
- 6"(152mm) adjustment range on adjustable height P-leg allows worksurface heights from 26"(660mm) to 32"(813mm).
- 1"(25mm) adjustment glide on fixed leg.

### Specification Tips


- Not intended to support overhead storage unit at end of run.
- Not designed to be used with knife edge.
- Height adjustable leg has limited range with Connections and Beam frame.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Number	Trim	
			A	B
<b>Adjustable Height - Aluminum</b>				
26"(660mm)-32"(813mm)	18"(457mm)	ZZFJ-1800-PNE	\$656.03	\$679.21
	24"(610mm)	ZZFJ-2400-PNE	704.18	727.36
	30"(762mm)	ZZFJ-3000-PNE	752.33	775.51
<b>Fixed Height - Aluminum</b>				
28"(711mm)	18"(457mm)	ZZFJ-1800-PNEF	\$656.03	\$679.21
	24"(610mm)	ZZFJ-2400-PNEF	704.18	727.36
	30"(762mm)	ZZFJ-3000-PNEF	752.33	775.51
<b>Fixed Height - Steel</b>				
28"(711mm)	18"(457mm)	ZZFP-1800-PNEF	\$470.63	\$493.81
	24"(610mm)	ZZFP-2400-PNEF	518.78	541.96
	30"(762mm)	ZZFP-3000-PNEF	566.93	590.11

## Double Support Leg



ZZFK  
ZZFD  
Class CA

### Features

- Includes mounting hardware with one adjustable height aluminum double support leg, or one fixed height steel or aluminum double support leg.
- Leg may be installed in left-hand or right-hand configuration.
- 6"(152mm) adjustment range on adjustable double support leg allows worksurface heights from 26"(660mm) to 32"(813mm).
- 1"(25mm) adjustment glide on fixed leg.
- Provides full support for one end of equal depth worksurface.

### Specification Tips

- Typically used to support one end of panel attached convergent worksurface.
- Double leg with glide can be used to replace support post or support column.
- Use reduced depth support leg below worksurface. Example: 24"(610mm)D double support leg.
- Can be used in Freestanding applications.
  - Each leg must be within 6 inches of side edge of worksurface.
  - Span between legs must not exceed 60"(1524mm).
- Height adjustable leg has limited range with Connections and Beam frame.
- Not designed to be used with knife edge.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Number	Trim	
			A	B
<b>Adjustable Height - Aluminum</b>				
26"(660mm)-32"(813mm)	18"(457mm)	ZZFK-1800-PNFG	\$840.27	\$863.22
	24"(610mm)	ZZFK-2400-PNFG	884.47	907.42
	30"(762mm)	ZZFK-3000-PNFG	928.67	951.62
<b>Fixed Height - Aluminum</b>				
28"(711mm)	18"(457mm)	ZZFK-1800-PNFF	\$840.27	\$863.22
	24"(610mm)	ZZFK-2400-PNFF	884.47	907.42
	30"(762mm)	ZZFK-3000-PNFF	928.67	951.62
<b>Fixed Height - Steel</b>				
28"(711mm)	18"(457mm)	ZZFD-1800-PNFF	\$556.54	\$579.49
	24"(610mm)	ZZFD-2400-PNFF	600.74	623.69
	30"(762mm)	ZZFD-3000-PNFF	644.94	667.89

# Worksurface Accessories

## Worksurface Reinforcement Channel



WUAR  
Class CA

### Features

- Includes metal, U-shaped channel and mounting screws.
- Field installed, located and drilled per installation instructions.
- Worksurface reinforcement channels must be specified to provide additional support for laminate or wood worksurfaces with 50"(1270mm) or larger spans that are not otherwise supported by mid-span cantilevers, worksurface supports, legs, or under-worksurface storage.
- Specify worksurface reinforcement channel in length that won't interfere with lower storage

### Specification Tips


- Worksurface reinforcement channels are recommended for worksurface spans of 50"(1270mm)-72"(1829mm). 72"(1829mm) span or greater requires a reinforcement bar.
- All pedestals under 25"(635mm)H can be used under a worksurface with a worksurface reinforcement channel.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Length	Number	Price
16"(406mm)	WUAR-1600-PH	\$109.96
24"(610mm)	WUAR-2400-PH	114.12
32"(813mm)	WUAR-3200-PH	118.28
39"(991mm)	WUAR-3900-PH	121.92
47"(1194mm)	WUAR-4700-PH	126.08
54"(1372mm)	WUAR-5400-PH	129.72

## Worksurface Reinforcement Bar



WUAR-PHS  
Class CA

### Features

- Includes metal tube and mounting screws.
- Field installed, located and drilled per installation instructions; 10"(254mm) from user edge of the worksurface.

### Specification Tips

- Not recommended for use with keyboard trays or AKPs. Use shorter length, as needed, to accommodate other under worksurface support components.
- Pedestals under 25"(635mm)H can be used under a worksurface with a worksurface reinforcement bar.
- A minimum 72"(1829mm) worksurface reinforcement bar must be specified to provide additional support on a contiguous laminate or wood worksurface with 72"(1829mm) or greater gap between floor supports. Where feasible; longer worksurface reinforcement bars provide additional strength.
- See Load and Support guidelines for details.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)


Length	Height	Number	Price
48"(1219mm)	1.5"(38mm)	WUAR-4800-PHS	\$ 269.73
60"(1524mm)	1.5"(38mm)	WUAR-6000-PHS	300.85
72"(1829mm)	1.5"(38mm)	WUAR-7200-PHS	331.97
96"(2438mm)	1.5"(38mm)	WUAR-9600-PHS	394.21
120"(3048mm)	1.5"(38mm)	WUAR-C000-PHS	555.12

# Worksurface Accessories


## Stanchions



ZZBP-0300-PAN



ZZBP-0100-PAN



ZZBP-0100-PGN  
Class BCX

### Features

- Includes one painted stanchion and attachment hardware.
- Supports adaptable worksurfaces or desk-height countertop in parallel or perpendicular applications.

### Specification Tips

- Refer to Specification Guide for planning guidelines.
- Not for use with Steel Trim.

### To Order, Specify:


- 1) Product number.
- 2) Trim color.

Description	Height	Depth	Width	Number	Trim	
					A	B
For use with Aluminum Top Trim	2.5"(64mm)	1.5"(38mm)	1.906"(48mm)	ZZBP-0300-PAN	\$173.20	\$183.98
For use with Work Rail Top Trim	6.375"(162mm)	2"(51mm)	7.25"(184mm)	ZZBP-0100-PGN	204.01	211.71




# Panel-to-Storage Bracket

## Be\_Hold




ZZBF-1000-PNA ZZBF-1600-PNA

## Compose Storage




ZZBF-PNB

## X Series – Attached Pedestal




ZZBN-0000-PNJ

## X and V Series Attached 2H Storage



ZZBF-PLL

## Beside Pantry / X and V Series Freestanding



ZZBF-PNW

Class CA

### Common Features

- Includes one bracket and mounting hardware.
- Available in user specified trim colors.
- Installs in Compose panel frame slots and attaches to a storage unit; requires field drilling storage unit.

### Specification Tips

- Provides floor support to a Compose full panel frame application. See Support and Load Guidelines for details.
- Installation requires field drilling of storage unit.
- Not for use with Compose glass panels, Connections or Beam.

### Be\_Hold Storage

- 1.5H attached lower storage - Order 10”(254mm)H bracket - ZZBF-1000-PNA
- 2H & 3H attached lower storage and freestanding storage - Order 16”(406mm)H bracket - ZZBF-1600-PNA
- One non-handed bracket.
- Bracket may be used with inset or proud lower storage back.
- 1.5H lower storage must be attached perpendicular to Compose panel run.
- 2H or greater freestanding or attached lower storage may be attached perpendicular or parallel to Compose panel run.

### Beside Pantry

- Order ZZBF-1800-PNW
- One non-handed bracket.
- Storage unit to run parallel to Compose panel run.

### Compose Storage

- 1.5H Storage - Order 10”(254mm)H bracket - ZZBF-1000-PNB
- 2H Storage - Order 16”(406mm)H bracket - ZZBF-1600-PNB
- 3H Storage, Personal Storage Tower and Wardrobe - Order 28”(711mm)H bracket - ZZBF-2800-PNB
- One non-handed bracket.
- Must be attached parallel to Compose Panel run.
- For use with Chamfer Leg, Plinth or Side Panel Base with unfinished back or separately specified finished proud back.

### X Series Attached Pedestal

- Order ZZBN-0000-PNJ
- One non-handed bracket.
- For use with 3mm edgeband worksurfaces.

### X and V Series Attached 2H Storage

- Inset Front: RH: ZZBF-\_\_\_\_-PRLR / LH: ZZBF-\_\_\_\_-PLLR
- Proud Front: RH: ZZBF-\_\_\_\_-PRLP / LH: ZZBF-\_\_\_\_-PLLP
- One left- or right-hand bracket.
- 2H Attached Storage includes Lateral Files, Combination Units and Storage Cabinet.
- For use with 24”(610mm) or 30”(762mm)D Adaptable worksurface; Specify accordingly.
- Storage unit to run parallel to Compose panel run.
- Bracket specification dependent on Proud or Inset front.

### X and V Series 1.5H Freestanding Storage, 12”(305mm)W

- Lockers, Compose 26”(660mm)H**
- Order 12”(305mm)H bracket - ZZBF-1200-PNW
- One non-handed bracket.
- Storage unit to run parallel to Compose panel run.

### X and V Series 2H or greater Freestanding Storage, Personal Storage Tower (PST), Lockers, Wardrobe Units

- Order 18.5”(470mm)H bracket - ZZBF-1800-PNW
- One non-handed bracket.
- Storage unit to run parallel to Compose panel run.

### To Order, Specify:

1) Product number.

#### 1 Handedness

(X & V Series 2H attached only)

**R** Right


**L** Left

2) Trim color.


# Panel-to-Storage Bracket

Product	Product Description	Bracket Height	Worksurface Depth	Number ①	Trim	
					A	B
Be_Hold	1.5H	10"(254mm)		ZZBF-1000-PNA	\$ 139.97	\$ 160.19
	2H, 3H Freestanding & Attached	16"(406mm)		ZZBF-1600-PNA	139.97	160.19
Beside Pantry	Pantry	18.5"(470mm)		ZZBF-1800-PNW	\$ 139.97	\$ 160.19
Compose Storage	1.5H	10"(254mm)		ZZBF-1000-PNB	\$ 139.97	\$ 160.19
	2H	16"(406mm)		ZZBF-1600-PNB	139.97	160.19
	3H, Personal Storage Tower, Wardrobe	28"(711mm)		ZZBF-2800-PNB	139.97	160.19
X Series	Attached Pedestal			ZZBN-0000-PNJ	\$266.35	\$ 287.23
X and V Series (Inset front)	2H Attached (Lateral Files, Combination Units, Storage Cabinet)	27"(686mm)	24"(610mm)	ZZBF-2724-P LR	\$ 326.61	\$346.83
			30"(762mm)	ZZBF-2730-P LR	404.38	424.60
X and V Series (Proud front)	2H Attached (Lateral Files, Combination Units, Storage Cabinet)	27"(686mm)	24"(610mm)	ZZBF-2724-P LP	\$ 326.61	\$346.83
			30"(762mm)	ZZBF-2730-P LP	404.38	424.60
X and V Series	1.5H Freestanding, 12"(305mm)W Lockers, Compose 26"(660mm)H	12"(305mm)		ZZBF-1200-PNW	\$ 139.97	\$ 160.19
X and V Series	2H+ Freestanding, Lockers, Wardrobe, Personal Storage Towers	18.5"(470mm)		ZZBF-1800-PNW	\$ 139.97	\$ 160.19

# Upper Storage Storage Box



UQFS-LN



UQFS-LL  
UQFS-LW  
UQFS-LG

Class CA – GSA Open Market

### Features

- Includes high-pressure laminate (HPL) laminate or wood storage box with finished back, attachment hardware and if specified door track with doors.
- Storage Boxes 48”(1219mm)W and greater have a center divider.
- Laminate storage box with 1mm edgeband edges.
- If door option is chosen, two doors with pulls and door track included. Door track is not included when doors are not specified.
- Door track is metallic silver plastic.
- Storage Box inside dimensions:
  - Height: 14”(356mm)
  - Depth: 13”(330mm)
- Optional sliding doors:
  - Available in laminate, wood veneer, glass or acrylic.
  - Doors are standard as half-widths; (i.e.: 96”(2438mm) = two 48”(1219mm) doors).
  - Right-hand door slides behind left-hand door.
  - Doors overlap 1”(25mm) with the following opening sizes:
 

.30" - 14.75"	.48" - 23.75"	.72" - 35.75"
.36" - 17.75"	.54" - 26.75"	.80" - 39.75"
.40" - 19.75"	.60" - 29.75"	.84" - 41.75"
.42" - 20.75"	.66" - 32.75"	.96" - 47.75"
  - Bar pulls available in trim colors.
  - Optional door lock is located in right door and available in black or chrome.
  - For lock options, refer to Lock Program section of the Accessories Price List.
- Safety interlock prevents dislodgment of storage box from panel component slots.
- Separately specified light options available.

### Specification Tips

- One row of 16”(406mm) storage boxes can be used on each panel.
- Laminate or wood doors can be retrofitted with locks.
- Mounting Option (V) can be mounted on Compose wall track - up to 60”(1524mm)W storage box.
- Storage Box wider than 60”(1524mm) may not be used with wall track.

### To Order, Specify:

1) Product number, including:

**1 Mounting Option:**

- V Compose
- W Wall Mount (drywall)

**2 Locking Option:**

- N None
- L Locking (add **\$118.78** list)

2) Box laminate or wood surface color.

3) Box laminate edge trim color (if applicable).

4) Door surface color/finish.

5) Pull trim color.

6) Lock Plug finish color.

- Black – LR-BL
- Chrome – LR-BP

# Upper Storage Storage Box

Outside Depth	Outside Width	Inside Width	Number	①	②	Case HPL A Trim		Case HPL B Trim	
						A	B	A	B
<b>Without Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-LN		NNNA	\$ 1897.41	N/A	\$ 2018.66	N/A
	36"(914mm)	34.25"(870mm)	UQFS-1636-LN		NNNA	1976.61	N/A	2103.05	N/A
	40"(1016mm)	28.25"(718mm)	UQFS-1640-LN		NNNA	2029.41	N/A	2159.31	N/A
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-LN		NNNA	2055.81	N/A	2187.44	N/A
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-LN		NNNA	2135.01	N/A	2271.83	N/A
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-LN		NNNA	2214.21	N/A	2356.22	N/A
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-LN		NNNA	2319.36	N/A	2466.56	N/A
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-LN		NNNA	2403.75	N/A	2556.14	N/A
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-LN		NNNA	2488.14	N/A	2645.72	N/A
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-LN		NNNA	2600.66	N/A	2765.16	N/A
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-LN		NNNA	2656.92	N/A	2824.88	N/A
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-LN		NNNA	2914.76	N/A	3093.10	N/A

Outside Depth	Outside Width	Inside Width	Number	①	②	Case HPL A Door HPL A Trim		Door HPL B Trim	
						A	B	A	B
<b>With Laminate Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-LL	B	NA	\$ 2542.41	\$ 2552.31	\$ 2593.56	\$ 2603.46
	36"(914mm)	34.25"(870mm)	UQFS-1636-LL	B	NA	2671.08	2680.98	2727.15	2737.05
	40"(1016mm)	28.25"(718mm)	UQFS-1640-LL	B	NA	2756.86	2766.76	2816.21	2826.11
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-LL	B	NA	2799.75	2809.65	2860.74	2870.64
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-LL	B	NA	2928.42	2938.32	2994.33	3004.23
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-LL	B	NA	3057.09	3066.99	3127.92	3137.82
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-LL	B	NA	3211.71	3221.61	3287.46	3297.36
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-LL	B	NA	3345.57	3355.47	3426.24	3436.14
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-LL	B	NA	3532.23	3542.13	3565.02	3574.92
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-LL	B	NA	3710.71	3720.61	3750.06	3759.96
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-LL	B	NA	3799.95	3809.85	3842.58	3852.48
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-LL	B	NA	4156.73	4166.63	4209.20	4219.10

Outside Depth	Outside Width	Inside Width	Number	①	②	Case HPL B Door HPL A Trim		Door HPL B Trim	
						A	B	A	B
<b>With Laminate Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-LL	B	NA	\$ 2663.66	\$ 2673.56	\$ 2714.81	\$ 2724.71
	36"(914mm)	34.25"(870mm)	UQFS-1636-LL	B	NA	2797.52	2807.42	2853.59	2863.49
	40"(1016mm)	28.25"(718mm)	UQFS-1640-LL	B	NA	2886.76	2896.66	2946.11	2956.01
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-LL	B	NA	2931.38	2941.28	2992.37	3002.27
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-LL	B	NA	3065.24	3075.14	3131.15	3141.05
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-LL	B	NA	3199.10	3209.00	3269.93	3279.83
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-LL	B	NA	3358.91	3368.81	3434.66	3444.56
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-LL	B	NA	3497.96	3507.86	3578.63	3588.53
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-LL	B	NA	3637.01	3646.91	3722.60	3732.50
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-LL	B	NA	3822.41	3832.31	3914.56	3924.46
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-LL	B	NA	3915.11	3925.01	4010.54	4020.44
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-LL	B	NA	4282.27	4292.17	4387.54	4397.44

# Upper Storage

## Storage Box

Outside Depth	Outside Width	Inside Width	Number	①	②	Case HPL A		Door Wood	
						Door Wood A Trim	Door Wood B Trim	A	B
<b>With Wood Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-LW	B	NA	\$4065.09	\$4074.99	\$4218.47	\$4228.37
	36"(914mm)	34.25"(870mm)	UQFS-1636-LW	B	NA	4223.49	4233.39	4391.72	4401.62
	40"(1016mm)	28.25"(718mm)	UQFS-1640-LW	B	NA	4329.09	4338.99	4507.22	4517.12
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-LW	B	NA	4381.89	4391.79	4564.97	4574.87
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-LW	B	NA	4540.29	4550.19	4738.22	4748.12
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-LW	B	NA	4698.69	4708.59	4911.47	4921.37
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-LW	B	NA	4883.04	4892.94	5110.67	5120.57
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-LW	B	NA	5046.63	5056.53	5289.11	5299.01
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-LW	B	NA	5210.22	5220.12	5467.55	5477.45
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-LW	B	NA	5428.34	5438.24	5705.47	5715.37
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-LW	B	NA	5537.40	5547.30	5824.43	5834.33
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-LW	B	NA	5953.64	5963.54	6270.37	6280.27

Outside Depth	Outside Width	Inside Width	Number	①	②	Case HPL B		Door Wood	
						Door Wood A Trim	Door Wood B Trim	A	B
<b>With Wood Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-LW	B	NA	\$4186.34	\$4196.24	\$4339.72	\$4349.62
	36"(914mm)	34.25"(870mm)	UQFS-1636-LW	B	NA	4349.93	4359.83	4518.16	4528.06
	40"(1016mm)	28.25"(718mm)	UQFS-1640-LW	B	NA	4458.99	4468.89	4637.12	4647.02
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-LW	B	NA	4513.52	4523.42	4696.60	4706.50
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-LW	B	NA	4677.11	4687.01	4875.04	4884.94
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-LW	B	NA	4840.70	4850.60	5053.48	5063.38
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-LW	B	NA	5030.24	5040.14	5257.87	5267.77
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-LW	B	NA	5199.02	5208.92	5441.50	5451.40
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-LW	B	NA	5367.80	5377.70	5625.13	5635.03
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-LW	B	NA	5592.84	5602.74	5869.97	5879.87
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-LW	B	NA	5705.36	5715.26	5992.39	6002.29
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-LW	B	NA	6131.98	6141.88	6448.71	6458.61

# Upper Storage

## Storage Box

Outside Width	Number	①	②	Case HPL A							
				Door Glass A		Door Glass C		Door Glass F		Door Acrylic	
				Trim A	B	Trim A	B	Trim A	B	Trim A	B
<b>With Glass or Acrylic Doors/16.5"(419mm) Outside Height - 15.75"(400mm) Outside Depth</b>											
30"(762mm)	UQFS-1630-LG	B	NA	\$ 3232.26	\$ 3242.16	\$ 4572.97	\$ 4582.87	\$ 5545.74	\$ 5555.64	\$ 3232.26	\$ 3242.16
36"(914mm)	UQFS-1636-LG	B	NA	3399.45	3409.35	4857.58	4867.48	5906.67	5916.57	3311.46	3321.36
40"(1016mm)	UQFS-1640-LG	B	NA	3510.91	3520.81	5047.32	5057.22	6147.29	6157.19	3364.26	3374.16
42"(1067mm)	UQFS-1642-LG	B	NA	3566.64	3576.54	5142.19	5152.09	6267.60	6277.50	3390.66	3400.56
48"(1219mm)	UQFS-1648-LG	B	NA	3838.22	3848.12	5426.80	5436.70	6628.53	6638.43	3469.86	3479.76
54"(1372mm)	UQFS-1654-LG	B	NA	4018.46	4028.36	5711.41	5721.31	6989.46	6999.36	3549.06	3558.96
60"(1524mm)	UQFS-1660-LG	B	NA	4138.98	4148.88	6066.79	6076.69	7421.16	7431.06	3654.21	3664.11
66"(1676mm)	UQFS-1666-LG	B	NA	4356.18	4366.08	6401.41	6411.31	7832.10	7842.00	3738.60	3748.50
72"(1829mm)	UQFS-1672-LG	B	NA	4573.38	4583.28	6736.03	6745.93	8243.04	8252.94	3822.99	3832.89
80"(2032mm)	UQFS-1680-LG	B	NA	4862.98	4872.88	7182.19	7192.09	8790.96	8800.86	3935.51	3945.41
84"(2134mm)	UQFS-1684-LG	B	NA	5007.78	5017.68	7405.27	7415.17	9064.92	9074.82	3991.77	4001.67
96"(2438mm)	UQFS-1696-LG	B	NA	5531.24	5541.14	8163.57	8173.47	9975.86	9985.76	4249.61	4259.51

Refer to page 269 for inside width dimensions.

Outside Width	Number	①	②	Case HPL B							
				Door Glass A		Door Glass C		Door Glass F		Door Acrylic	
				Trim A	B	Trim A	B	Trim A	B	Trim A	B
<b>With Glass or Acrylic Doors/16.5"(419mm) Outside Height - 15.75"(400mm) Outside Depth</b>											
30"(762mm)	UQFS-1630-LG	B	NA	\$ 3353.51	\$ 3363.41	\$ 4694.22	\$ 4704.12	\$ 5666.99	\$ 5676.89	\$ 3353.51	\$ 3363.41
36"(914mm)	UQFS-1636-LG	B	NA	3525.89	3535.79	4984.02	4993.92	6033.11	6043.01	3437.90	3447.80
40"(1016mm)	UQFS-1640-LG	B	NA	3640.81	3650.71	5177.22	5187.12	6277.19	6287.09	3494.16	3504.06
42"(1067mm)	UQFS-1642-LG	B	NA	3698.27	3708.17	5273.82	5283.72	6399.23	6409.13	3522.29	3532.19
48"(1219mm)	UQFS-1648-LG	B	NA	3870.65	3880.55	5563.62	5573.52	6765.35	6775.25	3606.68	3616.58
54"(1372mm)	UQFS-1654-LG	B	NA	4043.03	4052.93	5853.42	5863.32	7131.47	7141.37	3691.07	3700.97
60"(1524mm)	UQFS-1660-LG	B	NA	4286.18	4296.08	6213.99	6223.89	7568.36	7578.26	3801.41	3811.31
66"(1676mm)	UQFS-1666-LG	B	NA	4508.57	4518.47	6553.80	6563.70	7984.49	7994.39	3890.99	3900.89
72"(1829mm)	UQFS-1672-LG	B	NA	4730.96	4740.86	6893.61	6903.51	8400.62	8410.52	3980.57	3990.47
80"(2032mm)	UQFS-1680-LG	B	NA	5027.48	5037.38	7346.69	7356.59	8955.46	8965.36	4100.01	4109.91
84"(2134mm)	UQFS-1684-LG	B	NA	5175.74	5185.64	7573.23	7583.13	9232.88	9242.78	4159.73	4169.63
96"(2438mm)	UQFS-1696-LG	B	NA	5709.58	5719.48	8341.91	8351.81	10154.20	10164.10	4427.95	4437.85

Refer to page 269 for inside width dimensions.

# Upper Storage Storage Box

Outside Depth	Outside Width	Inside Width	Number	①	②	Case Wood A Trim		Case Wood B Trim	
						A	B	A	B
<b>Without Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-WN		NNNA	\$4635.85	N/A	\$ 4891.64	N/A
	36"(914mm)	34.25"(870mm)	UQFS-1636-WN		NNNA	4789.09	N/A	5058.05	N/A
	40"(1016mm)	28.25"(718mm)	UQFS-1640-WN		NNNA	4891.25	N/A	5168.99	N/A
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-WN		NNNA	4942.33	N/A	5224.46	N/A
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-WN		NNNA	5095.57	N/A	5390.87	N/A
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-WN		NNNA	5248.81	N/A	5557.28	N/A
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-WN		NNNA	5428.00	N/A	5749.64	N/A
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-WN		NNNA	5586.43	N/A	5921.24	N/A
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-WN		NNNA	5744.86	N/A	6092.84	N/A
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-WN		NNNA	5956.10	N/A	6321.64	N/A
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-WN		NNNA	6061.72	N/A	6436.04	N/A
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-WN		NNNA	6467.64	N/A	6868.30	N/A

Outside Depth	Outside Width	Inside Width	Number	①	②	Case Wood A Door HPL Trim		Door HPL B Trim	
						A	B	A	B
<b>With Laminate Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-WL	B	NA	\$5280.85	\$ 5290.75	\$5332.00	\$ 5341.90
	36"(914mm)	34.25"(870mm)	UQFS-1636-WL	B	NA	5483.56	5493.46	5539.63	5549.53
	40"(1016mm)	28.25"(718mm)	UQFS-1640-WL	B	NA	5618.70	5628.60	5678.05	5687.95
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-WL	B	NA	5686.27	5696.17	5747.26	5757.16
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-WL	B	NA	5888.98	5898.88	5954.89	5964.79
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-WL	B	NA	6091.69	6101.59	6162.52	6172.42
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-WL	B	NA	6320.35	6330.25	6396.10	6406.00
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-WL	B	NA	6528.25	6538.15	6608.92	6618.82
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-WL	B	NA	6736.15	6746.05	6821.74	6831.64
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-WL	B	NA	7013.35	7023.25	7105.50	7115.40
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-WL	B	NA	7151.95	7161.85	7247.38	7257.28
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-WL	B	NA	7656.81	7666.71	7762.08	7771.98

Outside Depth	Outside Width	Inside Width	Number	①	②	Case Wood B Door HPL Trim		Door HPL B Trim	
						A	B	A	B
<b>With Laminate Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-WL	B	NA	\$5536.64	\$5546.54	\$ 5587.79	\$ 5597.69
	36"(914mm)	34.25"(870mm)	UQFS-1636-WL	B	NA	5752.52	5762.42	5808.59	5818.49
	40"(1016mm)	28.25"(718mm)	UQFS-1640-WL	B	NA	5896.44	5906.34	5955.79	5965.69
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-WL	B	NA	5968.40	5978.30	6029.39	6039.29
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-WL	B	NA	6184.28	6194.18	6250.19	6260.09
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-WL	B	NA	6400.16	6410.06	6470.99	6480.89
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-WL	B	NA	6641.99	6651.89	6717.74	6727.64
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-WL	B	NA	6863.06	6872.96	6943.73	6953.63
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-WL	B	NA	7084.13	7094.03	7169.72	7179.62
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-WL	B	NA	7378.89	7388.79	7471.04	7480.94
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-WL	B	NA	7526.27	7536.17	7621.70	7631.60
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-WL	B	NA	8057.47	8067.37	8162.74	8172.64

# Upper Storage

## Storage Box

Outside Depth	Outside Width	Inside Width	Number	①	②	Case Wood A		Door Wood	
						Door Wood A	Door Wood B	Trim A	Trim B
<b>With Wood Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-WW	B	NA	\$ 5503.53	\$ 5513.43	\$ 5656.91	\$ 5666.81
	36"(914mm)	34.25"(870mm)	UQFS-1636-WW	B	NA	5735.97	5745.87	5904.20	5914.10
	40"(1016mm)	28.25"(718mm)	UQFS-1640-WW	B	NA	5890.93	5900.83	6069.06	6078.96
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-WW	B	NA	5968.41	5978.31	6151.49	6161.39
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-WW	B	NA	6200.85	6210.75	6398.78	6408.68
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-WW	B	NA	6433.29	6443.19	6646.07	6655.97
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-WW	B	NA	6691.68	6701.58	6919.31	6929.21
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-WW	B	NA	6929.31	6939.21	7171.79	7181.69
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-WW	B	NA	7166.94	7176.84	7424.27	7434.17
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-WW	B	NA	7483.78	7493.68	7760.91	7770.81
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-WW	B	NA	7642.20	7652.10	7929.23	7939.13
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-WW	B	NA	8206.52	8216.42	8523.25	8533.15

Outside Depth	Outside Width	Inside Width	Number	①	②	Case Wood B		Door Wood	
						Door Wood A	Door Wood B	Trim A	Trim B
<b>With Wood Doors/16.5"(419mm) Outside Height</b>									
15.75"(400mm)	30"(762mm)	28.25"(718mm)	UQFS-1630-WW	B	NA	\$ 5759.32	\$ 5769.22	\$ 5912.70	\$ 5922.60
	36"(914mm)	34.25"(870mm)	UQFS-1636-WW	B	NA	6004.93	6014.83	6173.16	6183.06
	40"(1016mm)	28.25"(718mm)	UQFS-1640-WW	B	NA	6168.67	6178.57	6346.80	6356.70
	42"(1067mm)	40.25"(1022mm)	UQFS-1642-WW	B	NA	6250.54	6260.44	6433.62	6443.52
	48"(1219mm)	22.75"(578mm)/22.75"(578mm)	UQFS-1648-WW	B	NA	6496.15	6506.05	6694.08	6703.98
	54"(1372mm)	25.75"(654mm)/25.75"(654mm)	UQFS-1654-WW	B	NA	6741.76	6751.66	6954.54	6964.44
	60"(1524mm)	28.75"(730mm)/28.75"(730mm)	UQFS-1660-WW	B	NA	7013.32	7023.22	7240.95	7250.85
	66"(1676mm)	31.75"(806mm)/31.75"(806mm)	UQFS-1666-WW	B	NA	7264.12	7274.02	7506.60	7516.50
	72"(1829mm)	34.75"(883mm)/34.75"(883mm)	UQFS-1672-WW	B	NA	7514.92	7524.82	7772.25	7782.15
	80"(2032mm)	38.75"(984mm)/38.75"(984mm)	UQFS-1680-WW	B	NA	7849.32	7859.22	8126.45	8136.35
	84"(2134mm)	40.75"(1035mm)/40.75"(1035mm)	UQFS-1684-WW	B	NA	8016.52	8026.42	8303.55	8313.45
	96"(2438mm)	46.75"(1187mm)/46.75"(1187mm)	UQFS-1696-WW	B	NA	8607.18	8617.08	8923.91	8933.81



# Upper Storage

## Storage Box

Outside Width	Number	① ②	Case Wood A		Door Glass C		Door Glass F		Door Acrylic	
			Door Glass A		Trim		Trim		Trim	
			A	B	A	B	A	B	A	B
With Glass or Acrylic Doors/16.5"(419mm) Outside Height										
30"(762mm)	UQFS-1630-WG	B NA	\$ 5970.70	\$5980.60	\$ 7311.41	\$ 7321.31	\$ 8284.18	\$ 8294.08	\$ 5970.70	\$5980.60
36"(914mm)	UQFS-1636-WG	B NA	6211.93	6221.83	7670.06	7679.96	8719.15	8729.05	6123.94	6133.84
40"(1016mm)	UQFS-1640-WG	B NA	6372.75	6382.65	7909.16	7919.06	9009.13	9019.03	6226.10	6236.00
42"(1067mm)	UQFS-1642-WG	B NA	6453.16	6463.06	8028.71	8038.61	9154.12	9164.02	6277.18	6287.08
48"(1219mm)	UQFS-1648-WG	B NA	6694.39	6704.29	8387.36	8397.26	9589.09	9598.99	6430.42	6440.32
54"(1372mm)	UQFS-1654-WG	B NA	6935.62	6945.52	8746.01	8755.91	10024.06	10033.96	6583.66	6593.56
60"(1524mm)	UQFS-1660-WG	B NA	7202.80	7212.70	9130.61	9140.51	10484.98	10494.88	6762.85	6772.75
66"(1676mm)	UQFS-1666-WG	B NA	7449.22	7459.12	9494.45	9504.35	10925.14	10935.04	6921.28	6931.18
72"(1829mm)	UQFS-1672-WG	B NA	7695.64	7705.54	9858.29	9868.19	11365.30	11375.20	7198.65	7208.55
80"(2032mm)	UQFS-1680-WG	B NA	8024.20	8034.10	10343.41	10353.31	11952.18	11962.08	7290.95	7300.85
84"(2134mm)	UQFS-1684-WG	B NA	8188.48	8198.38	10585.97	10595.87	12245.62	12255.52	7396.57	7406.47
96"(2438mm)	UQFS-1696-WG	B NA	8770.38	8780.28	11402.71	11412.61	13215.00	13224.90	7802.49	7812.39


Refer to page 273 for inside width dimensions.

Outside Width	Number	① ②	Case Wood B		Door Glass C		Door Glass F		Door Acrylic	
			Door Glass A		Trim		Trim		Trim	
			A	B	A	B	A	B	A	B
With Glass or Acrylic Doors/16.5"(419mm) Outside Height										
30"(762mm)	UQFS-1630-WG	B NA	\$ 6226.49	\$ 6236.39	\$ 7567.20	\$ 7577.10	\$ 8539.97	\$ 8549.87	\$ 6226.49	\$ 6236.39
36"(914mm)	UQFS-1636-WG	B NA	6480.89	6490.79	7939.02	7948.92	8988.11	8998.01	6392.90	6402.80
40"(1016mm)	UQFS-1640-WG	B NA	6650.49	6660.39	8186.90	8196.80	9286.87	9296.77	6503.84	6513.74
42"(1067mm)	UQFS-1642-WG	B NA	6735.29	6745.19	8310.84	8320.74	9436.25	9446.15	6559.31	6569.21
48"(1219mm)	UQFS-1648-WG	B NA	6989.69	6999.59	8682.66	8692.56	9884.39	9894.29	6725.72	6735.62
54"(1372mm)	UQFS-1654-WG	B NA	7244.09	7253.99	9054.48	9064.38	10332.53	10342.43	6892.13	6902.03
60"(1524mm)	UQFS-1660-WG	B NA	7524.44	7534.34	9452.25	9462.15	10806.62	10816.52	7084.49	7094.39
66"(1676mm)	UQFS-1666-WG	B NA	7784.03	7793.93	9829.26	9839.16	11259.95	11269.85	7256.09	7265.99
72"(1829mm)	UQFS-1672-WG	B NA	8043.62	8053.52	10206.27	10216.17	11713.28	11723.18	7427.69	7437.59
80"(2032mm)	UQFS-1680-WG	B NA	8389.74	8399.64	10708.95	10718.85	12317.72	12327.62	7656.49	7666.39
84"(2134mm)	UQFS-1684-WG	B NA	8562.80	8572.70	10960.29	10970.19	12619.94	12629.84	7770.89	7780.79
96"(2438mm)	UQFS-1696-WG	B NA	9171.04	9180.94	11803.37	11813.27	13615.66	13625.56	8203.15	8213.05

Refer to page 273 for inside width dimensions.

# Storage Box Accessories

## Ganging Flat Bracket for Storage Box



ZUUG  
Class CA - GSA Open Market

**Feature**

- Includes one bracket and attachment hardware.

**Specification Tips**

- Provides additional stability in unbalanced panel. Applications with adjacent storage boxes.
- Required for all adjacent storage boxes in an unbalanced condition.

**To Order, Specify:**


- 1) Product number.
- 2) Trim color.

	Number	Trim	
		A	B
	ZUUG-0000	\$78.89	\$84.81


# Upper Storage — Adaptable

## Overhead Storage Unit


### Standard Mount



UZFS-PM



UZKS-PM



UZHF-QM  
Class CA

### Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Door available in painted, high-pressure laminate (HPL), translucent or wood.
- Inside dimensions:  
–Height: 12.75”(324mm)  
–Depth: 13.25”(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Flipper Door - 66”(1676mm) and 72”(1829mm)W units have two doors, one lock per door if locking option is specified.
- Cabinet Door - 24”(610mm)-42”(1067mm)W units have two cabinet doors with one lock if locking option is specified.  
– 48”(1219mm)-72”(1829mm)W units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

### Specification Tips

- To be installed in connector slots on same size panel or on a maximum of two panel frames that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Units cannot be retrofitted with different door style; i.e., flipper doors cannot be changed to cabinet doors.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Cannot be used on top of slat tile.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

### To Order, Specify:

1) Product number, including:

**1 Locking Option:**

- N** Non-locking
- L** Locking (add **\$31.53** list)

**2 Close Option: (Flipper door only)**

- S** Slow close 24”(610mm)-60”(1524mm)W units (add **\$516.39** list)  
66”(1676mm) and  
72”(1829mm)W units (add **\$1032.78** list)

**□** No specification required for standard close.

2) Trim color for shelf and end panels.

3) Door surface options:

**Painted:**

–Trim color

**Laminate:**

–Laminate surface color  
–Edgeband trim color

**Translucent:**

–Translucent color

**Wood:**

–Wood finish color

4) Trim color for lock housing (if applicable).

# Upper Storage — Adaptable

## Overhead Storage Unit

Height	Depth	Width	Painted Flipper Door Number ①②	Trim		Trim	
				A	B	A	B
<b>Painted</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UZFS-1624-PM	\$1098.32	\$1104.24	\$1114.09	\$1120.01
		30"(762mm)	UZFS-1630-PM	1148.96	1155.88	1166.68	1173.60
		36"(914mm)	UZFS-1636-PM	1199.60	1207.52	1219.27	1227.19
		42"(1067mm)	UZFS-1642-PM	1250.24	1259.16	1271.86	1280.78
		48"(1219mm)	UZFS-1648-PM	1300.88	1310.80	1324.45	1334.37
		54"(1372mm)	UZFS-1654-PM	1351.52	1362.44	1377.04	1387.96
		60"(1524mm)	UZFS-1660-PM	1518.43	1530.35	1545.90	1557.82
		66"(1676mm)	UZFS-1666-PM	1827.26	1840.18	1856.68	1869.60
		72"(1829mm)	UZFS-1672-PM	2153.85	2167.77	2185.22	2199.14

Height	Depth	Width	Painted Cabinet Door Number ①	Trim		Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZKS-1624-PM	\$1830.13	\$1836.05	\$1845.90	\$1851.82
		30"(762mm)	UZKS-1630-PM	1880.77	1887.69	1898.49	1905.41
		36"(914mm)	UZKS-1636-PM	1931.41	1939.33	1951.08	1959.00
		42"(1067mm)	UZKS-1642-PM	1982.05	1990.97	2003.67	2012.59
		48"(1219mm)	UZKS-1648-PM	2103.05	2112.97	2126.62	2136.54
		54"(1372mm)	UZKS-1654-PM	2286.34	2297.26	2311.86	2322.78
		60"(1524mm)	UZKS-1660-PM	2498.55	2510.47	2526.02	2537.94
		66"(1676mm)	UZKS-1666-PM	3014.36	3027.28	3043.78	3056.70
		72"(1829mm)	UZKS-1672-PM	3478.94	3492.86	3510.31	3524.23

Height	Depth	Width	Painted Single Slider Door Number ①	Trim		Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZHS-1624-PM	\$1098.32	\$1104.24	\$1114.09	\$1120.01
		30"(762mm)	UZHS-1630-PM	1148.96	1155.88	1166.68	1173.60
		36"(914mm)	UZHS-1636-PM	1199.60	1207.52	1219.27	1227.19
		42"(1067mm)	UZHS-1642-PM	1250.24	1259.16	1271.86	1280.78
		48"(1219mm)	UZHS-1648-PM	1300.88	1310.80	1324.45	1334.37
		54"(1372mm)	UZHS-1654-PM	1351.52	1362.44	1377.04	1387.96
		60"(1524mm)	UZHS-1660-PM	1518.43	1530.35	1545.90	1557.82
		66"(1676mm)	UZHS-1666-PM	1827.26	1840.18	1856.68	1869.60
		72"(1829mm)	UZHS-1672-PM	2153.85	2167.77	2185.22	2199.14

# Upper Storage — Adaptable

## Overhead Storage Unit

Height	Depth	Width	Laminate Flipper Door Number ①②	HPL A Trim		HPL B Trim	
				A	B	A	B
<b>Laminate</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UZFS-1624-LM	\$1492.68	\$1508.45	\$1522.27	\$1538.04
		30"(762mm)	UZFS-1630-LM	1580.58	1598.30	1610.17	1627.89
		36"(914mm)	UZFS-1636-LM	1668.48	1688.15	1698.07	1717.74
		42"(1067mm)	UZFS-1642-LM	1756.38	1778.00	1785.97	1807.59
		48"(1219mm)	UZFS-1648-LM	1844.28	1867.85	1873.87	1897.44
		54"(1372mm)	UZFS-1654-LM	1932.18	1957.70	1961.77	1987.29
		60"(1524mm)	UZFS-1660-LM	2140.33	2167.80	2169.92	2197.39
		66"(1676mm)	UZFS-1666-LM	2594.77	2624.19	2624.36	2653.78
		72"(1829mm)	UZFS-1672-LM	3051.26	3082.63	3080.85	3112.22

Height	Depth	Width	Laminate Cabinet Door Number ①	HPL A Trim		HPL B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZKS-1624-LM	\$2540.81	\$2556.58	\$2570.40	\$2586.17
		30"(762mm)	UZKS-1630-LM	2628.71	2646.43	2658.30	2676.02
		36"(914mm)	UZKS-1636-LM	2716.61	2736.28	2746.20	2765.87
		42"(1067mm)	UZKS-1642-LM	2804.51	2826.13	2834.10	2855.72
		48"(1219mm)	UZKS-1648-LM	2930.34	2953.91	2959.93	2983.50
		54"(1372mm)	UZKS-1654-LM	3214.85	3240.37	3244.44	3269.96
		60"(1524mm)	UZKS-1660-LM	3519.56	3547.03	3549.15	3576.62
		66"(1676mm)	UZKS-1666-LM	4210.54	4239.96	4240.13	4269.55
		72"(1829mm)	UZKS-1672-LM	4897.65	4929.02	4927.24	4958.61

Height	Depth	Width	Laminate Single Slider Door Number ①	HPL A Trim		HPL B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZHS-1624-LM	\$1492.68	\$1508.45	\$1522.27	\$1538.04
		30"(762mm)	UZHS-1630-LM	1580.58	1598.30	1610.17	1627.89
		36"(914mm)	UZHS-1636-LM	1668.48	1688.15	1698.07	1717.74
		42"(1067mm)	UZHS-1642-LM	1756.38	1778.00	1785.97	1807.59
		48"(1219mm)	UZHS-1648-LM	1844.28	1867.85	1873.87	1897.44
		54"(1372mm)	UZHS-1654-LM	1932.18	1957.70	1961.77	1987.29
		60"(1524mm)	UZHS-1660-LM	2140.33	2167.80	2169.92	2197.39
		66"(1676mm)	UZHS-1666-LM	2594.77	2624.19	2624.36	2653.78
		72"(1829mm)	UZHS-1672-LM	3051.26	3082.63	3080.85	3112.22

# Upper Storage — Adaptable

## Overhead Storage Unit

Height	Depth	Width	Translucent	Trim	
			Flipper Door Number ①②	A	B
<b>Translucent</b>					
16"(406mm)	14"(356mm)	24"(610mm)	UZFF-1624-QM ■■	\$1720.90	\$ 1736.67
		30"(762mm)	UZFF-1630-QM ■■	1796.86	1814.58
		36"(914mm)	UZFF-1636-QM ■■	1872.82	1892.49
		42"(1067mm)	UZFF-1642-QM ■■	1948.78	1970.40
		48"(1219mm)	UZFF-1648-QM ■■	2024.74	2048.31
		54"(1372mm)	UZFF-1654-QM ■■	2100.70	2126.22
		60"(1524mm)	UZFF-1660-QM ■■	2348.13	2375.60
		66"(1676mm)	UZFF-1666-QM ■■	2875.41	2904.83
		72"(1829mm)	UZFF-1672-QM ■■	3272.67	3304.04

Height	Depth	Width	Translucent	Trim	
			Cabinet Door Number ①	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZKF-1624-QM ■	\$2769.03	\$2784.80
		30"(762mm)	UZKF-1630-QM ■	2874.48	2892.20
		36"(914mm)	UZKF-1636-QM ■	2979.93	2999.60
		42"(1067mm)	UZKF-1642-QM ■	3085.38	3107.00
		48"(1219mm)	UZKF-1648-QM ■	3225.99	3249.56
		54"(1372mm)	UZKF-1654-QM ■	3522.96	3548.48
		60"(1524mm)	UZKF-1660-QM ■	3838.09	3865.56
		66"(1676mm)	UZKF-1666-QM ■	4612.13	4641.55
		72"(1829mm)	UZKF-1672-QM ■	5323.45	5354.82

Height	Depth	Width	Translucent	Trim	
			Single Slider Door Number ①	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZHF-1624-QM ■	\$1720.90	\$ 1736.67
		30"(762mm)	UZHF-1630-QM ■	1796.86	1814.58
		36"(914mm)	UZHF-1636-QM ■	1872.82	1892.49
		42"(1067mm)	UZHF-1642-QM ■	1948.78	1970.40
		48"(1219mm)	UZHF-1648-QM ■	2024.74	2048.31
		54"(1372mm)	UZHF-1654-QM ■	2100.70	2126.22
		60"(1524mm)	UZHF-1660-QM ■	2348.13	2375.60
		66"(1676mm)	UZHF-1666-QM ■	2875.41	2904.83
		72"(1829mm)	UZHF-1672-QM ■	3272.67	3304.04

# Upper Storage — Adaptable

## Overhead Storage Unit

Height	Depth	Width	Wood Flipper Door Number ①②	Wood A Trim		Wood B Trim	
				A	B	A	B
<b>Wood</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UZFS-1624-WM ■■	\$ 2043.21	\$2058.98	\$ 2157.52	\$ 2173.29
		30"(762mm)	UZFS-1630-WM ■■	2124.96	2142.68	2239.27	2256.99
		36"(914mm)	UZFS-1636-WM ■■	2206.71	2226.38	2321.02	2340.69
		42"(1067mm)	UZFS-1642-WM ■■	2288.46	2310.08	2402.77	2424.39
		48"(1219mm)	UZFS-1648-WM ■■	2370.21	2393.78	2484.52	2508.09
		54"(1372mm)	UZFS-1654-WM ■■	2451.96	2477.48	2566.27	2591.79
		60"(1524mm)	UZFS-1660-WM ■■	2774.15	2801.62	2888.46	2915.93
		66"(1676mm)	UZFS-1666-WM ■■	3261.92	3291.34	3376.23	3405.65
		72"(1829mm)	UZFS-1672-WM ■■	3789.13	3820.50	3903.44	3934.81


Height	Depth	Width	Wood Cabinet Door Number ①	Wood A Trim		Wood B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZKS-1624-WM ■	\$ 3179.91	\$ 3195.68	\$3294.22	\$3309.99
		30"(762mm)	UZKS-1630-WM ■	3273.54	3291.26	3387.85	3405.57
		36"(914mm)	UZKS-1636-WM ■	3367.17	3386.84	3481.48	3501.15
		42"(1067mm)	UZKS-1642-WM ■	3460.80	3482.42	3575.11	3596.73
		48"(1219mm)	UZKS-1648-WM ■	3591.64	3615.21	3705.95	3729.52
		54"(1372mm)	UZKS-1654-WM ■	3916.11	3941.63	4030.42	4055.94
		60"(1524mm)	UZKS-1660-WM ■	4261.55	4289.02	4375.86	4403.33
		66"(1676mm)	UZKS-1666-WM ■	5051.37	5080.79	5165.68	5195.10
		72"(1829mm)	UZKS-1672-WM ■	5834.90	5866.27	5949.21	5980.58

Height	Depth	Width	Wood Single Slider Door Number ①	Wood A Trim		Wood B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZHS-1624-WM ■	\$ 2043.21	\$2058.98	\$ 2157.52	\$ 2173.29
		30"(762mm)	UZHS-1630-WM ■	2124.96	2142.68	2239.27	2256.99
		36"(914mm)	UZHS-1636-WM ■	2206.71	2226.38	2321.02	2340.69
		42"(1067mm)	UZHS-1642-WM ■	2288.46	2310.08	2402.77	2424.39
		48"(1219mm)	UZHS-1648-WM ■	2370.21	2393.78	2484.52	2508.09
		54"(1372mm)	UZHS-1654-WM ■	2451.96	2477.48	2566.27	2591.79
		60"(1524mm)	UZHS-1660-WM ■	2774.15	2801.62	2888.46	2915.93
		66"(1676mm)	UZHS-1666-WM ■	3261.92	3291.34	3376.23	3405.65
		72"(1829mm)	UZHS-1672-WM ■	3789.13	3820.50	3903.44	3934.81


# Upper Storage — Adaptable

## Overhead Storage Unit


### Up Mount



UZGS-PM



UZLS-PM



UZJS-PM  
Class CA

### Features

- Includes door front without lock, top shelf, bottom shelf with full back, end panels, mounting brackets and hardware. Optional locks available.
- Door available in painted, high-pressure laminate (HPL), translucent or wood.
- Inside dimensions:  
–Height: 12.75”(324mm)  
–Depth: 13.25”(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24”(610mm)-42”(1067mm)W units have two cabinet doors with one lock if locking option is specified.  
– 48”(1219mm)W units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - ships unassembled.

### Specification Tips

- To be installed in connector slots on same size panel or on a maximum of two panel frames that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up-mount overhead storage unit cannot be retrofitted to standard mount overhead storage unit.
- Recommended for single row application.
- Recommended for use with 50”(1270mm) or 58”(1473mm)H panel configurations.
- Using up mount overheads limits allowable panel runs to 8 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Up-mount overhead storage cannot be installed above an external mount slat tile, tackboard, markerboard, glass stack or glass panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

### To Order, Specify:

1) Product number, including:

**1 Locking Option:**

- N** Non-locking
- L** Locking (add **\$31.53** list)

**2 Close Option: (Flipper door only)**

- S** Slow close (add **\$516.39** list)
- No specification required for standard close.

2) Trim color for shelf and end panels.

3) Door surface options:

**Painted:**

- Trim color

**Laminate:**

- Laminate surface color
- Edgeband trim color

**Translucent:**

- Translucent color

**Wood:**

- Wood finish color

4) Trim color for lock housing (if applicable).



# Upper Storage — Adaptable

## Overhead Storage Unit

Height	Depth	Width	Painted Flipper Door Number ①②	Trim		Trim	
				A	B	A	B
<b>Painted</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UZGS-1624-PM	\$1535.02	\$1540.94	\$1550.79	\$1556.71
		30"(762mm)	UZGS-1630-PM	1585.66	1592.58	1603.38	1610.30
		36"(914mm)	UZGS-1636-PM	1636.30	1644.22	1655.97	1663.89
		42"(1067mm)	UZGS-1642-PM	1686.94	1695.86	1708.56	1717.48
		48"(1219mm)	UZGS-1648-PM	1737.58	1747.50	1761.15	1771.07

Height	Depth	Width	Painted Cabinet Door Number ①	Trim		Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZLS-1624-PM	\$2593.81	\$2599.73	\$2609.58	\$2615.50
		30"(762mm)	UZLS-1630-PM	2644.45	2651.37	2662.17	2669.09
		36"(914mm)	UZLS-1636-PM	2695.09	2703.01	2714.76	2722.68
		42"(1067mm)	UZLS-1642-PM	2745.73	2754.65	2767.35	2776.27
		48"(1219mm)	UZLS-1648-PM	2866.73	2876.65	2890.30	2900.22

Height	Depth	Width	Painted Single Slider Door Number ①	Trim		Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZJS-1624-PM	\$1535.02	\$1540.94	\$1550.79	\$1556.71
		30"(762mm)	UZJS-1630-PM	1585.66	1592.58	1603.38	1610.30
		36"(914mm)	UZJS-1636-PM	1636.30	1644.22	1655.97	1663.89
		42"(1067mm)	UZJS-1642-PM	1686.94	1695.86	1708.56	1717.48
		48"(1219mm)	UZJS-1648-PM	1737.58	1747.50	1761.15	1771.07

# Upper Storage — Adaptable

## Overhead Storage Unit

Height	Depth	Width	Laminate Flipper Door Number ❶❷	HPL A Trim		HPL B Trim	
				A	B	A	B
<b>Laminate</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UZGS-1624-LM	\$ 2119.77	\$ 2135.54	\$ 2149.36	\$ 2165.13
		30"(762mm)	UZGS-1630-LM	2207.67	2225.39	2237.26	2254.98
		36"(914mm)	UZGS-1636-LM	2295.57	2315.24	2325.16	2344.83
		42"(1067mm)	UZGS-1642-LM	2383.47	2405.09	2413.06	2434.68
		48"(1219mm)	UZGS-1648-LM	2471.37	2494.94	2500.96	2524.53

Height	Depth	Width	Laminate Cabinet Door Number ❶	HPL A Trim		HPL B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZLS-1624-LM	\$3633.54	\$ 3649.31	\$ 3663.13	\$3678.90
		30"(762mm)	UZLS-1630-LM	3721.44	3739.16	3751.03	3768.75
		36"(914mm)	UZLS-1636-LM	3809.34	3829.01	3838.93	3858.60
		42"(1067mm)	UZLS-1642-LM	3897.24	3918.86	3926.83	3948.45
		48"(1219mm)	UZLS-1648-LM	4023.07	4046.64	4052.66	4076.23

Height	Depth	Width	Laminate Single Slider Door Number ❶	HPL A Trim		HPL B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZJS-1624-LM	\$ 2119.77	\$ 2135.54	\$ 2149.36	\$ 2165.13
		30"(762mm)	UZJS-1630-LM	2207.67	2225.39	2237.26	2254.98
		36"(914mm)	UZJS-1636-LM	2295.57	2315.24	2325.16	2344.83
		42"(1067mm)	UZJS-1642-LM	2383.47	2405.09	2413.06	2434.68
		48"(1219mm)	UZJS-1648-LM	2471.37	2494.94	2500.96	2524.53

# Upper Storage — Adaptable

## Overhead Storage Unit

Height	Depth	Width	Translucent Flipper Door		
			Number ①②	Trim A B	
<b>Translucent</b>					
16"(406mm)	14"(356mm)	24"(610mm)	UZGF-1624-QM ■■	\$2407.97	\$2423.74
		30"(762mm)	UZGF-1630-QM ■■	2483.93	2501.65
		36"(914mm)	UZGF-1636-QM ■■	2559.89	2579.56
		42"(1067mm)	UZGF-1642-QM ■■	2635.85	2657.47
		48"(1219mm)	UZGF-1648-QM ■■	2711.81	2735.38

Height	Depth	Width	Translucent Cabinet Door		
			Number ①	Trim A B	
16"(406mm)	14"(356mm)	24"(610mm)	UZLF-1624-QM ■	\$3948.65	\$3964.42
		30"(762mm)	UZLF-1630-QM ■	4054.10	4071.82
		36"(914mm)	UZLF-1636-QM ■	4159.55	4179.22
		42"(1067mm)	UZLF-1642-QM ■	4265.00	4286.62
		48"(1219mm)	UZLF-1648-QM ■	4405.61	4429.18

Height	Depth	Width	Translucent Single Slider Door		
			Number ①	Trim A B	
16"(406mm)	14"(356mm)	24"(610mm)	UZJF-1624-QM ■	\$2407.97	\$2423.74
		30"(762mm)	UZJF-1630-QM ■	2483.93	2501.65
		36"(914mm)	UZJF-1636-QM ■	2559.89	2579.56
		42"(1067mm)	UZJF-1642-QM ■	2635.85	2657.47
		48"(1219mm)	UZJF-1648-QM ■	2711.81	2735.38

# Upper Storage — Adaptable

## Overhead Storage Unit


Height	Depth	Width	Wood Flipper Door Number ①②	Wood A Trim		Wood B Trim	
				A	B	A	B
<b>Wood</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UZGS-1624-WM	\$2699.26	\$ 2715.03	\$ 2813.57	\$ 2829.34
		30"(762mm)	UZGS-1630-WM	2781.01	2798.73	2895.32	2913.04
		36"(914mm)	UZGS-1636-WM	2862.76	2882.43	2977.07	2996.74
		42"(1067mm)	UZGS-1642-WM	2944.51	2966.13	3058.82	3080.44
		48"(1219mm)	UZGS-1648-WM	3026.26	3049.83	3140.57	3164.14

Height	Depth	Width	Wood Cabinet Door Number ①	Wood A Trim		Wood B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZLS-1624-WM	\$ 4425.74	\$ 4441.51	\$4540.05	\$4555.82
		30"(762mm)	UZLS-1630-WM	4519.37	4537.09	4633.68	4651.40
		36"(914mm)	UZLS-1636-WM	4613.00	4632.67	4727.31	4746.98
		42"(1067mm)	UZLS-1642-WM	4706.63	4728.25	4820.94	4842.56
		48"(1219mm)	UZLS-1648-WM	4837.47	4861.04	4951.78	4975.35

Height	Depth	Width	Wood Single Slider Door Number ①	Wood A Trim		Wood B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UZJS-1624-WM	\$2699.26	\$ 2715.03	\$ 2813.57	\$ 2829.34
		30"(762mm)	UZJS-1630-WM	2781.01	2798.73	2895.32	2913.04
		36"(914mm)	UZJS-1636-WM	2862.76	2882.43	2977.07	2996.74
		42"(1067mm)	UZJS-1642-WM	2944.51	2966.13	3058.82	3080.44
		48"(1219mm)	UZJS-1648-WM	3026.26	3049.83	3140.57	3164.14

# Upper Storage — Adaptable

## Open Shelf Standard Mount



UZSN  
Class CA

### Features

- Includes shelf with back stop, end panels and hardware.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgment from panel connector slots.
- Shelf thickness is 2"(51mm).
- Shipped unassembled.

### Specification Tips


- Specify separate shelf gang clip for unbalanced configurations with greater than one row of shelves.
- To be installed in component mounting rails on same size panel or on a maximum of two panel frames that equals the shelf width.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Number	Trim	
				A	B
8"(203mm)	14"(356mm)	24"(610mm)	UZSN-0824-PM	\$372.87	\$ 391.56
		30"(762mm)	UZSN-0830-PM	386.19	409.53
		36"(914mm)	UZSN-0836-PM	399.51	427.50
		42"(1067mm)	UZSN-0842-PM	412.83	445.47
		48"(1219mm)	UZSN-0848-PM	426.15	463.44
		54"(1372mm)	UZSN-0854-PM	439.47	481.41
		60"(1524mm)	UZSN-0860-PM	452.79	499.38
		66"(1676mm)	UZSN-0866-PM	466.11	517.35
		72"(1829mm)	UZSN-0872-PM	479.43	535.32

## Shelf Divider



NADR-8  
Class CA

### Features

- To be used to divide space laterally on overhead storage units and open shelves.
- Includes box of eight shelf dividers.
- May be used on all Compose shelves or standard mount or up-mount overhead storage units.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Number	Trim	
				A	B
4"(102mm)	13.25"(337mm)	1.75"(44mm)	NADR-8	\$445.87	\$469.99

## Overhead Storage Unit / Shelf Gang Clip



NUB-1  
Class CA

### Features

- Includes one ganging clip.
- Provides additional stability in unbalanced panel configurations with adjacent shelves and overheads.
- Required for all adjacent shelves and unbalanced panel configurations.
- Standard in black finish.

### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Number	Price
NUB-1	\$76.43


# Wall Mount Components

## Overhead Storage Unit


### Wall Mount



UUFS-PW



UUKS-PW



UUHF-QW  
Class CA

#### Features

- Includes door front with lock option, top shelf, bottom shelf with back stop, end panels, mounting bar and hardware. Optional locks and non-structural back are available.
- Door available in painted, high-pressure laminate (HPL), translucent or wood.
- Inside dimensions:  
–Height: 12.75”(324mm)  
–Depth: 13.25”(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66”(1676mm) and 72”(1829mm)W units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24”(610mm)-42”(1067mm)W units have two cabinet doors with one lock if locking option is specified.  
– 48”(1219mm)-72”(1829mm)W units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

#### Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

#### To Order, Specify:

1) Product number, including:

**1 Locking Option:**

- N** Non-locking
- L** Locking (add **\$31.53** list)

**2 Close Option: (Flipper door only)**

- S** Slow close 24”(610mm)-60”(1524mm)W units (add **\$516.39** list)  
66”(1676mm) and 72”(1829mm)W units (add **\$1032.78** list)

**□** No specification required for standard close.

2) Trim color for shelf and end panels.

3) Door surface options:

**Painted:**

–Trim color

**Laminate:**

–Laminate surface color  
–Edgeband trim color

**Translucent:**

–Translucent color

**Wood:**

–Wood finish color

4) Trim color for lock housing (if applicable).

# Wall Mount Components

## Overhead Storage Unit

Height	Depth	Width	Painted Flipper Door Number ①②	Trim A		Trim B	
				Trim A	B	Trim A	B
<b>Painted</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UUFS-1624-PW	\$ 1183.15	\$ 1189.07	\$ 1198.92	\$1204.84
		30"(762mm)	UUFS-1630-PW	1233.79	1240.71	1251.51	1258.43
		36"(914mm)	UUFS-1636-PW	1284.43	1292.35	1304.10	1312.02
		42"(1067mm)	UUFS-1642-PW	1335.07	1343.99	1356.69	1365.61
		48"(1219mm)	UUFS-1648-PW	1385.71	1395.63	1409.28	1419.20
		54"(1372mm)	UUFS-1654-PW	1436.35	1447.27	1461.87	1472.79
		60"(1524mm)	UUFS-1660-PW	1603.26	1615.18	1630.73	1642.65
		66"(1676mm)	UUFS-1666-PW	1912.09	1925.01	1941.51	1954.43
		72"(1829mm)	UUFS-1672-PW	2238.68	2252.60	2270.05	2283.97

Height	Depth	Width	Painted Cabinet Door Number ①	Trim A		Trim B	
				Trim A	B	Trim A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUKS-1624-PW	\$ 1914.96	\$ 1920.88	\$ 1930.73	\$ 1936.65
		30"(762mm)	UUKS-1630-PW	1965.60	1972.52	1983.32	1990.24
		36"(914mm)	UUKS-1636-PW	2016.24	2024.16	2035.91	2043.83
		42"(1067mm)	UUKS-1642-PW	2066.88	2075.80	2088.50	2097.42
		48"(1219mm)	UUKS-1648-PW	2187.88	2197.80	2211.45	2221.37
		54"(1372mm)	UUKS-1654-PW	2371.17	2382.09	2396.69	2407.61
		60"(1524mm)	UUKS-1660-PW	2583.38	2595.30	2610.85	2622.77
		66"(1676mm)	UUKS-1666-PW	3099.19	3112.11	3128.61	3141.53
		72"(1829mm)	UUKS-1672-PW	3563.77	3577.69	3595.14	3609.06

Height	Depth	Width	Painted Single Slider Door Number ①	Trim A		Trim B	
				Trim A	B	Trim A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUHS-1624-PW	\$ 1183.15	\$ 1189.07	\$ 1198.92	\$1204.84
		30"(762mm)	UUHS-1630-PW	1233.79	1240.71	1251.51	1258.43
		36"(914mm)	UUHS-1636-PW	1284.43	1292.35	1304.10	1312.02
		42"(1067mm)	UUHS-1642-PW	1335.07	1343.99	1356.69	1365.61
		48"(1219mm)	UUHS-1648-PW	1385.71	1395.63	1409.28	1419.20
		54"(1372mm)	UUHS-1654-PW	1436.35	1447.27	1461.87	1472.79
		60"(1524mm)	UUHS-1660-PW	1603.26	1615.18	1630.73	1642.65
		66"(1676mm)	UUHS-1666-PW	1912.09	1925.01	1941.51	1954.43
		72"(1829mm)	UUHS-1672-PW	2238.68	2252.60	2270.05	2283.97

# Wall Mount Components

## Overhead Storage Unit

Height	Depth	Width	Laminate Flipper Door Number ①②	HPL A Trim		HPL B Trim	
				A	B	A	B
<b>Laminate</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UUFS-1624-LW	\$ 1772.10	\$ 1787.87	\$ 1801.69	\$ 1817.46
		30"(762mm)	UUFS-1630-LW	1860.00	1877.72	1889.59	1907.31
		36"(914mm)	UUFS-1636-LW	1947.90	1967.57	1977.49	1997.16
		42"(1067mm)	UUFS-1642-LW	2035.80	2057.42	2065.39	2087.01
		48"(1219mm)	UUFS-1648-LW	2123.70	2147.27	2153.29	2176.86
		54"(1372mm)	UUFS-1654-LW	2211.60	2237.12	2241.19	2266.71
		60"(1524mm)	UUFS-1660-LW	2419.75	2447.22	2449.34	2476.81
		66"(1676mm)	UUFS-1666-LW	2874.19	2903.61	2903.78	2933.20
		72"(1829mm)	UUFS-1672-LW	3330.68	3362.05	3360.27	3391.64

Height	Depth	Width	Laminate Cabinet Door Number ①	HPL A Trim		HPL B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUKS-1624-LW	\$ 2820.23	\$ 2836.00	\$ 2849.82	\$ 2865.59
		30"(762mm)	UUKS-1630-LW	2908.13	2925.85	2937.72	2955.44
		36"(914mm)	UUKS-1636-LW	2996.03	3015.70	3025.62	3045.29
		42"(1067mm)	UUKS-1642-LW	3083.93	3105.55	3113.52	3135.14
		48"(1219mm)	UUKS-1648-LW	3209.76	3233.33	3239.35	3262.92
		54"(1372mm)	UUKS-1654-LW	3494.27	3519.79	3523.86	3549.38
		60"(1524mm)	UUKS-1660-LW	3798.98	3826.45	3828.57	3856.04
		66"(1676mm)	UUKS-1666-LW	4489.96	4519.38	4519.55	4548.97
		72"(1829mm)	UUKS-1672-LW	5177.07	5208.44	5206.66	5238.03

Height	Depth	Width	Laminate Single Slider Door Number ①	HPL A Trim		HPL B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUHS-1624-LW	\$ 1772.10	\$ 1787.87	\$ 1801.69	\$ 1817.46
		30"(762mm)	UUHS-1630-LW	1860.00	1877.72	1889.59	1907.31
		36"(914mm)	UUHS-1636-LW	1947.90	1967.57	1977.49	1997.16
		42"(1067mm)	UUHS-1642-LW	2035.80	2057.42	2065.39	2087.01
		48"(1219mm)	UUHS-1648-LW	2123.70	2147.27	2153.29	2176.86
		54"(1372mm)	UUHS-1654-LW	2211.60	2237.12	2241.19	2266.71
		60"(1524mm)	UUHS-1660-LW	2419.75	2447.22	2449.34	2476.81
		66"(1676mm)	UUHS-1666-LW	2874.19	2903.61	2903.78	2933.20
		72"(1829mm)	UUHS-1672-LW	3330.68	3362.05	3360.27	3391.64



# Wall Mount Components

## Overhead Storage Unit

Height	Depth	Width	Translucent Flipper Door		
			Number ①②	Trim A B	
<b>Translucent</b>					
16"(406mm)	14"(356mm)	24"(610mm)	UUFF-1624-QW ■■	\$ 2091.43	\$ 2107.20
		30"(762mm)	UUFF-1630-QW ■■	2167.39	2185.11
		36"(914mm)	UUFF-1636-QW ■■	2243.35	2263.02
		42"(1067mm)	UUFF-1642-QW ■■	2319.31	2340.93
		48"(1219mm)	UUFF-1648-QW ■■	2395.27	2418.84
		54"(1372mm)	UUFF-1654-QW ■■	2471.23	2496.75
		60"(1524mm)	UUFF-1660-QW ■■	2718.66	2746.13
		66"(1676mm)	UUFF-1666-QW ■■	3245.94	3275.36
		72"(1829mm)	UUFF-1672-QW ■■	3643.20	3674.57

Height	Depth	Width	Translucent Cabinet Door		
			Number ①	Trim A B	
16"(406mm)	14"(356mm)	24"(610mm)	UUKF-1624-QW ■	\$ 3139.56	\$ 3155.33
		30"(762mm)	UUKF-1630-QW ■	3245.01	3262.73
		36"(914mm)	UUKF-1636-QW ■	3350.46	3370.13
		42"(1067mm)	UUKF-1642-QW ■	3455.91	3477.53
		48"(1219mm)	UUKF-1648-QW ■	3596.52	3620.09
		54"(1372mm)	UUKF-1654-QW ■	3893.49	3919.01
		60"(1524mm)	UUKF-1660-QW ■	4208.62	4236.09
		66"(1676mm)	UUKF-1666-QW ■	4982.66	5012.08
		72"(1829mm)	UUKF-1672-QW ■	5693.98	5725.35

Height	Depth	Width	Translucent Single Slider Door		
			Number ①	Trim A B	
16"(406mm)	14"(356mm)	24"(610mm)	UUHF-1624-QW ■■	\$ 2091.43	\$ 2107.20
		30"(762mm)	UUHF-1630-QW ■■	2167.39	2185.11
		36"(914mm)	UUHF-1636-QW ■■	2243.35	2263.02
		42"(1067mm)	UUHF-1642-QW ■■	2319.31	2340.93
		48"(1219mm)	UUHF-1648-QW ■■	2395.27	2418.84
		54"(1372mm)	UUHF-1654-QW ■■	2471.23	2496.75
		60"(1524mm)	UUHF-1660-QW ■■	2718.66	2746.13
		66"(1676mm)	UUHF-1666-QW ■■	3245.94	3275.36
		72"(1829mm)	UUHF-1672-QW ■■	3643.20	3674.57

# Wall Mount Components

## Overhead Storage Unit


Height	Depth	Width	Wood Flipper Door Number ①②	Wood A Trim		Wood B Trim	
				A	B	A	B
<b>Wood</b>							
16"(406mm)	14"(356mm)	24"(610mm)	UUFS-1624-WW	\$ 2299.42	\$ 2315.19	\$ 2413.73	\$ 2429.50
		30"(762mm)	UUFS-1630-WW	2381.17	2398.89	2495.48	2513.20
		36"(914mm)	UUFS-1636-WW	2462.92	2482.59	2577.23	2596.90
		42"(1067mm)	UUFS-1642-WW	2544.67	2566.29	2658.98	2680.60
		48"(1219mm)	UUFS-1648-WW	2626.42	2649.99	2740.73	2764.30
		54"(1372mm)	UUFS-1654-WW	2708.17	2733.69	2822.48	2848.00
		60"(1524mm)	UUFS-1660-WW	3030.36	3057.83	3144.67	3172.14
		66"(1676mm)	UUFS-1666-WW	3518.13	3547.55	3632.44	3661.86
		72"(1829mm)	UUFS-1672-WW	4045.34	4076.71	4159.65	4191.02

Height	Depth	Width	Wood Cabinet Door Number ①	Wood A Trim		Wood B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUKS-1624-WW	\$3629.30	\$ 3645.07	\$ 3743.61	\$ 3759.38
		30"(762mm)	UUKS-1630-WW	3722.93	3740.65	3837.24	3854.96
		36"(914mm)	UUKS-1636-WW	3816.56	3836.23	3930.87	3950.54
		42"(1067mm)	UUKS-1642-WW	3910.19	3931.81	4024.50	4046.12
		48"(1219mm)	UUKS-1648-WW	4041.03	4064.60	4155.34	4178.91
		54"(1372mm)	UUKS-1654-WW	4365.50	4391.02	4479.81	4505.33
		60"(1524mm)	UUKS-1660-WW	4710.94	4738.41	4825.25	4852.72
		66"(1676mm)	UUKS-1666-WW	5500.76	5530.18	5615.07	5644.49
		72"(1829mm)	UUKS-1672-WW	6284.29	6315.66	6398.60	6429.97

Height	Depth	Width	Wood Single Slider Door Number ①	Wood A Trim		Wood B Trim	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUHS-1624-WW	\$ 2299.42	\$ 2315.19	\$ 2413.73	\$ 2429.50
		30"(762mm)	UUHS-1630-WW	2381.17	2398.89	2495.48	2513.20
		36"(914mm)	UUHS-1636-WW	2462.92	2482.59	2577.23	2596.90
		42"(1067mm)	UUHS-1642-WW	2544.67	2566.29	2658.98	2680.60
		48"(1219mm)	UUHS-1648-WW	2626.42	2649.99	2740.73	2764.30
		54"(1372mm)	UUHS-1654-WW	2708.17	2733.69	2822.48	2848.00
		60"(1524mm)	UUHS-1660-WW	3030.36	3057.83	3144.67	3172.14
		66"(1676mm)	UUHS-1666-WW	3518.13	3547.55	3632.44	3661.86
		72"(1829mm)	UUHS-1672-WW	4045.34	4076.71	4159.65	4191.02

# Wall Mount Components

## Wall Track



VZAT  
Class CA

### Features

- Includes one two-sided wall track and screws.
- One wall track will mount two adjacent components.
  - Side one will accommodate mounting of two components in a side-by-side shared condition.
  - Side two will accommodate mounting of one component.
- For attachment of the following components to structural walls:
  - panel-hung storage
  - tack strips, tackboards, markerboards
  - worksurface and supports

### Specification Tips


- Mounting holes begin 0.5"(13mm) from the top and continue every 6"(152mm) on center. Wall track is designed to be field-cut from the bottom of the track. See installation instructions for detail.
- A wall-mounted Compose panel may require a field-installed shim when used with wall track to support a corner or transitional worksurface. Refer to Specification Guide.
- In a component end mount condition, wall track will not add additional width.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Width	Depth	Locations	Wall Attachment	Number	Trim	
						A	B
30"(762mm)	1"(25mm)	0.75"(19mm)		4 holes	VZAT-3000	\$102.55	\$127.95
66"(1676mm)				10 holes	VZAT-6600	158.03	183.43
74"(1880mm)				11 holes	VZAT-7400	170.33	195.73

## Back for Wall Mounted Overhead Storage Unit



UUFB-P  
Class CA

### Features

- Includes one painted back and mounting hardware.
- Used to cover wall mount attachment brackets.

### Specification Tips

- For use on Wall Mount Overhead Storage Units only.
- Back must match width of Wall Mounted Overhead Storage Units.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

### Outside

Height	Width	Number	Trim	
			A	B
16"(406mm)	24"(610mm)	UUFB-0024-P	\$ 416.97	\$459.42
	30"(762mm)	UUFB-0030-P	426.70	469.15
	36"(914mm)	UUFB-0036-P	436.43	478.88
	42"(1067mm)	UUFB-0042-P	446.16	488.61
	48"(1219mm)	UUFB-0048-P	455.89	498.34
	54"(1372mm)	UUFB-0054-P	465.62	508.07
	60"(1524mm)	UUFB-0060-P	475.35	517.80
	66"(1676mm)	UUFB-0066-P	485.08	527.53
	72"(1829mm)	UUFB-0072-P	494.81	537.26

## Worksurface and Gallery Panel Wall Mount Bracket



ZUBW  
Class CA

### Feature

- Includes one steel non-handed bracket and hardware.

### Specification Tips

- **Screws/anchors for attachment to wall are field supplied.**
- **Must be properly anchored to a structural wall.**
- May be used to mount:
  - Gallery Panel to wall
    - Two brackets required
  - Worksurface to wall
    - 24"(610mm)-42"(1067mm)W requires two brackets
    - 48"(1219mm)-78"(1981mm)W requires three brackets
    - 84"(2134mm)-120"(3048mm)W requires four brackets
  - Worksurface Support Panel to wall
    - One bracket required
- Worksurface front corner support requirements:
  - One corner must be floor supported.
  - Second corner must be floor supported or attached to an adjacent worksurface with flush mount kit.
  - Distance between floor supports may not exceed 10 feet.


### To Order, Specify:

- 1) Product number.
- 2) Trim color (if applicable).

Description	Depth	Width	Number	Price	Trim	
					A	B
Attachment Bracket (Black)	2"(51mm)	2"(51mm)	ZUBW-0000-PN	\$38.18	N/A	N/A
Attachment Bracket (trim color required)	2"(51mm)	2"(51mm)	ZUBW-0000-CN	N/A	\$44.27	\$52.00

# Wall Mount Components

## Tackboard, Wall Mount



KUAF  
Class CA

### Feature

- Includes one tackboard and attachment hardware for structural wall.

### Specification Tips


- Designed to be used under wall mounted overhead storage units.
- **Not for use with wall track.**

### To Order, Specify:

- 1) Product number.
- 2) Fabric surface and color.

Nominal Height	Width	Number	Fabric					
			A	B	C	E	F	G
16"(406mm)	24"(610mm)	KUAF-1624	\$284.84	\$294.23	\$303.62	\$350.58	\$ 376.31	\$392.39
	30"(762mm)	KUAF-1630	336.85	348.58	360.31	419.01	451.18	471.28
	36"(914mm)	KUAF-1636	396.45	410.57	424.65	495.09	533.69	557.85
	42"(1067mm)	KUAF-1642	449.72	466.19	482.62	564.80	609.83	638.02
	48"(1219mm)	KUAF-1648	502.99	521.82	540.59	634.51	685.98	718.19
	54"(1372mm)	KUAF-1654	556.26	577.44	598.56	704.22	762.12	798.36
	60"(1524mm)	KUAF-1660	609.53	633.06	656.53	773.93	838.26	878.53

## Markerboard, Wall Mount



KUAM  
Class CA

### Features

- Includes non-magnetic white laminate erasable writing surface with tray and attachment hardware for structural wall.
- Tray available in charcoal only.
- Markers and erasers not included.

### Specification Tips

- Designed to be used under wall mounted overhead storage units.
- Does not allow task light cord to pass behind.
- **Not for use with wall track.**
- **The following products are recommended to maintain the markerboard appearance:**
  - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - Markerboard cleaner and conditioner, order part# 7031-7001.
  - Markerboard spray cleaner, order part# 7031-7002.

### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Nominal Height	Width	Number	Price
16"(406mm)	24"(610mm)	KUAM-1624	\$ 470.36
	30"(762mm)	KUAM-1630	496.94
	36"(914mm)	KUAM-1636	523.52
	42"(1067mm)	KUAM-1642	550.10
	48"(1219mm)	KUAM-1648	576.68
	54"(1372mm)	KUAM-1654	603.26
	60"(1524mm)	KUAM-1660	629.84
24"(610mm)	24"(610mm)	KUAM-2424	\$ 619.37
	30"(762mm)	KUAM-2430	645.95
	36"(914mm)	KUAM-2436	672.53
	42"(1067mm)	KUAM-2442	699.11
	48"(1219mm)	KUAM-2448	725.69
	54"(1372mm)	KUAM-2454	752.27
	60"(1524mm)	KUAM-2460	778.85
32"(813mm)	24"(610mm)	KUAM-3224	\$ 837.80
	30"(762mm)	KUAM-3230	864.38
	36"(914mm)	KUAM-3236	890.96
	42"(1067mm)	KUAM-3242	917.54
	48"(1219mm)	KUAM-3248	944.12
	54"(1372mm)	KUAM-3254	970.70
	60"(1524mm)	KUAM-3260	997.28

# Lighting

## Task

### Reed Premiere™ Stand-Alone LED Task Light



LUTS-0017-19ULD5  
Class YA

#### Features

- Includes 17"(432mm) LED fixture, 15 watt power supply with nine foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5"(13mm); Width: 2.0"(51mm); Length: 16.4"(417mm).

#### Specification Tips


- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 50,000 hour.
- Not intended for daisy chaining.
- Single touch on/off with continuous dimming from 15-100%.
- Automatic shutoff after 10 hours.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

#### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Fixture Length	Watts	Number	Price
16.4"(417mm)	7.8	LUTS-0017-19ULD5	\$366.83

### Reed Premier™ Starter LED Task Light



LUTS-0017-12ULD6  
Class YA

#### Features

- Includes LED fixture, 60 watt power supply with twelve foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5"(13mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm).

#### Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 50,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Automatic shutoff after 10 hours.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

#### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Fixture Length	Watts	Number	Price
16.4"(417mm)	7.8	LUTS-0017-12ULD6	\$504.40
30.1"(765mm)	17.6	LUTS-0031-12ULD6	734.00
43.7"(1110mm)	25.9	LUTS-0044-12ULD6	947.20
57.4"(1458mm)	33.6	LUTS-0058-12ULD6	1176.80

# Lighting

## Task

### Reed Premiere™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights



LUTD-0017-1NULDN  
Class YA



**Features**

- Includes LED fixture, 8”(203mm) and 30”(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5”(13mm); Width: 2.0”(51mm); Lengths: 16.4”(417mm), 30.1”(765mm), 43.7”(1110mm) or 57.4”(1458mm).

**Specification Tips**


- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 50,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Automatic shutoff after 10 hours.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

**To Order, Specify:**

- 1) Product number.  
(No finish specification required.)

Fixture Length	Watts	Number	Price
16.4”(417mm)	7.8	LUTD-0017-1NULDN	\$ 366.83
30.1”(765mm)	17.6	LUTD-0031-1NULDN	596.43
43.7”(1110mm)	25.9	LUTD-0044-1NULDN	809.63
57.4”(1458mm)	33.6	LUTD-0058-1NULDN	1039.23

### Reed Premier™ Add-On Occupancy Sensor



LUTS-0000  
Class YA



**Features**

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7”(18mm); Width: 2.0”(51mm); Length: 2.3”(58mm).

**Specification Tips**

- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

**To Order, Specify:**


- 1) Product number.  
(No finish specification required.)

Number	Price
LUTS-0000	\$ 412.73

# Lighting

## Task

### Adaptable LED Task Light – Stand Alone



LUTN  
Class YA – GSA Open Market



#### Features

- Includes 17”(432mm), 31”(787mm) or 44”(1118mm) LED fixture, 18 watt power supply with black nine foot power cord, two adhesive cord managers and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5”(13mm); Width: 1.18”(30mm).
- Automatic turn off after 12 hours (+/- 15 mins).

#### Specification Tips


- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 82+ CRI.
- Rated Lifespan: >43,800 hour.
- **Not intended for daisy chaining.**
- Single touch on/off with continuous dimming from 15-100% with last state memory.
- Intended for use under shelf or cabinet.

#### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Fixture Length	Total Length with Switch	Watts	Number	Price
17”(432mm)	18.8”(478mm)	5.6	LUTN-0017-19ULDN	\$244.53
31”(787mm)	32.8”(833mm)	10.3	LUTN-0031-19ULDN	277.57
44”(1118mm)	45.8”(1163mm)	14.3	LUTN-0044-19ULDN	308.25

### Adaptable LED Task Light – Starter Kit



LUTT  
Class YA – GSA Open Market



#### Features

- Includes LED fixture, 65 watt power supply with ten foot power cord, two adhesive cord managers, and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5”(13mm); Width: 1.18”(30mm).
- Automatic turn off after 12 hours (+/- 15 mins).

#### Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 82+ CRI.
- Rated Lifespan: >43,800 hour.
- Refer to the Specification Guide or under the Adaptable LED Task Light - Add-On Kit for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100% with last state memory.
- The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
- Intended for use under shelf or cabinet.

#### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Fixture Length	Total Length with Switch	Watts	Number	Price
17”(432mm)	18.8”(478mm)	5.6	LUTT-0017-11ULDN	\$ 277.41
31”(787mm)	32.8”(833mm)	10.3	LUTT-0031-11ULDN	310.45
44”(1118mm)	45.8”(1163mm)	14.3	LUTT-0044-11ULDN	341.13

# Lighting

## Task

### Adaptable LED Task Light – Add-On Kit



LUTA  
Class YA – GSA Open Market



#### Features

- Includes LED fixture, 30”(762mm) daisy chain cord, two adhesive cord managers, and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5”(13mm); Width: 1.18”(30mm).

#### Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 82+ CRI.
- Rated Lifespan: >43,800 hour.
- Refer to the chart at right for the total number of light fixtures that can be daisy chained together.
- The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
- Intended for use under shelf or cabinet.

#### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Acceptable Daisy Chain Light Combinations

Daisy Chain Combinations	# of 17” Lights	# of 31” Lights	# of 44” Lights
Combination 1	1	1	1
Combination 2	1	1	0
Combination 3	1	2	0
Combination 4	1	0	1
Combination 5	2	1	0
Combination 6	2	0	1
Combination 7	2	0	0
Combination 8	3	1	0
Combination 9	3	0	0
Combination 10	4	0	0
Combination 11	0	1	1
Combination 12	0	2	0
Combination 13	0	3	0
Combination 14	0	0	2

Fixture Length	Watts	Number	Price
17”(432mm)	5.6	LUTA-0017-1NULDN	\$205.92
31”(787mm)	10.3	LUTA-0031-1NULDN	238.96
44”(1118mm)	14.3	LUTA-0044-1NULDN	269.64



# Compose Resources

Surfaces Materials

COM Yardage Requirements

Index

Warranty/Terms of Sale

# Surface Materials

## Finish Color Legend

### Wood

#### Grade A

##### Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

#### Grade B

##### Cherry

VC-CA1	Amber
VC-W23	American
VC-CPK	Bourbon
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

##### Maple

VP-LM	Light
VP-N	Natural

##### Maple Quarter Cut

NM-N	Natural
------	---------

##### Oak

VJ-HKC	Urban
--------	-------

##### Rift Cut White Oak

NR-W15	Espresso
NR-W40	Mocha

##### Walnut

VR-HKG	Colombian
VR-W15	Espresso
VR-W31	Retro

##### Walnut Quarter Cut

NW-W35	Clear
NW-W31	Retro

### HPL

#### Grade A

##### Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

##### Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

##### Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

#### Grade B

##### Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecu
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

#### Grade E

##### Premium

H-C2	Drift
H-C6	Hatch
H-C1	Hay
H-C5	Mineral
H-C4	Molasses
H-C3	Pecan
H-C7	Tanned

### Edgeband

#### Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

#### Patterned Edgeband

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

#### Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecu
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

#### Ply-Edge

HP-PW	Ply-Edge
-------	----------

#### Premium

HP-C2	Drift
HP-C6	Hatch
HP-C1	Hay
HP-C5	Mineral
HP-C4	Molasses
HP-C3	Pecan
HP-C7	Tanned

### Trim

#### Grade A

##### Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

##### Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

#### Grade B

##### Smooth

TR-IC	Accent Blue
TR-IG	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-1J	Sky Blue

##### Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

##### Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

### Tempered

#### Glass

##### Grade A

1G-1C	Clear
-------	-------

##### Grade C

1G-E23	Satin Etched
SQ-ER	English Reeded

##### Grade D

SQ-CM	Checks Mix
SQ-VM	Vertical Moire

### Acrylic

#### Grade D

SK-1E	Frosted
-------	---------

### Lock Plugs

LR-BL	Black
LR-BP	Chrome

**ALERT:** These materials are current, however they are being considered for future obsolescence due to low volume.

<h4>Wood</h4> <table border="0"> <tr><td>VJ-W42</td><td>Brindle</td></tr> <tr><td>2R-RL</td><td>Butternut</td></tr> <tr><td>NW-W15</td><td>Espresso</td></tr> <tr><td>NP-W08</td><td>Golden</td></tr> <tr><td>NP-W07</td><td>Light</td></tr> <tr><td>NX-U</td><td>Medium</td></tr> <tr><td>VR-W12</td><td>Naturally Walnut</td></tr> <tr><td>VP-AD</td><td>Sand</td></tr> <tr><td>WC-RW</td><td>Wenge</td></tr> </table>	VJ-W42	Brindle	2R-RL	Butternut	NW-W15	Espresso	NP-W08	Golden	NP-W07	Light	NX-U	Medium	VR-W12	Naturally Walnut	VP-AD	Sand	WC-RW	Wenge	<h4>HPL</h4> <table border="0"> <tr><td>H-AM</td><td>Amber Cherry</td></tr> <tr><td>H-AD</td><td>Medium Cherry</td></tr> </table>	H-AM	Amber Cherry	H-AD	Medium Cherry	<h4>Edgeband</h4> <table border="0"> <tr><td>HP-AM</td><td>Cherry</td></tr> <tr><td>HP-AD</td><td>Medium Cherry</td></tr> </table>	HP-AM	Cherry	HP-AD	Medium Cherry	<h4>Trims</h4> <table border="0"> <tr><td>TR-1E</td><td>Accent Orange</td></tr> <tr><td>TR-1F</td><td>Accent Red</td></tr> <tr><td>TR-CTS</td><td>Chartreuse</td></tr> <tr><td>TR-1H</td><td>Terra</td></tr> <tr><td>TR-1K</td><td>Wren</td></tr> </table>	TR-1E	Accent Orange	TR-1F	Accent Red	TR-CTS	Chartreuse	TR-1H	Terra	TR-1K	Wren
VJ-W42	Brindle																																						
2R-RL	Butternut																																						
NW-W15	Espresso																																						
NP-W08	Golden																																						
NP-W07	Light																																						
NX-U	Medium																																						
VR-W12	Naturally Walnut																																						
VP-AD	Sand																																						
WC-RW	Wenge																																						
H-AM	Amber Cherry																																						
H-AD	Medium Cherry																																						
HP-AM	Cherry																																						
HP-AD	Medium Cherry																																						
TR-1E	Accent Orange																																						
TR-1F	Accent Red																																						
TR-CTS	Chartreuse																																						
TR-1H	Terra																																						
TR-1K	Wren																																						

# Surface Materials

## Fabrics/Color Legend

### Vertical Fabrics

#### Grade A

- (36) Aerial
- (6X) Chevron
- (35) Etch
- (L6) Highlands
- (C1) Striae
- (PY) Tailored
- (3A) Tellure

#### Grade B

- (4HV) Blanket
- (33) Camp
- (L5) Classic
- (34) Fields
- (3JV) Hobson
- (6) Hue
- (ZR) Kio
- (3LV) Novelty
- (32) Peca
- (PV) Ritz
- (WS) Shimmer

#### Grade C

- (SW) Sisal
- (4S) Thorman

#### Grade D

- (6KV) Dots
- (3SV) Scapes

\* For most current finish and fabric availability please reference [surfaces.haworth.com](https://surfaces.haworth.com).

**ALERT:** These materials are current, however they are being considered for future obsolescence due to low volume.

**Vertical Fabrics**

(PH) Birds Nest

### Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to: [Haworth.com](https://www.haworth.com) > Surface Collection > Haworth+ Library

### Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to: [Haworth.com](https://www.haworth.com) > Surface Collection > Resources > COM

For information on approved COM's, please refer to: [Haworth.com](https://www.haworth.com) > Surface Collection > COM Library

# COM Yardage Requirements

## Compose Tile Fabric Usage

Nominal (Inches)		66"(1676mm) Roll (Linear Yards)			54"(1372mm) Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
8"(203mm)	18"(457mm)	0.111	0.122	0.111	0.167	0.153	0.153
	24"(610mm)	0.167	0.156	0.156	0.167	0.195	0.167
	30"(762mm)	0.167	0.189	0.167	0.334	0.236	0.236
	36"(914mm)	0.334	0.222	0.222	0.334	0.278	0.278
	42"(1067mm)	0.334	0.256	0.256	0.334	0.320	0.320
	48"(1219mm)	0.334	0.289	0.289	0.334	0.361	0.334
	60"(1524mm)	0.334	0.356	0.334	N/A	0.445	0.445
16"(406mm)	72"(1829mm)	N/A	0.422	0.422	N/A	0.528	0.528
	18"(457mm)	0.185	0.204	0.185	0.278	0.306	0.278
	24"(610mm)	0.278	0.259	0.259	0.278	0.389	0.278
	30"(762mm)	0.278	0.315	0.278	0.556	0.473	0.473
	36"(914mm)	0.556	0.371	0.371	0.556	0.556	0.556
	42"(1067mm)	0.556	0.426	0.426	0.556	0.639	0.556
	48"(1219mm)	0.556	0.482	0.482	0.556	0.723	0.556
24"(610mm)	60"(1524mm)	0.556	0.593	0.556	N/A	0.889	0.889
	72"(1829mm)	N/A	0.704	0.704	N/A	1.056	1.056
	18"(457mm)	0.259	0.306	0.259	0.389	0.306	0.306
	24"(610mm)	0.389	0.389	0.389	0.389	0.389	0.389
	30"(762mm)	0.389	0.473	0.389	0.778	0.473	0.473
	36"(914mm)	0.778	0.556	0.556	0.778	0.556	0.556
	42"(1067mm)	0.778	0.639	0.639	0.778	0.639	0.639
32"(813mm)	48"(1219mm)	0.778	0.723	0.723	0.778	0.723	0.723
	60"(1524mm)	0.778	0.889	0.778	N/A	0.889	0.889
	72"(1829mm)	N/A	1.056	1.056	N/A	1.056	1.056
	18"(457mm)	0.333	0.612	0.333	0.500	0.612	0.500
	24"(610mm)	0.500	0.778	0.500	0.500	0.778	0.500
	30"(762mm)	0.500	0.945	0.500	1.000	0.945	0.945
	36"(914mm)	1.000	1.112	1.000	1.000	1.112	1.000
40"(1016mm)	42"(1067mm)	1.000	1.278	1.000	1.000	1.278	1.000
	48"(1219mm)	1.000	1.445	1.000	1.000	1.445	1.000
	60"(1524mm)	1.000	1.778	1.000	N/A	1.778	1.778
	72"(1829mm)	N/A	2.112	2.112	N/A	2.112	2.112
	18"(457mm)	0.408	0.612	0.408	0.612	0.612	0.612
	24"(610mm)	0.612	0.778	0.612	0.612	0.778	0.612
	30"(762mm)	0.612	0.945	0.612	1.223	0.945	0.945
48"(1219mm)	36"(914mm)	1.223	1.112	1.112	1.223	1.112	1.112
	42"(1067mm)	1.223	1.278	1.223	1.223	1.278	1.223
	48"(1219mm)	1.223	1.445	1.223	1.223	1.445	1.223
	60"(1524mm)	1.223	1.778	1.223	N/A	1.778	1.778
	72"(1829mm)	N/A	2.112	2.112	N/A	2.112	2.112
	18"(457mm)	0.482	0.612	0.482	0.723	0.612	0.612
	24"(610mm)	0.723	0.778	0.723	0.723	0.778	0.723
56"(1422mm)	30"(762mm)	0.723	0.945	0.723	1.445	0.945	0.945
	36"(914mm)	1.445	1.112	1.112	1.445	1.112	1.112
	42"(1067mm)	1.445	1.278	1.278	1.445	1.278	1.278
	48"(1219mm)	1.445	1.445	1.445	1.445	1.445	1.445
	60"(1524mm)	1.445	1.778	1.445	N/A	1.778	1.778
	72"(1829mm)	N/A	2.112	2.112	N/A	2.112	2.112
	18"(457mm)	0.556	0.612	0.556	0.834	N/A	0.834
60"(1524mm)	24"(610mm)	0.834	0.778	0.778	0.834	N/A	0.834
	30"(762mm)	0.834	0.945	0.834	1.667	N/A	1.667
	36"(914mm)	1.667	1.112	1.112	1.667	N/A	1.667
	42"(1067mm)	1.667	1.278	1.278	1.667	N/A	1.667
	48"(1219mm)	1.667	1.445	1.445	1.667	N/A	1.667
	60"(1524mm)	1.667	1.778	1.667	N/A	N/A	N/A
	72"(1829mm)	N/A	2.112	2.112	N/A	N/A	N/A

# COM Yardage Requirements

## Compose Tile Fabric Usage

Nominal (Inches)		66"(1676mm) Roll (Linear Yards)			54"(1372mm) Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
64"(1626mm)	18"(457mm)	0.630	0.612	0.612	0.945	N/A	0.945
	24"(610mm)	0.945	0.778	0.778	0.945	N/A	0.945
	30"(762mm)	0.945	0.945	0.945	1.889	N/A	1.889
	36"(914mm)	1.889	1.112	1.112	1.889	N/A	1.889
	42"(1067mm)	1.889	1.278	1.278	1.889	N/A	1.889
	48"(1219mm)	1.889	1.445	1.445	1.889	N/A	1.889
	60"(1524mm)	1.889	1.778	1.778	N/A	N/A	N/A
72"(1829mm)	72"(1829mm)	N/A	2.112	2.112	N/A	N/A	N/A
	18"(457mm)	0.704	N/A	0.704	1.056	N/A	1.056
	24"(610mm)	1.056	N/A	1.056	1.056	N/A	1.056
	30"(762mm)	1.056	N/A	1.056	2.112	N/A	2.112
	36"(914mm)	2.112	N/A	2.112	2.112	N/A	2.112
	42"(1067mm)	2.112	N/A	2.112	2.112	N/A	2.112
	48"(1219mm)	2.112	N/A	2.112	2.112	N/A	2.112
	60"(1524mm)	2.112	N/A	2.112	N/A	N/A	N/A
72"(1829mm)	N/A	N/A	N/A	N/A	N/A	N/A	

# Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
7031-0501	Panel Accessories – Friction Pad	.106
ATSP	Compose Echo Accessory – Ledge	.66
AUC1	Worksurface Support – Column Leg	.259
EUAW-4000-V	Electrical Components – Compose Connections Cable Chain	.135
EUEB-0000-2HY	Electrical Components – Base Feed Module — Hardwire Connection — Connections and Beam	.112
EUEB-0000-3HY	Electrical Components – Base Feed Module — Hardwire Connection — Connections and Beam	.112
EUEB-0000-4HY	Electrical Components – Base Feed Module — Hardwire Connection — Connections and Beam	.112
EUEH-0087	Electrical Components – Infeed Harness	.119
EUEH-00FO	Electrical Components – Infeed Harness	.119
EUEH-00WO	Electrical Components – Infeed Harness	.119
EUEJ-0064-2WF	Electrical Components – Internal Power Base AI Base Feed	.113
EUEJ-0064-3WF	Electrical Components – Internal Power Base AI Base Feed	.113
EUEJ-0064-4WF	Electrical Components – Internal Power Base AI Base Feed	.113
EUER-15	Electrical Components – Triplex Receptacle — 15 Amp	.129
EUER-20	Electrical Components – Triplex Receptacle — 20 Amp	.130
EZEJ-0048-2WF	Electrical Components – Raised Floor Infeed Base Feed Module	.114
EZEJ-0048-3WF	Electrical Components – Raised Floor Infeed Base Feed Module	.114
EZEJ-0048-4WF	Electrical Components – Raised Floor Infeed Base Feed Module	.114
FBEW-0004-31	Electrical Components – Wall Feed Field Wired 1 Port	.114
FBEW-0004-41	Electrical Components – Wall Feed Field Wired 1 Port	.114
HAB	Panel Accessories – Anchoring Bracket	.106
KUAF	Wall Mount Components – Tackboard, Wall Mount	.292
KUAM	Wall Mount Components – Markerboard, Wall Mount	.292
KZAF	External Mount Tiles — Full Panel and Connections – Tackboard, External Mount	.67
KZAM	External Mount Tiles — Full Panel and Connections – Markerboard, External Mount	.68
KZPY-16	External Mount Tiles — Full Panel and Connections – Slat, 16" External Mount	.67
LUTA	Lighting – Task — Adaptable LED Task Light – Add-On Kit	.296
LUTD-0017-1NULDN	Lighting – Task — Reed Premiere™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	.294
LUTN	Lighting – Task — Adjustable LED Task Light – Stand-Alone	.295
LUTS-0000	Lighting – Task — Reed Premier™ Add-On Occupancy Sensor	.294
LUTS-0017-12ULD6	Lighting – Task — Reed Premier™ Starter LED Task Light	.293
LUTS-0017-19ULD5	Lighting – Task — Reed Premiere™ Stand-Alone LED Task Light	.293
NADR-8	Upper Storage — Adaptable – Shelf Divider	.285
NECK-1	Electrical Components – Information Plate Communication Port Kits	.131
NECK-2	Electrical Components – Information Plate Communication Port Kits	.131
NEP-1	Electrical Components – Power Break Marker	.135
NUB-1	Upper Storage — Adaptable – Overhead Storage Unit / Shelf Gang Clip	.285
STUT	Gallery Panel Accessories – Compose Echo Tackboard	.206
SYCD	Gallery Panel to Gallery Panel Face Attachment – C (Center Mount)	.191
SYCJ	Gallery Panel to Compose Beam End-of-Run – C (Center Mount)	.176
SYCW	Gallery Panel to Compose Panel End-of-Run – C (Center Mount)	.156
SYCZ	Gallery Panel to Compose Panel End-of-Run – C (Center Mount)	.156
SYEJ (Right Face)	Gallery Panel to Compose Beam End-of-Run – W/E (Half Left or Half Right Mount)	.171
SYEW (Right Face)	Gallery Panel to Compose Panel End-of-Run – W/E (Half Left or Half Right Mount)	.151
SYEZ	Gallery Panel to Compose Panel End-of-Run – W/E (Half Left or Half Right Mount)	.151
SYGG	Gallery Panel Accessories – Insert Glass — Gallery Panel Glass Ready Option	.204
SYHJ	Gallery Panel to Compose Beam Intermediate – H (Two Sided Half Left/Right)	.182
SYHW	Gallery Panel to Compose Panel Intermediate – H (Two-Sided Half Left/Right)	.162
SYHZ	Gallery Panel to Compose Panel Intermediate – H (Two-Sided Half Left/Right)	.162
SYLD (Left Face)	Gallery Panel to Gallery Panel Face Attachment – L/R (Left or Right Mount)	.188
SYLJ (Left Face)	Gallery Panel to Compose Beam End-of-Run – L/R (Left or Right Mount)	.168

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
SYLW (Left Face)	Gallery Panel to Compose Panel End-of-Run – L/R (Left or Right Mount)	.148
SYLZ	Gallery Panel to Compose Panel End-of-Run – L/R (Left or Right Mount)	.148
SYPT	Gallery Panel Accessories – Trim Post — 3-Way or 4-Way — Intermediate Full Height	.210
SYPX	Gallery Panel Accessories – Trim Post — Variable Height — Intermediate Intersection	.209
SYRD (Right Face)	Gallery Panel to Gallery Panel Face Attachment – L/R (Left or Right Mount)	.188
SYRJ (Right Face)	Gallery Panel to Compose Beam End-of-Run – L/R (Left or Right Mount)	.168
SYRW (Right Face)	Gallery Panel to Compose Panel End-of-Run – L/R (Left or Right Mount)	.148
SYRZ	Gallery Panel to Compose Panel End-of-Run – L/R (Left or Right Mount)	.148
SYSN	Gallery Panel to Gallery Panel End Attachment – I (90° Face or Post Connection)	.194
SYSN	Gallery Panel to Gallery Panel End Attachment – S (Straight In-Line Add-On)	.197
SYTI	Gallery Panel Accessories – Compose Tile Hardware Kit	.207
SYTJ	Gallery Panel to Compose Beam Intermediate – T (Two Sided Left/Right)	.179
SYTW	Gallery Panel to Compose Panel Intermediate – T (Two-Sided Left/Right)	.159
SYTZ	Gallery Panel to Compose Panel Intermediate – T (Two-Sided Left/Right)	.159
SYWB	Gallery Panel Accessories – Gallery Panel Hanging Brackets	.208
SYWJ (Left Face)	Gallery Panel to Compose Beam End-of-Run – W/E (Half Left or Half Right Mount)	.171
SYWW (Left Face)	Gallery Panel to Compose Panel End-of-Run – W/E (Half Left or Half Right Mount)	.151
SYWZ	Gallery Panel to Compose Panel End-of-Run – W/E (Half Left or Half Right Mount)	.151
SYXJ	Gallery Panel to Compose Beam Intermediate – X (Center - Two-Sided Mount)	.185
SYXW	Gallery Panel to Compose Panel Intermediate – X (Center - Two Sided Mount)	.165
SYXZ	Gallery Panel to Compose Panel Intermediate – X (Center - Two Sided Mount)	.165
UQFS-LG	Upper Storage – Storage Box	.267
UQFS-LL	Upper Storage – Storage Box	.267
UQFS-LN	Upper Storage – Storage Box	.267
UQFS-LW	Upper Storage – Storage Box	.267
UUFb-P	Wall Mount Componentse – Back for Wall Mounted Overhead Storage Unit	.291
UUFs-PW	Wall Mount Components – Overhead Storage Unit — Wall Mount	.286
UUFH-QW	Wall Mount Components – Overhead Storage Unit — Wall Mount	.286
UUKS-PW	Wall Mount Components – Overhead Storage Unit — Wall Mount	.286
UZCC	Panel Accessories – Top Trim — Off Modular Top Trim	.89
UZFS-PM	Upper Storage — Adaptable – Overhead Storage Unit — Standard Mount	.275
UZGS-PM	Upper Storage — Adaptable – Overhead Storage Unit — Up Mount	.280
UZHF-QM	Upper Storage — Adaptable – Overhead Storage Unit — Standard Mount	.275
UZJS-PM	Upper Storage — Adaptable – Overhead Storage Unit — Up Mount	.280
UZKS-PM	Upper Storage — Adaptable – Overhead Storage Unit — Standard Mount	.275
UZLS-PM	Upper Storage — Adaptable – Overhead Storage Unit — Up Mount	.280
UZSN	Upper Storage — Adaptable – Open Shelf Standard Mount	.285
UUFZ	Panel Accessories – Sliding Door	.86
VZAB	Electrical Components – Frame Mounted Power Tap Bracket — Concealed	.134
VZAB-0204	Electrical Components – Frame Mounted Data Plate Bracket — Concealed	.134
VZAD-0000-B	Electrical Components – Data Blank Cover — Beam	.133
VZAD-0000-R	Electrical Components – Data Blank Cover — Full Panel and Connections	.132
VZAG	Electrical Components – Tile Grommet Kit	.133
VZAJ-0000	Electrical Components – Communication Data Bracket — Beam	.132
VZAL	Panel Accessories – Aligner/Light Block	.104
VZAL	Panel Accessories – Half Aligner/Light Block	.104
VZAL-1600	Panel Accessories – Vertical Light Block (Between Panel)	.105
VZAP-0000-C	Electrical Components – Hardwire — Receptacle Plate, Hardwired	.144
VZAP-0000-G	Electrical Components – Adaptor Plate, Single Gang	.134
VZAP-0000-J	Electrical Components – Power and Communication Bezel — Beam	.132
VZAP-0000-R	Electrical Components – Hardwire — Receptacle Plate, Hardwired	.144
VZAP-0000-T	Electrical Components – Power and Communication Bezel — Full Panel and Connections	.131

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
VZAR-0000	Electrical Components – Receptacle Blank Cover	.131
VZAT	Wall Mount Componentse – Wall Track	.291
VZAW-0000-V	Electrical Components – Compose Task Light Cord Manager	.135
VZBC-0000	Electrical Components – Cable Management Bracket	.135
VZCC	Panel Accessories – Top Trim — Steel, Aluminum, Wood	.87
VZCC	Panel Accessories – Top Trim — Work Rail	.88
VZCC-0000-H	Panel Accessories – Beam — Steel Trim Top Cap Aligner Clip	.100
VZCE	Panel Accessories – Beam — End-of-Run Trim	.98
VZCE	Panel Accessories – Connections — End-of-Run Trim	.96
VZCE-0000-H	Panel Accessories – Full Panel — End-of-Run Steel Trim Bottom Bracket Clip	.91
VZCE-3400-H	Panel Accessories – Full Panel — End-of-Run Trim — Steel/Aluminum/Wood	.91
VZCE-A	Panel Accessories – Connections — Raceway End-of-Run Cover	.96
VZCE-AANG	Panel Accessories – Full Panel — End-of-Run Trim — Work Rail	.91
VZCG-0000	Panel Accessories – Glass Top Trim Clip Kit	.83
VZCL	Panel Accessories – Beam — Trim and Corner Connectors	.99
VZCL	Panel Accessories – Connections — Trim and Corner Connectors	.97
VZCL	Panel Accessories – Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood	.92
VZCL-AANG	Panel Accessories – Full Panel — Trim and Corner Connectors — Work Rail	.94
VZCM-G	Panel Accessories – T-Mount	.107
VZCM-P	Panel Accessories – T-Mount	.107
VZCQ-0000	Panel Accessories – Tie Bracket Kit – Glass Stack	.108
VZCR	Panel Accessories – Top Trim — Work Rail Top Trim Cover	.90
VZCS-0000	Panel Accessories – Corner Block Assembly — 90°	.103
VZCT	Panel Accessories – 3-Way Intersection — Spanning Tile Corner Blocks	.103
VZCT	Panel Accessories – Beam — Trim and Corner Connectors — No Top Cap	.100
VZCT	Panel Accessories – Beam — Trim and Corner Connectors	.99
VZCT	Panel Accessories – Connections — Trim and Corner Connectors	.97
VZCT	Panel Accessories – Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood	.92
VZCT-AANG	Panel Accessories – Full Panel — Trim and Corner Connectors — Work Rail	.94
VZCT-PN	Panel Accessories – Full Panel — Trim and Corner Connectors — 3- & 4-Way Intersection — Top Cap	.95
VZCV	Panel Accessories – Connections — Trim and Corner Connectors	.97
VZCV-A	Panel Accessories – Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood	.92
VZCV-A	Panel Accessories – Full Panel — Trim and Corner Connectors — Work Rail	.94
VZCW-0000-P	Panel Accessories – Panel Frame Wall Mount	.108
VZCW-G	Panel Accessories – Glass Panel Wall Mount	.108
VZCX	Panel Accessories – Beam — Trim and Corner Connectors — No Top Cap	.100
VZCX	Panel Accessories – Beam — Trim and Corner Connectors	.99
VZCX	Panel Accessories – Connections — Trim and Corner Connectors	.97
VZCX	Panel Accessories – Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood	.92
VZCX-AANG	Panel Accessories – Full Panel — Trim and Corner Connectors — Work Rail	.94
VZCX-AN	Panel Accessories – Full Panel — Trim and Corner Connectors — 3- & 4-Way Intersection — Top Cap	.95
VZCY	Panel Accessories – Connections — Trim and Corner Connectors	.97
VZCY-0000	Panel Accessories – Corner Block Assembly — 120°	.103
VZCY-A	Panel Accessories – Full Panel — Trim and Corner Connectors — Steel, Aluminum, Wood	.92
VZCY-A	Panel Accessories – Full Panel — Trim and Corner Connectors — Work Rail	.94
VZEB-0000-1	Electrical Components – Single Circuit Base Feed Module — Receptacle Connection with Power Cord	.111
VZEB-0000-12	Electrical Components – Single Circuit Base Feed Module — Receptacle Connection with Power Cord	.111
VZEB-0000-14	Electrical Components – Single Circuit Base Feed Module — Receptacle Connection with Power Cord	.111
VZEB-0000-2	Electrical Components – Single Circuit Base Feed Module — Receptacle Connection with Power Cord	.110
VZEB-0000-22	Electrical Components – Single Circuit Base Feed Module — Receptacle Connection with Power Cord	.110
VZEB-0000-24	Electrical Components – Single Circuit Base Feed Module — Receptacle Connection with Power Cord	.110
VZEB-0000-3	Electrical Components – Base Feed Module — Hardwire Connection	.110



# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
VZEB-0000-C	Electrical Components – Hardwire — Base Feed Hardwire Plate	.137
VZEB-0000-H2	Electrical Components – Base Feed Module — Hardwire Connection	.110
VZEB-0000-H4	Electrical Components – Base Feed Module — Hardwire Connection	.110
VZEB-0000-Y	Electrical Components – Base Feed Module — Concealed Hardwire Connection	.111
VZEB-0000-Y2U	Electrical Components – Base Feed Module — Hardwire Connection	.112
VZEB-0000-Y3U	Electrical Components – Base Feed Module — Hardwire Connection	.112
VZEB-0000-Y4U	Electrical Components – Base Feed Module — Hardwire Connection	.112
VZEB-0000-YH2	Electrical Components – Base Feed Module — Concealed Hardwire Connection	.111
VZEB-0000-YH4	Electrical Components – Base Feed Module — Concealed Hardwire Connection	.111
VZEF-0B0P	Electrical Components – Flexible Power Connector — Work-height	.126
VZEF-0B0P-2	Electrical Components – Flexible Power Connector — Work-height	.126
VZEF-0B0P-4	Electrical Components – Flexible Power Connector — Work-height	.126
VZEF-0B0Q	Electrical Components – Flexible Power Connector — Corner Span, Work-height	.126
VZEF-0R0P	Electrical Components – Flexible Power Connector — Raceway	.125
VZEF-0R0P-2	Electrical Components – Flexible Power Connector — Raceway	.125
VZEF-0R0P-4	Electrical Components – Flexible Power Connector — Raceway	.125
VZEF-0R0S	Electrical Components – Flexible Power Connector — Straight Span, Raceway/Work-height	.127
VZEF-0R0S-2	Electrical Components – Flexible Power Connector — Straight Span, Raceway/Work-height	.127
VZEF-0R0S-4	Electrical Components – Flexible Power Connector — Straight Span, Raceway/Work-height	.127
VZEF-0BOQ-2	Electrical Components – Flexible Power Connector — Corner Span, Work-height	.126
VZEF-0BOQ-4	Electrical Components – Flexible Power Connector — Corner Span, Work-height	.126
VZEG-0601-V	Electrical Components – Frame Rail Grommet	.133
VZEH-0000	Electrical Components – Full Panel Infeed Harness	.119
VZEH-0030	Electrical Components – Full Panel Infeed Harness	.119
VZEJ-0018	Electrical Components – Extended Power Connector	.127
VZEJ-0024	Electrical Components – Extended Power Connector	.127
VZEJ-0038-2	Electrical Components – Power Connector — Below WS	.128
VZEJ-0038-3	Electrical Components – Power Connector — Below WS	.128
VZEJ-0038-4	Electrical Components – Power Connector — Below WS	.128
VZEJ-3	Electrical Components – Vertical Power Connector	.125
VZEK-0800-C1	Electrical Components – Hardwire — Hardwire Power Kit — Single Sided for Beam	.143
VZEK-0800-C2	Electrical Components – Hardwire — Hardwire Power Kit — Double Sided for Beam	.143
VZEK-2600-C1	Electrical Components – Hardwire — Hardwire Power Kit — Single Sided for 26”(660mm)H Below WS, Connections and 42”(1067mm)H Panels at the Beltline	.141
VZEK-2600-C2	Electrical Components – Hardwire — Hardwire Power Kit — Double Sided for 26”(660mm)H Below WS, Connections and 42”(1067mm)H Panels at the Beltline	.141
VZEK-3BB	Electrical Components – Power Retrofit Kit — Raceway	.123
VZEK-42	Electrical Components – Power Retrofit Kit — 42”(1067mm)H Beltline, 58”(1473mm)H Standing Height and Connections	.120
VZEK-4BB	Electrical Components – Power Retrofit Kit — Raceway	.123
VZEK-C	Electrical Components – Hardwire — Hardwire Power Kit for Beltline, 50”H or Greater, Below WS and Standing Height	.142
VZEK-C	Electrical Components – Hardwire — Raceway Retrofit Kits	.139
VZEK-N	Electrical Components – Hardwire — Raceway Covers	.140
VZEK-NBB	Electrical Components – Raceway Covers	.124
VZEK-OB	Electrical Components – Power Retrofit Kit — Beltline, 50”(1270mm)H or Greater, Below WS and Standing Height	.121
VZEP-00	Electrical Components – Power Retrofit Kit — Standing Height	.122
VZET-2T	Electrical Components – Top Feed Module	.115
VZET-2W	Electrical Components – Top Feed Module	.115
VZET-3T	Electrical Components – Top Feed Module	.115
VZET-3TE	Electrical Components – End-of-Run Top Feed Module — Connections only	.117
VZET-3TEJ	Electrical Components – End-of-Run Top Feed Module — Beam only	.118
VZET-3W	Electrical Components – Top Feed Module	.115

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
VZET-3WE	Electrical Components – End-of-Run Top Feed Module — Connections only	.117
VZET-3WEJ	Electrical Components – End-of-Run Top Feed Module — Beam only	.118
VZET-4T	Electrical Components – Top Feed Module	.115
VZET-4W	Electrical Components – Top Feed Module	.115
VZET-NT	Electrical Components – Hardwire — Top Feed Module, Hardwired (Pole Only)	.137
VZET-NTEC	Electrical Components – Hardwire — End-of-Run Top Feed Module, Hardwired (Pole Only) — Connections and Below WS Power	.138
VZET-NTEJ	Electrical Components – Hardwire — End-of-Run Top Feed Module, Hardwired (Pole Only) — Beam Only	.138
VZET-NW	Electrical Components – Hardwire — Top Feed Module, Hardwired (Pole Only)	.137
VZET-NWEC	Electrical Components – Hardwire — End-of-Run Top Feed Module, Hardwired (Pole Only) — Connections and Below WS Power	.138
VZET-NWEJ	Electrical Components – Hardwire — End-of-Run Top Feed Module, Hardwired (Pole Only) — Beam Only	.138
VZFF	Structures – Full Panel Frames	.28
VZFF-NNOO	Structures – Full Panel Frames	.28
VZFI-A	High Acoustical Inserts	.40
VZFJ	Structures – Beam Frame	.37
VZFS	Panel Accessories – Stack Frame	.74
VZFS	Structures – Connections Frame	.34
VZFS	Structures – Connections Frame	.34
VZGC-000	Panel Accessories – Frameless Glass — End-of-Run Clip for use with Aluminum Bottom Rail	.83
VZGE	Panel Accessories – Bottom Rail End Cap	.83
VZGF	Structures – Glass Panels — Glass Panel	.31
VZGK	Panel Accessories – Frameless Glass and Rail Kit	.76
VZGR	Panel Accessories – Frameless Glass Bottom Rail	.81
VZGS-0000-B	Panel Accessories – Glass to Glass Connectors — Variable Height	.109
VZGS-0000-P	Panel Accessories – Glass to Glass Connectors — End-of-Run/Intersection	.109
VZGS-1616-U	Panel Accessories – Glass to Glass Connectors — In-Line	.109
VZGS-1618-1	Panel Accessories – Glass Stack	.75
VZLA-PSN	Structures – Beam Frame Leg — A Leg — In-Line and End-of-Run Condition	.39
VZLL	Structures – Beam Frame Leg — Straight Leg with Foot — In-Line and End-of-Run Condition	.38
VZLL	Structures – Connections Frame Leg — 2-, 3-, 4-Way Intersection	.36
VZLL	Structures – Connections Frame Leg — In-Line and End-of-Run Condition	.35
VZLL	Structures – Full Panel Frame Foot	.33
VZLL-PCNN	Structures – Beam Frame Leg — Straight Leg — 2-, 3-, 4-Way Intersection	.38
VZSB-0000	Panel Accessories – Seismic Anchoring Kit	.106
VZSG	Gallery Panel Accessories – Glass Topper — Gallery Panel Mounting	.201
VZSG	Panel Accessories – Alignment Clip Kit	.85
VZSG	Panel Accessories – Glass Topper	.84
VZST	Panel Accessories – Glass Topper — Bottom Rail Kit	.85
VZTI	Tiles - Full Panel, Connections and Stack Frame – Hardware Kit — Glass Tile/Open Frame Tile (10 bolts/nuts)	.64
VZTI-ADN	Compose Echo Integrated – Slotted Accessory Tile	.65
VZTI-A_N	Compose Echo Integrated – Slotted Accessory Tile	.65
VZTI-ANN	Compose Echo Integrated – Slotted Accessory Tile	.65
VZTI-D2N	Tiles - Full Panel, Connections and Stack Frame – Left and Right-Hand Port	.42
VZTI-DNN	Tiles - Full Panel, Connections and Stack Frame – No Technology Access	.42
VZTI-DNS	Tiles - Full Panel, Connections and Stack Frame – No Technology Access	.42
VZTI-DNS	Tiles - Full Panel, Connections and Stack Frame – No Technology Access	.42
VZTI-DRN	Tiles - Full Panel, Connections and Stack Frame – Right-Hand Port	.42
VZTI-FDN	Tiles - Beam – Left and Right-Hand Port	.69
VZTI-FEN	Tiles - Beam – Right-Hand Port	.69
VZTI-FNN	Tiles - Beam – No Technology Access	.69
VZTI-FNN	Tiles - Beam – No Technology Access	.69

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
VZTI-FNS	Tiles - Beam - No Technology Access	.69
VZTI-FWN	Tiles - Beam - Left-Hand Port	.69
VZTI-JNN	Tiles - Full Panel, Connections and Stack Frame - Slat	.62
VZTI-MNN	Tiles - Full Panel, Connections and Stack Frame - Markerboard	.61
VZTI-ONN	Tiles - Full Panel, Connections and Stack Frame - Open Frame	.63
VZTI-YYN	Tiles - Full Panel, Connections and Stack Frame - Glass	.64
VZTQ	Tiles - Full Panel, Connections and Stack Frame - Matched Natural Wood Tile Set	.59
VZVE	Panel Accessories - Variable Height Trim — Proud	.101
VZVT	Panel Accessories - Variable Height Trim 3-Way & 4-Way — Flush 90°	.102
VZVY	Panel Accessories - Variable Height Trim (Flush) — 120°	.102
VZZP	Panel Accessories - Filler Post — Sliding Door	.86
WUAR	Worksurface Accessories - Worksurface Reinforcement Channel	.263
WUAR-PHS	Worksurface Reinforcement Bar - Worksurface Reinforcement Bar	.263
WUCA-L	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCA-L	Adaptable Worksurfaces — Corner - Straight Front Corner - 90°	.226
WUCB-L54	Adaptable Worksurfaces — Corner - Bent	.222
WUCB-L54	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCB-R45	Adaptable Worksurfaces — Corner - Bent	.222
WUCB-R45	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCC-0004	Worksurface Support - Support Column	.260
WUCD-L	Adaptable Worksurfaces — Convergent - D-Shape Convergent Wrap-Around	.240
WUCD-L	Adaptable Worksurfaces — Convergent - General Specifications	.236
WUCE-L44	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCE-L44	Adaptable Worksurfaces — Corner - Wrap-Around Extended Corner - 90° — Wrap-Around Extended/ Wrap-Around Extended Transitional	.228
WUCE-R44	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCE-R44	Adaptable Worksurfaces — Corner - Wrap-Around Extended Corner - 90° — Wrap-Around Extended/ Wrap-Around Extended Transitional	.228
WUCF	Adaptable Worksurfaces — Corner - Angled Corner - 90° — Angled/Angled Transitional	.235
WUCF-L45	Adaptable Worksurfaces — Corner - Angled Corner - 90° — Angled/Angled Transitional	.235
WUCF-L45	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCF-L54	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCH-N34	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCH-N34	Adaptable Worksurfaces — Corner - Notched Corner - 90° — Notched/Notched Transitional	.232
WUCH-N43	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCH-N43	Adaptable Worksurfaces — Corner - Notched Corner - 90° — Notched/Notched Transitional	.232
WUCL-0001	Worksurface Support - Straight Leg Basic — Height Adjustable	.259
WUCN	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCN	Adaptable Worksurfaces — Corner - Notched Corner - 90° — Notched/Notched Transitional	.232
WUCP-L44	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCP-L44	Adaptable Worksurfaces — Corner - Notched Extended Corner - 90°	.233
WUCP-R44	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCP-R44	Adaptable Worksurfaces — Corner - Notched Extended Corner - 90°	.233
WUCQ-N44	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCQ-N44	Adaptable Worksurfaces — Corner - Merger Corner - 90°	.225
WUCR	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCR	Adaptable Worksurfaces — Corner - Wrap-Around Corner - 90° — Wrap-Around/Wrap-Around Transitional	.227
WUCT	Adaptable Worksurfaces — Corner - Wrap-Around Corner - 90° — Wrap-Around/Wrap-Around Transitional	.227
WUCT-N34	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCT-N43	Adaptable Worksurfaces — Corner - General Specifications	.221
WUCU	Adaptable Worksurfaces — Corner - Angled Corner - 90° — Angled/Angled Transitional	.235
WUCU	Adaptable Worksurfaces — Corner - General Specifications	.221

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
WUCX-L43	Adaptable Worksurfaces — Corner – General Specifications	.221
WUCX-L43	Adaptable Worksurfaces — Corner – Wrap-Around Extended Corner – 90° — Wrap-Around Extended/ Wrap-Around Extended Transitional	.228
WUCX-R34	Adaptable Worksurfaces — Corner – General Specifications	.221
WUCX-R34	Adaptable Worksurfaces — Corner – Wrap-Around Extended Corner – 90° — Wrap-Around Extended/ Wrap-Around Extended Transitional	.228
WUCZ-N44	Adaptable Worksurfaces — Corner – General Specifications	.221
WUCZ-N44	Adaptable Worksurfaces — Corner – Wrap Around Corner – 120°	.224
WUDC	Adaptable Worksurfaces — Conference End – Conference End/Key Conference End	.245
WUDD	Adaptable Worksurfaces — Convergent – D-Shape Ender Convergent	.239
WUDD	Adaptable Worksurfaces — Convergent – General Specifications	.236
WUKC	Adaptable Worksurfaces — Adjustable Split Top – Corner — 90°	.250
WUKR	Adaptable Worksurfaces — Adjustable Split Top – Rectangular	.250
WURA	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURA	Adaptable Worksurfaces — Rectangular – Rectangular	.213
WURD	Adaptable Worksurfaces — Convergent – D-Shape Convergent	.238
WURD	Adaptable Worksurfaces — Convergent – General Specifications	.236
WURE-N34	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURE-N34	Adaptable Worksurfaces — Rectangular – Wedge/Sharp Wedge—Wedge/Sharp Wedge	.217
WURE-N43	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURE-N43	Adaptable Worksurfaces — Rectangular – Wedge/Sharp Wedge—Wedge/Sharp Wedge	.217
WURG-N34	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURG_N34	Adaptable Worksurfaces — Rectangular – Wedge/Sharp Wedge—Wedge/Sharp Wedge	.217
WURG-N43	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURG-N43	Adaptable Worksurfaces — Rectangular – Wedge/Sharp Wedge—Wedge/Sharp Wedge	.217
WURL	Adaptable Worksurfaces — Corner – 120° Rectangular Radius and Square End — 120° Rectangular Radius End/ 120° Rectangular Square End	.223
WURL	Adaptable Worksurfaces — Corner – General Specifications	.221
WURM	Adaptable Worksurfaces — Corner – 120° Rectangular Radius and Square End — 120° Rectangular Radius End/ 120° Rectangular Square End	.223
WURM	Adaptable Worksurfaces — Corner – General Specifications	.221
WURR	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURR	Adaptable Worksurfaces — Rectangular – Rectangular Radius End	.220
WURS	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURS	Adaptable Worksurfaces — Rectangular – Swell/Inverse Swell—Swell/Inverse Swell	.216
WURT-N34	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURT-N34	Adaptable Worksurfaces — Rectangular – Rectangular Transition	.215
WURT-N43	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURT-N43	Adaptable Worksurfaces — Rectangular – Rectangular Transition	.215
WURV	Adaptable Worksurfaces — Convergent – General Specifications	.236
WURV	Adaptable Worksurfaces — Convergent – Rectangular	.237
WURW	Adaptable Worksurfaces — Rectangular – General Specifications	.212
WURW	Adaptable Worksurfaces — Rectangular – Swell/Inverse Swell—Swell/Inverse Swell	.216
WURY	Adaptable Worksurfaces — Conference End – Conference End/Key Conference End	.245
WURY	Adaptable Worksurfaces — Rectangular Key	.248
WUTS	Adaptable Worksurfaces – Countertop	.249
WUYC	Adaptable Worksurfaces — Convergent – General Specifications	.236
WUYC	Adaptable Worksurfaces — Convergent – Radius Half Convergent — Rectangular/Wedge	.243
WUYF	Adaptable Worksurfaces — Convergent – General Specifications	.236
WUYF	Adaptable Worksurfaces — Convergent – Radius Half Convergent — Rectangular/Wedge	.243
WUYG	Adaptable Worksurfaces — Convergent – General Specifications	.236
WUYG	Adaptable Worksurfaces — Convergent – Radius Convergent — Radius Rectangular/Radius Wedge	.242
WUYH	Adaptable Worksurfaces — Convergent – General Specifications	.236

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
WUYH	Adaptable Worksurfaces — Convergent – Radius Convergent — Radius Rectangular/Radius Wedge	242
WUYP	Adaptable Worksurfaces — Triangular Key	247
WUYT	Adaptable Worksurfaces — Convergent – General Specifications	236
WUYT	Adaptable Worksurfaces — Convergent – Wedge Half Convergent Plus	244
WZDZ	Adaptable Worksurfaces — 120° Link	246
ZBA2-0000-PNFG	Worksurface Support – End Leg Kit	261
ZBA2-0030-HRFG	Worksurface Support – Return Leg Kit	261
ZBBC-0000-SN	Worksurface Support – Convergent Bracket	257
ZBBP-0000-PN	Gallery Panel Accessories – Brackets — Tie Plate	200
ZBE2-0000-PNFG	Worksurface Support – End Leg Kit	261
ZBI2-0030-HNFG	Worksurface Support – Return Leg Kit	261
ZBUF-0000-PN	Worksurface Support – Flush Mount Plate	256
ZUBW	Wall Mount Componentse – Worksurface and Gallery Panel Wall Mount Bracket	291
ZUBW-0000-CN	Worksurface Support – Gallery Panel Attachment Bracket	257
ZUBW-0000-PN	Worksurface Support – Gallery Panel Attachment Bracket	257
ZUFJ	Worksurface Support – Single Support Leg	259
ZUFS	Worksurface Support – Worksurface Support Panels	251
ZUUG	Upper Storage – Ganging Flat Bracket for Storage Box	274
ZYBD-1800	Worksurface Support – Gallery Panel Cantilever Bracket	254
ZYBT-0000-PNY	Worksurface Support – Gallery Panel Countertop/OSU Bracket Kit	258
ZYST	Gallery Panel Accessories – Topper Holder Kit	203
ZZBA	Worksurface Support – Side/Corner Bracket — 26”(660mm)H, Connections or Beam	256
ZZBA-0000-PL	Worksurface Support – Side/Corner Bracket — Full Panel	255
ZZBA-0000-PLF	Worksurface Support – Side/Corner Bracket for use with Knife Edge — Full Panel	255
ZZBA-0000-PR	Worksurface Support – Side/Corner Bracket — Full Panel	255
ZZBA-0000-PRF	Worksurface Support – Side/Corner Bracket for use with Knife Edge — Full Panel	255
ZZBD	Panel Accessories – Top Trim — Work Rail Top Trim Off-Modular Bracket	90
ZZBD	Worksurface Support – Beam Cantilever Bracket	254
ZZBD	Worksurface Support – Connections Cantilever Bracket	253
ZZBD	Worksurface Support – Standard Cantilever Bracket	253
ZZBD	Worksurface Support – Work Rail Top Trim Off-Modular Bracket	256
ZZBD-1000	Worksurface Support – Standard Mini Cantilever Bracket	253
ZZBF-0000-P	Worksurface Support – Worksurface Support Panels — Anti Dislodgement Bracket for use with Worksurface Support Panels	252
ZZBF-1000-PNA	Panel-to-Storage Bracket – A Series / Be_Hold	265
ZZBF-1600-PNA	Panel-to-Storage Bracket – A Series / Be_Hold	265
ZZBF-PLL	Panel-to-Storage Bracket – X and V Series Attached 2H Storage	265
ZZBF-PNB	Panel-to-Storage Bracket – Compose Storage	265
ZZBF-PNW	Panel-to-Storage Bracket – Beside Pantry / X and V Series Freestanding	265
ZZBL-1600	Worksurface Support – Standard Link Cantilever Bracket	255
ZZBN-0000-PNU	Panel-to-Storage Bracket – X Series – Attached Pedestal	265
ZZBP-0100-PAN	Worksurface Accessories – Stanchions	264
ZZBP-0100-PGN	Worksurface Accessories – Stanchions	264
ZZBP-0300-PAN	Worksurface Accessories – Stanchions	264
ZZBT	Worksurface Support – Countertop Bracket Kit	258
ZZFD	Worksurface Support – Double Support Leg	262
ZZFJ	Worksurface Support – P-Leg	262
ZZFJ	Worksurface Support – Support Post— Height Adjustable	260
ZZFK	Worksurface Support – Double Support Leg	262
ZZFS	Worksurface Support – Worksurface Support Panels	251

# Product Compatibility and Limited Warranty Policy

## Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

## Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

## Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

**[www.haworth.com/warranty](http://www.haworth.com/warranty) or contact [OneTouch@Haworth.com](mailto:OneTouch@Haworth.com) or 1 877 429 6784.**

## Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **[OneTouch@Haworth.com](mailto:OneTouch@Haworth.com) or 1 877 429 6784.**

# Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

**[www.haworth.com/terms-of-sale](http://www.haworth.com/terms-of-sale) or contact [OneTouch@Haworth.com](mailto:OneTouch@Haworth.com) or 1 877 429 6784.**

# HAWORTH

HAWORTH® is a registered trademark of Haworth, Inc.

© Haworth, Inc. All rights reserved. 2025 5.25

[haworth.com](http://haworth.com) | 800 344 2600

# Tile-to-Floor - Base Raceway Technology Access

## Fabric



VZTI-NR  
VZTI-CR  
Class BC

### Unique Features

- Fabric Tiles are tackable and provide acoustical value.
- High Acoustic option available; specified separately.
- Tile-to-Floor with Base Raceway Technology Access must be used in lowest position on panel to cover base raceway power location.
- Can be shorter than full panel height or match panel height.
- Concealed Base Feed may be used with Tile-to-Floor with Base Raceway Technology Access. When applied in front of a Concealed Base Feed, Tiles must be sized and applied in a way that allows easy removal for access to base feed. A receptacle location will be taken up by the Concealed Base Feed when in use.
- **Tiles greater than 60"(1524mm)W, fabric will be railroded (RR).**  
**Please refer to [surfaces.haworth.com](http://surfaces.haworth.com) for available fabric and codes.**
- For aesthetic reasons, consider specifying tiles 60"(1524mm)W or less with railroded fabric if located adjacent to a tile which requires railroded fabric.

### To Order, Specify:

1) Product number, including:

**1 Technology Port Option:**

**L** Left-Hand Port

**R** Right-Hand Port

**2** Left and Right-Hand Port  
(add **\$212.90** list)

2) Fabric color.

3) Trim color for bezel.

**Note:** 72"(1829mm)W is not available in 64"(1626mm) and 72"(1829mm) tile height.

Nominal Height	Nominal Width	Number ①	Fabric						
			A	B	C	D	E	F	G
16"(406mm)	24"(610mm)	VZTI-1624-F ■ NR	\$ 372.43	\$ 391.95	\$ 413.38	\$ 436.79	\$ 460.21	\$ 491.36	\$ 510.86
	30"(762mm)	VZTI-1630-F ■ NR	384.69	406.06	429.56	455.20	480.87	515.01	536.35
	36"(914mm)	VZTI-1636-F ■ NR	401.94	425.19	450.74	478.62	506.54	543.65	566.84
	42"(1067mm)	VZTI-1642-F ■ NR	409.20	434.31	461.91	492.05	522.20	562.29	587.34
	48"(1219mm)	VZTI-1648-F ■ NR	421.46	448.43	478.10	510.46	542.86	585.94	612.84
	54"(1372mm)	VZTI-1654-F ■ NR	433.72	462.55	494.27	528.89	563.53	609.58	638.33
	60"(1524mm)	VZTI-1660-F ■ NR	445.97	476.67	510.44	547.31	584.19	633.22	663.82
	72"(1829mm)	VZTI-1672-F ■ NR	529.95	564.37	602.26	643.61	684.98	739.97	774.27
24"(610mm)	24"(610mm)	VZTI-2424-F ■ NR	\$ 407.72	\$ 432.61	\$459.96	\$ 489.81	\$ 519.69	\$ 559.41	\$584.26
	30"(762mm)	VZTI-2430-F ■ NR	425.22	452.77	483.06	516.11	549.19	593.17	620.66
	36"(914mm)	VZTI-2436-F ■ NR	447.72	477.94	511.17	547.41	583.70	631.93	662.06
	42"(1067mm)	VZTI-2442-F ■ NR	460.23	493.10	529.27	568.72	608.20	660.69	693.47
	48"(1219mm)	VZTI-2448-F ■ NR	477.73	513.27	552.38	595.02	637.70	694.45	729.88
	54"(1372mm)	VZTI-2454-F ■ NR	495.24	533.43	575.48	621.33	667.21	728.21	766.28
	60"(1524mm)	VZTI-2460-F ■ NR	512.74	553.59	598.58	647.63	696.71	761.97	802.68
	72"(1829mm)	VZTI-2472-F ■ NR	614.84	661.01	711.88	767.33	822.81	896.58	942.58
32"(813mm)	24"(610mm)	VZTI-3224-F ■ NR	\$ 443.01	\$ 473.27	\$506.54	\$542.83	\$ 579.17	\$ 627.46	\$ 657.66
	30"(762mm)	VZTI-3230-F ■ NR	465.75	499.48	536.56	577.02	617.51	671.33	704.97
	36"(914mm)	VZTI-3236-F ■ NR	493.50	530.69	571.60	616.20	660.86	720.21	757.28
	42"(1067mm)	VZTI-3242-F ■ NR	511.26	551.89	596.63	645.39	694.20	759.09	799.60
	48"(1219mm)	VZTI-3248-F ■ NR	534.00	578.11	626.66	679.58	732.54	802.96	846.92
	54"(1372mm)	VZTI-3254-F ■ NR	556.76	604.31	656.69	713.77	770.89	846.84	894.23
	60"(1524mm)	VZTI-3260-F ■ NR	579.51	630.51	686.72	747.95	809.23	890.72	941.54
	72"(1829mm)	VZTI-3272-F ■ NR	699.73	757.65	821.50	891.05	960.64	1053.19	1110.89




# Tile-to-Floor - Base Raceway Technology Access

Nominal Height	Nominal Width	Number ①	Fabric						
			A	B	C	D	E	F	G
40"(1016mm)	24"(610mm)	VZTI-4024-F NR	\$493.29	\$528.94	\$568.11	\$610.86	\$653.65	\$710.50	\$746.06
	30"(762mm)	VZTI-4030-F NR	521.29	561.18	605.07	652.92	700.83	764.50	804.28
	36"(914mm)	VZTI-4036-F NR	554.28	598.44	647.03	699.99	753.02	823.49	867.50
	42"(1067mm)	VZTI-4042-F NR	577.28	625.69	678.98	737.07	795.20	872.48	920.73
	48"(1219mm)	VZTI-4048-F NR	605.28	657.94	715.95	779.13	842.38	926.48	978.96
	54"(1372mm)	VZTI-4054-F NR	633.28	690.19	752.90	821.21	889.57	980.47	1037.18
	60"(1524mm)	VZTI-4060-F NR	661.27	722.44	789.85	863.28	936.75	1034.46	1095.40
	72"(1829mm)	VZTI-4072-F NR	799.62	869.29	946.12	1029.77	1113.47	1224.80	1294.20
48"(1219mm)	24"(610mm)	VZTI-4824-F NR	\$513.58	\$554.60	\$599.69	\$648.88	\$698.13	\$763.55	\$804.46
	30"(762mm)	VZTI-4830-F NR	546.82	592.89	643.57	698.83	754.15	827.66	873.59
	36"(914mm)	VZTI-4836-F CR	585.06	636.19	692.46	753.78	815.18	896.77	947.72
	42"(1067mm)	VZTI-4842-F CR	613.31	669.48	731.34	798.74	866.20	955.88	1011.86
	48"(1219mm)	VZTI-4848-F CR	646.55	707.78	775.23	848.69	922.22	1019.99	1081.00
	54"(1372mm)	VZTI-4854-F CR	679.80	746.07	819.11	898.65	978.25	1084.10	1150.13
	60"(1524mm)	VZTI-4860-F CR	713.04	784.36	862.99	948.60	1034.27	1148.21	1219.26
	72"(1829mm)	VZTI-4872-F CR	869.51	950.93	1040.74	1138.49	1236.30	1366.41	1447.51
56"(1422mm)	24"(610mm)	VZTI-5624-F NR	\$548.87	\$595.26	\$646.27	\$701.90	\$757.61	\$831.60	\$877.86
	30"(762mm)	VZTI-5630-F NR	587.35	639.60	697.07	759.74	822.47	905.82	957.90
	36"(914mm)	VZTI-5636-F CR	630.84	688.94	752.89	822.57	892.34	985.05	1042.94
	42"(1067mm)	VZTI-5642-F CR	664.34	728.27	798.70	875.41	952.20	1054.28	1117.99
	48"(1219mm)	VZTI-5648-F CR	702.82	772.62	849.51	933.25	1017.06	1128.50	1198.04
	54"(1372mm)	VZTI-5654-F CR	741.32	816.95	900.32	991.09	1081.93	1202.73	1278.08
	60"(1524mm)	VZTI-5660-F CR	779.81	861.28	951.13	1048.92	1146.79	1276.96	1358.12
	72"(1829mm)	VZTI-5672-F CR	954.40	1047.57	1150.36	1262.21	1374.13	1523.02	1615.82
64"(1626mm)	24"(610mm)	VZTI-6424-F NR	\$584.15	\$635.93	\$692.84	\$754.93	\$817.09	\$899.64	\$951.26
	30"(762mm)	VZTI-6430-F NR	627.89	686.30	750.58	820.64	890.79	983.99	1042.21
	36"(914mm)	VZTI-6436-F CR	676.62	741.69	813.32	891.36	969.50	1073.33	1138.16
	42"(1067mm)	VZTI-6442-F CR	715.36	787.07	866.05	952.09	1038.20	1152.67	1224.12
	48"(1219mm)	VZTI-6448-F CR	759.10	837.45	923.80	1017.80	1111.90	1237.02	1315.08
	54"(1372mm)	VZTI-6454-F CR	802.84	887.83	981.53	1083.53	1185.61	1321.36	1406.03
	60"(1524mm)	VZTI-6460-F CR	846.57	938.21	1039.26	1149.25	1259.31	1405.70	1496.98
	72"(1829mm)	VZTI-7224-F NR	\$694.44	\$751.59	\$814.42	\$882.95	\$951.57	\$1042.69	\$1099.66
72"(1829mm)	30"(762mm)	VZTI-7230-F NR	743.42	808.01	879.08	956.55	1034.11	1137.15	1201.52
	36"(914mm)	VZTI-7236-F CR	797.40	869.44	948.75	1035.15	1121.66	1236.61	1308.38
	42"(1067mm)	VZTI-7242-F CR	841.39	920.86	1008.41	1103.76	1199.20	1326.07	1405.25
	48"(1219mm)	VZTI-7248-F CR	890.37	977.29	1073.08	1177.36	1281.74	1420.53	1507.12
	54"(1372mm)	VZTI-7254-F CR	939.36	1033.71	1137.74	1250.97	1364.29	1514.99	1608.98
	60"(1524mm)	VZTI-7260-F CR	988.34	1090.13	1202.40	1324.57	1446.83	1609.45	1710.84

# Electrical Components

## Hardwire

### End-of-Run Top Feed Module, Hardwired (Pole Only) — Full Panel Below WS and Raceway Power



VZET-NTEJ  
VZET-NWEJ



Class BC

#### Features

- Includes one electrical box, ceiling bezel plate, pole and hardware.
- For connection to the electrical source located in space above a drop ceiling.
- Removable cover on poles provides access to pathway.
- Pole longer than 120" (3048mm) will consist of two sections.

#### Specification Tips

- For routing and cabling capacities, see Specification Guide.
- Mounts to the end of the frame replacing end-of-run trim.
- Specification of end-of-run trim not necessary when using End-of-Run Top Feed.
- Not for use with 2-way, 3-way or 4-way applications.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- For use with full panel for below worksurface and raceway power.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Pole Length	Number	Trim	
		A	B
<b>9.5' Ceiling Height</b>			
120" (3048mm)	VZET-OR00-NTEJ	\$1353.42	\$1575.39
<b>9.5'-12' Ceiling Height</b>			
148" (3759mm)	VZET-OR00-NWEJ	\$1396.20	\$1651.29